





# CHEVY VAN 1973

## CHEVY VAN MODEL SELECTOR



110" WB

SERIES	MODEL NUMBER		BODY ORDERING CODE
	110" WB	125" WB	
G10	CG11005	CG11305	ZW9
G20	CG21005	CG21305	ZW9
G30	CG31005	CG31305	ZW9



125" WB

# CHEVY VAN

## STANDARD SPECIFICATIONS


(See Blue Tab Section for Specification Details)



Series	G10	G20	G30
<b>Engine</b>			
<b>Base equip—6 cyl.</b> .....	250-6	250-6	250-6
<b>—8 cyl.</b> .....	307-V8	350-V8	350-V8
<b>Clutch—6 cyl.</b> .....	10", 100 sq. in.	10", 100 sq. in.	11", 124 sq. in.
<b>—8 cyl.</b> .....	11", 124 sq. in.	12", 150 sq. in.	12", 150 sq. in.
<b>Air Cleaner</b> .....	Oiled-paper element		
<b>Oil Filter</b> .....	Throw-away type; 1-qt.		
<b>Exhaust System</b> .....	Single; aluminized		
<b>Exhaust Emission Control</b> .....	A.I.R. and E.G.R.	A.I.R. and E.G.R.	C.C.S.
<b>Suspension, Front</b>	Independent; Coil Springs		
<b>Capacity</b> .....	3000 lb.	3200 lb.	3900 lb.
<b>Springs @ ground</b> .....	1310 lb. ea.	1600 lb. ea.	1700 lb. ea.
<b>Shock Absorbers</b> .....	1" dia.	1" dia.	1" dia.
<b>Suspension, Rear</b>	Hypoid; Leaf Springs		
<b>Axle Capacity</b> .....	3100 lb.	3500 lb.	5700 lb.
<b>Axle Ratio</b> .....	6 cyl-3.73; V8-3.40	6 cyl-4.11; V8-3.40	4.56
<b>Springs @ ground</b> .....	1150 lb. ea.	1600 lb. ea.	2100 lb. ea.
<b>Shock Absorbers</b> .....	1" dia.	1" dia.	1" dia.
<b>Brakes</b>	Hydraulic; Self-Adjusting		
<b>Front</b> .....	Disc; 11" rotor	Disc; 11.86" rotor	Disc; 12.5" rotor
<b>Rear</b> .....	Drum; 11" x 2"	Drum; 11" x 2"	Drum; 13" x 2½"
<b>Booster</b> .....	—	Single Diaphragm	Dual Diaphragm
<b>Parking</b> .....	Cable to Rear Wheels		
<b>Electrical</b>	12-Volt; negative ground		
<b>Battery—6 cyl.</b> .....	45 amp.		
<b>—8 cyl.</b> .....	61 amp.		
<b>Delcotron Generator</b> .....	37 amp.		
<b>Frame</b> .....	Integral body-frame		
<b>Fuel Tank (nominal capacity)</b> .....	21 gal.	21 gal.	21 gal.
<b>Steering Gear Type</b> .....	Recirculating ball		
<b>Linkage</b> .....	Parallelogram		
<b>Transmission</b>	Fully synchronized 3-speed		
<b>Shift Location</b> .....	Steering Column		
<b>Tires—110" WB</b> .....	(5)E78-14B(4PR)	(4)G78-15B(4PR)	(4)8.00-16.5C(6PR)
<b>—125" WB</b> .....	(5)F78-14B(4PR)	(4)G78-15B(4PR)	(4)8.00-16.5C(6PR)
<b>Wheels</b> .....	(5) Disc 14" x 6"	(5) Disc 15" x 6"	(5) Disc 16.5" x 6.75"

A.I.R.—Air Injection Reactor System.      C.C.S.—Controlled Combustion System.  
E.G.R.—Exhaust Gas Recirculation System.

# CHEVY VAN



- ★ Side slide-in opening clearance 44 1/4"; max. box cargo height 49 1/4" with standard front passenger seat.
- ★★ Rear slide-in opening clearance 52" with spare tire in position or 53 1/2" with spare tire removed.

### Sign Panel Area (side)

110" WB—42" x 85"  
125" WB—42" x 109"

### Capacity (cu. ft.)

110" WB—246  
125" WB—296

Series	WB	Ground Clearance (in) Δ	
		Front	Rear
G10	110	8 1/4	6 3/4
	125	8 1/4	7
G20	110	8 3/4	7 1/4
	125	8 3/4	7 1/4
G30	110	9 3/4	8 1/4
	125	9 3/4	8 1/4

Models	Engine No. Cyl.	√Dimensions (in) Δ			√Curb Weights (lb)			√Model Weights (lb) *		
		WB	OL	OH	Front	Rear	Total	Front	Rear	Total †

## G10 SERIES

CG11005	6	110	177	78 3/4	1993	1493	3486	2099	1537	3786
	8				2123	1498	3621	2229	1542	3921
CG11305	6	125	201	78 3/4	2031	1620	3651	2142	1659	3951
	8				2158	1628	3786	2269	1667	4086

## G20 SERIES

CG21005	6	110	177	80	2049	1533	3582	2155	1577	3882
	8				2197	1557	3754	2303	1601	4054
CG21305	6	125	201	80	2082	1626	3708	2193	1665	4008
	8				2227	1653	3880	2338	1692	4180

## G30 SERIES

CG31005	6	110	177	81 1/4	2097	1789	3886	2203	1833	4186
	8				2245	1813	4058	2351	1857	4358
CG31305	6	125	201	81 1/4	2124	1864	3988	2235	1903	4288
	8				2269	1891	4160	2380	1930	4460

ΔDimensions with std equipment, unloaded.

\*Model Weight includes curb weight plus occupants (standard seating capacity x 150 lbs).

†Total also includes 150 lbs. minimum payload allowance.

# CHEVY VAN

## POWER TEAMS

ENGINES	TRANSMISSIONS	REAR AXLES					
		Description and Application (Standard or Optional)	Type (Standard or Optional)	Type and Capacity	Ratios		
					With Single Rear Wheels		
					Stand-ard	Optional	
Opt. 1	Opt. 2	Opt. 3					

### G10 SERIES

■ 250-cu-in Six Engine Ordering Code LD4	3-Speed Manual (Std)—ZW4	Chevrolet 3100★	3.73	3.40*	—	—
	Turbo Hydra-matic—M49	Chevrolet 3100★	3.73	3.40	—	—
■ 307-cu-in V8 Engine Ordering Code LG8	3-Speed Manual (Std)—ZW4	Chevrolet 3100★	3.40	3.73	—	—
	Turbo Hydra-matic—M49	Chevrolet 3100★	3.07	3.40	—	—
■ 350-cu-in V8 Option LS9	3-Speed Manual (Std)—ZW4	Chevrolet 3100★	3.07	3.40	—	—
	Turbo Hydra-matic—M49	Chevrolet 3100★	3.07	3.40	—	—

### G20 SERIES

■ 250-cu-in Six Engine Ordering Code LD4	3-Speed Manual (Std)—ZW4	Chevrolet 3500★	4.11	3.73*	—	—
	Turbo Hydra-matic—M49	Chevrolet 3500★	3.73	4.11	—	—
■ 350-cu-in V8 Engine Ordering Code LS9	3-Speed Manual (Std)—ZW4	Chevrolet 3500★	3.40	3.73	—	—
	Turbo Hydra-matic—M49	Chevrolet 3500★	3.07	3.40	—	—

### G30 SERIES

● 250-cu-in Six Engine Ordering Code LD4	3-Speed Manual (Std)—ZW4	Chevrolet 5700♦	4.56	—	—	—
	Turbo Hydra-matic—M49	Chevrolet 5700♦	4.56	—	—	—
■ 350-cu-in V8 Engine Ordering Code LS9	3-Speed Manual (Std)—ZW4	Chevrolet 5700♦	4.56	4.10	—	—
	Turbo Hydra-matic—M49	Chevrolet 5700♦	4.10	3.73	4.56	—

\* Available only when HD clutch is ordered.

★ Positraction rear axle also available except when 3.40 ratio is ordered.

♦ Eaton Locking Differential rear axle also available except when 3.73 ratio is ordered.

■ Available for registration in the State of California when California Emission Equipment is ordered.

● Not available for registration in the State of California.

## ENGINE RATINGS

(Engine ratings shown below are S.A.E. net ratings @ 85° F)

	250 Six	307 V8	350 V8
Net Horsepower.....	100 @ 3600 rpm	115 @ 3600 rpm	155 @ 4000 rpm
Net Torque, lb-ft.....	175 @ 1600 rpm	205 @ 2000 rpm	255 @ 2400 rpm

# CHEVY VAN

## GVW SELECTOR

Wheel-base (in)	†Maximum Ratings			Minimum Equipment Required for GVW Rating		
	GVW Rating (lb)	★GAWR (lb)		Tires, Front	Tires, Rear	Chassis Equipment
		Front	Rear			

### G10 SERIES

110	4500	2546	2300	E78-14B(4PR)	or	E78-14B(4PR)	Standard
		2620		7.00-14C(6PR)	7.00-14C(6PR)		
	5000	2728	2728	F78-14B(4PR)	or	F78-14B(4PR)	HD front and rear springs; Power brakes
		3000	3100	7.00-14D(8PR)	7.00-14D(8PR)		
125	4600	2620	2300	F78-14B(4PR)	or	F78-14B(4PR)	Standard
				7.00-14C(6PR)	7.00-14C(6PR)		
	5100	2728	2728	F78-14B(4PR)	or	F78-14B(4PR)	HD front and rear springs; Power brakes
		3000	3100	7.00-14D(8PR)	7.00-14D(8PR)		

### G20 SERIES

110	5500	2946	2946	G78-15B(4PR)	G78-15B(4PR)	Standard
	6000	3200	3200	H78-15B(4PR)	H78-15B(4PR)	
125	5600	2946	2946	G78-15B(4PR)	G78-15B(4PR)	
	6000	3200	3200	H78-15B(4PR)	H78-15B(4PR)	

### G30 SERIES

110	6200	3400	3460	8.00-16.5C(6PR)	8.00-16.5C(6PR)	Standard
	6900	3400	3980	8.75-16.5C(6PR)	8.75-16.5C(6PR)	
	7100	3400	4200	8.75-16.5D(8PR)	8.75-16.5D(8PR)	HD front and rear springs
	7700	3900	4700	8.75-16.5D(8PR)	8.75-16.5D(8PR)	
	*8100	3900	5360	8.75-16.5E(10PR)	8.75-16.5E(10PR)	HD front and rear springs; Front stabilizer bar
125	6400	3400	3460	8.00-16.5C(6PR)	8.00-16.5C(6PR)	Standard
	7100	3400	3980	8.75-16.5C(6PR)	8.75-16.5C(6PR)	
	7300	3400	4200	8.75-16.5D(8PR)	8.75-16.5D(8PR)	HD front and rear springs
	7900	3900	4700	8.75-16.5D(8PR)	8.75-16.5D(8PR)	
	*8300	3900	5360	8.75-16.5E(10PR)	8.75-16.5E(10PR)	HD front and rear springs; Front stabilizer bar

†GAWR's shown are the maximum for each axle. When ordering a truck, the total of the actual weight on both front and rear axles cannot exceed the total GVW rating.

★GAWR—Gross Axle Weight Rating.

\*V8 models only.

# NOTES

**CHEVY VAN**  
**(4500-lb—8300-lb GVW)**  
**1973 MODELS WITH STANDARD EQUIPMENT**

*Prices shown are effective with vehicles manufactured on or after December 4, 1972*

Description	Model Number	Body Ordering Code	Wheel-base	Factory D&H <sup>†</sup>	List Price	Mfr's Sg'd Retail Price*	Desti-nation Charge & Group Number	Total
<b>6-Cylinder High Torque 250 Engine—Engine Ordering Code LD4</b>								
<b>■ G10 Series</b>								
Chevy Van .....	<b>CG11005</b>	<b>ZW9</b>	110"	11.70	2806.00	2817.70	31.....	.....
Chevy Van .....	<b>CG11305</b>	<b>ZW9</b>	125"	12.60	2941.00	2953.60	31.....	.....
<b>■ G20 Series</b>								
Chevy Van .....	<b>CG21005</b>	<b>ZW9</b>	110"	11.12	2918.00	2929.12	31.....	.....
Chevy Van .....	<b>CG21305</b>	<b>ZW9</b>	125"	11.12	3053.00	3064.12	31.....	.....
<b>• G30 Series</b>								
Chevy Van .....	<b>CG31005</b>	<b>ZW9</b>	110"	13.16	3025.00	3038.16	31.....	.....
Chevy Van .....	<b>CG31305</b>	<b>ZW9</b>	125"	13.16	3160.00	3173.16	31.....	.....
<b>■ 8-Cylinder High Torque 307 Engine—Engine Ordering Code LG8</b>								
<b>G10 Series</b>								
Chevy Van .....	<b>CG11005</b>	<b>ZW9</b>	110"	11.70	2930.00	2941.70	31.....	.....
Chevy Van .....	<b>CG11305</b>	<b>ZW9</b>	125"	12.60	3064.00	3076.60	31.....	.....
<b>■ 8-Cylinder High Torque 350 Engine—Engine Ordering Code LS9</b>								
<b>G20 Series</b>								
Chevy Van .....	<b>CG21005</b>	<b>ZW9</b>	110"	11.12	3068.00	3079.12	31.....	.....
Chevy Van .....	<b>CG21305</b>	<b>ZW9</b>	125"	11.12	3203.00	3214.12	31.....	.....
<b>G30 Series</b>								
Chevy Van .....	<b>CG31005</b>	<b>ZW9</b>	110"	13.16	3175.00	3188.16	31.....	.....
Chevy Van .....	<b>CG31305</b>	<b>ZW9</b>	125"	13.16	3310.00	3323.16	31.....	.....

- ★ Manufacturer's Suggested Retail Prices do not include applicable destination charges, state and local taxes, license fees, options or accessories  
 ■ Available for registration in the State of California when California Emission Equipment is ordered.  
 • Not available for registration in the State of California.

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

† D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.



# CHEVY VAN

## OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments

Description	Added Model Weight (F) (R)		Option Number	Factory D&H <sup>‡</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
<b>POWER TEAMS AND AXLES</b>						
<i>(See Power Teams Chart for availability and complete specifications)</i>						
<b>Engine:</b> 350 V8. G10 V8 models only. Available for registration in the State of California when California Emission Equipment is ordered.	-8	15	LS9	N.C.	43.00	43.00
<b>Transmission:</b> Turbo Hydra-matic. Includes extra HD cooling on G20-30 models.						
With 6-cylinder engine	24	5	M49	N.C.	236.00	236.00
With 307 V8 engine	26	5	M49	N.C.	236.00	236.00
With 350 V8 engine	36	7	M49	N.C.	236.00	236.00
<b>Axles, Rear:</b>						
<i>Optional Ratio 1.</i> G30 models not available when 250 engine is ordered	0	0	ZN7	N.C.	12.00	12.00
<i>Optional Ratio 2.</i> G30 models only. Available only when 350 engine and Turbo Hydra-matic transmission are ordered	0	0	ZN8	N.C.	12.00	12.00
<i>Positraction.</i> G10-20 models only	0	2	G80	N.C.	38.00	38.00
<i>Eaton Locking Differential.</i> G30 models only	0	4	G86	N.C.	128.00	128.00

## OTHER OPTIONS

<b>Air Cleaner:</b> Poly-Wrap	0	0	K43	N.C.	10.00	10.00
<b>Air Conditioning:</b> V8 models only. Includes extra HD cooling and 4-position fan switch.						
<i>Front.</i> Floor-mounted. Includes temperature sensing valve and 42-amp generator. Recommended for front seat area cooling only	107	6	C62	N.C.	507.00	507.00
<i>Front and Rear.</i> Front floor-mounted and rear overhead systems. Includes 61-amp generator. Front unit includes temperature sensing valve. Rear unit also includes additional 4-position fan switch	112	58	C63	N.C.	815.00	815.00
<b>Battery, Heavy-Duty:</b> 12-volt, 80-amp-hr, 15-plate						
G10 models only	14	-2	T60	N.C.	16.00	16.00
G20-30 models only						
Without 350 engine	14	-2	T60	N.C.	16.00	16.00
With 350 engine	3	-1	T60	N.C.	16.00	16.00
<b>Brakes:</b> Vacuum Power. Standard on G20-30 models	9	-1	J70	N.C.	48.00	48.00
<b>Bumpers:</b> Chromed. Front and rear	0	0	V37	N.C.	31.00	31.00
<b>California Emission Equipment:</b> Dealer Note -Items shown below, priced as options indicated, must be ordered for vehicles destined for registration in the State of California. This equipment should be ordered by indicating option YF5, California Emission Certification Requirements, on the order form. Based on presence of the YF5 option, the applicable options detailed below will be added to the order, at prices shown, to insure that the vehicle conforms to State of California Registration requirements.						
<i>California Emission Certification Label.</i> Not available on 6-cylinder G30 models	0	0	VJ9	N.C.	N.C.	N.C.
<i>California Assembly Line Emission Test.</i> G10-20 models only	12	0	YA7	N.C.	15.00	15.00
<i>Evaporative Emission Control.</i> V8 G30 models only. Includes emission canister on fuel line	4	1	NA9	N.C.	47.00	47.00

<sup>‡</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.

# CHEVY VAN

## OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments

Description	Added Model Weight (F) (R)		Option Number	Factory D&H <sup>†</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
<b>OTHER OPTIONS</b>						
<b>Camper Conversion Equipment: G20-30 V8 125" wheelbase models only. Available only when Turbo Hydra-matic transmission, custom appearance, chromed bumpers, HD battery, 61-amp generator (unless front and rear air conditioning is ordered), soft-ray windshield glass and stainless steel below-eye-line exterior mirrors are ordered.</b>						
<i>Camper Body.</i> Includes RH passenger seat, armrest, sunshade, seat belt with stowage container; front seat area floor carpeting; bright metal ventipanes; cigar lighter; instrument panel and front door vinyl trim panels with wheelhouse insulation.....	188	59	Z66	N.C.	189.00	189.00
<i>Side Door Trim Panels.</i> Available only when body or RH side body glass and camper body are ordered.....	3	3	BB2	N.C.	26.00	26.00
<i>Rear Door Trim Panels.</i> Available only when body, rear door or swing-out rear door glass and camper body are ordered.....	-3	10	BB3	N.C.	36.00	36.00
<b>Clutch, Heavy-Duty:</b> G10-20 models only. Available only when 250 engine and 3-speed transmission are ordered.....	2	1	M01	N.C.	6.50	6.50
<b>Cooling:</b> HD radiator only. Not available when air conditioning is ordered. Also not available on G20-30 models when Turbo Hydra-matic transmission is ordered.						
With 250 engine or 307 engine.....	3	-1	V01	N.C.	23.50	23.50
With 350 engine.....	6	-1	V01	N.C.	23.50	23.50
<b>Custom Appearance:</b> Includes bright metal grille, headlight and taillight accents; bright metal hub caps and body side moldings ..	2	4	Z61	N.C.	83.00	83.00
<b>Custom Comfort:</b> Not available when camper body is ordered. Includes cigar lighter and dual horns.....	1	0	Z62	N.C.	13.00	13.00
<b>Gauges:</b> <i>Ammeter, temperature and oil pressure.</i> .....	2	0	Z63	N.C.	12.00	12.00
<b>Generators:</b>						
<i>42-amp Delcotron.</i> Included when front floor-mounted air conditioning is ordered.....	0	0	K79	N.C.	23.00	23.00
<i>61-amp Delcotron.</i> Included when front and rear air conditioning is ordered.						
Without front floor-mounted air conditioning.....	0	0	K78	N.C.	31.00	31.00
With front floor-mounted air conditioning.....	0	0	K78	N.C.	N.C.	N.C.
<b>Glass:</b>						
<i>Soft-Ray Windshield</i> only.....	0	0	AA2	N.C.	13.00	13.00
<i>Swing-Out Rear Door</i>						
Without body glass. Includes interior non-glare mirror.....	-5	23	A18	N.C.	41.00	41.00
With body glass.....	-1	6	A18	N.C.	24.00	24.00
<i>Body, 6 windows. Includes rear and side door glass and interior non-glare mirror</i>						
110" wheelbase models only.....	15	56	A07	N.C.	89.00	89.00
125" wheelbase models only.....	23	73	A07	N.C.	89.00	89.00
<i>RH Side Body, 2 windows. Included when body glass is ordered</i>						
110" wheelbase models only.....	10	18	A08	N.C.	36.00	36.00
125" wheelbase models only.....	14	27	A08	N.C.	36.00	36.00
<i>Rear Door.</i> Included when body or swing-out rear door glass is ordered. Includes interior non-glare mirror.....						
.....	-5	19	A12	N.C.	17.00	17.00
<i>Side Door.</i> Included when RH side body glass or body glass is ordered.....						
.....	5	5	A13	N.C.	14.00	14.00
<b>Key Unit:</b> Separate keys for side and rear cargo doors.....	0	0	AU2	N.C.	4.00	4.00
<b>Lighter, Cigar:</b> Included when Custom Comfort or Camper Body is ordered.....	0	0	U37	N.C.	5.00	5.00
<b>Mirrors, Exterior: Below-Eye-Line Type. LH and RH 7.6" x 10.5"</b>						
<i>Painted</i> .....	4	0	D29	N.C.	18.50	18.50
<i>Stainless Steel</i> .....	5	0	DG4	N.C.	29.75	29.75

<sup>†</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.

# CHEVY VAN

## OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments

Description	Added Model Weight (F) (R)		Option Number	Factory D&H <sup>§</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
<b>OTHER OPTIONS</b>						
<b>Moldings, Body Side Lower:</b> Included when custom appearance is ordered.....	1	3	B98	N.C.	51.00	51.00
<b>Paints, Exterior:</b> See Interior and Exterior Color Selection Chart						
Solid .....	0	0	...	N.C.	N.C.	N.C.
Two-Tone. With white secondary color between roof and belt line.....	0	0	...	N.C.	35.25	35.25
<b>Radio:</b> AM. Pushbutton control .....	9	0	U63	N.C.	67.00	67.00
<b>Seat Adjuster:</b> 2-Way Manual. Available only when auxiliary passenger seat is ordered.....	3	1	A44	N.C.	5.50	5.50
✓ <b>Seat, Auxiliary:</b> Stationary Type. Included when camper body is ordered. Includes RH armrest, sunshade, seat belt and floor mat.						
110" wheelbase models only.....	142	55	A57	N.C.	64.00	64.00
125" wheelbase models only.....	147	50	A57	N.C.	64.00	64.00
<b>Shock Absorbers, Heavy-Duty:</b> Front and Rear .....	3	4	F51	N.C.	15.00	15.00
<b>Springs, Heavy-Duty:</b>						
<i>Front</i>						
Capacity 1550-lb each. G10 models only .....	4	0	F60	N.C.	6.00	6.00
Capacity 1950-lb each. G30 models only .....	4	0	F60	N.C.	6.00	6.00
<i>Rear</i>						
Capacity 1600-lb each. G10 models only .....	0	20	G50	N.C.	10.75	10.75
Capacity 2100-lb each. G20 models only .....	0	25	G50	N.C.	10.75	10.75
Capacity 2750-lb each. G30 models only .....	0	38	G50	N.C.	10.75	10.75
<b>Stabilizer, Front.</b> .....	22	0	F59	N.C.	18.00	18.00
<b>Steering, Power.</b> .....	37	-5	N40	N.C.	136.00	136.00
<b>Steering Wheel:</b> Comfortilt. Available only when Turbo Hydraulic transmission is ordered .....	4	1	N33	N.C.	56.00	56.00
<b>Switches, Dome Lamp:</b> Door operated .....	0	0	C80	N.C.	7.50	7.50
<b>Tires and Wheels:</b> See following pages						
<b>Wheel Trim:</b> Bright Metal.						
Hub Caps. Included when custom appearance is ordered .....	0	0	P03	N.C.	6.00	6.00
Trim Rings. Available only when custom appearance or chromed hub caps are ordered .....	2	2	P06	N.C.	28.50	28.50

<sup>§</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.

✓ INDICATES CHANGE

# CHEVY VAN

## FACTORY INSTALLED TIRES

See Tire Compatibility Chart for Available Front/Rear Combinations.  
Spare tire available to match either front or rear tires.  
Prices shown are effective with initial shipments

Tire Size Type	Rim Width Included in Tire Option	Added Model Weight (F) (R)	Option Number	Factory D&H <sup>§</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
----------------	-----------------------------------	----------------------------	---------------	--------------------------	------------	---

### G10 SERIES

#### TUBELESS TIRES USED WITH SINGLE REAR WHEELS

**E78-14/B Passenger Type. Maximum Tire Capacity (Each)—Front (1273) Rear (1273)**

**Highway Bias Belted Ply Blackwall**

Front. 110" wheelbase models only (Standard) . . . . .	6.00	0	0	XEG	N.C.	N.C.	N.C.
Rear. 110" wheelbase models only (Standard) . . . . .	6.00	0	0	YEG	N.C.	N.C.	N.C.
Spare. 110" wheelbase models only (Standard) . . . . .	6.00	0	0	ZEG	N.C.	N.C.	N.C.

**F78-14/B Passenger Type. Maximum Tire Capacity (Each)—Front (1364) Rear (1364)**

**Highway Bias Belted Ply Blackwall**

<b>Front</b>							
110" wheelbase models only . . . . .	6.00	3	0	XFL	.36	6.80	7.16
125" wheelbase models only (Standard) . . . . .	6.00	0	0	XFL	N.C.	N.C.	N.C.
<b>Rear</b>							
110" wheelbase models only . . . . .	6.00	0	3	YFL	.36	6.80	7.16
125" wheelbase models only (Standard) . . . . .	6.00	0	0	YFL	N.C.	N.C.	N.C.
<b>Spare</b>							
110" wheelbase models only . . . . .	6.00	0	1	ZFL	.18	3.40	3.58
125" wheelbase models only (Standard) . . . . .	6.00	0	0	ZFL	N.C.	N.C.	N.C.

**Highway Bias Belted Ply White Stripe**

<b>Front</b>							
110" wheelbase models only . . . . .	6.00	4	0	XFM	.36	18.70	19.06
125" wheelbase models only . . . . .	6.00	1	0	XFM	N.C.	11.90	11.90
<b>Rear</b>							
110" wheelbase models only . . . . .	6.00	0	4	YFM	.36	18.70	19.06
125" wheelbase models only . . . . .	6.00	0	1	YFM	N.C.	11.90	11.90
<b>Spare</b>							
110" wheelbase models only . . . . .	6.00	-1	3	ZFM	.18	9.20	9.38
125" wheelbase models only . . . . .	6.00	0	1	ZFM	N.C.	5.90	5.90

**On-Off Road Bias Belted Ply Blackwall**

<b>Rear</b>							
110" wheelbase models only . . . . .	6.00	0	6	YFN	.36	14.00	14.36
125" wheelbase models only . . . . .	6.00	1	4	YFN	N.C.	7.20	7.20
<b>Spare</b>							
110" wheelbase models only . . . . .	6.00	0	3	ZFN	.18	7.00	7.18
125" wheelbase models only . . . . .	6.00	-1	2	ZFN	N.C.	3.60	3.60

<sup>§</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.

# CHEVY VAN

## FACTORY INSTALLED TIRES

See Tire Compatibility Chart for Available Front/Rear Combinations.  
Spare tire available to match either front or rear tires.  
Prices shown are effective with initial shipments

Tire Size Type	Rim Width Included In Tire Option	Added Model Weight (F) (R)	Option Number	Factory D&Hs	List Price	Mfr's Suggested Retail Price ◊
----------------	-----------------------------------	----------------------------	---------------	--------------	------------	--------------------------------

### G10 SERIES

### TUBELESS TIRES USED WITH SINGLE REAR WHEELS

#### 7.00-14/C (6PR) Truck Type. Maximum Tire Capacity (Each)—Front (1310) Rear (1310)

##### Highway Nylon Blackwall

###### Front

110" wheelbase models only	6.00	10	0	XNC	.38	13.40	13.78
125" wheelbase models only	6.00	8	0	XNC	.02	6.60	6.62

###### Rear

110" wheelbase models only	6.00	0	10	YNC	.38	13.40	13.78
125" wheelbase models only	6.00	0	8	YNC	.02	6.60	6.62

###### Spare

110" wheelbase models only	6.00	-1	8	ZNC	.19	6.70	6.89
125" wheelbase models only	6.00	-1	5	ZNC	.01	3.30	3.31

##### On-Off Road Nylon Blackwall

###### Rear

110" wheelbase models only	6.00	0	16	YNB	.92	30.80	31.72
125" wheelbase models only	6.00	0	13	YNB	.56	24.00	24.56

###### Spare

110" wheelbase models only	6.00	-2	10	ZNB	.46	15.40	15.86
125" wheelbase models only	6.00	-2	9	ZNB	.28	12.00	12.28

#### 7.00-14/D (8PR) Truck Type. Maximum Tire Capacity (Each)—Front (1550) Rear (1550)

##### Highway Nylon Blackwall

###### Front

110" wheelbase models only	6.00	16	0	XNF	.60	23.60	24.20
125" wheelbase models only	6.00	13	0	XNF	.24	16.80	17.04

###### Rear

110" wheelbase models only	6.00	0	16	YNF	.60	23.60	24.20
125" wheelbase models only	6.00	0	13	YNF	.24	16.80	17.04

###### Spare

110" wheelbase models only	6.00	-1	8	ZNF	.30	11.80	12.10
125" wheelbase models only	6.00	-1	7	ZNF	.12	8.40	8.52

##### On-Off Road Nylon Blackwall

###### Rear

110" wheelbase models only	6.00	0	14	YNE	1.34	41.00	42.34
125" wheelbase models only	6.00	0	11	YNE	.98	34.20	35.18

###### Spare

110" wheelbase models only	6.00	-1	8	ZNE	.67	20.50	21.17
125" wheelbase models only	6.00	-1	7	ZNE	.49	17.10	17.59

‡ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
◊ State and local taxes not included.

# CHEVY VAN

## FACTORY INSTALLED TIRES

See Tire Compatibility Chart for Available Front/Rear Combinations.  
Spare tire available to match either front or rear tires.  
Prices shown are effective with initial shipments

Tire Size Type	Rim Width Included In Tire Option	Added Model Weight (F) (R)	Option Number	Factory D&H <sup>‡</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
<b>G20 SERIES</b>						
<b>TUBELESS TIRES USED WITH SINGLE REAR WHEELS</b>						
<b>G78-15/B Passenger Type. Maximum Tire Capacity (Each)—Front (1473) Rear (1473)</b>						
<b>Highway Bias Belted Ply Blackwall</b>						
Front (Standard) .....	8.00	0 0	XGS	N.C.	N.C.	N.C.
Rear (Standard) .....	8.00	0 0	YGS	N.C.	N.C.	N.C.
Spare .....	8.00	-6 33	ZGS	2.78	35.90	38.68
<b>Highway Bias Belted Ply White Stripe</b>						
Front .....	8.00	0 0	XGT	N.C.	12.80	12.80
Rear .....	8.00	0 0	YGT	N.C.	12.80	12.80
Spare .....	8.00	-6 33	ZGT	2.78	42.40	45.18
<b>On-Off Road Bias Belted Ply Blackwall</b>						
Rear .....	8.00	0 4	YGU	N.C.	7.20	7.20
Spare .....	8.00	-6 35	ZGU	2.78	39.00	41.78
<b>H78-15/B Passenger Type. Maximum Tire Capacity (Each)—Front (1609) Rear (1609)</b>						
<b>Highway Bias Belted Ply Blackwall</b>						
Front .....	6.00	3 0	XHL	.46	9.20	9.66
Rear .....	6.00	0 3	YHL	.46	9.20	9.66
Spare .....	6.00	-7 37	ZHL	3.01	40.00	43.01
<b>Highway Bias Belted Ply White Stripe</b>						
Front .....	6.00	4 0	XHM	.46	23.15	23.61
Rear .....	6.00	0 4	YHM	.46	23.15	23.61
Spare .....	6.00	-7 37	ZHM	3.01	46.90	49.91
<b>On-Off Road Bias Belted Ply Blackwall</b>						
Rear .....	6.00	0 6	YHR	.46	16.40	16.86
Spare .....	6.00	-7 38	ZHR	3.01	43.10	46.11

<sup>‡</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.

# CHEVY VAN

## FACTORY INSTALLED TIRES

See Tire Compatibility Chart for Available Front/Rear Combinations.  
Spare tire available to match either front or rear tires.  
Prices shown are effective with initial shipments

Tire Size Type	Rim Width Included In Tire Option	Added Model Weight (F) (R)	Option Number	Factory D&H <sup>1</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
----------------	-----------------------------------	----------------------------	---------------	--------------------------	------------	---

### G30 SERIES

#### WIDE BASE TUBELESS TIRES USED WITH SINGLE REAR WHEELS

#### 8.00-16.5/C (6PR) Truck Type. Maximum Tire Capacity (Each)—Front (1730) Rear (1730)

##### Highway Nylon Blackwall

Front (Standard)	6.75	0 0	XSC	N.C.	N.C.	N.C.
Rear (Standard)	6.75	0 0	YSC	N.C.	N.C.	N.C.
Spare	6.75	-7 41	ZSC	3.29	43.10	46.39

##### On-Off Road Nylon Blackwall

Rear	6.75	0 5	YSB	.32	21.60	21.92
Spare	6.75	-8 45	ZSB	3.45	53.20	56.85

#### 8.75-16.5/C (8PR) Truck Type. Maximum Tire Capacity (Each)—Front (1990) Rear (1990)

##### Highway Nylon Blackwall

Front	6.75	4 0	XTC	.92	17.40	18.32
Rear	6.75	0 4	YTC	.92	17.40	18.32
Spare	6.75	-8 44	ZTC	3.75	51.30	55.05

##### On-Off Road Nylon Blackwall

Rear	6.75	0 6	YTB	1.24	39.00	40.24
Spare	6.75	-8 45	ZTB	3.91	61.50	65.41

#### 8.75-16.5/D (8PR) Truck Type. Maximum Tire Capacity (Each)—Front (2350) Rear (2350)

##### Highway Nylon Blackwall

Front	6.75	12 0	XTE	1.44	37.00	38.44
Rear	6.75	0 12	YTE	1.44	37.00	38.44
Spare	6.75	-9 49	ZTE	4.01	59.50	63.51

##### On-Off Road Nylon Blackwall

Rear	6.75	0 10	YTF	1.84	58.40	60.24
Spare	6.75	-9 48	ZTF	4.21	69.70	73.91

#### 8.75-16.5/E (10PR) Truck Type. Maximum Tire Capacity (Each)—Front (2680) Rear (2680)

V8 MODELS ONLY

##### Highway Nylon Blackwall

Front	6.75	15 0	XTH	1.90	60.40	62.30
Rear	6.75	0 15	YTH	1.90	60.40	62.30
Spare	6.75	-9 51	ZTH	4.24	69.70	73.94

##### On-Off Road Nylon Blackwall

Rear	6.75	0 20	YTJ	2.50	82.00	84.50
Spare	6.75	-10 54	ZTJ	4.54	80.00	84.54

<sup>1</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.

# FRONT AND REAR TIRE AVAILABILITY CHART

## CHEVY VAN

FRONT		REAR		
Description	Option Number	Description	Option Number	
	Highway		Highway	On-Off Road

### G10 SERIES—110" WHEELBASE

Spare tire to match either front or rear tires must be ordered.

Tubeless E78-14/B	ED*	E78-14/B	ED*	—
F78-14/B	FL	F78-14/B	FL	FN
F78-14/B White Stripe	FM	F78-14/B White Stripe	FM	—
7.00-14/C	NC	7.00-14/C	NC	NB
7.00-14/D	NF	7.00-14/D	NF	NE

### G10 SERIES—125" WHEELBASE

Spare tire to match either front or rear tires must be ordered.

Tubeless F78-14/B	FL*	F78-14/B	FL*	FN
F78-14/B White Stripe	FM	F78-14/B White Stripe	FM	—
7.00-14/C	NC	7.00-14/C	NC	NB
7.00-14/D	NF	7.00-14/D	NF	NE

### G20 SERIES

Spare tire to match either front or rear tires is available at extra cost.

Tubeless G78-15/B	GS♦	G78-15/B	GS♦	GU
G78-15/B White Stripe	GT	G78-15/B White Stripe	GT	—
H78-15/B	HL	H78-15/B	HL	HR
H78-15/B White Stripe	HM	H78-15/B White Stripe	HM	—

### G30 SERIES

Spare tire to match either front or rear tires is available at extra cost.

Tubeless 8.00-16.5/C	SC♦	8.00-16.5/C	SC♦	SB
8.75-16.5/C	TC	8.75-16.5/C	TC	TB
8.75-16.5/D	TE	8.75-16.5/D	TE	TF
8.75-16.5/E	TH	8.75-16.5/E	TH	TJ

\*Base tire on this series. E78-14/B Highway Blackwall spare tire (Code ED) is also base equipment and must be ordered separately unless optional spare tire is specified.

★Base tire on this series. F78-14/B Highway Blackwall spare tire (Code FL) is also base equipment and must be ordered separately unless optional spare tire is specified.

♦Base tire on this series.



# CHEVY VAN


## CHEVY VAN—STANDARD MODEL

The standard model includes the following items as standard equipment.

### ✓ EXTERIOR FEATURES

#### Bright Appearance Items:


- "Chevrolet" emblem: Mounted center of grille with bright outer edge and ochre paint fill
- "Chevrolet" Nameplate: Mounted on LH rear door
- Door entry handles
- Door lock cylinder assemblies
- RH and LH mirrors
- "Chevy Van/Series" Nameplate: Mounted on front side panel
- **Bumpers:** Front and rear; painted white
- **Color:** See Exterior and Interior color selection chart
- **Doors:** RH and LH front side doors; RH sliding side load door; RH and LH rear load doors
- **Door Opening and Locking Methods:**
  - Front side doors; outside pushbutton latch release in door handle with separate key lock
  - Sliding side load door; turning outside handle in a counter-clockwise direction releases both front and rear latches; to close door, reverse procedure; for opening and closing of door from inside, reverse outside procedure; door is locked from outside through a separate key lock
  - RH and LH rear doors; pushbutton latch release in RH door handle opens door, and after opening RH door, LH door latch is released by lower inside lift handle; separate key lock cylinder in RH door
- **Glass:** Windshield, RH and LH front side door drop glass, and pivoting ventipanes
- **Grille:** Painted; outer area white and inner area black



- **Hub Caps:** Painted white with black and ochre trim
- **Lights:**
  - Backup lights: two rear
  - Combination parking/direction/hazard; two front
  - Combination tail/stop/direction/hazard; two rear
  - Headlights: two; Power Beam
  - License Plate: Single rear
  - Side Marker Lights and Reflectors: Two front and two rear
- **Mirror:** RH and LH chrome; fixed arm with 4½" x 6" head
- **Horn:** Single; low note; electric
- **Tools:** Mechanical jack, wheel wrench
- **Undercoating:** On body rocker panels, step panels and wheel-housings
- **Windshield Wipers and Washers:** Electric; 2-speed wipers with matte finish on exposed metal portions


### ✓ INTERIOR FEATURES

- **Air Vents:** RH and LH; individually controlled
- **Arm Rest:** LH side door; padded
- **Ash Tray:** Mounted in top of engine housing; with door
- **Coat Hook:** LH side
- **Colors:**
  - Paint: Same as main exterior color choice
  - Trim: Choice of pearl gray, slate blue, saddle or slate green
- **Door Locks:** Inside pushbutton lock/release (except rear doors)
- **Door Seals:** Closed-cell-type rubber
- **Floor Mats:** Embossed black rubber, LH front floor area and wheel housing
- **Glove Box:** Located on front face of engine cover; without door
- **Headliner:** Parchment perforated hardboard; driver area
- **Heater and Defroster:** Deluxe-air
- **Instruments:**
  - Gauges: Speedometer, odometer, and fuel
  - Switches: Exterior lights, instrument lights and dome lights; wiper-washer; headlight beam (foot); ignition; direction signal with lane change position; hazard warning
  - Warning Lights: Generator, oil pressure, engine temperature, brake system warning, direction/hazard signals and high beam
- **Instrument Cluster Bright Trim:** Outer edge and bezels
- **Instrument Panel Control Knobs:** Soft black plastic (except heater and air conditioner controls). White graphic identification



- **Interior Lights:** Instruments, front dome and rear dome operated by main switch
- **Insulation and Sound Deadening Material:** Dash (fire-wall), LH front floor panel and between engine cover walls
- **Safety Step Pads:** Front and sliding side door step panels
- **Seats:** Front bucket driver; all-vinyl trim; foam padded
- **Seat Belt:** Pushbutton release, with outboard retractor, driver
- **Steering Wheel:** Painted, oval 17" x 17½", 2-spoke
- **Sunshades:** LH padded
- **Spare Tire Carrier:** RH rear side
- **Trim Panels:** Painted metal with decorative embossments; front side doors and sliding side door

### BODY GLASS COMBINATIONS




#### 2-WINDOW RH BODY SIDE GLASS (RPO A08)

The two-window glass equipment option is available for the right-hand side of vehicle only. Windows with fixed glass are provided in the right hand rear quarter panel and in the sliding cargo door.

See Options; Glass; for Swing-Out Rear Door Glass (RPO A18), Fixed Rear Door Glass (RPO A12), and Fixed Side Door Glass (RPO A13).

Chevy Van—Page 16



#### 6-WINDOW BODY GLASS (RPO A07)

Full body glass consisting of six windows with fixed glass is available. The option is comprised of fixed left and right hand rear quarter window glass, fixed left hand front quarter window glass, fixed right hand cargo door glass, and fixed left and right hand rear cargo door glass. An inside rear view mirror is also included.

See Options; Glass; for Swing-Out Rear Door Glass (RPO A18), Fixed Rear Door Glass (RPO A12), and Fixed Side Door Glass (RPO A13).

✓Indicates Change

February 16, 1973

# CHEVY VAN INTERIOR AND EXTERIOR COLOR CHART

*All orders for these models must show one of the following interior trim codes on the order form*

## IMPORTANT

**Dealer Note:** Exterior and interior combinations shown in charts below are those recommended by Chevrolet; however, any exterior color may be ordered with any available interior color if the particular combination is desired by a customer.


INTERIOR TYPE		INTERIOR TRIM COLOR AND CODE				
		Slate Blue	Gray	Green	Pearl	Saddle
Standard Vinyl Driver Seat		673		675*	671	674
With Camper Conversion Interior (Order Camper Conversion & Auxiliary Seat separately) ... Vinyl Driver Seat Cloth Plaid Driver Seat		673	677	675*	671	674
EXTERIOR COLOR						
SOLID	Option Number					
Blue, Skyline (Light)	503	X	X		X	X
Blue, Hawaiian (Medium)	510	X	X		X	X
Blue, Catalina (Dark)	508	X	X		X	X
Green, Lime	517		X	X	X	X
Green, Glenwood (Dark)	505		X	X	X	X
Gold, Spanish	511		X	X	X	X
Gold, Sunset	527		X	X	X	X
Olive, Moss	562		X	X	X	X
Orange, Burnt	515		X	X	X	X
Red, Crimson	514		X		X	X
Sand, Desert	528	X	X	X	X	X
Tan, Mojave	555		X	X	X	X
Turquoise, Marine	568		X		X	X
White, Frost	521	X	X	X	X	X
Yellow, Topaz	552		X	X	X	X
MAIN BODY COLOR (White Secondary Color)	Conventional Two-Tone					
Blue, Skyline (Light)	539	X	X		X	X
Blue, Hawaiian (Medium)	542	X	X		X	X
Blue, Catalina (Dark)	578	X	X		X	X
Green, Lime	547		X	X	X	X
Green, Glenwood (Dark)	535		X	X	X	X
Gold, Spanish	536		X	X	X	X
Gold, Sunset	537		X	X	X	X
Olive, Moss	563		X	X	X	X
Orange, Burnt	541		X	X	X	X
Red, Crimson	544		X		X	X
Sand, Desert	538	X	X	X	X	X
Tan, Mojave	560		X	X	X	X
Turquoise, Marine	569		X		X	X
Yellow, Topaz	579		X	X	X	X

\*Green interior trim with standard vinyl seat. Avocado interior trim with cloth plaid seat.

# CHEVY VAN


## TWO-TONE EXTERIOR COLOR COMBINATIONS\*

The application of paint for two-tone exterior color combinations is shown below and specified in two-tone chart.



### CHEVY VANS


White paint is used as the secondary color between roof and belt line, including the roof drip moldings.



\*Optional at extra cost.


# SPORTVAN

## SPORTVAN MODEL SELECTOR



**110" WB**

Series	Model Number		Body Ordering Code	
	110" WB	125" WB	Sportvan	Beauville Sportvan
<b>G10</b>	CG11006	CG11306	ZW9	E94
<b>G20</b>	CG21006	CG21306	ZW9	E94
<b>G30</b>	—	CG31306	ZW9	E94



**125" WB**

# SPORTVAN

## STANDARD SPECIFICATIONS

(See Blue Tab Section for Specification Details)

Series	G10	G20	G30
<b>Engine</b>			
Base equip—6 cyl. ....	250-6	250-6	250-6
—8 cyl. ....	307-V8	350-V8	350-V8
Clutch—6 cyl. ....	10", 100 sq. in.	10", 100 sq. in.	11", 124 sq. in.
—8 cyl. ....	11", 124 sq. in.	12", 150 sq. in.	12", 150 sq. in.
Air Cleaner .....	Oiled-paper element		
Oil Filter .....	Throw-away type; 1 qt.		
Exhaust System .....	Single; aluminized		
Exhaust Emission Control .....	A.I.R. and E.G.R.		
<b>Suspension, Front</b>	Independent; Coil Spring		
Capacity .....	3000 lb.	3200 lb.	3900 lb.
Springs @ ground .....	1550 lb. ea.	1600 lb. ea.	1700 lb. ea.
Shock Absorbers .....	1" dia.	1" dia.	1" dia.
<b>Suspension, Rear</b>	Hypoid; Leaf Springs		
Axle Capacity .....	3100 lb.	3500 lb.	5700 lb.
Axle Ratio—6 cyl. ....	3.73	4.11	4.56
—8 cyl. ....	3.40	3.40	4.10
Springs @ ground .....	1600 lb. ea.	1600 lb. ea.	2100 lb. ea.
Shock Absorbers .....	1" dia.	1" dia.	1" dia.
<b>Brakes</b>	Hydraulic; Self-adjusting		
Front .....	Disc; 11" rotor	Disc; 11.86" rotor	Disc; 12.5" rotor
Rear .....	Drum; 11" x 2"	Drum; 11" x 2"	Drum; 13" x 2½"
Booster .....	Single Diaphragm	Single Diaphragm	Dual Diaphragm
Parking .....	Cable to Rear Wheels		
<b>Electrical</b>	12-Volt; negative ground		
Battery—6 cyl. ....	45 amp.		
—8 cyl. ....	61 amp.		
Delcotron Generator .....	37 amp.		
<b>Frame</b> .....	Integral body-frame		
<b>Fuel Tank (Nominal Capacity)</b> .....	21 gal.		
<b>Steering Gear Type</b> .....	Recirculating ball		
<b>Linkage</b> .....	Parallelogram		
<b>Transmission</b> .....	Fully synchronized 3-speed		
<b>Shift Location</b> .....	Steering Column		
Tires—110" WB .....	(5) F78-14B (4PR)	(4) G78-15B (4PR)	(4) 8.00-16.5C (6PR)
—125" WB .....	(5) G78-14B (4PR)	(4) G78-15B (4PR)	(4) 8.00-16.5C (6PR)
<b>Wheels</b> .....	(5) Disc 14" x 6"	(5) Disc 15" x 6"	(5) Disc 16.5" x 6.75"


A.I.R.—Air Injection Reactor System. E.G.R.—Exhaust Gas Recirculation System.

# SPORTVAN

Body Ordering Codes:

ZW9—Sportvan

†E94—Beauville Sportvan



- \*Side slide-in opening clearance 44 1/4"; max. box cargo height 49 1/4" with standard front passenger seat.
- \*\*Rear slide-in opening clearance 52" with spare tire in position or 53 1/2" with spare tire removed.

Series	WB	√Ground Clearance (in) Δ	
		Front	Rear
G10	110	8 1/4	6 3/4
	125	8 1/2	7
G20	110	8 3/4	7 1/4
	125	8 3/4	7 1/4
G30	125	9 1/4	8 1/4

Models	Engine No. Cyl.	√Dimensions (in) Δ			√†Curb Weights (lb)			√†Model Weights (lb) *		
		WB	OL	OH	Front	Rear	Total	Front	Rear	Total ††

## G10 SERIES

CG11006	6	110	177	79 1/2	2100	1690	3790	2495	2045	4690
	8				2230	1695	3925	2625	2050	4825
CG11306	8	125	201	79 1/2	2175	1785	3960	2610	2100	4860
	6				2302	1793	4095	2737	2108	4995

## G20 SERIES

CG21006	6	110	177	80	2143	1682	3825	2538	2037	4725
	8				2291	1706	3997	2686	2061	4897
CG21306	6	125	201	80	2210	1784	3994	2645	2099	4894
	8				2355	1911	4166	2790	2126	5066

## G30 SERIES

CG31306	6	125	201	81	2264	2018	4282	2699	2333	5182
	8				2409	2045	4454	2844	2360	5354

ΔDimensions with std equipment, unloaded.

\*Model Weight includes curb weight plus occupants (standard seating capacity x 150 lbs).

†Curb Weights and Model weights shown are for models with ZW9 Sportvan body. For models with E94 Beauville Sportvan body add:

G110-210 models—Front 10 lb; Rear 143 lb; Total 153 lb.

G113-213-313 models—Front 18 lb; Rear 195 lb; Total 213 lb.

††Total also includes 150 lbs. minimum payload allowance.

# SPORTVAN

## POWER TEAMS

ENGINES	TRANSMISSIONS	REAR AXLES					
		Description and Application (Standard or Optional)	Type (Standard or Optional)	Type and Capacity	Ratios		
					With Single Rear Wheels		
					Standard	Optional	
Opt. 1	Opt. 2	Opt. 3					

### G10 SERIES

■ 250-cu-in Six Engine Ordering Code LD4	3-Speed Manual (Std)—ZW4	Chevrolet 3100★	3.73	3.40●	—	—
	Turbo Hydra-matic—M49	Chevrolet 3100★	3.73	3.40	—	—
■ 307-cu-in V8 Engine Ordering Code LG8	3-Speed Manual (Std)—ZW4	Chevrolet 3100★	3.40	3.73	—	—
	Turbo Hydra-matic—M49	Chevrolet 3100★	3.07	3.40	—	—
■ 350 cu-in V8 Option LS9	3-Speed Manual (Std)—ZW4	Chevrolet 3100★	3.07	3.40	—	—
	Turbo Hydra-matic—M49	Chevrolet 3100★	3.07	3.40	—	—

### G20 SERIES

■ 250-cu-in Six Engine Ordering Code LD4	3-Speed Manual (Std)—ZW4	Chevrolet 3500★	4.11	3.73●	—	—
	Turbo Hydra-matic—M49	Chevrolet 3500★	3.73	4.11	—	—
■ 350-cu-in V8 Engine Ordering Code LS9	3-Speed Manual (Std)—ZW4	Chevrolet 3500★	3.40	3.73	—	—
	Turbo Hydra-matic—M49	Chevrolet 3500★	3.07	3.40	—	—

### G30 SERIES

■ 250-cu-in Six Engine Ordering Code LD4	3-Speed Manual (Std)—ZW4	Chevrolet 5700♦	4.56	—	—	—
	Turbo Hydra-matic—M49	Chevrolet 5700♦	4.56	—	—	—
■ 350-cu-in V8 Engine Ordering Code LS9	3-Speed Manual (Std)—ZW4	Chevrolet 5700♦	4.10	3.73	4.56	—
	Turbo Hydra-matic—M49	Chevrolet 5700♦	3.73	4.10	4.56	—

● Available only when HD Clutch is ordered.

★ Positraction rear axle also available except when 3.40 ratio is ordered.

♦ Eaton Locking Differential rear axle also available except when 3.73 ratio is ordered.

■ Available for registration in the State of California when California Emission Equipment is ordered.

## ENGINE RATINGS

(Engine ratings shown below are S.A.E. net ratings @ 85°F)

	250 Six	307 V8	350 V8
Net Horsepower.....	100 @ 3600 rpm	115 @ 3600 rpm	155 @ 4000 rpm
Net Torque, lb-ft.....	175 @ 1600 rpm	205 @ 2000 rpm	255 @ 2400 rpm

# NOTES

February 16, 1973

Sportvan—Page 5



# SPORTVAN

## GVW SELECTOR

Wheel-base (in)	‡Maximum Ratings			Minimum Equipment Required for Capacity Shown		
	GVW Rating (lb)	★GAWR (lb)		Tires, Front	Tires, Rear	Chassis Equipment
		Front	Rear			

### G10 SERIES

110	5200	2728	2728	F78-14B(4PR)	F78-14B(4PR)	Standard
	5400	2946	2946	G78-14B(4PR)	G78-14B(4PR)	
125	5400	2946	2946	G78-14B(4PR)	G78-14B(4PR)	

### G20 SERIES

110	5700	2946	2946	G78-15B(4PR)	G78-15B(4PR)	Standard
	6000	3200	3200	H78-15B(4PR)	H78-15B(4PR)	
125	5800	2946	2946	G78-15B(4PR)	G78-15B(4PR)	
	6200	3200	3200	H78-15B(4PR)	H78-15B(4PR)	

### G30 SERIES

125	6600	3400	3460	8.00-16.5C(6PR)	8.00-16.5C(6PR)	Standard
	7100	3400	3980	8.75-16.5C(6PR)	8.75-16.5C(6PR)	
	7300	3400	4200	8.75-16.5D(8PR)	8.75-16.5D(8PR)	
	†7800	3900	4700	8.75-16.5D(8PR)	8.75-16.5D(8PR)	†HD front and rear springs
	*†8300	3900	5360	8.75-16.5E(10PR)	8.75-16.5E(10PR)	†HD front and rear springs; Front stabilizer bar

‡GAWR's shown are the maximum for each axle. When ordering a truck, the total of the actual weight on both front and rear axles cannot exceed the total GVW rating.

★GAWR—Gross Axle Weight Rating. \*V8 models only.

†HD front and rear springs, required on 7800 and 8300 GVW models, are not recommended for normal passenger carrying use, since they produce a slightly harsher ride due to the higher spring rates.

# SPORTVAN

## 1973 MODELS WITH STANDARD EQUIPMENT

Prices shown are effective with vehicles manufactured on or after December 4, 1972

Description	Model Number	Body Ordering Code	Wheel-base	Factory D&H <sup>†</sup>	List Price	Mfr's Sgt'd Retail Price <sup>★</sup>	Desti-nation Charge & Group Number	Total
<b>■ 6-Cylinder High Torque 250 Engine—Engine Ordering Code LD4</b>								
<b>G10 Series</b>								
Sportvan.....	CG11006	ZW9	110"	12.80	3318.00	3330.60	32	_____
Sportvan.....	CG11306	ZW9	125"	13.45	3442.00	3455.45	32	_____
<b>G20 Series</b>								
Sportvan.....	CG21006	ZW9	110"	11.12	3370.00	3381.12	32	_____
Sportvan.....	CG21306	ZW9	125"	11.12	3494.00	3505.12	32	_____
<b>G30 Series</b>								
Sportvan.....	CG31306	ZW9	125"	13.16	3609.00	3622.16	32	_____
<b>■ 8-Cylinder High Torque 307 Engine—Engine Ordering Code LG8</b>								
<b>G10 Series</b>								
Sportvan.....	CG11006	ZW9	110"	12.80	3442.00	3454.60	32	_____
Beauville Sportvan.....	CG11006	E94	110"	12.80	3772.00	3784.60	32	_____
Sportvan.....	CG11306	ZW9	125"	13.45	3568.00	3579.45	32	_____
Beauville Sportvan.....	CG11306	E94	125"	13.45	3897.00	3910.45	32	_____
<b>■ 8-Cylinder High Torque 350 Engine—Engine Ordering Code LS9</b>								
<b>G20 Series</b>								
Sportvan.....	CG21006	ZW9	110"	11.12	3520.00	3531.12	32	_____
Beauville Sportvan.....	CG21006	E94	110"	11.12	3850.00	3861.12	32	_____
Sportvan.....	CG21306	ZW9	125"	11.12	3644.00	3655.12	32	_____
Beauville Sportvan.....	CG21306	E94	125"	11.12	3975.00	3986.12	32	_____
<b>G30 Series</b>								
Sportvan.....	CG31306	ZW9	125"	13.16	3759.00	3772.16	32	_____
Beauville Sportvan.....	CG31306	E94	125"	13.16	4089.00	4102.16	32	_____

★ Manufacturer's Suggested Retail Prices do not include applicable destination charges, state and local taxes, license fees, options or accessories  
 ■ Available for registration in the State of California when California Emission Equipment is ordered.

## OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments

Description	Added Model Weight (F) (R)	Option Number	Factory D&H <sup>†</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
-------------	----------------------------	---------------	--------------------------	------------	---

### POWER TEAMS AND AXLES

(See Power Teams Chart for availability and complete specifications)

<b>Engine: 350 V8.</b> G10 V8 models only. Available for registration in the State of California when California Emission Equipment is ordered.....	-6	15	LS9	N.C.	43.00	43.00
<b>Transmission: Turbo Hydra-matic.</b> Includes extra HD cooling on G20-30 models.						
With 6-cylinder engine.....	24	5	M49	N.C.	236.00	236.00
With 307 V8 engine.....	26	5	M49	N.C.	236.00	236.00
With 350 V8 engine.....	36	7	M49	N.C.	236.00	236.00
<b>Axles, Rear:</b>						
<b>Optional Ratio 1.</b> G30 models not available when 250 engine is ordered.....	0	0	ZN7	N.C.	12.00	12.00
<b>Optional Ratio 2.</b> G30 models available only when 350 engine is ordered.....	0	0	ZN8	N.C.	12.00	12.00
<b>Positraction.</b> G10-20 models only.....	0	2	G80	N.C.	38.00	38.00
<b>Eaton Locking Differential.</b> G30 models only.....	0	4	G86	N.C.	128.00	128.00

† D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
 ◇ State and local taxes not included.

# SPORTVAN

## OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments

Description	Added Model Weight (F) (R)	Option Number	Factory D&H <sup>§</sup>	List Price	Mfr's Suggested Retail Price◇
<b>OTHER OPTIONS</b>					
<b>Air Cleaner: Poly-Wrap</b> .....	0 0	K43	N.C.	10.00	10.00
<b>Air Conditioning:</b> V8 models only. Not available on 125" wheelbase G10 Beauville models. G10 models require use of G78-14/B tires, 110" wheelbase G20 Beauville models or 125" wheelbase G20 Sportvan models require use of H78-15/B tires when 8-passenger seating is ordered. 125" wheelbase G20 Beauville models requires use of H78-15/B tires. Includes extra HD cooling and 4-position fan switch.					
<i>Front.</i> Floor mounted. Includes temperature sensing valve and 42-amp generator. Recommended for front seat area cooling only...	107 6	C62	N.C.	507.00	507.00
<i>Front and Rear.</i> Front floor mounted and rear overhead systems. Includes 61-amp generator. Front unit includes temperature sensing valve. Rear unit also includes additional 4-position fan switch and roof insulation.					
Sportvan models only.....	112 58	C63	N.C.	815.00	815.00
Beauville models only.....	115 45	C63	N.C.	815.00	815.00
<b>Battery, Heavy-Duty:</b> 12-volt, 15-plate, 80-amp-hr					
G10 models only.....	14 -2	T60	N.C.	16.00	16.00
G20-30 models only.....					
Without 350 engine.....	14 -2	T60	N.C.	16.00	16.00
With 350 engine.....	3 -1	T60	N.C.	16.00	16.00
<b>Bumpers: Chromed.</b> Front and rear. Standard on Beauville models	0 0	V37	N.C.	31.00	31.00
<b>California Emission Equipment:</b> Dealer Note -Items shown below, priced as options indicated, must be ordered for vehicles destined for registration in the State of California. This equipment should be ordered by indicating option YF5, California Emission Certification Requirements, on the order form. Based on presence of the YF5 option, the applicable options detailed below will be added to the order, at prices shown, to insure that the vehicle conforms to State of California Registration requirements.					
California Emission Certification Label.....	0 0	VJ9	N.C.	N.C.	N.C.
California Assembly Line Emission Test.....	12 0	YA7	N.C.	15.00	15.00
<b>Clutch, Heavy-Duty:</b> G10-20 models available only when 250 engine and 3-speed transmission are ordered	2 1	M01	N.C.	6.50	6.50
<b>Cooling:</b> HD radiator only. Not available when air conditioning is ordered. Also not available on G20-30 models when Turbo Hydraulic transmission is ordered.					
With 250 engine or 307 engine.....	3 -1	V01	N.C.	23.50	23.50
With 350 engine.....	8 -1	V01	N.C.	23.50	23.50
<b>Custom Appearance:</b> Standard on Beauville models. Includes bright metal grille, headlight and taillight accents; chromed hub caps; body side and rear lower moldings plus custom emblems.					
	2 4	Z61	N.C.	83.00	83.00
<b>Custom Comfort:</b> Standard on Beauville models. Includes two coat hooks; hardboard front door and side panels; full length headliner with bright roof bows; roof and rear quarter panel moldings; bright dome light trim; cigar lighter; color-keyed floor mats and spare tire cover.					
110" wheelbase models only.....	13 98	Z62	N.C.	194.00	194.00
G10-20 125" wheelbase models only.....	12 144	Z62	N.C.	255.00	255.00
G30 125" wheelbase models only.....					
Without 12-passenger seats. Also includes color-keyed rear floor area mats with insulators, rear wheelhouse mats and rear door scuff plate.....	12 144	Z62	N.C.	255.00	255.00
With 12-passenger seats. Also includes rear wheelhouse mats	12 144	Z62	N.C.	235.00	235.00

§ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
◇ State and local taxes not included.

# SPORTVAN

## OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments

Description	Added Model Weight (F) (R)	Option Number	Factory D&H's	List Price	Mfr's Suggested Retail Price ◊
<b>OTHER OPTIONS</b>					
<b>Gauges:</b> Ammeter, temperature and oil pressure . . . . .	2 0	Z53	N.C.	12.00	12.00
<b>Generators:</b>					
42-amp Delco-tron. Included when front floor-mounted air conditioning is ordered . . . . .	0 0	K79	N.C.	23.00	23.00
61-amp Delco-tron. Included when front and rear air conditioning is ordered.					
Without front floor-mounted air conditioning . . . . .	0 0	K76	N.C.	31.00	31.00
With front floor-mounted air conditioning . . . . .	0 0	K76	N.C.	N.C.	N.C.
<b>Glass:</b>					
Soft-Ray. Windshield only . . . . .	0 0	AA2	N.C.	13.00	13.00
Swing-Out Rear Door . . . . .	-1 6	A18	N.C.	24.00	24.00
<b>Key Unit:</b> Separate keys for side and rear cargo doors . . . . .	0 0	AU2	N.C.	4.00	4.00
<b>Lighter, Cigar:</b> Standard on Beauville models. Included when Custom Comfort is ordered . . . . .	0 0	U37	N.C.	5.00	5.00
<b>Mirrors, Exterior:</b> Below-Eye-Line Type. LH and RH 7.5" x 10.5".					
Painted . . . . .	4 0	D29	N.C.	18.50	18.50
Stainless Steel . . . . .	5 0	DG4	N.C.	29.75	29.75
<b>Moldings, Body Side Lower:</b> Standard on Beauville models. Included when custom appearance is ordered . . . . .	1 3	B98	N.C.	51.00	51.00
<b>Paints, Exterior :</b> See Color and Trim Chart					
Solid . . . . .	0 0	...	N.C.	N.C.	N.C.
Two-Tone. With white secondary color between roof and belt line. . . . .	0 0	...	N.C.	35.25	35.25
<b>Radio:</b> AM. Pushbutton control. . . . .	9 0	U63	N.C.	67.00	67.00
<b>Seat Adjuster:</b> 2-Way Manual, passenger seat only. . . . .	3 1	A44	N.C.	5.50	5.50
<b>Seats, Rear:</b> includes RH and LH armrests, ash trays and (3) seat belts.					
<i>One Additional Rear Seat. For 8-passenger seating. G20-30 models only.</i>					
110" wheelbase models only. . . . .	69 483	AQ3	N.C.	57.00	57.00
125" wheelbase models. G20 models available only when H78-15 tires are ordered . . . . .	117 435	AQ3	N.C.	57.00	57.00
<i>Two Additional Rear Seats. For 12-passenger seating. G30 models only. Available only when 8.75-16.5/C or larger tires are ordered. Also includes (4) additional rear seat belts, relocation of spare wheel behind seat on floor, rear area mat and rear door scuff plate.</i>					
G30 models except Beauville models . . . . .	75 1274	AQ4	N.C.	159.00	159.00
G30 Beauville models only. . . . .	78 1219	AQ4	N.C.	159.00	159.00
<b>Shock Absorbers, Heavy-Duty:</b> Front and Rear . . . . .	3 4	F51	N.C.	15.00	15.00
<b>Springs, Heavy-Duty:</b>					
<i>Front</i>					
Capacity 1950-lb each. G30 125" wheelbase models only. Available only when 8.75-16.5/D or 8.75-16.5/E tires and HD rear springs are ordered. . . . .					
	4 0	F60	N.C.	6.00	6.00
<i>Rear</i>					
Capacity 2100-lb each. G20 models only. . . . .					
	0 25	G50	N.C.	10.75	10.75
Capacity 2750-lb each. G30 models only. Available only when 8.75-16.5/D or 8.75-16.5/E tires and HD front springs are ordered . . . . .					
	0 38	G50	N.C.	10.75	10.75
<b>Stabilizer, Front.</b> . . . . .	22 0	F59	N.C.	18.00	18.00

§ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
◊ State and local taxes not included.

## SPORTVAN

### OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments

Description	Added Model Weight (F) (R)	Option Number	Factory D&H <sup>‡</sup>	List Price	Mfr's Suggested Retail Price◊
-------------	-------------------------------------	------------------	-----------------------------	---------------	--

#### OTHER OPTIONS

<b>Steering, Power</b> .....	37	-5	N40	N.C.	138.00	138.00
<b>Steering Wheel: Comfortilt.</b> Available only when Turbo Hydraulic transmission is ordered .....	4	1	N33	N.C.	58.00	58.00
<b>Switches, Dome Lamp: Door Operated</b> .....	0	0	C80	N.C.	7.50	7.50
<b>Tires:</b> See following page.						
<b>Wheel Trim: Bright Metal</b>						
Hub Caps. Standard on Beauville models. Included when custom appearance is ordered .....	0	0	P03	N.C.	6.00	6.00
Trim Rings. Sportvan models available only when custom appearance or bright metal hub caps are ordered .....	2	2	P06	N.C.	28.50	28.50

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

<sup>‡</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
 ◊ State and local taxes not included.

# SPORTVAN

## FACTORY INSTALLED TIRES

See Tire Compatibility Chart for Available Front/Rear Combinations.  
Spare tire available to match either front or rear tires.  
Prices shown are effective with initial shipments

Tire Size Type	Rim Width Included in Tire Option	Added Model Weight (F) (R)	Option Number	Factory D&H <sup>1</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
----------------	--	-------------------------------------	------------------	-----------------------------	---------------	--

### G10 SERIES

#### TUBELESS TIRES USED WITH SINGLE REAR WHEELS

**F78-14/B Passenger Type. Maximum Tire Capacity (Each)—Front (1364) Rear (1364)**

**Highway Bias Belted Ply Blackwall**

Front. 110" wheelbase models only (Standard)	8.00	0 0	XFL	N.C.	N.C.	N.C.
Rear. 110" wheelbase models only (Standard)	8.00	0 0	YFL	N.C.	N.C.	N.C.
Spare. 110" wheelbase models only (Standard)	8.00	0 0	ZFL	N.C.	N.C.	N.C.

**Highway Bias Belted Ply White Stripe**

Front. 110" wheelbase models only	8.00	1 0	XFM	N.C.	11.90	11.90
Rear. 110" wheelbase models only	8.00	0 1	YFM	N.C.	11.90	11.90
Spare. 110" wheelbase models only	8.00	0 1	ZFM	N.C.	5.90	5.90

**On-Off Road Bias Belted Ply Blackwall**

Rear. 110" wheelbase models only	8.00	0 3	YFN	N.C.	7.20	7.20
Spare. 110" wheelbase models only	8.00	-1 2	ZFN	N.C.	3.60	3.60

**G78-14/B Passenger Type. Maximum Tire Capacity (Each)—Front (1473) Rear (1473)**

**Highway Bias Belted Ply Blackwall**

<b>Front</b>						
110" wheelbase models only	8.00	4 0	XGK	.34	6.80	7.14
125" wheelbase models only (Standard)	8.00	0 0	XGK	N.C.	N.C.	N.C.
<b>Rear</b>						
110" wheelbase models only	8.00	0 4	YGK	.34	6.80	7.14
125" wheelbase models only (Standard)	8.00	0 0	YGK	N.C.	N.C.	N.C.
<b>Spare</b>						
110" wheelbase models only	8.00	-1 3	ZGK	.17	3.30	3.47
125" wheelbase models only (Standard)	8.00	0 0	ZGK	N.C.	N.C.	N.C.

**Highway Bias Belted Ply White Stripe**

<b>Front</b>						
110" wheelbase models only	8.00	4 0	XGL	.34	19.50	19.84
125" wheelbase models only	8.00	0 0	XGL	N.C.	12.70	12.70
<b>Rear</b>						
110" wheelbase models only	8.00	0 4	YGL	.34	19.50	19.84
125" wheelbase models only	8.00	0 0	YGL	N.C.	12.70	12.70
<b>Spare</b>						
110" wheelbase models only	8.00	-1 3	ZGL	.17	9.70	9.87
125" wheelbase models only	8.00	0 0	ZGL	N.C.	6.40	6.40

<sup>1</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.

# SPORTVAN

## FACTORY INSTALLED TIRES

See Tire Compatibility Chart for Available Front/Rear Combinations.  
Spare tire available to match either front or rear tires.  
Prices shown are effective with initial shipments

Tire Size Type	Rim Width Included In Tire Option	Added Model Weight (F) (R)	Option Number	Factory D&H <sup>§</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
----------------	-----------------------------------	----------------------------	---------------	--------------------------	------------	---

### G20 SERIES TUBELESS TIRES USED WITH SINGLE REAR WHEELS

**G78-15/B Passenger Type. Maximum Tire Capacity (Each)—Front (1473) Rear (1473)**

**Highway Bias Belted Ply Blackwall**

Front (Standard) .....	6.00	0 0	XGS	N.C.	N.C.	N.C.
Rear (Standard) .....	6.00	0 0	YGS	N.C.	N.C.	N.C.
Spare .....	6.00	-6 33	ZGS	2.78	35.90	38.68

**Highway Bias Belted Ply White Stripe**

Front .....	6.00	0 0	XGT	N.C.	12.80	12.80
Rear .....	6.00	0 0	YGT	N.C.	12.80	12.80
Spare .....	6.00	-6 33	ZGT	2.78	42.40	45.18

**On-Off Road Bias Belted Ply Blackwall**

Rear .....	6.00	0 4	YGU	N.C.	7.20	7.20
Spare .....	6.00	-6 35	ZGU	2.78	39.00	41.78

**H78-15/B Passenger Type. Maximum Tire Capacity (Each)—Front (1609) Rear (1609)**

**Highway Bias Belted Ply Blackwall**

Front .....	6.00	3 0	XHL	.46	9.20	9.66
Rear .....	6.00	0 3	YHL	.46	9.20	9.66
Spare .....	6.00	-7 37	ZHL	3.01	40.00	43.01

**Highway Bias Belted Ply White Stripe**

Front .....	6.00	4 0	XHM	.46	23.15	23.61
Rear .....	6.00	0 4	YHM	.46	23.15	23.61
Spare .....	6.00	-7 37	ZHM	3.01	46.90	49.91

**On-Off Road Bias Belted Ply Blackwall**

Rear .....	6.00	0 6	YHR	.46	16.40	16.86
Spare .....	6.00	-7 38	ZHR	3.01	43.10	46.11

<sup>§</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.

# SPORTVAN

## FACTORY INSTALLED TIRES

See Tire Competibility Chart for Available Front/Rear Combinations.  
Spare tire available to match either front or rear tires.  
Prices shown are effective with initial shipments

Tire Size Type	Rim Width Included in Tire Option	Added Model Weight (F) (R)	Option Number	Factory D&H‡	List Price	Mfr's Suggested Retail Price◊
<b>G30 SERIES</b>						
<b>WIDE BASE TUBELESS TIRES USED WITH SINGLE REAR WHEELS</b>						
<b>8.00-16.5/C (6PR) Truck Type. Maximum Tire Capacity (Each)—Front (1730) Rear (1730)</b>						
<b>Highway Nylon Blackwall</b>						
Front (Standard) .....	6.75	0 0	XSC	N.C.	N.C.	N.C.
Rear (Standard) .....	6.75	0 0	YSC	N.C.	N.C.	N.C.
Spare .....	6.75	-7 41	ZSC	3.29	43.10	46.39
<b>On-Off Road Nylon Blackwall</b>						
Rear .....	6.75	0 5	YSB	.32	21.60	21.92
Spare .....	6.75	-8 45	ZSB	3.45	53.20	56.65
<b>8.75-16.5/C (6PR) Truck Type. Maximum Tire Capacity (Each)—Front (1990) Rear (1990)</b>						
<b>Highway Nylon Blackwall</b>						
Front .....	6.75	4 0	XTC	.92	17.40	18.32
Rear .....	6.75	0 4	YTC	.92	17.40	18.32
Spare .....	6.75	-8 44	ZTC	3.75	51.30	55.05
<b>On-Off Road Nylon Blackwall</b>						
Rear .....	6.75	0 6	YTB	1.24	39.00	40.24
Spare .....	6.75	-8 45	ZTB	3.91	61.50	65.41
<b>8.75-16.5/D (8PR) Truck Type. Maximum Tire Capacity (Each)—Front (2350) Rear (2350)</b>						
<b>Highway Nylon Blackwall</b>						
Front .....	6.75	12 0	XTE	1.44	37.00	38.44
Rear .....	6.75	0 12	YTE	1.44	37.00	38.44
Spare .....	6.75	-9 49	ZTE	4.01	59.50	63.51
<b>On-Off Road Nylon Blackwall</b>						
Rear .....	6.75	0 10	YTF	1.84	58.40	60.24
Spare .....	6.75	-9 48	ZTF	4.21	69.70	73.91
<b>8.75-16.5/E (10PR) Truck Type. Maximum Tire Capacity (Each)—Front (2680) Rear (2680)</b>						
<i>V8 MODELS ONLY</i>						
<b>Highway Nylon Blackwall</b>						
Front .....	6.75	15 0	XTH	1.90	60.40	62.30
Rear .....	6.75	0 15	YTH	1.90	60.40	62.30
Spare .....	6.75	-9 51	ZTH	4.24	69.70	73.94
<b>On-Off Road Nylon Blackwall</b>						
Rear .....	6.75	0 20	YTJ	2.50	82.00	84.50
Spare .....	6.75	-10 54	ZTJ	4.54	80.00	84.54

‡ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
◊ State and local taxes not included.



# FRONT AND REAR TIRE AVAILABILITY CHART

## SPORTVAN

FRONT		REAR		
Description	Option Number	Description	Option Number	
	Highway		Highway	On-Off Road

### G10 SERIES—110" WHEELBASE

Spare tire to match either front or rear tires must be ordered.

Tubeless F78-14/B	<b>FL*</b>	F78-14/B	<b>FL*</b>	<b>FN</b>
F78-14/B White Stripe	<b>FM</b>	F78-14/B White Stripe	<b>FM</b>	—
G78-14/B	<b>GK</b>	G78-14/B	<b>GK</b>	—
G78-14/B White Stripe	<b>GL</b>	G78-14/B White Stripe	<b>GL</b>	—

### G10 SERIES—125" WHEELBASE

Spare tire to match either front or rear tires must be ordered.

Tubeless G78-14/B	<b>GK*</b>	G78-14/B	<b>GK*</b>	—
G78-14/B White Stripe	<b>GL</b>	G78-14/B White Stripe	<b>GL</b>	—

### G20 SERIES

Spare tire to match either front or rear tires is available at extra cost.

Tubeless G78-15/B	<b>GS♦</b>	G78-15/B	<b>GS♦</b>	<b>GU</b>
G78-15/B White Stripe	<b>GT</b>	G78-15/B White Stripe	<b>GT</b>	—
H78-15/B	<b>HL</b>	H78-15/B	<b>HL</b>	<b>HR</b>
H78-15/B White Stripe	<b>HM</b>	H78-15/B White Stripe	<b>HM</b>	—

### G30 SERIES

Spare tire to match either front or rear tires is available at extra cost.

Tubeless 8.00-16.5/C	<b>SC♦</b>	8.00-16.5/C	<b>SC♦</b>	<b>SB</b>
8.75-16.5/C	<b>TC</b>	8.75-16.5/C	<b>TC</b>	<b>TB</b>
8.75-16.5/D	<b>TE</b>	8.75-16.5/D	<b>TE</b>	<b>TF</b>
8.75-16.5/E (V8 models only)	<b>TH</b>	8.75-16.5/E	<b>TH</b>	<b>TJ</b>

\*Base tire on this series. F78-14/B Highway Blackwall spare tire (Code FL) is also base equipment and must be ordered separately unless optional spare tire is specified.

★Base tire on this series. G78-14/B Highway Blackwall spare tire (Code GK) is also base equipment and must be ordered separately unless optional spare tire is specified.

♦Base tire on this series.

# SPORTVAN

## SPORTVAN—STANDARD MODEL—BODY ORDERING CODE ZW9

The standard model includes the following items as standard equipment.

### ✓EXTERIOR FEATURES


- **Bright Appearance Items:**
  - "Chevrolet" emblem: Mounted center of grille with bright outer edge and ochre paint fill.
  - "Chevrolet" Nameplate: Mounted on LH rear door.
  - Door entry handles.
  - Door lock cylinder assemblies.
  - Flip-out LH front quarter window and RH sliding side door window frames.
  - "Sportvan and Series" Nameplate: Mounted on front side panels.
  - RH and LH mirrors.
- **Bumpers:** Front and rear; painted white.
- **Color:** See Exterior and Interior color selection chart.
- **Doors:** RH and LH front side doors; RH sliding side load door; RH and LH rear load doors.
- **Door Opening and Locking Methods:**
  - Front side doors; outside pushbutton latch release in door handle with separate key lock.
  - Sliding side load door; turning outside handle in a counter-clockwise direction releases both front and rear latches; to close door, reverse procedure; for opening and closing of door from inside, reverse outside procedure; door is locked from outside through a separate key lock.
  - RH and LH rear doors; pushbutton latch release in RH door handle opens door, and after opening RH door, LH door latch is released by lower inside lift handle; separate key lock cylinder in RH door.
- **Glass:**
  - Windshield.
  - RH and LH front side door drop glass and pivoting ventipanes.
  - Double flip-out glass in sliding side door and same on opposite side.
  - Stationary glass in each rear quarter window and in each rear door.
- **Grille:** Painted; outer area white and inner area black.



- **Hub Caps:** Painted white with black and ochre trim.
- **Lights:**
  - Backup lamps: two rear.
  - Combination parking/direction/hazard; two front.
  - Combination tail/stop/direction/hazard; two rear.
  - Headlamps: two; Power Beam.
  - License Plate: Single rear.
  - Side Marker Lamps and Reflectors: Two front and two rear.
- **Mirror:** RH and LH chrome fixed arm with 4½' x 6' head.
- **Horns:** Dual; low- and high-note electric.
- **Tools:** Mechanical jack, wheel wrench.
- **Undercoating:** On body rocker panels, step panels, and wheelhousings.
- **Windshield Wipers and Washers:** Electric; 2-speed wipers with matte finish on exposed metal portions.

### ✓INTERIOR FEATURES

- **Air Vents:** RH and LH; individually controlled.
- **Arm Rests:** RH and LH side door and rear seat; padded.
- **Ash Tray:** Mounted in top of engine housing and in rear seat armrests; with covers.
- **Coat Hook:** LH side.
- **Colors:**
  - Paint: same as main exterior color choice.
  - Trim: color choice of pearl gray, slate blue, saddle and slate green.
- **Door Locks:** Inside pushbutton lock/release (except rear doors).
- **Door Seals:** Closed-cell-type rubber.
- **Floor Mats:** Embossed black rubber; front floor area, front wheelhousings and center rear floor area.
- **Glove Box:** Located on front face of engine cover; without door.
- **Headliner:** Parchment-colored perforated hardboard; driver area.
- **Heater and Defroster:** Deluxe-air.
- **Instruments**
  - Gauges: Speedometer, odometer, and fuel.
  - Switches: Exterior lamps, instrument lamps and dome lamps; wiper-washer; headlamp beam (foot); ignition; direction signal with lane change position; hazard warning.
  - Warning Lamps: Generator, oil pressure, engine temperature, brake system warning, direction signals and high beam.
- **Instrument Cluster Bright Trim:** Outer edge and bezels.
- **Instrument Panel Control Knobs:** Soft black plastic (except heater and air conditioner controls). White graphic identification.
- **Interior Lights:** Instruments, front dome and rear dome operated by main switch.
- **Insulation and Sound Deadening Material:** Dash (firewall), front floor panel, center rear floor area and between engine cover walls.



- **Mirror, Rear View:** 10" vinyl-edged prismatic.
- **Safety Step Pads:** Front and sliding side door step panels.
- **Seats:** Front bucket driver and passenger; rear, full-width 3-passenger; all-vinyl trim; foam padded.
- **Seat Belts:** Pushbutton release; driver, front passenger and all rear seat positions. Outboard retractors provided for driver and front passenger positions.
- **Steering Wheel:** Painted, oval 17" x 17½", 2-spoke.
- **Sunshades:** RH and LH padded.
- **Spare Tire Carrier:** RH rear side.
- **Trim Panels:** Painted metal with decorative embossments; front side doors and sliding side door.

## SPORTVAN

### CUSTOM APPEARANCE EQUIPMENT OPTION—RPO Z61

(This option includes all exterior items listed for the standard model plus the following additions or substitutions)


- **Bright Appearance Items: Exterior**
  - "Custom Sportvan/Series" Nameplates mounted on front side panels
  - Chrome grille with black paint trim
  - Chrome hub caps
  - Lower body side and rear moldings with black paint trim
  - Headlamp and taillamp bezels



### ✓CUSTOM COMFORT EQUIPMENT OPTION—RPO Z62

(This option includes all interior items listed for the standard model plus the following additions or substitutions)

- **Bright Appearance Items: Interior**
  - Dome lamp trim
  - Roof bow garnish moldings
- **Cigarette Lighter**
- **Coat Hooks:** LH and RH side, above rear quarter windows
- **Floor Coverings:** Color-keyed rubber; front floor area, front wheelhousings and center rear floor area (also on rearmost floor area and wheelhousings when optional rear seats are ordered)
- **Headliner:** Parchment-colored perforated hardboard; full length; includes bright roof bow trim
- **Insulation:** Rearmost floor area (when optional rear seats are ordered)
- **Spare Tire Cover:** Black vinyl
- **Trim Panels:** Vinyl-coated embossed hardboard; on doors and side panels




### BEAUVILLE SPORTVAN MODEL—BODY ORDERING CODE E94

(This model includes all items listed for the Custom Appearance and Custom Comfort options plus the following additions or substitutions)


#### EXTERIOR FEATURES

- **Bright Appearance Items:**
  - "Beauville Sportvan/Series" Nameplates mounted on front side panels.
  - Chrome front and rear bumpers.
  - Reveal moldings around windshield.
  - Trim for side marker lamps and reflectors.
  - Ventipane frames in front side doors.
- **Special Side Marker Lamps and Reflectors:** RH and LH front and rear.



#### ✓INTERIOR FEATURES

- **Bright Appearance Items.**
  - "Beauville Sportvan" Nameplate: Mounted RH side of instrument panel.
  - Trim on instrument panel, door and sidewall trim panels.
- **Carpeting:** Color-keyed; over entire floor area including front and rear wheel housings.
- **Instrument Panel Trim Plates:** Bright metal with woodgrain inserts.
- **Insulation:** Under rear carpeting, on front and rear wheelhousings, on entire roof, on engine cover extension and on underside of instrument panel in crown and RH front face areas.
- **Seats:** Choice of embossed and sewn elk grain vinyl covers with cara-grain vinyl facings and bolsters in pearl gray only, or sewn plaid cloth covers with cara-grain vinyl facings and bolsters in slate blue, saddle, green or gray.
- **Headliner:** Color-keyed with blue and green interior trims.



- **Trim Panels:** All doors and sidewalls; embossed vinyl with woodgrain inserts and bright trim. (When plaid cloth seat trim is ordered, plaid vinyl inserts replace woodgrain inserts.)

# INTERIOR AND EXTERIOR COLOR CHART

All orders for these models must show one of the following interior trim codes on the order form.

## IMPORTANT

**Dealer Note:** Exterior and interior combinations shown in charts below are those recommended by Chevrolet; however, any exterior color may be ordered with any available interior color if the particular combination is desired by a customer.

## SPORTVAN


INTERIOR TYPE		INTERIOR TRIM COLOR AND CODE				
		Slate Blue	Gray	Green	Pearl	Saddle
Standard Custom Interior —Vinyl Bucket Seats		673		675*	671	674
Beauville Sportvan —Vinyl Bucket Seats					671	
—Cloth Plaid Bucket Seats		673	677	675*		674
EXTERIOR COLOR						
SOLID	Option Number					
Blue, Skyline (Light)	503	X	X		X	X
Blue, Hawaiian (Medium)	510	X	X		X	X
Blue, Catalina (Dark)	508	X	X		X	X
Green, Lime	517		X	X	X	X
Green, Glenwood (Dark)	505		X	X	X	X
Gold, Spanish	511		X	X	X	X
Gold, Sunset	527		X	X	X	X
Olive, Moss	562		X	X	X	X
Orange, Burnt	515		X	X	X	X
Red, Crimson	514		X		X	X
Sand, Desert	528	X	X	X	X	X
Tan, Mojave	555		X	X	X	X
Turquoise, Marine	568		X		X	X
White, Frost	521	X	X	X	X	X
Yellow, Topaz	552		X	X	X	X
MAIN BODY COLOR (White Secondary Color)	Conventional Two-Tone					
Blue, Skyline (Light)	539	X	X		X	X
Blue, Hawaiian (Medium)	542	X	X		X	X
Blue, Catalina (Dark)	578	X	X		X	X
Green, Lime	547		X	X	X	X
Green, Glenwood (Dark)	535		X	X	X	X
Gold, Spanish	536		X	X	X	X
Gold, Sunset	537		X	X	X	X
Olive, Moss	563		X	X	X	X
Orange, Burnt	541		X	X	X	X
Red, Crimson	544		X		X	X
Sand, Desert	538	X	X	X	X	X
Tan, Mojave	560		X	X	X	X
Turquoise, Marine	569		X		X	X
Yellow, Topaz	579		X	X	X	X

\*Green interior trim with standard vinyl seat. Avocado interior trim with cloth plaid seats.

# SPORTVAN

## TWO-TONE EXTERIOR COLOR COMBINATIONS\*

The application of paint for two-tone exterior color combinations is shown below and specified in two-tone chart.



### SPORTVANS

White paint is applied all around the side and rear windows between roof and belt line, including the roof drip moldings. The remainder of the body is painted the main body color.

\*Optional at extra cost.