





ORIGINAL  
1978  
**SPORTVAN**

SPORTVAN MODEL SELECTOR



Series	Model Number		Body Ordering Code	
	110" WB	125" WB	Sportvan	*Beauville Sportvan
<b>G10</b>	CG11006	CG11306	ZW9	E94
<b>G20</b>	CG21006	CG21306	ZW9	E94
<b>G30</b>	—	CG31306	ZW9	E94

\*125" Wheelbase models only.



# SPORTVAN


## STANDARD SPECIFICATIONS

Series	G10	G20	G30
<b>Engine</b>			
Base Equip. ....	250 1-bbl L6	292 1-bbl L6*	292 1-bbl L6*
Clutch .....	11", 124 sq. in.	11", 124 sq. in.	11", 124 sq. in.
Air Filter .....	Oiled-paper Element Throwaway Type Single; Aluminized		
Oil Filter .....			
Exhaust System .....			
Emission Control Systems .....			
	Meet Government Requirements		
<b>Suspension, Front</b>	Independent; Coil Springs		
Capacity .....	3400 lb.	3400 lb.	3900 lb.
Springs @ Ground .....	1700 lb. ea.	1700 lb. ea.	1700 lb. ea.
Shock Absorbers .....	1" dia.	1" dia.	1" dia.
<b>Suspension, Rear</b>	Salisbury Axle; Hypoid Drive; Two-stage Multi-leaf Springs		
Axle Capacity .....	3500 lb.	3500 lb.	5700 lb.
Axle Ratio .....	3.08	3.40	4.09
Springs @ Ground .....	1700 lb. ea.	2100 lb. ea.	2100 lb. ea.
Shock Absorbers .....	1" dia.	1" dia.	1" dia.
<b>Brakes</b>	Hydraulic; Self-adjusting		
Front .....	Disc; 11.86" Rotor Drum; 11" x 2" Single Diaphragm	Disc; 11.86" Rotor Drum; 11.15" x 2.75" Dual Diaphragm	Disc; 12.5" Rotor Drum; 11.15" x 2.75" Dual Diaphragm
Rear .....			
Booster .....	Cable to Rear Wheels		
Parking .....			
<b>Electrical</b>	12 Volt; Negative Ground		
Battery— Freedom Type .....	2500 watts @ 0°F.	3200 watts @ 0°F.	
Delcotron Generator ..	37 amp.	42 amp.	
<b>Frame</b> .....	Integral Body-frame		
<b>Fuel Tank (nominal capacity)</b> .....	21 gal.		
<b>Steering Gear Type</b> .....	Manual; Recirculating Ball Gear		
Linkage .....	Parallelogram		
<b>Transmission</b> .....	Fully Synchronized 3-Speed Manual		
Shift Location .....	Steering Column		
<b>Tires</b> .....	(5) G78-15B (4PR)	(4) J78-15B (4PR)	(4) 8.00-16.5C (6PR)
<b>Wheels</b> .....	(5) Disc 15" x 6"	(5) Disc 15" x 6"	(5) Disc 16.5" x 6.75"

\* Standard engine not available for registration in the State of California; see Power Teams chart.

# SPORTVAN

Body Ordering Codes:  
Sportvan—ZW9  
Beauville Sportvan—E94†



Side slide-in opening clearance 44.2"; max. box cargo height 49.2" with standard front passenger seat.  
Rear slide-in opening clearance 52" with spare tire in position or 53.5" with spare tire removed; height 48.8".

Model	Wheelbase (in.)	Body—Payload Weight Distribution*	
		% Front	% Rear
G10-20	110	17	83
G10-30	125	18	82

\*Estimate based on water-level loading.

Series	Ground Clearance (in) Δ	
	Front	Rear
G10	6.8	6.9
G20	7.4	7.5
G30	7.7	6.6

Model	Engine No. Cyl.	Dimensions (in) Δ				†Curb Weight (lb)			†Model Weight (lb)*		
		WB	OL	OH	GT	Front	Rear	Total	Front	Rear	Total

## G10 SERIES

CG11006	6	110	178.2	79.4	24.4	2251	1719	3970	2646	2074	4720
CG11306	6	125	202.2	79.4	24.4	2295	1851	4146	2730	2166	4896

## G20 SERIES

CG21006	6	110	178.2	80	25.3	2269	1694	3963	2664	2049	4713
CG21306	6	125	202.2	80	25.3	2324	1804	4128	2759	2119	4878

## G30 SERIES

CG31306	6	125	202.2	81	25.8	2346	2029	4375	2781	2344	5125
---------	---	-----	-------	----	------	------	------	------	------	------	------

ΔDimensions with standard equipment, unloaded.

\*Model Weight includes Curb Weight plus occupants (standard seating capacity x 150 lb). Total Model Weight may vary as much as ±150 lbs. to allow for production build variation.

†Curb Weights and Model Weights shown are for models with ZW9 Sportvan body. For models with E94 Beauville Sportvan body add: G113-213-313 models—Front 6 lb; Rear 104 lb; Total 110 lb.

# SPORTVAN

## GVWR SELECTOR

GVW Rating (lbs)	†GAWR (lbs)		Minimum Equipment Required for GVW Rating		
	Front	Rear	Tire Capacity (lbs ea)		Chassis Equipment
			Front	Rear	

### G10 SERIES

5600*	2940	2940	1470	1470	Standard
6000	3210	3210	1605	1605	HD Power Brakes (J55)

### G20 SERIES

6400 (110" WB only)	3380	3380	1690	1690	Standard
6600 (125" WB only)					

†GAWR's shown are the maximum for each axle with equipment listed. Other GAWR's are available, and they are determined as the minimum capacity of either axle, springs or tires.

\*Not available on Beauville models.

## FRONT AND REAR TIRE AVAILABILITY CHART

### G10 SERIES

Spare tire to match either front or rear tires must be ordered

FRONT			REAR			
Capacity (lbs ea)	Description	Option Number	Capacity (lbs ea)	Description	Option Number	
		Highway			Highway	On-Off Road
1470	G78-15B	GS	1470	G78-15B	GS	—
1470	G78-15B White Stripe	GT	1470	G78-15B White Stripe	GT	—
1605	H78-15B	HL	1605	H78-15B	HL	HR
1605	H78-15B White Stripe	HM	1605	H78-15B White Stripe	HM	—
1605	HR78-15B Radial White Stripe	EL ♦	1605	HR78-15B Radial White Stripe	EL ♦	—
1605	HR78-15B Radial White Lettered	EP ♦	1605	HR78-15B Radial White Lettered	EP ♦	—

### G20 SERIES

Spare tire to match either front or rear tires is available at extra cost

1690	J78-15B	JC	1690	J78-15B	JC	JA
1690	J78-15B White Stripe	JB	1690	J78-15B White Stripe	JB	—
1690	JR78-15B Radial White Stripe	EX ♦	1690	JR78-15B Radial White Stripe	EX ♦	—
1690	JR78-15B Radial White Lettered	GC ♦	1690	JR78-15B Radial White Lettered	GC ♦	—

● JR78-15B Radial spare tire must be ordered.

♦ Power Steering, RPO N40, must be ordered.

# SPORTVAN

## GVWR SELECTOR

GVW Rating (lbs)	†GAWR (lbs)		Minimum Equipment Required for GVW Rating		
	Front	Rear	Tire Capacity (lbs ea)		Chassis Equipment
			Front	Rear	

### G30 SERIES

GVW Rating (lbs)	Front GAWR (lbs)	Rear GAWR (lbs)	Front Tire Capacity (lbs ea)	Rear Tire Capacity (lbs ea)	Chassis Equipment
6600	3400	3460	1730	1730	Standard
7100	3400	3980	1990	1990	
7400	3400	4200	2350	2350	
7900	3900	4700	2350	2350	HD Front Springs (F60); HD Rear Springs (G50); Power Steering (N40); HD Power Brakes (J55)
● 8400	3900	5360	2680	2680	HD Front Springs (F60); HD Rear Springs (G50); Power Steering (N40); HD Power Brakes (J55); Stabilizer Bar (F39)

†GAWR's shown are the maximum for each axle with equipment listed. Other GAWR's are available, and they are determined as the minimum capacity of either axle, springs or tires.

● Requires V8 engine.

### FRONT AND REAR TIRE AVAILABILITY CHART

#### G30 SERIES

Spare tire to match front or rear tires is available at extra cost

FRONT			REAR			
Capacity (lbs ea)	Description	Option Number	Capacity (lbs ea)	Description	Option Number	
		Highway			Highway	On-Off Road
1730	8.00-16.5C	SC	1730	8.00-16.5C	SC	—
1990	8.75-16.5C	TC	1990	8.75-16.5C	TC	—
2350	8.75-16.5D	TE	2350	8.75-16.5D	TE	TF
2350	8.75-16.5D White Stripe	TM	2350	8.75-16.5D White Stripe	TM	—
2350	8.75R-16.5D Radial Steel Belted	RU	2350	8.75R-16.5D Radial Steel Belted	RU	—
2680	8.75-16.5E	TH	2680	8.75-16.5E	TH	—

# SPORTVAN

## POWER TEAMS

### ALL STATES EXCEPT CALIFORNIA

ENGINE	TRANSMISSION		REAR AXLE
Type and Code	Type and Code	Capacity (lb)	Ratio and Code

#### G10 SERIES

		2.73 HC2	3.08 HE3	3.42 HE4	3.73 GT4
▲ 250 1-bbl L6—LD4 (Standard Engine)	3-Speed Manual (Std)—MM3	—	X(Std) <sup>a,b</sup>	X <sup>c</sup>	X
	Automatic—MX1	—	X(Std) <sup>a,b</sup>	X <sup>c</sup>	X
▲e 305 2-bbl V8—LG9	3-Speed Manual (Std)—MM3	—	X(Std) <sup>a</sup>	X <sup>c</sup>	—
	Automatic—MX1	X(Std)	X <sup>a</sup>	X <sup>c</sup>	—
350 4-bbl V8—LS9	3-Speed Manual (Std)—MM3 ▲	—	X(Std) <sup>a</sup>	X <sup>c</sup>	—
	Automatic—MX1 ♦	X(Std)	X <sup>a</sup>	X <sup>c</sup>	X <sup>f</sup> ♦

#### G20 SERIES

		2.76 HC2	3.07 HE3	3.40 HE4	3.73 GT4	4.11 HO4
292 1-bbl L6—L25 (Standard Engine)	3-Speed Manual (Std)—MM3	—	—	X(Std)	X	—
	Automatic—MX1	—	X(Std)	X	—	—
350 4-bbl V8—LS9	3-Speed Manual (Std)—MM3	—	—	X(Std)	X	—
	Automatic—MX1	X(Std)	X	X	—	—
400 4-bbl V8—LF4	Automatic—MX1	X(Std)	—	X	—	—

#### G30 SERIES

		3.21 HC8	3.75 GX4	4.09 GX5
292 1-bbl L6—L25 (Standard Engine)	3-Speed Manual (Std)—MM3 <sup>g</sup>	—	—	X(Std) <sup>m</sup>
	Automatic—MX1	—	X(Std)	X <sup>m</sup>
350 4-bbl V8—LS9	3-Speed Manual (Std)—MM3	—	X(Std) <sup>k</sup>	X
	Automatic—MX1	X(Std) <sup>i</sup>	X	X
400 4-bbl V8—LF4	Automatic—MX1	X(Std) <sup>i</sup>	X	X

▲ Not available with NA6 High Altitude Emission Equipment.

♦ Required when NA6 High Altitude Emission Equipment is ordered.

<sup>a</sup> Locking Differential (G80) not available with HD Power Brakes (J55) at 5600 lb GVWR; or at 6000 lb. GVWR.

<sup>b</sup> Not recommended at 6000 lb GVWR.

<sup>c</sup> Locking Differential (G80) requires HD Power Brakes (J55) at 5600 lb GVWR.

<sup>d</sup> Locking Differential (G80) available except for 3.73 GT4 ratio. When G80 is ordered, Code HC2 axle changes to 2.76 ratio; Code HE3 axle changes to 3.07 ratio, and Code HE4 changes to 3.40 ratio.

<sup>e</sup> Not available on 125" WB models.

<sup>f</sup> Available only when NA6 High Altitude Emission Equipment is ordered.

<sup>g</sup> Not recommended for GVWR of 7900 lb.

<sup>h</sup> Locking Differential available for all axles.

<sup>i</sup> 7900 lb GVWR or above requires GX4 or GX5 axle ratio (not recommended for normal passenger use).

<sup>j</sup> Locking Differential available only on Code HC2 and HE4 axles.

<sup>k</sup> Not recommended for GVWR of 7900 lb or above.

<sup>m</sup> Locking Differential (G80) requires HD Power Brakes (J55).

#### ENGINE RATINGS

SAE Net Ratings @ 85°F	250 1-bbl L6*	292 1-bbl L6**	305 2-bbl V8*	350 4-bbl V8*	400 4-bbl V8**
Net Horsepower	115 @ 3800 rpm	120 @ 3600 rpm	145 @ 3800 rpm	165 @ 3800 rpm	175 @ 3600 rpm
Net Torque, lb-ft	195 @ 1800 rpm	215 @ 2000 rpm	245 @ 2400 rpm	†260 @ 2400 rpm	290 @ 2800 rpm

\*Light Duty Emissions.

\*\*Heavy Duty Emissions

†Rated 255 @ 2800 rpm for Heavy Duty Emissions.

# SPORTVAN

## POWER TEAMS

### CALIFORNIA ONLY

ENGINE	TRANSMISSION	REAR AXLE	
Type and Code	Type and Code	Capacity (lb)	Ratio and Code

#### G10 SERIES

			2.73 HC2	3.08 HE3	3.42 HE4	3.73 GT4
250 1-bbl L6—LD4 (Standard Engine)	3-Speed Manual (Std)—MM3	3500 d	—	X(Std) <sup>a,b</sup>	X <sup>c</sup>	X
	Automatic—MX1		—	X(Std) <sup>a,b</sup>	X <sup>c</sup>	X
350 4-bbl V8—LS9	Automatic—MX1		X(Std)	X <sup>a</sup>	X <sup>c</sup>	X

#### G20 SERIES

			2.76 HC2	3.07 HE3	3.40 HE4	3.73 GT4	4.11 HO4
250 1-bbl L6—LD4	3-Speed Manual (Std)—MM3	3500 g	—	—	—	X(Std)	X
	Automatic—MX1		—	—	—	X(Std)	X
350 4-bbl V8—LS9	3-Speed Manual (Std)—MM3		—	—	X(Std)	X	—
	Automatic—MX1		X(Std)	X	X	—	—
400 4-bbl V8—LF4	Automatic—MX1	X(Std)	—	X	—	—	

#### G30 SERIES

			3.21 HC3	3.75 GX4	4.09 GX5
i 350 4-bbl V8—LS9	3-Speed Manual (Std)—MM3	5700 e	—	X(Std) <sup>h</sup>	X
	Automatic—MX1		X(Std) <sup>f</sup>	X	X
i 400 4-bbl V8—LF4	Automatic—MX1		X(Std) <sup>f</sup>	X	X

a Locking Differential (G80) not available with HD Power Brakes (J55) at 5600 lb GVWR; or at 6000 lb. GVWR.

b Not recommended at 6000 lb GVWR.

c Locking Differential (G80) requires HD Power Brakes (J55) at 5600 lb GVWR.

d Locking Differential (G80) available except for 3.73 GT4 ratio. When G80 is ordered, Code HC2 axle changes to 2.76 ratio; Code HE3 axle changes to 3.07 ratio, and Code HE4 changes to 3.40 ratio.

e Locking Differential available for all axles.

f 7900 lb GVWR or above requires GX4 or GX5 axle ratio (not recommended for normal passenger use).

g Locking Differential available only on Code HC2 and HE4 axles.

h Not recommended for GVWR of 7900 lb or above.

i V8 engine required for registration in the State of California.

### ENGINE RATINGS

SAE Net Ratings @ 85°F	250 1-bbl L6	350 4-bbl V8	400 4-bbl V8
Net Horsepower .....	100 @ 3800 rpm	155 @ 3800 rpm	165 @ 3600 rpm
Net Torque, lb-ft .....	185 @ 1600 rpm	250 @ 2400 rpm	290 @ 2000 rpm



# NOTES

# SPORTVAN

## 1978 VEHICLES WITH STANDARD EQUIPMENT

Prices shown are effective with vehicles manufactured on or after November 17, 1977

Description	Model Number	Code	Wheel-base	Factory D&H <sup>§</sup>	List Price	Mfr's Suggested Retail Price*	Destination Charge & Group Number	Total
<b>◆ 6-Cylinder 250-1 BBL Engine—Engine Ordering Code LD4</b>								
<b>G10 Series</b>								
Sportvan	CG11006	ZW9	110"	13.25			28	
Sportvan	CG11306	ZW9	125"	13.25			28	
Beauville Sportvan	CG11306	E94	125"	13.25			28	
<b>◆ 6-Cylinder 292-1 BBL Engine—Engine Ordering Code L25</b>								
<b>G20 Series</b>								
Sportvan	CG21006	ZW9	110"	12.12			28	
Sportvan	CG21306	ZW9	125"	12.12			28	
Beauville Sportvan	CG21306	E94	125"	12.12			28	
<b>G30 Series</b>								
Sportvan	CG31306	ZW9	125"	13.04			28	
Beauville Sportvan	CG31306	E94	125"	13.04			28	

\* Manufacturer's Suggested Retail Prices do not include applicable destination charges, state and local taxes, license fees, options or accessories.  
 ◆ Refer to Power Team Chart for California Emission Certification Requirements.

### OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with vehicles manufactured on or after November 17, 1977

Description	Added Weight (F) (R)	Option Number	Factory D&H <sup>§</sup>	List Price	Mfr's Suggested Retail Price◇
<b>POWER TEAMS AND AXLES</b>					
<i>(See Power Teams Chart for availability and complete specifications)</i>					
<b>Engines:</b>					
<i>250-1 BBL 6-Cylinder. Standard on G10 series. Not available on G30 series. Available only when YF5 California Emission Requirements is ordered.</i>					
	3	3	LD4	N.A.	
<i>305-2 BBL V8. G10 110" wheelbase only. Not available when YF5 California or NA6 High Altitude Emission is specified.</i>					
	92	4	LG9	N.A.	
<i>350-4 BBL V8.</i>					
<i>G10 series only</i>					
110" wheelbase only	108	6	LS9	N.A.	
125" wheelbase only	104	10	LS9	N.A.	
<i>G20 series only</i>					
110" wheelbase only	85	7	LS9	N.A.	
125" wheelbase only	82	10	LS9	N.A.	
<i>G30 series only</i>					
	82	10	LS9	N.A.	
<i>400-4 BBL V8. G20-G30 series only. Available only when MX1 Automatic transmission is specified.</i>					
G20 110" wheelbase only	86	24	LF4	N.A.	
G20 125" wheelbase or G30 series only	82	28	LF4	N.A.	
<b>Transmission: Automatic. G20-30 series includes extra cooling.</b>					
With V8 engine	23	5	MX1	N.A.	
With V8 engine	11	2	MX1	N.A.	
<b>Liquid Petroleum Gas Conversion:</b> All 1978 Light Duty Truck gasoline production engines may be converted to use LP Gas when permissible under Federal and State laws and regulations without causing harmful effect to the engine. Complete conversion to LPG requires adaptation by a local distributor who sells and services LPG equipment. Caution should be exercised so that the fuel tank is mounted on and is vented to the outside of the vehicle. In addition, vehicles converted to LPG should not be stored in enclosed places such as garages.					
<b>Axle Rear:</b>					
<i>Optional Ratio. (See Power Teams Chart for option number selection, availability and complete specifications)</i>					
	0	0		N.A.	17.00
					17.00

§ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
 ◇ State and local taxes not included.

# SPORTVAN

## OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with vehicles manufactured on or after November 17, 1977

Description	Added Weight (F) (R)		Option Number	Factory D&H <sup>§</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
<b>POWER TEAMS AND AXLES</b>						
<b>Axles, Rear: (Continued)</b>						
<i>Locking Differential:</i>						
G10 series only	0	2	G80	N.A.		
G20 series only	0	2	G80	N.A.		
G30 series only	0	4	G80	N.A.		
<b>OTHER OPTIONS</b>						
<b>Air Conditioning:</b> All Weather, 6-KV, 30-1/2 lbs series available only when J55 Brakes and 1605-lb tire capacity when V8 engine is specified. Includes extra 1/2" floor plate.						
<i>Front.</i> Instrument panel mounted, 14-amp generator. Recommended for front seat area cooling only	103	6	C60	N.A.		
<i>Front and Rear.</i> Front instrument panel mounted and rear overhead systems. Includes K76 61-amp generator and requires V8 engine.						
Without E94 Beauville	111	38	C69	N.A.		
With E94 Beauville	108	51	C69	N.A.		
<b>Battery: Heavy-Duty.</b> 4000 Watt Delco Freedom.						
Without V8 engine	12	-2	UA1	N.A.		
With V8 engine	3	-1	UA1	N.A.		
<b>Brakes: Heavy-Duty Vacuum Power.</b>						
G10 series only	6	1	J55	N.A.		
G30 series only	4	42	J55	N.A.		
<b>Bumper Equipment:</b>						
<i>Bumpers.</i>						
Front and Rear. Chromed. Standard on Beauville	0	0	V37	N.A.		
Front. Chromed. Available only when V43 rear step bumper is specified	0	0	V46	N.A.		
Rear Step. Painted						
Without E94 Beauville	-19	75	V43	N.A.		
With E94 Beauville	-19	75	V43	N.A.		
<i>Guards, Front Bumper.</i> 125" wheelbase only.						
Chromed. Available only when V37 front and rear bumpers or V46 front bumper is specified	8	-2	V31	N.A.		
<b>Clock:</b> Electric	0	0	U35	N.A.		
<b>Coolers:</b> Requires V8 Engine. Available only when MX1 automatic transmission is specified.						
<i>Engine Oil.</i> Available only on G20-30						
<i>Transmission Oil.</i>	9	-1	KC4	N.A.		
Without C60 or C69 Air Conditioning						
G10 series. Also requires V01 radiator or V05 HD Cooling	11	-2	V02	N.A.		
G20-30 series	8	-1	V02	N.A.		
With C60 or C69 Air Conditioning						
G10 series	11	-2	V02	N.A.		
G20-30 series	2	0	V02	N.A.		
<b>Cooling:</b> Not available when C60 front air conditioning or C69 front and rear air conditioning is specified.						
<i>Front End Heavy-Duty.</i> Not available on G20-30 series when LF4 400-4 BBL engine or MX1 Automatic transmission is specified.						
Without V8 engine	3	-1	V01	N.A.		
With V8 engine	8	-1	V01	N.A.		
<i>Heavy-Duty.</i> Not available when V01 HD radiator is specified. Includes increased cooling capacity radiator and clutch type fan.						
G10 series only	11	-1	V05	N.A.		
G20-30 series only						
Without MX1 Automatic transmission	11	-1	V05	N.A.		
With MX1 Automatic transmission						
Without LF4 400-4 BBL engine	4	-1	V05	N.A.		
With LF4 400-4 BBL engine	4	-1	V05	N.A.		
<b>Cover, Spare Tire:</b> Black Vinyl on G10 series and Color-Keyed Vinyl on G20-30 series. Standard on Beauville. Included when Z62 Custom Comfort and Convenience is specified.						
	0	2	P17	N.A.		
<b>Custom Appearance:</b> Not available on Beauville. Includes P03 hub caps; headlight and taillight accents; B98 body side lower moldings; body rear lower moldings plus custom emblems.						
	2	3	Z61	N.A.		

<sup>§</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.

# SPORTVAN

## OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with vehicles manufactured on or after November 17, 1977

Description	Added Weight (F) (R)	Option Number	Factory D&Hs	List Price	Mfr's Suggested Retail Price ◊
<b>OTHER OPTIONS</b>					
<b>Custom Comfort and Convenience:</b> Not available on Beauville. Includes two coat hooks; hardboard front door and side panels; full length headliner with matching roof bows; U37 cigarette lighter; color-keyed floor mats and P17 spare tire cover.					
G10-20 series only.					
110" wheelbase only	8 59	Z62	N.A.	342.00	342.00
125" wheelbase only	8 77	Z62	N.A.	387.00	387.00
G30 series only.					
Without AQ4 12-passenger seats. Also includes color-keyed rear floor area mats with insulators, rear wheelhouse mats and rear door scuff plate	8 77	Z62	N.A.	387.00	387.00
With AQ4 12-passenger seats. Also includes rear wheelhouse mats.	8 77	Z62	N.A.	387.00	387.00
<b>Door Lock System, Power:</b> All doors. Included when ZQ2 Operating Convenience Package.	5 3	AU3	N.A.	124.00	124.00
<b>Emission Systems:</b> Dealer Note - One of the following emission options must be specified on G10 series.					
<i>California Emission Requirements.</i> Includes all testing, equipment and /or certification necessary for registration in the State of California. (See Power Teams Chart for availability and complete specifications)					
G10 series only	13 0	YF5	N.A.	93.00	93.00
G20-30 series only	13 0	YF5	N.A.	189.00	189.00
<i>High Altitude Emission Equipment.</i> G10 series only. (See Power Teams Chart for availability and complete specifications) Not available when YF5 California Emission is specified					
	13 0	NA6	N.A.	35.00	35.00
<i>Standard Emission Equipment.</i> G10 series only. Not available when YF5 California Emission or NA6 High Altitude Emission is specified.					
	0 0	NA2	NO ADDITIONAL CHARGE		
<b>Extender Link, Side Rear Door</b>	2 3	AW4	N.A.	27.00	27.00
<b>Floor Covering:</b> Carpeting, Floor and Wheelhouse. Standard on Beauville. 125" wheelbase only.					
Without Z62 Custom Comfort Convenience	18 33	B30	N.A.	109.00	109.00
With Z62 Custom Comfort Convenience	18 33	B30	N.A.	84.00	84.00
<b>Gages:</b> Voltmeter, Temperature and Oil Pressure.	1 0	Z53	N.A.	27.00	27.00
<b>Generators:</b>					
<i>42-Amp Delcotron.</i> Included when L25 292-1 BBL engine or C36 rear heater is specified					
	0 0	K79	N.A.	31.00	31.00
<i>61-Amp Delcotron.</i> Included when C60 front or C69 front and rear air conditioning is specified.					
Without L25 292-1 BBL engine or C36 rear heater	0 0	K76	N.A.	45.00	45.00
With L25 292-1 BBL engine or C36 rear heater	0 0	K76	N.A.	14.00	14.00
<b>Glass:</b>					
<i>Soft-Ray Tinted.</i>					
All Windows. Includes A02 windshield glass	0 0	A01	N.A.	67.00	67.00
Windshield only. Included when A01 glass is specified	0 0	A02	N.A.	22.00	22.00
<i>Swing-Out Rear Door.</i>	-1 4	A18	N.A.	40.00	40.00
<b>Heater, Rear:</b>					
Without C60 front air conditioning or C69 front and rear air conditioning					
Without L25 292-1 BBL engine. Includes K79 42-amp generator.	10 14	C36	N.A.	169.00	169.00
With L25 292-1 BBL engine	10 14	C36	N.A.	138.00	138.00
With C60 front air conditioning or C69 front and rear air conditioning	10 14	C36	N.A.	124.00	124.00
<b>Key Unit:</b> Separate keys for side and rear cargo doors	0 0	AU2	N.A.	6.00	6.00
<b>Lighter, Cigarette:</b> Standard on Beauville. Included when Z62 Custom Comfort and Convenience is specified.					
	0 0	U37	N.A.	17.00	17.00
<b>Mirrors, Exterior:</b> Below-Eye-Line Type. LH and RH.					
7.5" x 10.5".					
Painted	6 0	D29	N.A.	28.00	28.00
Stainless Steel	4 0	DG4	N.A.	51.00	51.00

§ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
 ◊ State and local taxes not included.

# SPORTVAN

## OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with vehicles manufactured on or after November 17, 1977

Description	Added Weight (F) (R)	Option Number	Factory D&H <sup>§</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
<b>OTHER OPTIONS</b>					
<b>Moldings:</b>					
<i>Body Side Lower.</i> Standard on Beauville. Included when Z61 Custom Appearance is specified	1 2	B98	N.A.	74.00	74.00
<i>Body Side Upper.</i> Includes bright body front, side and rear moldings	1 2	B85	N.A.	79.00	79.00
<i>Guards, Door Edge.</i>	0 0	B93	N.A.	10.00	10.00
<b>Operating Convenience Group:</b> Includes AU3 power door locks and A31 power windows	15 6	ZQ2	N.A.	255.00	255.00
<b>Paints, Exterior:</b> See Interior and Exterior Color Selection Chart for ordering information.					
<i>Solid.</i>	0 0	ZY1	<i>NO ADDITIONAL CHARGE</i>		
<i>Special Two-Tone.</i> With secondary color between belt line and lower styling crease line	0 0	ZY3	N.A.	88.00	88.00
<i>Deluxe Two-Tone.</i> With secondary color between window line and belt line and beneath lower styling crease line	0 0	ZY4	N.A.	83.00	83.00
<b>Radio Equipment:</b> Pushbutton.					
<i>AM Radio.</i>	9 0	U63	N.A.	86.00	86.00
<i>AM /FM Radio.</i>	10 0	U69	N.A.	167.00	167.00
<i>AM /FM Stereo Radio</i> Includes two front speakers.					
Without Z62 Custom Comfort and Convenience or Beauville. Also includes wiring for rear speakers	11 0	U58	N.A.	204.00	204.00
With Z62 Custom Comfort and Convenience or Beauville. Also includes two rear speakers	11 0	U58	N.A.	240.00	240.00
<i>AM /FM Stereo Radio with Tape Player</i> Includes two front speakers.					
Without Z62 Custom Comfort and Convenience or Beauville. Also includes wiring for rear speakers	13 0	UM2	N.A.	304.00	304.00
With Z62 Custom Comfort and Convenience or Beauville. Also includes two rear speakers	13 0	UM2	N.A.	340.00	340.00
<i>AM /FM Citizens Band Radio and Power Antenna.</i> Includes front speaker.					
Without Z62 Custom Comfort and Convenience or Beauville. . .	20 0	UP5	N.A.	498.00	498.00
With Z62 Custom Comfort and Convenience or Beauville. Available only when U80 rear auxiliary speaker is specified.	20 0	UP5	N.A.	498.00	498.00
<i>Speaker, Rear Auxiliary.</i> Available only when UP5 AM /FM Citizens Band Radio, U63 AM radio, U69 AM /FM radio and Z62 Custom Comfort and Convenience or Beauville are specified	0 2	U80	N.A.	38.00	38.00
<b>Seats, Rear:</b> Includes RH and LH armrests, ash trays and (3) seat belts. (Added weight includes passenger weight allowance of 150-lb per seating position).					
<i>One Additional Rear Seat.</i> For 8-passenger seating. G20-30 series only.					
110" wheelbase only	89 484	AQ3	N.A.	180.00	180.00
125" wheelbase only	114 439	AQ3	N.A.	180.00	180.00
<i>Two Additional Rear Seats.</i> For 12-passenger seating. G30 series only. Available only when 8.75-16.5 tires are specified. Also includes (4) additional rear seat belts, relocation of spare wheel behind seat on floor, rear area mat and rear door scuff plate.					
G30 series except Beauville	88 1220	AQ4	N.A.	380.00	380.00
G30 Beauville only	71 1201	AQ4	N.A.	380.00	380.00
<i>Rear Bucket Swivel Seats.</i> 125" wheelbase Beauville series only. Available only when Swivel front bucket seats are specified. Not available with AQ3 or AQ4 rear seats	-50 -56	AL4	N.A.	388.00	388.00
<b>Shock Absorbers:</b> Front and Rear, Heavy-Duty	3 3	F51	N.A.	25.00	25.00
<b>Speed and Cruise Control:</b> Available only when V8 engine and MX1 Automatic transmission are specified	8 0	K30	N.A.	90.00	90.00
<b>Springs: Heavy-Duty.</b>					
<i>Front.</i> Capacity 1950-lb each. G30 series only. Available only when 2350-lb or larger capacity tires, N40 Power Steering and G50 HD rear springs are specified	5 0	F60	N.A.	10.00	10.00
<i>Rear.</i> Capacity 3000-lb each. G30 series only. Not available when HC8 3.21 ratio rear axle is specified	0 39	G50	N.A.	40.00	40.00

<sup>§</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.

# SPORTVAN

## OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with vehicles manufactured on or after November 17, 1977

Description	Added Weight (F) (R)		Option Number	Factory D&H <sup>§</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
<b>OTHER OPTIONS</b>						
<b>Stabilizer Bar: Front</b> .....	22	0	F59	N.A.	25.00	25.00
<b>Steering, Power</b> .....	40	-5	N40	N.A.	198.00	198.00
<b>Steering Wheel:</b>						
<i>Comfortilt.</i> Available only when MX1 Automatic transmission is specified.....	4	1	N33	N.A.	72.00	72.00
<i>Custom</i> .....	1	0	N31	N.A.	20.00	20.00
<b>Stop, Positive: Rear Door</b> .....	-1	2	AD8	N.A.	26.00	26.00
<b>Storage Compartment, Front Seat:</b> Not available with Swivel Bucket Seats. Includes compartment door, lock and separate key.....						
	2	1	BA8	N.A.	27.00	27.00
<b>Tank, Fuel:</b> Approximately 33-gallon capacity. 125" wheelbase only. Replaces production fuel tank.....						
	-19	112	NL7	N.A.	63.00	63.00
<b>Theft Deterrent System:</b> Includes key operated switch on LH front fender, high-note horn, joint jamb switches for hood, sliding side door and RH rear door. Also utilizes the production front door jamb switch.....						
	3	0	UA6	N.A.	133.00	133.00
<b>Tires and Wheels:</b> See following pages.						
<b>Trailer Hitch: Ball Type.</b> Available only when V43 rear step bumper is specified.						
<i>1 7/8" Diameter Ball</i> .....	-2	4	VR5	N.A.	5.00	5.00
<i>2" Diameter Ball</i> .....	-1	3	VR8	N.A.	6.00	6.00
<b>Trim:</b> See Interior and Exterior Color Selection Chart for ordering information.						
<i>Standard Vinyl Bucket Seats</i> .....	0	0	...	<i>NO ADDITIONAL CHARGE</i>		
<i>Custom Vinyl High Back Bucket Seats</i>						
Without Beauville.....	4	2	...	N.A.	46.00	46.00
With Beauville.....	4	2	...	<i>NO ADDITIONAL CHARGE</i>		
<i>Custom Cloth High Back Bucket Seat</i> .....	0	0	...	<i>NO ADDITIONAL CHARGE</i>		
<i>Custom Cloth Swivel Bucket Seats</i> .....	40	14	...	N.A.	383.00	383.00
<i>Custom Vinyl Swivel Bucket Seats</i> .....	40	14	...	N.A.	383.00	383.00
<b>Ventilator, Roof</b> .....	1	4	C55	N.A.	56.00	56.00
<b>Wheel Trim:</b> Bright Metal.						
<i>Hub Caps.</i> Standard on Beauville. Included when Z61 Custom Appearance is specified.....						
	0	0	P03	N.A.	10.00	10.00
<i>Trim Rings.</i> G10-20 series only. Available only when E94 Beauville, Z61 Custom Appearance or P03 hub caps are specified.....						
	2	2	P06	N.A.	41.00	41.00
<i>Wheel Covers, Special.</i> G10-20 series only.						
Without E94 Beauville or Z61 Custom Appearance.....	1	1	PA1	N.A.	58.00	58.00
With E94 Beauville or Z61 Custom Appearance.....	1	1	PA1	N.A.	48.00	48.00
<b>Wheels, Rally:</b> G10-20 series only. Not available when P03 hub caps are specified. Includes 15" x 6" wheels, P06 trim rings and special hub caps.						
G10 series only						
Without E94 Beauville or Z61 Custom Appearance.....	6	8	N67	N.A.	90.00	90.00
With E94 Beauville or Z61 Custom Appearance.....	6	8	N67	N.A.	80.00	80.00
G20 series only						
Without E94 Beauville or Z61 Custom Appearance.....	4	6	N67	N.A.	90.00	90.00
With E94 Beauville or Z61 Custom Appearance.....	4	6	N67	N.A.	80.00	80.00
<b>Windows: Power.</b> Front side doors only. Included when ZQ2 Operating Convenience Group is specified.....						
	10	3	A31	N.A.	131.00	131.00
<b>Windshield Wiper System: Intermittent</b> .....	1	0	CD4	N.A.	30.00	30.00

<sup>§</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.

# SPORTVAN

## FACTORY INSTALLED TIRES

See Tire Chart for Available Front/Rear Combinations.  
Spare tire available to match either front or rear tires.

Prices shown are effective with vehicles manufactured on or after November 17, 1977

Tire Size Type	Rim Width Included In Tire Option	Added Weight (F) (R)	Option Number	Factory D&H <sup>§</sup>	List Price	Mfr's Suggested Retail Price◇
<b>G10 SERIES</b>						
<b>TUBELESS TIRES USED WITH SINGLE REAR WHEELS</b>						
<b>G78-15 /B Passenger Type. Maximum Tire Capacity (Each)— Front (1470) Rear (1470)</b>						
<b>Highway Bias Belted Ply Blackwall</b>						
Front (Standard) .....	6.00	0 0	XGS		NO ADDITIONAL CHARGE	
Rear (Standard) .....	6.00	0 0	YGS		NO ADDITIONAL CHARGE	
Spare (Standard) .....	6.00	0 0	ZGS		NO ADDITIONAL CHARGE	
<b>Highway Bias Belted Ply White Stripe</b>						
Front .....	6.00	1 0	XGT	N.C.	16.00	16.00
Rear .....	6.00	0 1	YGT	N.C.	16.00	16.00
Spare .....	6.00	-1 3	ZGT	N.C.	8.00	8.00
<b>H78-15 /D Passenger Type. Maximum Tire Capacity (Each) Front (1605) Rear (1605)</b>						
<b>Highway Bias belted Ply Blackwall</b>						
Front .....	6.00	3 0	XHL	0.46	10.00	10.46
Rear .....	6.00	0 3	YHL	0.46	10.00	10.46
Spare .....	6.00	0 2	ZHL	0.23	5.00	5.23
<b>Highway Bias Belted Ply White Stripe</b>						
Front .....	6.00	4 0	XHM	0.46	28.00	28.46
Rear .....	6.00	0 4	YHM	0.46	28.00	28.46
Spare .....	6.00	0 2	ZHM	0.23	14.00	14.23
<b>On-Off Road Bias Belted Ply Blackwall</b>						
Rear .....	6.00	0 6	YHR	0.46	20.00	20.46
Spare .....	6.00	0 3	ZHR	0.23	10.00	10.23
<b>HR78-15 /E Passenger Type. Maximum Tire Capacity (Each) Front (1605) Rear (1605)</b>						
<i>Available only when N40 Power Steering and spare tire is specified</i>						
<b>Highway Steel Belted Radial Ply White Stripe</b>						
Front .....	6.00	11 0	XEL	0.92	76.00	76.92
Rear .....	6.00	0 11	YEL	0.92	76.00	76.92
Spare .....	6.00	0 5	ZEL	0.46	38.00	38.46
<b>Highway Steel Belted Radial Ply White Lettered</b>						
Front .....	6.00	5 0	XEP	0.92	82.00	82.92
Rear .....	6.00	0 5	YEP	0.92	82.00	82.92
Spare .....	6.00	0 3	ZEP	0.46	41.00	41.46

§ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
◇ State and local taxes not included.

# SPORTVAN

## FACTORY INSTALLED TIRES

See Tire Chart for Available Front/Rear Combinations.  
Spare tire available to match either front or rear tires.  
Prices shown are effective with vehicles manufactured on or after November 17, 1977

Tire Size Type	Rim Width Included In Tire Option	Added Weight (F) (R)		Option Number	Factory D&H <sup>‡</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
<b>G20 SERIES</b>							
<b>TUBELESS TIRES USED WITH SINGLE REAR WHEELS</b>							
<b>J78-15 /B Passenger Type. Maximum Tire Capacity (Each)— Front (1690) Rear (1690)</b>							
<b>Highway Bias Belted Ply Blackwall</b>							
Front (Standard)	6.00	0	0	XJC	NO ADDITIONAL CHARGE		
Rear (Standard)	6.00	0	0	YJC	NO ADDITIONAL CHARGE		
Spare	6.00	-6	35	ZJC	3.03	56.00	59.03
<b>Highway Bias Belted Ply White Stripe</b>							
Front	6.00	4	0	XJB	N.C.	20.00	20.00
Rear	6.00	0	4	YJB	N.C.	20.00	20.00
Spare	6.00	-6	36	ZJB	3.03	66.00	69.03
<b>On-Off Road Bias Belted Ply Blackwall</b>							
Rear	6.00	0	6	YJA	N.C.	10.00	10.00
Spare	6.00	-6	38	ZJA	3.03	61.00	64.03
<b>JR78-15 /B Passenger Type. Maximum Tire Capacity (Each)— Front (1690) Rear (1690)</b>							
<i>Available only when N40 Power Steering and spare tire are specified.</i>							
<b>Highway Steel Belted Radial Ply White Stripe</b>							
Front	6.00	10	0	XEX	0.48	70.00	70.48
Rear	6.00	0	10	YEX	0.48	70.00	70.48
Spare	6.00	-7	40	ZEX	3.27	91.00	94.27
<b>Highway Steel Belted Radial Ply White Lettered</b>							
Front	6.00	10	0	XGC	0.48	76.00	76.48
Rear	6.00	0	10	YGC	0.48	76.00	76.48
Spare	6.00	0	5	ZGC	3.27	94.00	97.27

<sup>‡</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.



# SPORTVAN

## FACTORY INSTALLED TIRES

See Tire Chart for Available Front/Rear Combinations.  
Spare tire available to match either front or rear tires.

Prices shown are effective with vehicles manufactured on or after November 17, 1977

Tire Size Type	Rim Width Included in Tire Option	Added Weight (F) (R)	Option Number	Factory D&H <sup>‡</sup>	List Price	Mfr's Suggested Retail Price <sup>◇</sup>
<b>G30 SERIES</b>						
<b>WIDE BASE TUBELESS TIRES USED WITH SINGLE REAR WHEELS</b>						
<b>8.00-16.5 /C (6 PR) Truck Type. Maximum Tire Capacity (Each)—Front (1730) Rear (1730)</b>						
<b>Highway Nylon Blackwall</b>						
Front (Standard) .....	6.75	0 0	XSC	NO ADDITIONAL CHARGE		
Rear (Standard) .....	6.75	0 0	YSC	NO ADDITIONAL CHARGE		
Spare .....	6.75	-7 41	ZSC	3.26	80.00	83.26
<b>8.75-16.5 /C (6 PR) Truck Type. Maximum Tire Capacity (Each)— Front (1990) Rear (1990)</b>						
<b>Highway Nylon Blackwall</b>						
Front .....	6.75	6 0	XTC	0.90	20.00	20.90
Rear .....	6.75	0 6	YTC	0.90	20.00	20.90
Spare .....	6.75	-8 42	ZTC	3.71	90.00	93.71
<b>8.75-16.5 /D (8 PR) Truck Type. Maximum Tire Capacity (Each)—Front (2350) Rear (2350)</b>						
<b>Highway Nylon Blackwall</b>						
Front .....	6.75	20 0	XTE	1.36	40.00	41.36
Rear .....	6.75	0 20	YTE	1.36	40.00	41.36
Spare .....	6.75	-8 49	ZTE	3.94	100.00	103.94
<b>Highway Nylon White Stripe</b>						
Front .....	6.75	20 0	XTM	1.36	60.00	61.36
Rear .....	6.75	0 20	YTM	1.36	60.00	61.36
Spare .....	6.75	-8 49	ZTM	3.94	110.00	113.94
<b>On-Off Road Nylon Blackwall</b>						
Rear .....	6.75	0 16	YTF	1.68	68.00	69.68
Spare .....	6.75	-9 48	ZTF	4.10	114.00	118.10
<b>8.75R-16.5 /D (8 PR) Truck Type. Maximum Tire Capacity (Each)—Front (2350) Rear (2350)</b>						
<b>Highway Steel Belted Radial Ply Blackwall</b>						
Front .....	6.75	31 0	XRU	1.86	130.00	131.86
Rear .....	6.75	0 31	YRU	1.86	130.00	131.86
Spare .....	6.75	-8 55	ZRU	4.19	145.00	149.19
<b>8.75-16.5 /E (10 PR) Truck Type. Maximum Tire Capacity (Each)—Front (2680) Rear (2680)</b>						
<i>WITH V8 ENGINE ONLY</i>						
<b>Highway Nylon Blackwall</b>						
Front .....	6.75	22 0	XTH	2.00	60.00	62.00
Rear .....	6.75	0 22	YTH	2.00	60.00	62.00
Spare .....	6.75	-9 51	ZTH	4.26	110.00	114.26

<sup>‡</sup> D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.  
<sup>◇</sup> State and local taxes not included.

# **SPORTVAN**

**CAB & BODY FEATURES  
BODY CONSTRUCTION  
SEATING ARRANGEMENTS  
COLOR & TRIM CHARTS  
TWO-TONES**

# SPORTVAN

## SPORTVAN—STANDARD MODEL—BODY ORDERING CODE ZW9

The standard model includes the following items as standard equipment




### EXTERIOR

- **Bumpers:** Front and rear; painted silver
- **Colors:** See Interior and Exterior Color Selection Chart
- **Doors:** RH and LH front side doors; RH sliding side load door; RH and LH rear load doors
- **Door Opening and Locking Methods:**
  - Front side doors: Outside pushbutton latch release in door handle with separate key lock; keyless outside locking
  - Sliding side load door: Turning outside handle counterclockwise releases both front and rear latches; to close door, reverse procedure; for opening and closing of door from inside, reverse outside procedure; door is locked from outside through a separate key lock
  - RH and LH rear doors: Pushbutton latch release in RH door handle opens door, and after opening RH door, LH door latch is released by lower inside lift handle; separate key lock cylinder in RH door
- **Glass:**
  - Windshield
  - RH and LH front side door drop glass and pivoting ventpanes
  - Double flip-out glass in sliding side door and same on opposite side; bright frames
  - Stationary glass in each rear-quarter window and rear door
- **Grille:** Molded plastic; painted silver and dark gray; integral Chevrolet emblem at center includes bright insert with ochre trim
- **Grille Frame:** Upper and lower moldings joining extensions of headlamp-parking lamp bezels; painted silver
- **Horns:** Dual, electric, low- and high-note
- **Hub Caps:** Painted white with black and ochre trim
- **Keys:** Two-key system, with separate keys for ignition switch and door locks
- **Lights:**
  - Backup lamps: Two rear (integral with taillamps)
  - Combination parking/direction/hazard: Two front
  - Combination tail/stop/direction/hazard: Two rear
  - Headlamps: Two; Power Beam
  - License plate lamp: Single rear
  - Side marker lamps and reflectors: Two front and two rear
- **Mirrors:** RH and LH chrome; fixed arm with adjustable 4½" x 6" head
- **Nameplates:** Bright "Sportvan/Series" plates on front fenders; bright "Chevrolet" plate on LH rear door
- **Tools:** Mechanical jack and wheel wrench
- **Undercoating:** On body rocker panels, step panels, and wheelhouses
- **Wheels:** Painted white
- **Windshield Wipers and Washers:** Electric, 2-speed wipers with matte finish on exposed metal portions; coordinated washers

# SPORTVAN

## SPORTVAN—STANDARD MODEL—BODY ORDERING CODE ZW9

The standard model includes the following items as standard equipment



### INTERIOR

- **Air Vents:** RH and LH; individually controlled
- **Armrests:** RH and LH side door and rear seat; padded
- **Ashtrays:** At top of instrument panel extension, with door. In rear seat armrests; with covers
- **Coat Hook:** LH side
- **Colors:**
  - Painted areas: Same as exterior primary color choice
  - Interior trim: Coordinated with seat trim color choice
- **Door Locks:** Inside pushbutton lock/release (except rear doors)
- **Door Seals:** Latex foam rubber
- **Floor Covering:** Embossed black rubber mats; over entire floor area and front wheelhouses
- **Headliner:** Parchment-colored perforated hardboard; driver area
- **Heater and Defogger:** Deluxe-air
- **Instruments:**
  - Gages: Speedometer, odometer, and fuel
  - Switches: Main, for control of exterior lights, instrument lights and dome lights; wiper-washer; headlight beam (foot); ignition; direction signal (with lane change position); hazard warning; heater fan; door-operated dome lamp
  - Warning lights: Generator, oil pressure, engine temperature, service brake, direction/hazard signal, and high beam
- **Instrument Panel:** Bright trim on gauge bezels; black applique with bright trim on area below instrument cluster
- **Instrument Panel Control Knobs:** Bright, with brush finish and black graphic identification for main light switch control.
- **Insulation and Sound Deadening Material:** Dash (firewall), entire floor panel, engine cover extension, and inside engine cover
- **Lights:** Instruments, front and rear dome with bright trim
- **Mirror:** 10", vinyl-edged prismatic
- **Parcel Tray:** On top surface of instrument panel extension; includes beverage holder provisions
- **Safety Step Pads:** Front and sliding side door step panels
- **Seat Belts:** Pushbutton release; driver, front passenger and all center seat positions; outboard retractors for driver and front passenger
- **Seats:** Front, adjustable bucket driver and passenger; center, quick removable 3-passenger; all-vinyl trim; foam padded. See Interior and Exterior Color Selection Chart for color availability
- **Spare Tire Carrier:** RH rear side
- **Steering Wheel:** 16" diameter black soft vinyl wheel with 2 spokes
- **Storage Box:** In front face of instrument panel extension; with door
- **Sunshades:** RH and LH padded, color keyed
- **Trim Panels:** Painted metal with decorative embossments; front side doors and sliding side door

## SPORTVAN CUSTOM APPEARANCE EQUIPMENT OPTION—RPO Z61

This option includes all exterior items listed for the standard model plus the following additions or substitutions.



### EXTERIOR

● **Bright Appearance Items:**

"Custom Sportvan" nameplates, with series designation, on front fenders

Headlamp/parking lamp bezels


Hub caps

Lower body side and rear moldings with black paint trim

Taillamp bezels

## CUSTOM COMFORT AND CONVENIENCE EQUIPMENT OPTION—RPO Z62

This option includes all interior items listed for the standard model plus the following additions or substitutions



### INTERIOR


- **Cigar Lighter**
- **Coat Hooks:** LH and RH side, above rear-quarter windows
- **Floor Covering:** Color-keyed rubber mats; for entire floor area, including front and rear wheelhouses

- **Headliner Insulator:** Full-length, parchment colored; perforated vinyl over insulating foam backing
- **Spare Tire Cover:** Black vinyl (G10); Color-keyed vinyl (G20-30)
- **Trim Panels:** Color-keyed, vinyl-coated, embossed hardboard on doors and sidewalls

# SPORTVAN

## BEAUVILLE SPORTVAN MODEL—BODY ORDERING CODE E94

This model includes all items listed for the Custom Appearance and Custom Comfort and Convenience options plus the following additions or substitutions




### EXTERIOR

- **Bright Appearance Items:**

- "Beauville" nameplates, with series designation, on front fenders
- Front and rear bumpers
- Front door ventipane posts

Trim for side marker lamps and reflectors  
Windshield reveal moldings

- **Special Side Marker Lamps and Reflectors:** RH and LH front and rear



### INTERIOR


- **Bright Appearance Items:**

- Trim on applique at RH side of instrument panel
- Trim moldings at center of instrument panel
- Trim on door and sidewall trim panels
- **Floor Covering:** Color-keyed carpeting; over entire floor area including front and rear wheelhouses and lower portion of engine cover
- **Deluxe Instrument Panel:** Two-tone color treatment; wood-grain applique with bright trim for central area; black applique with bright trim and Beauville lettering on RH side

- **Insulation:** On front and rear wheelhouses and under instrument panel crown
- **Seats:** High-backed driver and front passenger bucket seats, and standard center passenger seat with choice of: 1) oxen hide grain vinyl trim in blue, buckskin or red; or 2) plaid nylon cloth/vinyl trim in blue, green, buckskin or red
- **Trim Panels:** Embossed, color-keyed vinyl with plaid pattern vinyl inserts on upper areas and carpeting on lower areas on doors and sidewalls

# SPORTVAN

## BODY CONSTRUCTION FEATURES



The all-steel, Chevy Van and Sportvan bodies feature body-frame integral construction for outstanding structural rigidity and excellent durability. The basic bodies of either the nominal 15 foot (110" WB) or 17 foot (125" WB) models are comprised of an underbody structure, front end structure, left and right hand side panel structures, and a roof panel structure.

Longitudinal side rails, cross sills, and outriggers form the integral frame to which front and rear floor panels are welded, completing the underbody structure. Main structural members are of heavy-gauge steel. A step well is incorporated in the underbody in the area adjacent to the front doors and sliding side door to provide convenient entry and exit.

The front end structure incorporates an engine compartment with outside opening hood panel which affords quick and easy access to 27 service points, such as the engine, radiator, battery, brake master cylinder and windshield washer reservoir. The radiator support upper tie bar and baffles are mechanically attached to facilitate engine removal. A plenum chamber with high-level air intake is utilized in the front end structure to assure a plentiful supply of dry, outside air for interior heating and ventilating as well as to add rigidity to the overall body structure. Air outlets to the interior are provided on the left hand and right hand sides by manually controlled doors (RH door omitted with optional air conditioning).

Side panel structures are comprised basically of seamless, one-piece outer panels reinforced with vertical strainers and welded to roof rails at the top and to rocker panels at the bottom. Left hand side panel structures utilize three vertical strainers, with a fourth strainer added for 17-foot bodies. Right hand side panel structures, which are smaller because of the provision for the base side load door, are reinforced with one vertical strainer in 15-foot body applications and two strainers in 17-foot body applications. Two window openings are incorporated in the left hand side panel for all Sportvans, or for Chevy Vans with RPO A07 body glass; the right hand side panel for Sportvan models, or Chevy Van with RPO A07 or A08 body glass, has one window. Provision is made at the rear of the left hand side panel for incorporation of a door to conceal the fuel tank filler.

Roof panels are of one-piece design and are embossed with six longitudinal stiffening ribs. Four roof bows support the 15-foot body

roof panel, while five roof bows are used for the 17-foot body.


Special attention is given to corrosion prevention during the construction and final finishing of the Chevy Van/Sportvan body. The following body design features occur during the construction of the body:

1. Use of special steel (galvanized, zinc iron alloy coated, pre-coated) for body components especially subject to corrosion.
2. Use of one-piece outer panels to minimize exterior joints where corrosion might collect.
3. Use of heavy-gauge steel for main underbody components.
4. Use of weld-through sealers in the assembly process to assure strong welds.

After body construction is completed, additional corrosion preventative steps are taken in the final finishing operation. The following occur:

1. The body and doors are thoroughly cleaned by processing them through a 7-stage zinc phosphate washer.
2. Next, the body and doors are primed by the Elpo electrocoating process which is the deposition of an electrically charged colloidal paint using an electric current. Electrocoating assures uniform application of primer even on surfaces normally inaccessible. In the process, the body and doors are submerged in an emulsion of water and paint; the body and doors and the emulsion are then oppositely charged, causing the paint to adhere to the metal.
3. Sealers are then applied to all critical interior-exterior joints.
4. Undercoating is sprayed on the undersurfaces of the wheel housings, front door step panels and body rocker panels.
5. The body and doors are painted with enamel.
6. The lower inside surfaces of the doors are sprayed with aluminum wax preservative.
7. Finally, clear polyurethane film stone shields are added ahead of the rear wheel openings to prevent stone chipping.



# SPORTVAN




STANDARD 5 PASSENGER (125" WB)

## SPORTVAN SEATING ARRANGEMENTS

Seating arrangements for standard and optional seats. For model availability see model option price pages.




OPTIONAL 8 PASSENGER (125" WB)



OPTIONAL 12 PASSENGER (G 30 ONLY)

\*110" WB MODELS

## INSTRUMENTS



The standard instrument cluster gauges and heater controls are set into the molded plastic instrument panel and have bright bezels. The large LH opening contains the speedometer, odometer, high beam indicator, and service brake warning light.

The large RH opening contains the fuel gage. An "Unleaded Fuel Only" notation is carried on the face of the fuel gage for models which require this fuel. The upper small opening between these two large openings houses the warning lights with graphic symbols for temperature, low oil pressure and generator. The lower opening is provided to house the optional electric clock RPO U35.

December 23, 1977

On the upper RH side the two small openings are provided to house the controls for the rear heater RPO C36 (LH) and the rear air conditioner RPO C69 (RH). Below these openings are the heater/defogger and optional front air conditioner controls. A similar instrument cluster with voltmeter, oil pressure gage and engine temperature gage is available as RPO Z53.

The area below the instrument cluster contains, from left to right, the windshield washer/wiper switch, main light switch, and ignition switch. This lower area has a black applique with bright trim. At the far left is the provision for the LH front air conditioner air outlet.

Sportvan—Page G



# SPORIVAN

## INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART

Please Note: Exterior and interior combinations shown in charts below are those recommended by Chevrolet; however, any exterior color combination may be ordered with any available interior color if the particular combination is desired by a customer.

SEAT TRIM			MODEL OPTION		SEAT TRIM COLOR AND ORDERING CODE			
Fabric	▲Code	Bucket Seat Type	Standard or Custom Z62	Seaville E94	Blue	Green	Buckskin	Red
Standard Vinyl	V	Low Back	X		VDD2		VUU2	VRR2
Custom Vinyl	W	High Back	X	X	XDD4		XUU4	XRR4
		Swivel*		X			XUU6	
Custom Cloth	G	High Back		X	KDD4	KGG4	KUU4	KRR4
		Swivel*		X	KDD6		KUU6	KRR6
<b>♦ EXTERIOR COLORS</b>			<b>Primary</b>	<b>Secondary</b>	<b>RECOMMENDED INTERIOR TRIM COLORS</b>			
<b>BLACK, MIDNIGHT</b>			86	86	X	X	X	X
Buckskin			86	65			X	
Mahogany			86	76			X	X
Tan, Santa Fe			86	60	X		X	X
White, Frost			86	12	X	X	X	X
<b>BLUE, LITE (Light)</b>			20	20	X			
White, Frost			20	12	X			
<b>BLUE, HAWAIIAN (Medium)</b>			23	23	X			
Blue, Lite			23	20	X			
White, Frost			23	12	X			
<b>BLUE, REDONDO (Dark) (M)</b>			84	84	X		X	
Blue, Lite			84	20	X		X	
White, Frost			84	12	X		X	
<b>BROWN, CORDOVA (Dark) (M)</b>			81	81			X	
Buckskin			81	65			X	
Tan, Santa Fe			81	60			X	
White, Frost			81	12			X	
<b>BUCKSKIN</b>			65	65			X	X
Mahogany			65	76			X	X
Tan, Santa Fe			65	60			X	X
White, Frost			65	12			X	X
<b>GREEN, SEAMIST (Light) (M)</b>			43	43		X	X	
Green, Holly			43	46		X	X	
White, Frost			43	12		X	X	
<b>GREEN, HOLLY (Dark)</b>			46	46		X	X	
Buckskin			46	65		X	X	
Tan, Santa Fe			46	60		X	X	
White, Frost			46	12		X	X	
<b>MAHOGANY</b>			76	76			X	X
Tan, Santa Fe			76	60			X	X
White, Frost			76	12			X	X
<b>RED, CARDINAL (Medium)</b>			70	70			X	X
Mahogany			70	76			X	X
Tan, Santa Fe			70	60			X	X
White, Frost			70	12			X	X
<b>RED, METALLIC (Dark) (M)</b>			71	71			X	X
Buckskin			71	65			X	X
Mahogany			71	76			X	X
Tan, Santa Fe			71	60			X	X
White, Frost			71	12			X	X
<b>SILVER, SARATOGA (M)</b>			17	17	X	X		X
Green, Holly			17	46		X		
Mahogany			17	76			X	X
White, Frost			17	12	X	X		X
<b>TAN, SANTA FE</b>			60	60		X	X	X
Buckskin			60	65		X	X	X
Green, Holly			60	46		X	X	
Mahogany			60	76			X	X
White, Frost			60	12		X	X	X
<b>WHITE, FROST</b>			12	12	X	X	X	X
Blue, Lite			12	20	X		X	
Buckskin			12	65	X		X	
Green, Holly			12	46	X	X	X	
Mahogany			12	76			X	X
<b>YELLOW, COLONIAL</b>			53	53			X	
Tan, Santa Fe			53	60			X	
White, Frost			53	12			X	

♦ Primary color shown in **BOLDFACE TYPE**; secondary colors shown in Lightface Type. (M): Metallic. \*Includes reclining feature.


▲ Seat Trim Codes: V—Plain Pattern Vinyl; W—Oxen Hide Vinyl; G—Plaid Pattern Cloth

# SPORTVAN

## SOLID AND TWO-TONE\* EXTERIOR COLOR COMBINATIONS

The application of paint for solid and two-tone exterior color combinations is shown below.

### SOLID PAINT—ZY1




### SOLID COLOR

Solid color paint (ZY1) is standard on all models. All painted areas of the body are the same color.

### SPECIAL TWO-TONE PAINT—ZY3

#### Primary Body Color




#### Secondary Body Color

### SPECIAL TWO-TONE

Special two-tone (ZY3) paint colors consist of a primary paint color applied to the areas above the upper styling crease line and below the lower styling crease line. The secondary color is applied to the area between these styling crease lines. The choice of secondary colors is limited to those listed for each primary color in the color chart.

### DELUXE TWO-TONE PAINT—ZY4

#### Primary Body Color



#### Secondary Body Color


### DELUXE TWO-TONE

Deluxe two-tone (ZY4) paint colors consist of a primary paint color applied to the areas above the belt line and also to the areas between the upper and lower styling crease lines. The secondary color is applied to the areas between the belt line and the upper styling crease line and also to the area below the lower styling crease line. The choice of secondary colors is limited to those listed for each primary color in the color chart.

\*Optional at extra cost.

# SPORTVAN

## TWO-TONE EXTERIOR COLOR COMBINATIONS\*



### SPECIAL TWO-TONE

\*Optional at extra cost.

# SPORTVAN

TWO-TONE EXTERIOR COLOK. COMBINATIONS\*



**DELUXE TWO-TONE**

\*Optional at extra cost.

December 23, 1977

Sportvan—Page K

# NOTES