


1978 -- ORIGINAL

SUBURBAN

SUBURBAN MODEL SELECTOR



Series	Model Number	Body Ordering Code	
		Panel Rear Doors	Endgate
C10	CC10906	ZW9	E55
C20	CC20906	ZW9	E55
K10 (4-Wheel Drive)	CK10906	ZW9	E55
K20 (4-Wheel Drive)	CK20906	ZW9	E55

SUBURBAN—Conventional

STANDARD SPECIFICATIONS


(See Blue Tab Section for Specification Details)

Series	C10	C20
Engine		
Base Equip.....	250 1-bbl. L6 *	305 2-bbl. V8 *
Clutch.....	11', 124 sq. in.	
Air Filter.....	Oiled-paper Element	
Oil Filter.....	Throwaway Type	
Exhaust System.....	Single; Aluminized	
Emission Control Systems.....	Meet Government Requirements	
Suspension, Front	Independent; Coil Springs	
Capacity.....	3400 lb.	3800 lb.
Springs @ Ground.....	1625 lb. ea.	1750 lb. ea.
Shock Absorbers.....	1' dia.	1' dia.
Suspension, Rear	Salisbury Axle; Hypoid Drive; Two-stage Multi-leaf Springs	
Axle Capacity.....	3750 lb.	5700 lb.
Axle Ratio.....	3.40	4.10
Springs, Main @ Ground.....	2000 lb. ea.	2000 lb. ea.
Shock Absorbers.....	1' dia.	1' dia.
Brakes	Hydraulic; Self-adjusting	
Front.....	Disc; 11.86' Rotor	Disc; 12.5' Rotor
Rear.....	Drum; 11.15' x 2.75'	Drum; 11.15' x 2.75'
Booster.....	Dual Diaphragm	
Parking.....	Cable to Rear Wheels	
Electrical	12 Volt; Negative Ground	
Battery—Freedom Type.....	2500 watts @ 0°F.	3200 watts @ 0°F.
Delcotron Generator.....	37 amp.	
Frame	Carbon Steel; 39,000 psi	
Section Modulus.....	3.14	3.92
Fuel Tank (nominal capacity)	25 gal.	
Steering Gear Type	Manual; Recirculating Ball Gear	
Linkage.....	Parallelogram	
Transmission	Fully Synchronized 3-Speed Manual	4-Speed Manual
Shift Location.....	Steering Column	Floor
Tires	(5) H78-15B (4PR)	(4) 8.75-16.5C (6PR)
Wheels	(5) Disc 15' x 6'	(5) Disc 16.5' x 6'

* Standard engine not available for registration in the State of California; see Power Teams chart.

SUBURBAN

**Body Ordering Codes:
Panel Rear Doors—ZW9
Endgate—E55†**



**Capacity—143.5 cu ft
Load Floor Area—40 sq ft**

Series	Ground Clearance (in)★	
	Front	Rear
C10	7.5	7.2
C20	8	7.8
K10	8.7	7.2
K20	8.8	7.2

Model	Engine No. Cyl.	Dimensions (in)★				†Curb Weight (lb)			†Model Weight (lb)*		
		WB	OL	OH	GT	Front	Rear	Total	Front	Rear	Total

C10 SERIES

CC10906	6	129.5	218.7	71.5	27.5	2048	2192	4240	2291	2399	4690
---------	---	-------	-------	------	------	------	------	------	------	------	------

C20 SERIES

CC20906	8	129.5	218.7	71.8	27.3	2357	2341	4698	2600	2548	5148
---------	---	-------	-------	------	------	------	------	------	------	------	------

K10 SERIES

CK10906	8	129.5	218.7	73.5	29.5	2510	2264	4774	2753	2471	5224
---------	---	-------	-------	------	------	------	------	------	------	------	------

K20 SERIES

CK20906	8	129.5	218.7	75.4	32.0	2573	2400	4974	2816	2607	5423
---------	---	-------	-------	------	------	------	------	------	------	------	------

★Dimensions with standard equipment, unloaded.

*Model Weight includes Curb Weight plus occupants (standard seating capacity x 150 lb). Total Model Weight may vary as much as ±150 lbs to allow for production build variation.

†Curb Weights and Model Weights shown are for models with ZW9 Panel Rear Doors. For models with E55 Endgate, weights must be adjusted as follows: Front - 14 lb; Rear + 52 lb; Total added weight 38 lb.

SUBURBAN

GVWR SELECTOR

GVW Rating (lbs)	†GAWR (lbs)		Minimum Equipment Required for GVW Rating		
			Tire Capacity (lbs ea)		Chassis Equipment
	Front	Rear	Front	Rear	

C10 SERIES

●*6050	3210	3210	1605	1605	Standard
◆*6400	3250	3440	1720	1720	
◆6800	3250	3750	1905	1905	Center Seat (ATS) and Stabilizer Bar (FS9); or Center and Rear Seats (AS3)
7000	3400	3750	1905	1905	Center and Rear Seats (AS3); 454 4-bbl V8 (LF8)

K10 SERIES

*6200	3210	3210	1605	1605	Standard
*6800	3520	3520	1760	1760	
7300	3600	3810	1905	1905	

†GAWR's shown are the maximum for each axle with equipment listed. Other GAWR's are available, and they are determined as the minimum capacity of either axle, springs or tires.

*Center and rear seats (AS3) not available.

● Available with standard 6 cyl. or 305 V-8 engines only.

◆ Requires V-8 engine.

FRONT AND REAR TIRE AVAILABILITY CHART

C-K10 SERIES

**Spare tire to match either front or rear tires must be ordered
K10 models require matching front and rear tread**

FRONT				REAR			
Capacity (lbs ea)	Description	Option Number		Capacity (lbs ea)	Description	Option Number	
		Highway	▲On-Off Road			Highway	On-Off Road

TUBELESS

1605	H78-15B	HL	HR	1605	H78-15B	HL	HR
1605	H78-15B White Stripe	HM	—	1605	H78-15B White Stripe	HM	—
1760	10-15B	WR●	—	1760	10-15B	WR●	—
1760	10-15B White Lettered	WS	—	1760	10-15B White Lettered	WS	—
1790	L78-15B	LB	LC	1790	L78-15B	LB	LC
1790	L78-15B White Stripe	LD	—	1790	L78-15B White Stripe	LD	—
*1905	L78-15D	LK	—	*1905	L78-15D	LK	—
*1905	L78-15D White Stripe	LL	—	*1905	L78-15D White Stripe	LL	—
1905	LR78-15C Radial White Stripe	CD	—	1905	LR78-15C Radial White Stripe	CD	—

TUBE-TYPE

1610	6.50-16C	MG	—	1610	6.50-16C	MG	—
1720	7.00-15C	NH	—	1720	7.00-15C	NH	—

▲ On-Off road front tires available on K10 models only.

● Available on K10 models only.

*Rated 2025 capacity on K10 models.

SUBURBAN

GVWR SELECTOR

GVW Rating (lbs)	†GAWR (lbs)		Minimum Equipment Required for GVW Rating			
			Tire Capacity (lbs ea)		Chassis Equipment	
	Front	Rear	Front	Rear		

C20 SERIES

GVW Rating	Front GAWR	Rear GAWR	Front Tire Capacity	Rear Tire Capacity	Chassis Equipment
7100	3500	3980	1990	1990	Standard
7800	3500	5200	2780	2780	HD Rear Springs (G50); HD Power Brakes (J55)
8200	3800	5560	2780	2780	HD Front Springs (F60); 2850-lb ea Rear Springs (G51); HD Power Brakes (J55)

K20 SERIES

GVW Rating	Front GAWR	Rear GAWR	Front Tire Capacity	Rear Tire Capacity	Chassis Equipment
6800	3700	3980	1990	1990	Standard
7500	3700	4700	1990	2350	HD Power Brakes (J55)
8400	3700	5500	2060	2750	

†GAWR's shown are the maximum for each axle with equipment listed. Other GAWR's are available, and they are determined as the minimum capacity of either axle, springs or tires.

FRONT AND REAR TIRE AVAILABILITY CHART

C-K20 SERIES

Spare tire to match either front or rear tires is available at extra cost
K20 models require matching front and rear tread

FRONT				REAR			
Capacity (lbs ea)	Description	Option Number		Capacity (lbs ea)	Description	Option Number	
		Highway	▲On-Off Road			Highway	On-Off Road

TUBELESS

1990	8.75-16.5C	TR	TB	1990	8.75-16.5C	TR	TB
				2350	8.75-16.5D	TA	TF
2350	8.75-16.5D	TA	TF	2350	8.75-16.5D	TA	TF
2350	8.75R-16.5D Radial Steel Belted	RU	—	2350	8.75R-16.5D Radial Steel Belted	RU	—
2750	10-16.5D	—	WF	2750	10-16.5D	—	WF●
2780	9.50-16.5D	UF	UE	2780	9.50-16.5D	UF	UE

TUBE-TYPE

2060	7.50-16C	PB	PC	2060	7.50-16C	PB	PC
				2440	7.50-16D	PF	PG
				2780	7.50-16E	PK●	PL●
2440	7.50-16D	PF	PG	2440	7.50-16D	PF	PG
2780	7.50-16E	PK	PL	2780	7.50-16E	PK	PL

- ▲ On-Off road front tires available on K20 models only.
- Available on K20 models only.
- ◆ Available on C20 models only.

SUBURBAN

POWER TEAMS

ALL STATES EXCEPT CALIFORNIA

ENGINE Type and Code	TRANSMISSION Type and Code	TRANSFER CASE Make and Model*	REAR AXLE	
			Capacity (lb)	Ratio and Code

C10 SERIES

ENGINE Type and Code	TRANSMISSION Type and Code	TRANSFER CASE Make and Model*	Capacity (lb)	2.76	3.07	3.40	3.73	4.11
				MC2	ME3	ME4	GT4	NO4
250 1-bbl L6—LD4 (Standard Engine)	3-Speed Manual (Std)—MM3	—	3750 ♦	—	—	X(Std)	X	X
	4-Speed Manual (SM465)—MM4			—	—	X(Std)	X	X
	Automatic—MX1			—	—	X(Std)	X	X
305 2-bbl V8 LG9	3-Speed Manual (Std)—MM3			—	—	X(Std)	X	X
	4-Speed Manual (SM465)—MM4			—	X(Std)	X	X	X
	Automatic—MX1			—	X(Std)	X	X	X
350 4-bbl V8—L89	3-Speed Manual (Std)—MM3	—	—	—	X(Std)	X	—	
	4-Speed Manual (SM465)—MM4	—	X(Std)	X	X	X		
	Automatic—MX1	—	X(Std)	X	X	X		
454 4-bbl V8—LF8	Automatic—MX1	—	X(Std)	X	X	X	—	

C20 SERIES

ENGINE Type and Code	TRANSMISSION Type and Code	TRANSFER CASE Make and Model*	Capacity (lb)	3.21	3.73	4.10	4.56	
				MC2a	GT4	GT5	MC4	
305 2-bbl V8 LG9 (Standard Engine)	4-Speed Manual (SM465) (Std)—MM4	—	5700 ♦	—	—	X(Std)	Xb	
	Automatic—MX1			—	—	X(Std)	Xb	
350 4-bbl V8—L89	4-Speed Manual (SM465) (Std)—MM4			—	X(Std)	X	Xb	
	Automatic—MX1			—	X(Std)	X	Xb	
454 4-bbl V8—LF8	Automatic—MX1			—	X(Std)	X	X	—

K10 SERIES

ENGINE Type and Code	TRANSMISSION Type and Code	TRANSFER CASE Make and Model*	Capacity (lb)	2.76	3.07	3.40	3.73
				MC2	ME3	ME4	GT4
305 2-bbl V8 LG9 (Standard Engine)	3-Speed Manual (Std)—MM3	New Process #205	4000 ♦	—	—	X(Std)	—
	4-Speed Manual (SM465)—MM4	New Process #203		—	X(Std)	X	X
	Automatic—MX1	New Process #203		—	X(Std)	X	X
350 4-bbl V8—L89	3-Speed Manual (Std)—MM3	New Process #205		Xd	X(Std)	X	X
	4-Speed Manual (SM465)—MM4	New Process #205		Xd	X(Std)	X	X
400 4-bbl V8—LF4	Automatic—MX1	New Process #203		Xd	X(Std)	X	X

K20 SERIES

ENGINE Type and Code	TRANSMISSION Type and Code	TRANSFER CASE Make and Model*	Capacity (lb)	3.73	4.10	4.56
				GT4	GT5	MC4
305 2-bbl V8 LG9 (Standard Engine)	3-Speed Manual (Std)—MM3	New Process #205	5700 ♦	X(Std)e,e	Xe	X
	4-Speed Manual (SM465)—MM4	New Process #205		X(Std)	X	X
	Automatic—MX1	New Process #203		X(Std)	X	X
350 4-bbl V8—L89	3-Speed Manual (Std)—MM3	New Process #205		X(Std)e,e	X	X
	4-Speed Manual (SM465)—MM4	New Process #205		X(Std)	X(Std)	X
400 4-bbl V8—LF4	Automatic—MX1	New Process #203		X(Std)	X(Std)	X

- ♦ Locking Differential rear axle also available.
- * Transfer Cases: New Process #203—Full-time 4-wheel-drive; New Process #205—Conventional 4-wheel-drive.
- Locking Differential rear axle not available.
- Locking Differential requires J55 HD Brakes.
- e Not available with J55 HD Brakes
- d Economy ratio.
- e 4.10 ratio is standard at 7500-8200 lb. GVWR; 3.73 not available.

ENGINE RATINGS

S&E Net Ratings @ 35°F	250 1-bbl L6	305 2-bbl V8	350 4-bbl V8	400 4-bbl V8	454 4-bbl V8
Net Horsepower.....	100 @ 3600 rpm	140 @ 3800 rpm	165 @ 3800 rpm	175 @ 3600 rpm	240 @ 3800 rpm
Net Torque, lb-ft.....	175 @ 1800 rpm	235 @ 1800 rpm	255 @ 2800 rpm	290 @ 2800 rpm	370 @ 2800 rpm

SUBURBAN

POWER TEAMS

CALIFORNIA ONLY

ENGINE	TRANSMISSION	TRANSFER CASE		REAR AXLE
Type and Code	Type and Code	Make and Model*	Capacity (lb)	Ratio and Code

C10 SERIES

ENGINE	TRANSMISSION	TRANSFER CASE	Capacity (lb)	3.07	3.40	3.73	4.11
				HE3	HE4	GT4	HO4
● 350 4-bbl V8—LS9	3-Speed Manual (Std)—MM3	—	3750 ♦	—	X(Std)	X	—
	4-Speed Manual (SM465)—MM4			X(Std)	X	X	X
	Automatic—MX1			X(Std)	X	X	X
● 454 4-bbl V8—LF8	Automatic—MX1			X†	X†	X†	—

C20 SERIES

ENGINE	TRANSMISSION	TRANSFER CASE	Capacity (lb)	3.21	3.73	4.10
				HC8a	GT4	GT5
● 350 4-bbl V8—LS9	4-Speed Manual (SM465)(Std)—MM4	—	5700 ♦	—	X(Std)	X
	Automatic—MX1			—	X(Std)	X
● 454 4-bbl V8—LF8	Automatic—MX1			X(Std)	X	X

K10 SERIES

ENGINE	TRANSMISSION	TRANSFER CASE	Capacity (lb)	2.76	3.07	3.40	3.73
				HC2	HE3	HE4	GT4
● 350 4-bbl V8—LS9	3-Speed Manual (Std)—MM3	New Process #205	4000 ♦	—	—	X(Std)	X
	4-Speed Manual (SM465)—MM4			Xc	X(Std)	X	X
	Automatic—MX1			Xc	X(Std)	X	X
● 400 4-bbl V8—LF4	Automatic—MX1	New Process #203		Xc	X(Std)	X	X

K20 SERIES

ENGINE	TRANSMISSION	TRANSFER CASE	Capacity (lb)	3.73	4.10
				GT4	GT5
● 350 4-bbl V8—LS9	3-Speed Manual (Std)—MM3	New Process #205	5700 ♦	X(Std) ^{b,d}	X
	4-Speed Manual (SM465)—MM4			X(Std)	X(Std)
	Automatic—MX1			X(Std)	X(Std)
● 400 4-bbl V8—LF4	Automatic—MX1	New Process #203		X(Std)	—

♦ Locking Differential rear axle also available.

* Transfer Cases: New Process #203—Full-time 4-wheel-drive; New Process #205—Conventional 4-wheel-drive.

a Locking Differential rear axle not available.

b Not available with J85 HD Brakes.

c Economy ratio.

d 4.10 ratio is standard at 7500-8200 lb. GVWR; 3.73 not available.

e V8 Engine required for registration in the State of California.

f Optional ratio (3.07, 3.40 or 3.73) required for registration in the State of California.

ENGINE RATINGS

SAE Net Ratings @ 85°F	350 4-bbl V8	400 4-bbl V8	454 4-bbl V8
Net Horsepower	155 @ 3800 rpm	165 @ 3600 rpm	205 @ 3600 rpm
Net Torque, lb-ft	250 @ 2400 rpm	290 @ 2000 rpm	335 @ 2800 rpm

SUBURBAN 1978 VEHICLES WITH STANDARD EQUIPMENT

Prices shown are effective with vehicles produced on or after March 1, 1978

Description	Model Number	Code	Wheel-Base	Factory D&H ¹	List Price	Mfr's Suggested Retail Price*	Destination Charge & Group Number	Total
◆ 6-Cylinder 250-1 BBL Engine—Engine Ordering Code LD4								
C10 Series 2-Wheel Drive								
Panel Doors.....	CC10906	ZW9	129.5"	14.40	5570.00	5584.40	15	_____
Tailgate.....	CC10906	E55	129.5"	14.40	5601.00	5615.40	15	_____
◆ 8-Cylinder 305-2 BBL Engine—Engine Ordering Code LG9								
C20 Series 2-Wheel Drive								
Panel Doors.....	CC20906	ZW9	129.5"	14.84	6220.00	6234.84	15	_____
Tailgate.....	CC20906	E55	129.5"	14.84	6251.00	6265.84	15	_____
K10 Series 4-Wheel Drive								
Panel Doors.....	CK10906	ZW9	129.5"	14.40	7053.00	7067.40	16	_____
Tailgate.....	CK10906	E55	129.5"	14.40	7084.00	7098.40	16	_____
K20 Series 4-Wheel Drive								
Panel Doors.....	CK20906	ZW9	129.5"	14.84	7566.00	7580.84	16	_____
Tailgate.....	CK20906	E55	129.5"	14.84	7597.00	7611.84	16	_____

★ Manufacturer's Suggested Retail Prices do not include applicable destination charges, state and local taxes, license fees, options or accessories.
◆ Refer to Power Team Chart for California Emission Certification Requirements.

OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with vehicles produced on or after March 1, 1978

Description	Added Weight (F) (R)	Option Number	Factory D&H ¹	List Price	Mfr's Suggested Retail Price◇
-------------	----------------------	---------------	--------------------------	------------	-------------------------------

POWER TEAMS AND AXLES

(See Power Teams Chart for availability and complete specifications)

Engines:

305-2 BBL V8. C10 series only. Not available when YF5 California Emission is specified.....	90	18	LG9	N.A.	185.00	185.00
350-4 BBL V8. C10 series only.....	105	19	LS9	N.A.	300.00	300.00
C20 or K10-20 series only.....	18	4	LS9	N.A.	115.00	115.00
400-4 BBL. K10-20 series only. Available only when MX1 Automatic transmission is specified.....	32	8	LF4	N.A.	280.00	280.00
454-4 BBL. C10-20 series only. Available only when UA1 HD battery, N41 power steering and MX1 Automatic transmission are specified.....	305	101	LF8	N.A.	535.00	535.00
C20 series only.....	184	9	LF8	N.A.	350.00	350.00

Liquid Petroleum Gas Conversion: All 1978 Light Duty Truck gasoline production engines may be converted to use LP Gas when permissible under Federal and State laws and regulations without causing harmful effect to the engine. Complete conversion to LPG requires adaptation by a local distributor who sells and services LPG equipment. Caution should be exercised so that the fuel tank is mounted on and is vented to the outside of the vehicle. In addition, vehicles converted to LPG should not be stored in enclosed places such as garages.

Transmissions:

Automatic. C-K20 series includes extra cooling.						
With LD4 250-1 BBL engine. C10 series only.....	19	7	MX1	N.A.	345.00	345.00
With LG9 305-2 BBL engine or LS9 350-4 BBL engine. C10 series only.....	14	7	MX1	N.A.	345.00	345.00
C20 series only.....	-47	-18	MX1	N.A.	345.00	345.00
K10-20 series only.....	70	27	MX1	N.A.	345.00	345.00
With LF4 400-4 BBL engine. K10-20 series only.....	70	27	MX1	N.A.	345.00	345.00
With LF8 454-4 BBL engine. C10 series only.....	28	11	MX1	N.A.	360.00	360.00
C20 series only.....	-36	-15	MX1	N.A.	360.00	360.00
4-Speed Manual. C-K10 or K20 series only. Standard on C20 series. Available only when LD4 250-1 BBL engine, LG9 305-2 BBL engine or LS9 350-4 BBL engine is specified. C10 series only.....	78	25	MM4	N.A.	152.00	152.00
K10-20 series only.....	75	25	MM4	N.A.	152.00	152.00

¹ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.
◇ State and local taxes not included.

SUBURBAN

OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with vehicles produced on or after March 1, 1978

Description	Added Weight (F) (R)	Option Number	Factory D&H ¹	List Price	Mfr's Suggested Retail Price [◇]
POWER TEAMS AND AXLES					
Axles, Rear: (See Power Teams Chart for option number selection, availability and complete specifications)					
Optional Ratio.....	0 0	...	N.A.	17.00	17.00
Locking Differential.....	0 3	G80	N.A.	175.00	175.00
C-K10 series only.....	0 5	G80	N.A.	175.00	175.00
C-K20 series only.....					

MODEL OPTIONS

(See Interior and Exterior Color Selection Chart)

Scottsdale: Not available when YE9 Silverado is specified. Includes bright windshield and rear side window moldings; V37 front and rear bumpers; B84 body side spear moldings; bright taillight, turn signal and side marker lamp bezels, dual horns; nameplates on front fender and instrument panel; light fawn colored headliner and moldings; U37 cigarette lighter; C91 dome lamp with bright bezels; Z52 full-depth foam seat; bright sill plates; special insulation; light fawn colored plastic windshield pillar and center door pillar trim panels. Also includes spare tire cover when spare tire is specified.

C10-20 series only. Also includes P03 hub caps.....	33 48	Z62	N.A.	340.00	340.00
K10-20 series only.....	33 48	Z62	N.A.	324.00	324.00

Silverado: With custom cloth or custom vinyl seats only. Includes V37 front and rear bumpers; B85 bright body side upper moldings; taillight and rear door or tailgate moldings; bright front turn signal and front side marker lamp bezels; Silverado fender nameplates; bright windshield and rear side window moldings; Z52 full-depth foam seat; color-keyed carpeting with bright sill plates; plastic door trim panels with storage pockets and bright brushed-finish accents; BC3 deluxe instrument cluster; Z53 voltmeter, temperature and oil pressure gages; dual horns; Silverado nameplate on instrument panel; U37 cigarette lighter; light fawn colored headliner and moldings; C91 dome lamp with bright bezels; special insulation; light fawn colored plastic windshield pillar and center door pillar trim panels; B30 floor and wheelhouse carpeting. Also includes spare tire cover when spare tire is specified.

C10-20 series only. Also includes N31 custom steering wheel and P03 hub caps.....	46 63	YE9	N.A.	635.00	635.00
K10-20 series only.....	46 63	YE9	N.A.	605.00	605.00

OTHER OPTIONS

Air Cleaner: Poly-Wrap	0 0	K43	N.A.	15.00	15.00
Air Conditioning: All-Weather. Available only when V8 engine is specified. Includes extra cooling and K76 61-amp generator. <i>Front. Recommended for front seat area cooling only.</i>					
Without Z62 Scottsdale or YE9 Silverado. Also includes B85 headliner.					
C10 series only.....	89 31	C60	N.A.	645.00	645.00
K10 series only.....	91 29	C60	N.A.	645.00	645.00
C-K20 series only.					
Without MX1 Automatic transmission.					
C20 series only.....	89 27	C60	N.A.	645.00	645.00
K20 series only.....	91 29	C60	N.A.	645.00	645.00
With MX1 Automatic transmission.....					
89 27		C60	N.A.	645.00	645.00
With Z62 Scottsdale or YE9 Silverado.					
C10 series only.....	81 12	C60	N.A.	538.00	538.00
K10 series only.....	83 10	C60	N.A.	538.00	538.00
C-K20 series only.					
Without MX1 Automatic transmission.					
C20 series only.....	81 12	C60	N.A.	538.00	538.00
K20 series only.....	83 10	C60	N.A.	538.00	538.00
With MX1 Automatic transmission.....					
81 8		C60	N.A.	538.00	538.00

¹ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.
[◇] State and local taxes not included.

SUBURBAN

OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with vehicles produced on or after March 1, 1978

Description	Added Weight (F) (R)	Option Number	Factory D&H [†]	List Price	Mfr's Suggested Retail Price [◇]
OTHER OPTIONS					
Air Conditioning: (Continued)					
<i>Independent Front and Rear.</i> Rear Interior Roof Mounted. Available only when YE9 Silverado or Z62 Scottsdale is specified. Rear system operates on recirculating air.					
C10 series only.....	98 49	C69	N.A.	850.00	850.00
K10 series only.....	100 47	C69	N.A.	850.00	850.00
C-K20 series only.					
Without MX1 Automatic transmission.					
C20 series only.....	98 49	C69	N.A.	850.00	850.00
K20 series only.....	100 47	C69	N.A.	850.00	850.00
With MX1 Automatic transmission.					
C20 series only.....	98 45	C69	N.A.	850.00	850.00
Batteries:					
<i>Auxiliary.</i> 3500 Watt Delco Freedom.....					
Heavy-Duty. 4000 Watt Delco Freedom.	51 07	TP2	N.A.	92.00	92.00
Without V8 engine.....					
With V8 engine. Included when Z82 Trailering Special or Z56 Cold-Climate Package is specified.....	14 -2	UA1	N.A.	36.00	36.00
Brakes: Heavy-Duty Power.					
C20 series only.....	4 41	J55	N.A.	61.00	61.00
K20 series only. Includes rear springs 2800-lb capacity each.....	4 67	J55	N.A.	61.00	61.00
Bumper Equipment:					
<i>Bumpers, Chromed.</i> Front and Rear. Included when Z62 Scottsdale or YE9 Silverado is specified.....					
Bumpers, Deluxe. Front and Rear. Not available when V31 bumper guards are specified. Includes black resilient impact strips and V37 front and rear bumpers.	0 0	V37	N.A.	52.00	52.00
Without Z62 Scottsdale or YE9 Silverado.....					
With Z62 Scottsdale or YE9 Silverado.....	3 2	VE5	N.A.	84.00	84.00
Guards, Chromed Front Bumper. Available only when V37 front and rear bumpers, Z62 Scottsdale or YE9 Silverado is specified					
Without Z62 Scottsdale or YE9 Silverado.....	3 2	VE5	N.A.	32.00	32.00
With Z62 Scottsdale or YE9 Silverado.....	10 -2	V31	N.A.	31.00	31.00
California Emission Requirements: Includes all testing, equipment and /or certification necessary for registration in the State of California (See Power Teams Chart for availability and complete specifications)					
C-K10 only.....	18 1	YF5	N.A.	93.00	93.00
C-K20 only.....	18 1	YF5	N.A.	189.00	189.00
Clock, Electric: Not available when U16 tachometer is specified.					
Without YE9 Silverado. Includes Z53 voltmeter, temperature and oil pressure gages.....					
With YE9 Silverado.....	1 0	U35	N.A.	52.00	52.00
Without YE9 Silverado.....					
With YE9 Silverado.....	0 0	U35	N.A.	25.00	25.00
Cold-Climate Package: Not available when C60 front air conditioning or C69 front and rear air conditioning is specified. Includes K76 61-amp generator, super heater and defroster, engine block heater and anti-freeze protection to -32 degrees.					
Without V8 engine.....	16 -2	Z56	N.A.	133.00	133.00
With V8 engine					
Without Z82 Trailering Special. Also includes UA1 HD battery	4 0	Z56	N.A.	133.00	133.00
With Z82 Trailering Special.....	2 0	Z56	N.A.	97.00	97.00
Coolers: Recommended for heavy duty trailering.					
<i>Engine Oil.</i> Available only when V8 engine is specified.....					
Transmission Oil. Available only when LS9 350-4 BBL engine, LF4 400-4 BBL engine or LF8 454-4 BBL engine and MX1 Automatic transmission are specified. C-K10 series also available only when C60 air conditioning or V01 HD radiator is specified with LS9 350-4 BBL engine or LF8 454-4 BBL engine.....	9 -1	KC4	N.A.	86.00	86.00
Without V8 engine.....					
With V8 engine.....	5 -1	V02	N.A.	42.00	42.00
Cooling: Radiator, Heavy-Duty. Not available when C60 front air conditioning or C69 front and rear air conditioning is specified.					
C10 series only.					
With LD4 250-1 BBL engine or LF8 454-4 BBL engine.....	4 -1	V01	N.A.	39.00	39.00
With LG9 305-2 BBL engine or LS9 350-4 BBL engine.....	8 -1	V01	N.A.	39.00	39.00
K10 series only. Also not available when LF4 400-4 BBL engine is specified.....	8 -1	V01	N.A.	39.00	39.00
C-K20 series only. Also not available when MX1 Automatic transmission is specified.....	6 -1	V01	N.A.	39.00	39.00

[†] D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.
[◇] State and local taxes not included.

SUBURBAN

OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with vehicles produced on or after March 1, 1978

Description	Added Weight (F) (R)	Option Number	Factory D&H ¹	List Price	Mfr's Suggested Retail Price ²
OTHER OPTIONS					
Exhaust System, Dual: K10-20 series only. Available only when LG9 305-2 BBL engine or LS9 350-4 BBL engine is specified. Not available with YF5 California Emission Requirement when LS9 350-4 BBL engine is specified. <i>Mandatory with LS9 350-4 BBL engine in areas requiring specific noise level standards</i>	13 18	N10	N.A.	37.00	37.00
Floor Covering:					
Carpeting, Floor and Wheelhouse: Available only when Z62 Scottsdale and AT5 or AS3 seats are specified. Included when YE9 Silverado is specified.	-4 32	B30	N.A.	102.00	102.00
<i>Mats, 2 Color-Keyed Front Floor.</i>	2 1	B32	N.A.	10.00	10.00
Gages:					
Voltmeter, Temperature and Oil Pressure. Included when YE9 Silverado, U35 electric clock or U16 tachometer is specified	1 0	Z53	N.A.	27.00	27.00
Tachometer. Available only when V8 engine is specified. Not available when U35 electric clock is specified.					
Without YE9 Silverado. Includes Z53 voltmeter, temperature and oil pressure gages.	2 0	U16	N.A.	87.00	87.00
With YE9 Silverado	1 0	U16	N.A.	60.00	60.00
Generator: 61-amp Delcotron. Included when C60 front air conditioning, Z82 Trailing Special, C69 front and rear air conditioning or Z56 Cold-Climate Package is specified.	0 0	K76	N.A.	45.00	45.00
Glass: Soft-Ray Tinted. All Windows.	0 0	A01	N.A.	53.00	53.00
Grille: Chromed.	0 0	V22	N.A.	26.00	26.00
Harness, Trailer Wiring: Heavy-Duty.	0 3	UY7	N.A.	31.00	31.00
Headlamp Warning Buzzer.	0 0	T63	N.A.	7.00	7.00
Headliner, Interior: Included when YE9 Silverado, Z62 Scottsdale, C60 front air conditioning or C69 front and rear air conditioning is specified. Includes C91 dome lamp.	8 19	BB5	N.A.	107.00	107.00
Hood Lock Release: Inside	1 0	T44	N.A.	21.00	21.00
Instrument Panel, Deluxe: Available only when U35 electric clock, U16 tachometer or Z53 voltmeter, temperature and oil pressure gages are specified. Included when YE9 Silverado is specified.	0 0	BC3	N.A.	35.00	35.00
Lamps:					
Dome. Two. Included when BB5 headliner, C60 front air conditioning, C69 front and rear air conditioning, Z62 Scottsdale or YE9 Silverado is specified. Includes door actuated switches and bright bezels.	1 0	C91	N.A.	25.00	25.00
Roof Marker. Five. Not available for registration in the State of California.	1 0	U01	N.A.	35.00	35.00
Lighter, Cigarette: Included when YE9 Silverado or Z62 Scottsdale is specified.	0 0	U37	N.A.	17.00	17.00
Mirrors, Exterior: LH and RH.					
Below-Eye-Line Type. 7.5" x 10.5". Provides field of vision for vehicles to 80° wide.					
<i>Painted</i>	6 1	D28	N.A.	28.00	28.00
<i>Stainless Steel</i>	5 1	DG4	N.A.	52.00	52.00
Camper Type. Stainless steel. Includes below-eye-line mirrors with adjustable arm feature to provide field of vision for vehicles to 96° wide. Shipped loose for dealer installation.	5 1	DF2	N.A.	67.00	67.00
Moldings:					
Body Side Spear. Bright with black insert. Not available when ZY3 special two-tone paint, ZY5 Exterior Decor Package, YE9 Silverado, YG2 wood-grained exterior trim, BB5 body side upper moldings or YG1 body side upper and lower moldings are specified. Included when Z62 Scottsdale is specified	3 3	B84	N.A.	59.00	59.00

¹ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.
² State and local taxes not included.

SUBURBAN

OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with vehicles produced on or after March 1, 1978

Description	Added Weight (F) (R)	Option Number	Factory D&H [§]	List Price	Mfr's Suggested Retail Price [◇]
OTHER OPTIONS					
Moldings: (Continued)					
<i>Body Side Upper.</i> Not available when ZY3 special two-tone paint, ZY5 Exterior Decor Package, YG2 wood-grained exterior trim, B84 body side spear moldings or YG1 body side upper and lower moldings are specified. Included when YE9 Silverado is specified. Includes fender, door, rear side panel, rear door or tailgate moldings plus bright front turn signal, front side marker and taillight trim.					
Without Z62 Scottsdale	2 3	B85	N.A.	61.00	61.00
With Z62 Scottsdale	2 3	B85	N.A.	2.00	2.00
<i>Body Side Upper and Lower.</i> Not available when B84 body side spear moldings are specified. Included when ZY3 special two-tone paint, ZY5 Exterior Decor Package or YG2 wood-grained trim is specified. Includes lower body side, rear door or tailgate and B96 wheel opening moldings.					
Without Z62 Scottsdale or YE9 Silverado. Also includes B85 body side upper moldings described above.	4 5	YG1	N.A.	150.00	150.00
With Z62 Scottsdale	3 4	YG1	N.A.	91.00	91.00
With YE9 Silverado	3 4	YG1	N.A.	89.00	89.00
<i>Guards, Door Edge.</i> Not available when YG2 wood-grained exterior trim is specified.					
	0 0	B93	N.A.	15.00	15.00
<i>Wheel Opening.</i> Included when YG1 upper and lower moldings, YG2 wood-grained exterior trim, ZY3 special two-tone paint or ZY5 Exterior Decor Package is specified.					
	1 1	B96	N.A.	21.00	21.00
Paints, Exterior: See Interior and Exterior Color Selection Chart for ordering information.					
<i>Solid.</i>	0 0	ZY1	NO ADDITIONAL CHARGE		
<i>Special Two-Tone.</i> Area between upper and lower side moldings painted secondary color. Includes YG1 body side upper and lower moldings and B96 wheel opening moldings.					
Without Z62 Scottsdale or YE9 Silverado	3 4	ZY3	N.A.	244.00	244.00
With Z62 Scottsdale	3 4	ZY3	N.A.	185.00	185.00
With YE9 Silverado	3 4	ZY3	N.A.	183.00	183.00
<i>Exterior Decor Package.</i> Hood and area between upper and lower side moldings painted secondary color. Includes YG1 body side upper and lower moldings, B96 wheel opening moldings, hood ornament and hood accent stripes.					
Without Z62 Scottsdale or YE9 Silverado	3 4	ZY5	N.A.	349.00	349.00
With Z62 Scottsdale	3 4	ZY5	N.A.	290.00	290.00
With YE9 Silverado	3 4	ZY5	N.A.	288.00	288.00
Plate, Fuel Tank Shield:					
C10-20 series only					
Without NE2 fuel tank	-6 40	NY1	N.A.	36.00	36.00
With NE2 fuel tank	-6 40	NY1	N.A.	92.00	92.00
K10-20 series only. Includes transfer case skid plate.					
Without NE2 fuel tank	8 46	NY1	N.A.	87.00	87.00
With NE2 fuel tank	8 46	NY1	N.A.	123.00	123.00
Radio Equipment:					
<i>AM Radio.</i> Pushbutton. Includes U76 antenna					
	4 1	U63	N.A.	86.00	86.00
<i>AM /FM Radio.</i> Pushbutton. Includes U76 antenna					
	6 1	U69	N.A.	167.00	167.00
<i>Speaker, Rear Auxiliary.</i> Available only when U63 AM radio or U69 AM /FM radio is specified.					
	0 2	U80	N.A.	38.00	38.00
<i>Windshield Antenna.</i> Included when U63 AM radio or U69 AM /FM radio is specified.					
	0 0	U76	N.A.	24.00	24.00
Seat, Front: Full-Depth Foam. Available only when bench seat is specified, included when Z62 Scottsdale or YE9 Silverado is specified.					
	-1 -1	Z52	N.A.	39.00	39.00
Seats: Seat trim matches front seat whether standard or optional. Includes seat area floor covering, floor insulation and (3) seat belts. Dealer Note - One of the following seat options must be specified. (Added weight includes passenger weight allowance of 150-lbs per seating position).					
<i>Center only.</i> Non-adjustable type with independent LH and RH folding sections					
	152 416	AT5	N.A.	280.00	280.00

[§] D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.
[◇] State and local taxes not included.

SUBURBAN

OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with vehicles produced on or after March 1, 1978

Description	Added Weight (F) (R)	Option Number	Factory D&H ¹	List Price	Mfr's Suggested Retail Price ²
OTHER OPTIONS					
Seats: (Continued)					
<i>Center and Rear.</i> Includes non-adjustable center and removable type rear seats, (3) additional seat belts plus LH and RH rear arm rests with ash trays.					
C10 series only. Available only when LL or LK L78-15 /D or CD LR78-15 /C tires are specified. Not available when LD4 250-1 BBL engine is specified. Also includes F59 stabilizer . . .	141 961	AS3	N.A.	490.00	490.00
K10 series only. Available only when LL or LK L78-15 /D or CD LR78-15 /C tires are specified	121 961	AS3	N.A.	465.00	465.00
C-K20 series only	121 961	AS3	N.A.	465.00	465.00
<i>Seat Not Desired</i>	0 0	YG4		NO ADDITIONAL CHARGE	
Seat Trim: Driver and Passenger.					
<i>Custom Deluxe Vinyl Bench Seat.</i> Not available when Z62 Scottsdale or YE9 Silverado is specified.					
	0 0			NO ADDITIONAL CHARGE	
<i>Special Custom Cloth Bench Seat.</i> Available only when Z62 Scottsdale or YE9 Silverado is specified					
<i>With Z62 Scottsdale</i>					
Without AT5 or AS3 seats	0 0		N.A.	40.00	40.00
With AT5 center seat without AS3 center and rear seats. Includes full floor mats	0 0		N.A.	93.00	93.00
With AS3 center and rear seats. Includes full floor mats	0 0		N.A.	133.00	133.00
<i>With YE9 Silverado</i>					
Without AT5 or AS3 seats	0 0			NO ADDITIONAL CHARGE	
With AT5 center seat without AS3 center and rear seats. Includes full floor carpeting	0 0		N.A.	108.00	108.00
With AS3 center and rear seats. Includes full floor carpeting	0 0		N.A.	148.00	148.00
<i>Custom Vinyl Bench Seat.</i> Available only when Z62 Scottsdale or YE9 Silverado is specified.					
<i>With Z62 Scottsdale</i>					
Without AT5 or AS3 seats	0 0		N.A.	40.00	40.00
With AT5 center seat without AS3 center and rear seats. Includes full floor mats	0 0		N.A.	93.00	93.00
With AS3 center and rear seats. Includes full floor mats	0 0		N.A.	133.00	133.00
<i>With YE9 Silverado</i>					
Without AT5 or AS3 seats	0 0			NO ADDITIONAL CHARGE	
With AT5 center seat without AS3 center and rear seats. Includes full floor carpeting	0 0		N.A.	108.00	108.00
With AS3 center and rear seats. Includes full floor carpeting	0 0		N.A.	148.00	148.00
<i>Custom Vinyl High Back Bucket Seats.</i> Available only when YE9 Silverado is specified.					
Without AT5 or AS3 seats	-67 -70		N.A.	168.00	168.00
With AT5 center seat without AS3 center and rear seats. Includes full floor carpeting	-67 -70		N.A.	276.00	276.00
With AS3 center and rear seats. Includes full floor carpeting	-67 -70		N.A.	316.00	316.00
Shock Absorbers: Front and Rear, Heavy-Duty. C10-20 series only					
	3 3	F51	N.A.	25.00	25.00
Speed and Cruise Control: Available only when V8 engine and MX1 Automatic transmission are specified					
	6 0	K30	N.A.	90.00	90.00
Springs:					
<i>Front, Heavy-Duty.</i> Capacity 1900-lb each.					
C20 series only	-3 0	F60	N.A.	10.00	10.00
K10 series only. Includes HD front and rear shock absorbers	30 3	F60	N.A.	67.00	67.00
K20 series only. Includes HD front and rear shock absorbers	30 3	F60	N.A.	67.00	67.00
<i>Rear, Heavy-Duty.</i> Rear spring 2800-lb capacity each are included when J55 HD Brakes are specified on K20 series. Capacity 2600-lb each. C20 series only					
	0 26	G50	N.A.	40.00	40.00
<i>Rear, Extra Capacity.</i> Capacity 2850-lb each. C20 series only	0 38	G51	N.A.	44.00	44.00
Stabilizers:					
<i>Front.</i> 1" diameter. C10-20 series only. Included on C10 series when AS3 seats are specified					
	20 0	F59	N.A.	25.00	25.00
<i>Front, Heavy-Duty.</i> C20 series only. Standard on K10-20 series	26 0	F58	N.A.	35.00	35.00

¹ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.
² State and local taxes not included.

SUBURBAN

OPTIONS AND ACCESSORIES WHEN INSTALLED BY

Prices shown are effective with vehicles produced on or after March 1, 1978.

Description	Added Weight (F) (R)	Option Number	Factor D&H
OTHER OPTIONS			
Steering, Power: Standard on K10-20 series. Included when Z82 Trailing Special is specified.			
C10 series only.			
Without V8 engine	35 0	N41	F
With V8 engine	29 0	N41	F
C20 series only	29 0	N41	F
Steering Wheels:			
<i>Comfortilt.</i> Available only when MM4 4-speed Manual or MX1 Automatic Transmission is specified.			
With MX1 Automatic transmission	2 0	N33	F
With MM4 4-speed transmission	3 1	N33	F
<i>Custom.</i> Includes 18" steering wheel			
C10-20 series only. Included when YE9 Silverado is specified..	0 0	N31	N
K10-20 series only	0 0	N31	N
Tank, Fuel: Replaces production fuel tank.			
<i>Approximately 31-Gallon Capacity</i>	-7 48	NK7	N
<i>Approximately 40-Gallon Capacity</i>	-15 124	NE2	N
Tires and Wheels: See following pages			
Towing Device: Two front towing hooks. K10-20 series only			
	11 -2	V76	N
Trailer Hitch:			
<i>Deadweight Type</i>	-9 30	VR2	N
<i>Weight Distributing Platform Type</i>	-21 69	VR4	N
Trailing Special: Available only when V8 engine, MM4 4-speed or MX1 Automatic transmission is specified. MM4 4-speed transmission available only when V01 HD radiator is specified, unless C60 front air conditioning or C69 front and rear air conditioning is specified. Includes UA1 HD battery and Trailing Special emblem. See Chart A on the Trailing Special Package page for Suburban, under the Recreational Vehicles Tab, for GCW ratings with available power teams combinations.			
C10-20 series only. Also includes N41 power steering C10 series also requires F59 Stabilizer Bar and AT5 or AS3 seats. Not available when H78-15, 8.50-16, 7.00-15 or 10.00-15 tires are specified on C10 series.			
Without Z56 Cold-Climate Package, C60 front or C69 front and rear air conditioning. Also includes K78 61-amp generator.	31 0	Z82	N
With Z56 cold-climate, C60 front or C69 front and rear air conditioning	31 0	Z82	N
K10-20 series only. K10 series also requires 1790-lb capacity or larger tires.			
Without Z56 Cold-Climate Package, C60 front or C69 front and rear air conditioning. Also includes K76 61-amp generator.	31 0	Z82	N
With Z56 Cold-Climate Package, C60 front or C69 front and rear air conditioning	31 0	Z82	N
Wheel Trim: Bright Metal.			
<i>Hub Caps.</i> Not available when N67 rally wheels, PA6 styled wheels or P01 wheel covers are specified. Included when Z62 Scottsdale or YE9 Silverado is specified. Standard on K10-20 series			
C10 series only	0 0	P03	N
C20 series only. Not available when 7.50-16 tires and P06 trim rings are specified	0 0	P03	N
<i>Trim Rings.</i> Available only when YE9 Silverado, Z62 Scottsdale or P03 hub caps are specified. Not available on C-K10 series when H78-15 tires are specified or on C-K20 series when 7.50-16 tires are specified. Included when N67 rally wheels are specified ..			
	2 2	P06	N

‡ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of
 ◇ State and local taxes not included.

SUBURBAN

OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with vehicles produced on or after March 1, 1978

Description	Added Weight (F) (R)	Option Number	Factory D&H's	List Price	Mfr's Suggested Retail Price
-------------	-------------------------	---------------	---------------	------------	------------------------------

OTHER OPTIONS

(Continued)

Not available on C-K10 series when MG 6.50-16 /C is specified.

Without Z62 Scottsdale or YE9 Silverado	1	1	P01	N.A.	36.00	36.00
With Z62 Scottsdale or YE9 Silverado	1	1	P01	N.A.	20.00	20.00
Not available when 7.50-16 tires are specified.						
Without Z62 Scottsdale or YE9 Silverado	1	1	P01	N.A.	77.00	77.00
With Z62 Scottsdale or YE9 Silverado	1	1	P01	N.A.	61.00	61.00
Without Z62 Scottsdale or YE9 Silverado	3	3	P01	N.A.	20.00	20.00
With Z62 Scottsdale or YE9 Silverado	3	3	P01	N.A.	20.00	20.00
Not available when 7.50-16 or 10.00-16 tires are specified.						
Without Z62 Scottsdale or YE9 Silverado	3	3	P01	N.A.	61.00	61.00
With Z62 Scottsdale or YE9 Silverado	3	3	P01	N.A.	61.00	61.00

Wheels: C-K10 series only. Not available when MG 6.50-16 /C or NH 7.00-15 /C tires are specified on C-K10 series. Also not available when HL or HM H78-15 /B tires are specified on K10 series.

Rally: Includes special hub caps and P06 trim rings.

Without Z62 Scottsdale or YE9 Silverado.

C10 series only.

Without HL, HM or HR H78-15 tires. Also includes 15" x 8" wheels

	3	4	N67	N.A.	90.00	90.00
--	---	---	-----	------	-------	-------

With HL, HM or HR H78-15 tires. Also includes 15" x 7" wheels

	3	4	N67	N.A.	90.00	90.00
--	---	---	-----	------	-------	-------

K10 series only. Also includes 15" x 8" wheels

	2	2	N67	N.A.	74.00	74.00
--	---	---	-----	------	-------	-------

With Z62 Scottsdale or YE9 Silverado.

C10 series only.

Without HL, HM or HR H78-15 tires. Also includes 15" x 8" wheels

	3	4	N67	N.A.	74.00	74.00
--	---	---	-----	------	-------	-------

With HL, HM or HR H78-15 tires. Also includes 15" x 7" wheels

	3	4	N67	N.A.	74.00	74.00
--	---	---	-----	------	-------	-------

K10 series only. Also includes 15" x 8" wheels

	2	2	N67	N.A.	74.00	74.00
--	---	---	-----	------	-------	-------

Styled:

Without Z62 Scottsdale or YE9 Silverado

	1	2	PA6	N.A.	124.00	124.00
--	---	---	-----	------	--------	--------

C10 series only

	2	3	PA6	N.A.	108.00	108.00
--	---	---	-----	------	--------	--------

With Z62 Scottsdale or YE9 Silverado

	1	2	PA6	N.A.	108.00	108.00
--	---	---	-----	------	--------	--------

C10 series only

	2	3	PA6	N.A.	108.00	108.00
--	---	---	-----	------	--------	--------

K10 series only

	2	3	PA6	N.A.	108.00	108.00
--	---	---	-----	------	--------	--------

Window, Tailgate: Electric. Available only when E55 Tailgate series is specified.

	-3	10	A33	N.A.	62.00	62.00
--	----	----	-----	------	-------	-------

Windshield Wiper System: Intermittent

	1	0	CD4	N.A.	30.00	30.00
--	---	---	-----	------	-------	-------

Wood-Grained Exterior Trim: Not available when ZY5 Exterior Decor Package, ZY3 special two-tone paint, BB4 body side spear moldings or BB5 body side upper moldings are specified.

Includes Estate Package, YG1 body side upper and lower moldings

	3	4	YG2	N.A.	278.00	278.00
--	---	---	-----	------	--------	--------

Without Z62 Scottsdale or YE9 Silverado

	3	4	YG2	N.A.	220.00	220.00
--	---	---	-----	------	--------	--------

With Z62 Scottsdale or YE9 Silverado

	3	4	YG2	N.A.	218.00	218.00
--	---	---	-----	------	--------	--------

Without Z62 Scottsdale or YE9 Silverado

	3	4	YG2	N.A.	218.00	218.00
--	---	---	-----	------	--------	--------

With Z62 Scottsdale or YE9 Silverado

	3	4	YG2	N.A.	218.00	218.00
--	---	---	-----	------	--------	--------

Based on manufacturer or importer of tires.

SUBURBAN

FACTORY INSTALLED TIRES

See Tire Chart for Available Front/Rear Combinations.
Spare tire available to match either front or rear tires.
Prices shown are effective with vehicles produced on or after March 1, 1978

Tire Size Type	Rim Width Included In Tire Option	Added Weight (F) (R)	Option Number	Factory D&H [§]	List Price	Mfr's Suggested Retail Price◇
C10 SERIES						
TUBELESS TIRES USED WITH SINGLE REAR WHEELS						
H78-15 /B Passenger Type. Maximum Tire Capacity (Each)— Front (1605) Rear (1605)						
<i>AVAILABLE ONLY WHEN LD4 250-1 BBL ENGINE OR LG9 305-2 BBL ENGINE IS SPECIFIED</i>						
Highway Bias Belted Ply Blackwall						
Front (Standard)	6.00	0 0	XHL	NO ADDITIONAL CHARGE		
Rear (Standard)	6.00	0 0	YHL	NO ADDITIONAL CHARGE		
Spare (Standard)	6.00	0 0	ZHL	NO ADDITIONAL CHARGE		
Highway Bias Belted Ply White Stripe						
Front	6.00	1 0	XHM	N.C.	18.00	18.00
Rear	6.00	0 1	YHM	N.C.	18.00	18.00
Spare	6.00	0 1	ZHM	N.C.	9.00	9.00
On-Off Road Bias Belted Ply Blackwall						
Rear	6.00	0 3	YHR	N.C.	10.00	10.00
Spare	6.00	-1 3	ZHR	N.C.	5.00	5.00
L78-15 /B Passenger Type. Maximum Tire Capacity (Each)— Front (1790) Rear (1790)						
Highway Bias Belted Ply Blackwall						
Front	6.00	3 0	XLB	0.48	26.00	26.48
Rear	6.00	0 3	YLB	0.48	26.00	26.48
Spare	6.00	-1 3	ZLB	0.24	13.00	13.24
Highway Bias Belted Ply White Stripe						
Front	6.00	6 0	XLD	0.48	48.00	48.48
Rear	6.00	0 6	YLD	0.48	48.00	48.48
Spare	6.00	-1 4	ZLD	0.24	24.00	24.24
On-Off Road Bias Belted Ply Blackwall						
Rear	6.00	0 14	YLC	0.48	36.00	36.48
Spare	6.00	-1 8	ZLC	0.24	18.00	18.24
L78-15 /D Passenger Type. Maximum Tire Capacity (Each)— Front (1905) Rear (1905)						
Highway Bias Belted Ply Blackwall						
Front	6.00	17 0	XLK	1.22	46.00	47.22
Rear	6.00	0 17	YLK	1.22	46.00	47.22
Spare	6.00	-2 10	ZLK	0.61	23.00	23.61
Highway Bias Belted Ply White Stripe						
Front	6.00	17 0	XLL	1.22	68.00	69.22
Rear	6.00	0 17	YLL	1.22	68.00	69.22
Spare	6.00	-1 9	ZLL	0.61	34.00	34.61
LR78-15 /C Passenger Type. Maximum Tire Capacity (Each)— Front (1905) Rear (1905)						
Highway Steel Belted Radial Ply White Stripe						
Front	6.00	16 0	XCD	1.32	108.00	109.32
Rear	6.00	0 16	YCD	1.32	108.00	109.32
Spare	6.00	-2 10	ZCD	0.66	54.00	54.66
10.00-15 /B (4 PR) Truck Type. Maximum Tire Capacity (Each)—Front (1760) Rear (1760)						
<i>Available only when N67 Rally or PA6 Styled Wheels is specified</i>						
Polyester White Lettered						
Front	8.00	49 0	XWS	2.84	140.00	142.84
Rear	8.00	0 49	YWS	2.84	140.00	142.84
Spare	8.00	-6 31	ZWS	1.42	70.00	71.42

§ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.
◇ State and local taxes not included.

SUBURBAN

FACTORY INSTALLED TIRES

See Tire Chart for Available Front/Rear Combinations.
Spare tire available to match either front or rear tires.
Prices shown are effective with vehicles produced on or after March 1, 1978

Tire Size Type	Rim Width Included In Tire Option	Added Weight (F) (R)	Option Number	Factory D&H [§]	List Price	Mfr's Suggested Retail Price ◇
----------------	-----------------------------------	----------------------	---------------	--------------------------	------------	--------------------------------

C10 SERIES

TUBE-TYPE TIRES USED WITH SINGLE REAR WHEELS

6.50-16 /C (6 PR) Truck Type. Maximum Tire Capacity (Each)— Front (1610) Rear (1610)
Available only when LD4 250-1 BBL engine or LG9 305-2 BBL engine is specified

Highway Nylon Blackwall							
Front.....	5.00	9	0	XMG	0.22	18.00	18.22
Rear.....	5.00	0	9	YMG	0.22	18.00	18.22
Spare.....	5.00	-2	6	ZMG	0.11	9.00	9.11

7.00-15 /C (6 PR) Truck Type. Maximum Tire Capacity (Each)— Front (1720) Rear (1720)

Highway Nylon Blackwall							
Front.....	6.00	12	0	XNH	0.44	36.00	36.44
Rear.....	6.00	0	12	YNH	0.44	36.00	36.44
Spare.....	6.00	-1	7	ZNH	0.22	18.00	18.22

K10 SERIES

TUBELESS TIRES USED WITH SINGLE REAR WHEELS

H78-15 /B Passenger Type. Maximum Tire Capacity (Each)— Front (1605) Rear (1605)

Highway Bias Belted Ply Blackwall							
Front (Standard).....	6.00	0	0	XHL	<i>NO ADDITIONAL CHARGE</i>		
Rear (Standard).....	6.00	0	0	YHL	<i>NO ADDITIONAL CHARGE</i>		
Spare (Standard).....	6.00	0	0	ZHL	<i>NO ADDITIONAL CHARGE</i>		
Highway Bias Belted Ply White Stripes							
Front.....	6.00	1	0	XHM	N.C.	18.00	18.00
Rear.....	6.00	0	1	YHM	N.C.	18.00	18.00
Spare.....	6.00	0	1	ZHM	N.C.	9.00	9.00
On-Off Road Bias Belted Ply Blackwall							
Front.....	6.00	3	0	XHR	N.C.	10.00	10.00
Rear.....	6.00	0	3	YHR	N.C.	10.00	10.00
Spare.....	6.00	-1	3	ZHR	N.C.	5.00	5.00

L78-15 /B Passenger Type. Maximum Tire Capacity (Each)— Front (1790) Rear (1790)

Highway Bias Belted Ply Blackwall							
Front.....	6.00	3	0	XLB	0.48	26.00	26.48
Rear.....	6.00	0	3	YLB	0.48	26.00	26.48
Spare.....	6.00	-1	3	ZLB	0.24	13.00	13.24
Highway Bias Belted Ply White Stripes							
Front.....	6.00	6	0	XLD	0.48	48.00	48.48
Rear.....	6.00	0	6	YLD	0.48	48.00	48.48
Spare.....	6.00	-1	4	ZLD	0.24	24.00	24.24
On-Off Road Bias Belted Ply Blackwall							
Front.....	6.00	14	0	XLC	0.48	38.00	36.48
Rear.....	6.00	0	14	YLC	0.48	38.00	36.48
Spare.....	6.00	-1	8	ZLC	0.24	18.00	18.24

§ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.
◇ State and local taxes not included.

SUBURBAN

FACTORY INSTALLED TIRES

See Tire Chart for Available Front/Rear Combinations.
Spare tire available to match either front or rear tires.
Prices shown are effective with vehicles produced on or after March 1, 1978

Tire Size Type	Rim Width Included In Tire Option	Added Weight (F) (R)	Option Number	Factory D&H ¹	List Price	Mfr's Suggested Retail Price ²
K10 SERIES						
TUBELESS TIRES USED WITH SINGLE REAR WHEELS						
L78-15 /D Passenger Type. Maximum Tire Capacity (Each)— Front (2025) Rear (2025)						
Highway Bias Belted Ply Blackwall						
Front	6.00	17 0	XLK	1.22	46.00	47.22
Rear	6.00	0 17	YLK	1.22	46.00	47.22
Spare	6.00	-2 10	ZLK	0.61	23.00	23.61
Highway Bias Belted Ply White Stripe						
Front	6.00	17 0	XLL	1.22	68.00	69.22
Rear	6.00	0 17	YLL	1.22	68.00	69.22
Spare	6.00	-1 9	ZLL	0.61	34.00	34.61

LR78-15 /C Passenger Type. Maximum Tire Capacity (Each)— Front (1905) Rear (1905)						
Highway Steel Belted Radial Ply White Stripes						
Front	6.00	16 0	XCD	1.32	108.00	109.32
Rear	6.00	0 16	YCD	1.32	108.00	109.32
Spare	6.00	-2 10	ZCD	0.66	54.00	54.66

K10 SERIES TUBELESS WIDE BASE TIRES USED WITH SINGLE REAR TIRES

10.00-15 /B (4 PR) Truck Type. Maximum Tire Capacity (Each)— Front (1760) Rear (1760)						
Polyester Blackwall						
Front	8.00	48 0	XWR	2.84	128.00	130.84
Rear	8.00	0 48	YWR	2.84	128.00	130.84
Spare	8.00	-6 30	ZWR	1.42	64.00	65.42
Polyester White Lettered						
Front	8.00	49 0	XWS	2.84	140.00	142.84
Rear	8.00	0 49	YWS	2.84	140.00	142.84
Spare	8.00	-6 31	ZWS	1.42	70.00	71.42

K10 SERIES TUBE-TYPE TIRES USED WITH SINGLE REAR WHEELS

6.50-16 /C (6 PR) Truck Type. Maximum Tire Capacity (Each)— Front (1610) Rear (1610)						
Highway Nylon Blackwall						
Front	5.00	9 0	XMG	0.22	18.00	18.22
Rear	5.00	0 9	YMG	0.22	18.00	18.22
Spare	5.00	-2 6	ZMG	0.11	9.00	9.11
7.00-15 /C (6 PR) Truck Type. Maximum Tire Capacity (Each)— Front (1720) Rear (1720)						
Highway Nylon Blackwall						
Front	6.00	12 0	XNH	0.44	36.00	36.44
Rear	6.00	0 12	YNH	0.44	36.00	36.44
Spare	6.00	-1 7	ZNH	0.22	18.00	18.22

¹ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.
² State and local taxes not included.

SUBURBAN

FACTORY INSTALLED TIRES

See Tire Chart for Available Front/Rear Combinations.
Spare tire available to match either front or rear tires.
Prices shown are effective with vehicles produced on or after March 1, 1978

Tire Size Type	Rim Width Included In Tire Option	Added Weight (F) (R)	Option Number	Factory D&H [§]	List Price	Mfr's Suggested Retail Price \diamond
C-K20 SERIES						
WIDE BASE TUBELESS TIRES USED WITH SINGLE REAR WHEELS						
8.75-16.5 /C (6 PR) Maximum Tire Capacity (Each)— Front (1990) Rear (1990)						
Highway Polyester						
Front (Standard)	6.00	0 0	XTR	<i>NO ADDITIONAL CHARGE</i>		
Rear (Standard)	6.00	0 0	YTR	<i>NO ADDITIONAL CHARGE</i>		
Spare	6.00	-9 45	ZTR	3.71	96.00	99.71
On-Off Road Nylon						
Front. K20 series only	6.00	3 0	XTB	0.36	16.00	16.36
Rear	6.00	0 3	YTB	0.36	16.00	16.36
Spare	6.00	-10 47	ZTB	3.89	104.00	107.89
8.75-16.5 /D (8 PR) Maximum Tire Capacity (Each)— Front (2350) Rear (2350)						
Highway Polyester						
Front	6.00	11 0	XTA	0.46	20.00	20.46
Rear	6.00	0 11	YTA	0.46	20.00	20.46
Spare	6.00	-10 51	ZTA	3.94	106.00	109.94
On-Off Road Nylon						
Front. K20 series only	6.00	7 0	XTF	0.78	36.00	36.78
Rear	6.00	0 7	YTF	0.78	36.00	36.78
Spare	6.00	-11 50	ZTF	4.10	114.00	118.10
8.75R-16.5 /D (8 PR) Maximum Tire Capacity (Each)— Front (2350) Rear (2350)						
Highway Steel Belted Radial Ply Blackwall						
Front	6.00	0 27	XRU	0.96	98.00	98.96
Rear	6.00	0 27	YRU	0.96	98.00	98.96
Spare	6.00	-12 80	ZRU	4.19	145.00	149.19
9.50-16.5 /D (8 PR) Maximum Tire Capacity (Each)— Front (2780) Rear (2780)						
Highway Polyester						
Front	6.75	28 0	XUF	1.54	54.00	55.54
Rear	6.75	0 28	YUF	1.54	56.00	57.54
Spare	6.75	-12 62	ZUF	4.48	121.00	125.48
On-Off Road Nylon						
Front. K20 series only	6.75	26 0	XUE	1.76	72.00	73.76
Rear	6.75	0 26	YUE	1.76	74.00	75.76
Spare	6.75	-12 80	ZUE	4.59	130.00	134.59
9.50R-16.5 /D (8 PR) Maximum Tire Capacity (Each)— Front (2780) Rear (2780)						
Highway Steel Belted Radial Ply Blackwall						
Front	6.75	35 0	XUK	2.44	132.00	134.44
Rear	6.75	0 35	YUK	2.44	134.00	136.44
Spare	6.75	-15 88	ZUK	4.93	160.00	164.93

[§] D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.
 \diamond State and local taxes not included.

SUBURBAN

FACTORY INSTALLED TIRES

See Tire Chart for Available Front/Rear Combinations.
Spare tire available to match either front or rear tires.
Prices shown are effective with vehicles produced on or after March 1, 1978

Tire Size Type	Rim Width Included In Tire Option	Added Weight (F) (R)	Option Number	Factory D&H [§]	List Price	Mfr's Suggested Retail Price ◊
----------------	-----------------------------------	----------------------	---------------	--------------------------	------------	--------------------------------

K20 SERIES

TUBELESS FLOTATION TYPE TIRES USED WITH SINGLE REAR WHEELS

10.00-16.5 /D (8 PR) Maximum Tire Capacity (Each)— Front (2750) Rear (2750)

On-Off Road Nylon

Front	8.25	41	0	XWF	2.10	160.00	162.10
Rear	8.25	0	41	YWF	2.10	187.00	189.10
Spare	8.25	-15	71	ZWF	4.76	149.00	153.76

C-K20 SERIES

TUBE-TYPE TIRES USED WITH SINGLE REAR WHEELS

7.50-16 /C (6 PR) Maximum Tire Capacity (Each)— Front (2060) Rear (2060)

Highway Nylon

Front	6.00	16	0	XPB	0.28	(-10.00)	(-9.72)
Rear	6.00	0	16	YPB	0.28	(-9.00)	(-8.72)
Spare	6.00	-8	52	ZPB	3.85	90.00	93.85

On-Off Road Nylon

Front. K20 series only	8.00	24	0	XPC	1.08	22.00	23.08
Rear	8.00	0	24	YPC	1.08	22.00	23.08
Spare	8.00	-12	60	ZPC	4.25	106.00	110.25

7.50-16 /D (8 PR) Maximum Tire Capacity (Each)— Front (2440) Rear (2440)

Highway Nylon

Front	6.00	23	0	XPF	0.76	10.00	10.76
Rear	6.00	0	23	YPF	0.76	11.00	11.76
Spare	6.00	-9	59	ZPF	4.09	100.00	104.09

On-Off Road Nylon

Front. K20 series only	6.00	28	0	XPG	1.26	44.00	45.26
Rear	6.00	0	28	YPG	1.26	45.00	46.26
Spare	6.00	-13	63	ZPG	4.34	117.00	121.34

7.50-16 /E (10 PR) Maximum Tire Capacity (Each)— Front (2780) Rear (2780)

Highway Nylon

Front	6.00	28	0	XPK	2.22	30.00	32.22
Rear	6.00	0	28	YPK	2.22	31.00	33.22
Spare	6.00	-12	62	ZPK	4.82	110.00	114.82

On-Off Road Nylon

Front. K20 series only	6.00	39	0	XPL	2.30	70.00	72.30
Rear	6.00	0	39	YPL	2.30	71.00	73.30
Spare	6.00	-6	32	ZPL	4.86	130.00	134.86

§ D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.
◊ State and local taxes not included.

NOTES

SUBURBAN

**CAB & BODY FEATURES
CAB DIMENSIONS
SEATING ARRANGEMENTS
COLOR & TRIM CHARTS
TWO-TONES**

March 10, 1978

Suburban—Page A

SUBURBAN

CUSTOM DELUXE FEATURES—STANDARD MODEL

The Custom Deluxe standard models include the following items as standard equipment




EXTERIOR

- **Bumpers:** Front and rear; painted white
- **Color:** See Interior and Exterior Color Selection Chart
- **Doors:** Four side doors: two LH and two RH; two rear panel doors (optional endgate with drop-glass available)
- **Grille:** Molded plastic; painted silver and dark gray; integral Chevrolet emblem at center includes bright insert with ochre trim
- **Grille Frame:** Bright upper and lower moldings joining extensions of bright headlamp bezels; dark gray-painted bezel centers
- **Horn:** Single, electric, low-note
- **Hub Caps:** Painted white with black and ochre trim (2-wheel-drive models only) Bright metal (4-wheel-drive models only)
- **Keys:** Two-key system with separate keys for ignition switch and door locks
- **Lights:**
 - Backup lamps: Two rear (integral with taillamps)
 - Combination parking/direction/hazard: Two front
 - Combination tail/stop/direction/hazard: Two rear
 - Headlamps: Two; Power Beam
 - License plate lamp: Single rear
 - Side marker lamps with reflectors: Two front (wraparound taillamps also serve as rear side marker lamps and reflectors)
- **Mirrors:** RH and LH fixed arm with adjustable 5½' x 4' head; chrome finish
- **Moldings:** Bright; drip moldings over side doors plus decorative molding at hood rear edge
- **Nameplates:** Bright "Custom Deluxe" nameplates, with series designation, on upper portions of front fenders near doors; bright "Suburban" nameplate on RH rear door
- **Tools:** Mechanical jack and wheel wrench
- **Wheels:** Painted white
- **Windshield Wipers and Washers:** Electric, 2-speed wipers with matte finish on exposed metal portions; partially concealed arms; coordinated dual-orifice washers

SUBURBAN

CUSTOM DELUXE FEATURES—STANDARD MODEL

The Custom Deluxe standard models include the following items as standard equipment



INTERIOR

- **Armrests:** RH and LH padded; integral with side door trim panels
- **Ashtrays:** In middle of instrument panel and in rear side door trim panels
- **Coat Hooks:** Over RH and LH rear side door openings
- **Colors:**
 - Painted areas: Same as exterior primary color choice
 - Interior trim: Coordinated with seat trim color choice
- **Floor Covering:** Embossed black rubber mats over entire floor area
- **Heater and Defogger:** Deluxe-air; automatic blower operation with ignition switch on for power ventilation system
- **Instrument Cluster Bezel:** Black with bright trim
- **Instruments:**
 - Gages: Speedometer, odometer and fuel
 - Switches: Main, for control of exterior lights, instrument cluster lights, and courtesy/map light; wiper-washer; headlight beam (foot); ignition; direction signal (with lane change position); hazard warning; heater fan
 - Warning lights: Generator, oil pressure, engine temperature, seat belt, brake, direction/hazard signal, high beam, and Hi/Low Lock indicator (4-wheel-drive models with full-time transfer case only)
- **Instrument Panel Control Knobs:** Soft black plastic with white graphic identification (except heater and wiper-washer controls)
- **Instrument Panel Pad:** Color-keyed, energy-absorbing foam type with grained vinyl skin; has bright applique on RH side with black insert, black trim and bright "Custom Deluxe" nameplate
- **Insulation and Sound Deadening Material:** Dash (firewall), under front seat at center, and under front and center floor mats
- **Lights:** Instrument cluster and courtesy/map lights
- **Mirror, Rearview:** 10" prismatic with soft vinyl rim
- **Scuff Plates:** Door-opening protection and floor mat retention; bright; partial for front side doors, full-length for rear side doors, and full-width for rear compartment platform
- **Seat:** Full-width bench-type front seat only, foam padded, with plaid pattern vinyl trim. See Interior and Exterior Color Selection Chart for color availability
- **Seat Belts:** Front only; non-detachable combination lap and shoulder belts for outboard positions with automatic-locking retractors on lap belts, emergency-locking retractors on shoulder belts, and switch in driver's lap belt retractor for buzzer warning system; lap belt with manual adjustment for center position. All seat belts are color-keyed with pushbutton type buckles.
- **Spare Tire Carrier:** LH rear side
- **Steering Wheel and Column:** 16" black, soft plastic wheel with 2 spokes; black energy-absorbing steering column
- **Stowage Box:** In RH side of instrument panel; door has bright turn-type latch release
- **Sunshades:** RH and LH padded; color-keyed
- **Trim Panels:** Color-keyed, embossed molded plastic on side doors with integral armrests; painted steel panels on rear quarter areas

SUBURBAN


SCOTTSDALE MODEL OPTION—RPO Z62

This option includes all Custom Deluxe standard model items plus the additions or substitutions listed below



EXTERIOR

- **Bright Appearance Items:**
 - "Scottsdale" nameplates, with series designation, on front fenders
 - Body side upper spear molding trim
 - Front and rear bumpers
 - Parking/turn-signal lamp, side marker lamp, and taillamp trim
- **Hub caps** (C10-20 models only)
- **Windshield reveal molding**
- **Rear side window trim**
- **Horn:** Additional, electric, high-note
- **Moldings:** Spear-type black plastic body side upper moldings




INTERIOR

- **Bright Appearance Items:**
 - "Scottsdale" nameplate on instrument panel pad
 - Dome lamp trim
 - Full-length front door sill scuff plates
- **Cigar Lighter**
- **Dome Lamps:** Two; one front, one rear
- **Dome and Courtesy Lamp Switches:** Front side door actuated (dome and courtesy lamps also may be activated by main light switch)
- **Floor Covering:** Color-keyed rubber mats in front seat area (also in center and rear seat areas when center seat is ordered)
- **Headliner:** Full-length, light fawn, perforated molded plastic with fiber glass blanket backing; includes matching retainer moldings
- **Insulation:** Under cowl panel and on headliner
- **Pillar Trim Panels:** Light fawn molded plastic on windshield pillars and center door pillars
- **Seats:** Full-depth foam front seat cushion; choice of: 1) plaid pattern vinyl trim (standard); 2) ribbed pattern velour cloth and vinyl trim (at extra cost) or 3) all-vinyl oxen hide grain trim (at extra cost). See Interior and Exterior Color Selection Chart for color availability
- **Spare Tire Cover:** Color-keyed carpet
- **Sunshades:** Light fawn to match headliner


SUBURBAN SILVERADO MODEL OPTION—RPO YE9

This option includes all items in the Scottsdale model option plus the additions or substitutions listed below



EXTERIOR

- **Bright Appearance Items:**
 "Silverado" nameplates, with series designation, on front fenders
 Upper body side and rear door (or tailgate) moldings with black paint trim
- **Body-to-Fender Insulators**
- **Hood Insulator**
- **Secondary Door Seals:** On side door upper frames




INTERIOR

- **Bright Appearance Items:**
 "Silverado" nameplate on instrument panel pad
 Four-speed transmission shift lever
 Transfer case shift lever (K10-20 models with conventional 4WD)
 Trim on instrument cluster bezel, instrument panel pad applique, side door trim panels, and Series C10-20 horn button
- **Cowl Panel Trim:** Color-keyed molded plastic.
- **Floor Covering:** Color-keyed carpeting; front seat area (also in center and rear seat areas and on wheelhouses when center seat is ordered)
- **Instrument Cluster:** Voltmeter, engine temperature gage, and oil pressure gage replace warning lights; includes bright brush-finished bezel
- **Instrument Panel Pad Applique:** Bright with brush-finished insert and black trim
- **Insulation:** Under front seat at left and right hand sides
- **Seats:** Choice of: 1) all-vinyl oxen hide grain trim or 2) ribbed pattern velour cloth and vinyl trim. See Interior and Exterior Color Selection Chart for color availability
- **Side Door Trim Panels:** Color-keyed molded plastic (with door closing assist strap and vinyl storage pockets on front door units only); includes bright brush-finished inserts having bright borders with tooled leather pattern trim plus carpeting on lower portions
- **Steering Wheel Trim:** Bright trim on horn button (C10-20 models only)

SUBURBAN GENERAL

With Panel
Rear Doors
Body Ordering
Code ZW9*



With Tailgate
and Manual Drop
Glass
Body Ordering
Code E55*

Suburban models have 4 side doors, two front and two rear. Front side doors are equipped with drop-glass and ventipane assemblies; the rear side doors have a drop-glass in the forward portion and fixed glass in the rear portion. The rear quarter windows have fixed glass.

Suburbans ordered with Body Ordering Code ZW9 have panel-type rear doors incorporating fixed glass, positive fork-cam latches, and an outside key lock. A 2-position, strap-type check on each door permits either a 118- or 162-degree door opening, depending on how the retaining pin is positioned; full door opening of 172-degrees is obtained by removing the retaining pin.

Suburbans ordered with Body Ordering Code E55 have a tailgate with a manually-controlled curved drop glass. Operation of the window is through an articulated crank-type regulator handle on the tailgate outer panel; a key lock cylinder is concealed in the regulator handle, and must be unlocked before the window can be lowered. After the window is lowered, the tailgate can be lowered by moving the release handle at the upper center of the tailgate inner panel. When the tailgate is open, it is supported by reel-type cables. Embossments on the tailgate inner panel facilitate loading of large objects. An optional electric tailgate window is available by ordering RPO A33.

*Both models shown with optional folding center and removable rear seats

CUSTOM OPTIONS



(Deluxe bumper shown)


Chromed Bumpers & Deluxe Chromed Bumpers
(RPO V37, VES)

Chromed bumpers (RPO V37) and Deluxe chromed bumpers (RPO VES) with resilient impact strips are available optionally on all Suburban models.



Bright Hub Caps
(RPO P03)


Bright, anodized aluminum hub caps are available on all Suburban models. C-K10 models feature a 5-spoke design, while C-K20 models have a similar 6-spoke design. The front units for all K10 models, and K20 models with conventional 4WD, have a cut-out at the center to clear the axle hubs.



Wheel Covers
(RPO P01)

Stainless steel wheel covers are available on all Suburban models. The front units for K10-20 models with conventional 4WD have a cut-out at the center to clear the axle hubs.

Suburban—Page F



Custom Trim Moldings
(RPO B84, B85, YG1)

Side and rear upper trim moldings (RPO B85) or side and rear upper and lower and wheel opening trim moldings (RPO YG1) of bright metal are offered on all Suburban models plus upper body side spear moldings (RPO B84) of black plastic with bright trim. These options include bright trim for parking, side marker and tail lamps.




Wood Grained Exterior Trim
(RPO YG2)

Wide wood grained applique mounted to entire length of body side panels, doors, front fenders and rear doors or tailgate between required upper and lower optional moldings (RPO YG1). Also includes "Estate" nameplates on body sides.

December 23, 1977

SUBURBAN

DIMENSIONS



Glass Area (sq. in.)


Windshield..... 1447
 Front side door including
 ventipane (each side)..... 546
 Rear side door (each side)..... 488

Side rear window (each side). 1074
 Rear:
 ZW9 panel doors (total)..... 654
 E55 tailgate..... 1041

SEATING ARRANGEMENTS


Front Seat

Standard or RPO Z52 full-depth foam front seat




Front and Folding Center Seat

Standard front and RPO AT5 folding center seats




Front and Folding Center Seats

Standard front and RPO AT5 folding center seats
 (Center seats shown in folded position)



Front, Folding Center And Rear Removable Seats

Standard front, RPO AT5 folding center and
 RPO AS3 removable rear seats



SUBURBAN

INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART

Please Note: Exterior and interior combinations shown in chart below are those recommended by Chevrolet; however, any exterior color combination may be ordered with any available interior color if the particular combination is desired by a customer.


SEAT TRIM			MODEL OPTION			SEAT TRIM COLOR AND ORDERING CODE		
Fabric	▲ Code	Type	Custom Deluxe	Scottsdale 262	Silverado YES	Blue	Buckskin	Red
Standard Vinyl	V	Bench	X	X		VDD1	VUU1	VRR1
Custom Vinyl	W	Bench		X	X	XDD1	XUU1	XRR1
		Bucket			X	XDD4	XUU4	
Custom Cloth	D	Bench		X	X	LDD1	LUU1	LRR1
♦ EXTERIOR COLORS			Primary	Secondary	RECOMMENDED INTERIOR TRIM COLORS			
BLACK, MIDNIGHT			86	86	X		X	X
Blue, Lite			86	20	X			
Buckskin			86	65		X	X	X
Tan, Santa Fe			86	60		X	X	X
White, Frost			86	12	X		X	X
BLUE, LITE (Light)			20	20	X			
White, Frost			20	12	X			
BLUE, HAWAIIAN (Medium)			23	23	X			
Blue, Lite			23	20	X			
White, Frost			23	12	X			
BLUE, MARINER (Dark) (M)			25	25	X			
Blue, Lite			25	20	X			
White, Frost			25	12	X			
BROWN, CORDOVA (Dark) (M)			81	81		X		
Buckskin			81	65		X		
Tan, Santa Fe			81	60		X		
White, Frost			81	12		X		
BUCKSKIN			65	65		X		X
Mahogany			65	76		X		X
Tan, Santa Fe			65	60		X		X
White, Frost			65	12		X		X
GREEN, SEAMIST (Light) (M)			43	43		X		
White, Frost			43	12		X		
MAHOGANY			76	76		X		X
Tan, Santa Fe			76	60		X		X
White, Frost			76	12		X		X
RED, CARDINAL (Medium)			70	70		X		X
Mahogany			70	76		X		X
Tan, Santa Fe			70	60		X		X
White, Frost			70	12		X		X
RED, METALLIC (Dark) (M)			71	71		X		X
Buckskin			71	65		X		X
Mahogany			71	76		X		X
Tan, Santa Fe			71	60		X		X
White, Frost			71	12		X		X
RUSSET METALLIC (M)			68	68		X		
Buckskin			68	65		X		
Tan, Santa Fe			68	60		X		
White, Frost			68	12		X		
SILVER, SARATOGA (M)			17	17	X			X
Mahogany			17	76		X		X
White, Frost			17	12	X			X
TAN, SANTA FE			60	60		X		X
Buckskin			60	65		X		X
Mahogany			60	76		X		X
White, Frost			60	12		X		X
WHITE, FROST			12	12		X		
Blue, Lite			12	20		X		
Buckskin			12	65		X		
Mahogany			12	76		X		X
YELLOW, COLONIAL			53	53		X		
Tan, Santa Fe			53	60		X		
White, Frost			53	12		X		

♦ Primary color shown in **BOLDFACE TYPE**; secondary colors shown in **Lightface Type**. (M): Metallic
 ▲ Seat Trim Codes: V—Plaid Pattern Vinyl; W—Oxen Hide Vinyl; D—Striped Pattern Velour Cloth

SEE PAGE I FOR NYS EXTERIOR DECOR PACKAGE ILLUSTRATION



SUBURBAN

TWO-TONE EXTERIOR COLOR COMBINATIONS*



SPECIAL TWO-TONE

Special two-tone (ZY3) paint colors include custom upper and lower moldings (lower only on models with Silverado Model Option; upper is already included). The primary color is applied to the areas above and below the moldings (including the roof). The secondary color is applied to the area between these moldings.



EXTERIOR DECOR PACKAGE

Exterior Decor Package (ZY5) paint colors and trim are available in a choice of six combinations (see chart below). The package includes all the moldings and paint described under Special Two-Tone. In addition, it includes the secondary paint color choice on the hood with color-coordinated striping at either side of the hood panel, plus a bright spring-loaded, stand-up type hood emblem. The inboard hood stripe color matches the primary color, while the outboard stripe is of a contrasting color.


CODE	PRIMARY COLOR	CODE	SECONDARY COLOR	OUTBOARD HOOD STRIPE COLOR
25	Mariner Blue (Dark)	20	Lite Blue (Light)	Dark Blue
43	Seamist Green (Light)	12	Frost White	Medium Green
83	Colonial Yellow	60	Santa Fe Tan	Gold
70	Cardinal Red (Medium)	12	Frost White	Dark Red
71	Metallic Red (Dark)	76	Mahogany	Light Red
81	Cordova Brown (Dark)	60	Santa Fe Tan	Bronze

*Optional at extra cost.

NOTES

SUBURBAN

SUBURBAN MODEL SELECTOR



Series	Model Number	Body Ordering Code	
		Panel Rear Doors	Endgate
C10	CC10906	ZW9	E55
C20	CC20906	ZW9	E55
K10 (4-Wheel Drive)	CK10906	ZW9	E55
K20 (4-Wheel Drive)	CK20906	ZW9	E55

SUBURBAN—Conventional

STANDARD SPECIFICATIONS

(See Blue Tab Section for Specification Details)

Series	C10	C20
Engine		
Base Equip.	4.1 Litre, 250 2-bbl. L6 ■	5.7 Litre, 350 4-bbl. V8
Clutch	11", 124 sq. in.	12", 150 sq. in.
Air Filter	Oiled-paper Element	
Oil Filter	Throwaway Type	
Exhaust System	Single; Aluminized	
Emission Control Systems	See Engine & Cooling Section for specific model applications	
Suspension, Front	Independent; Coil Springs	
Capacity	3400 lb.	3800 lb.
Springs @ Ground	1625 lb. ea.	1750 lb. ea.
Shock Absorbers	1" dia.	1" dia.
Suspension, Rear	Salisbury Axle; Hypoid Drive; Two-stage Multi-leaf Springs	
Axle Capacity	3750 lb.	5700 lb.
Axle Ratio	3.40	3.73
Springs, Main @ Ground	2000 lb. ea.	2000 lb. ea.
Shock Absorbers	1" dia.	1" dia.
Brakes	Hydraulic; Self-adjusting	
Front	Disc; 11.86" Rotor	Disc; 12.5" Rotor
Rear	Drum; 11.15" x 2.75"	Drum; 11.15" x 2.75"
Booster	Dual Diaphragm	Dual Diaphragm
Parking	Cable to Rear Wheels	
Electrical	12 Volt; Negative Ground	
Battery—Freedom Type	2500 watts @ 0°F.	3200 watts @ 0°F.
Delcotron Generator	37 amp.	
Frame	Carbon Steel; 39,000 psi	
Section Modulus	3.14	3.92
Fuel Tank (nominal capacity)	25 gal.	
Steering Gear Type	Manual; Recirculating Ball Gear	
Linkage	Parallelogram	
Transmission	Fully Synchronized 3-Speed Manual	4-Speed Manual
Shift Location	Steering Column	Floor
Tires	(5) H78-15B (4PR)	(4) 8.75-16.5C (6PR)
Wheels	(5) Disc 15" x 6"	(5) Disc 16.5" x 6"

■ Standard engine not available for registration in the State of California; see Power Teams Chart

SUBURBAN-4-Wheel Drive

STANDARD SPECIFICATIONS


(See Blue Tab Section for Specification Details)

Series	K10	K20
Engine		
Base Equip.	5.0 Litre, 305 2-bbl V8■	5.7 Litre, 350 4-bbl V8
Clutch	11"; 124 sq. in.	12"; 150 sq. in.
Air Filter	Oiled-paper Element	
Oil Filter	Throwaway Type;	
Exhaust System	Single; Aluminized	
Emission Control Systems	See Engine & Cooling Section for specific model applications	
Suspension, Front	Salisbury Axle; Hypoid Drive; Single-stage 2-leaf Springs	
Capacity	3600 lb.	3800 lb.
Axle Ratio	3.40	3.73
Springs @ Ground	1850 lb. ea.	1850 lb. ea.
Shock Absorbers	25mm dia.	25mm dia.
Stabilizer Bar	1.25" dia.	1.25" dia.
Suspension, Rear	Salisbury Axle; Hypoid Drive; Two-stage Multi-leaf Springs	
Axle Capacity	4000 lb.	5700 lb.
Axle Ratio	3.40	3.73
Springs @ Ground	2000 lb. ea.	2100 lb. ea.
Shock Absorbers	25mm dia.	25mm dia.
Brakes	Hydraulic; Self-adjusting	
Front	Disc; 11.86" Rotor	Disc; 12.5" Rotor
Rear	Drum: 11.15" x 2.75"	
Booster	Dual Diaphragm	
Parking	Cable to Rear Wheels	
Electrical	12 Volt; Negative Ground	
Battery—Freedom Type	3200 watts @ 0°F.	
Delcotron Generator	37 amp.	
Frame	Carbon Steel; 39,000 psi	
Section Modulus	3.92	
Fuel Tank (nominal capacity)	25 gal.	
Steering Gear Type	Integral Power	
Transmission	Fully Synchronized 3-Speed Manual	
Shift Location	Steering Column	
Transfer Case	New Process 205 2-Speed	
Shift Lever	Single Lever	
PTO Opening	Left Side	
Tires	(5) H78-15B (4PR)	(4) 8.75-16.5C (6PR)
Wheels	(5) Disc 15" x 6"	(5) Disc 16.5" x 6"

■ Standard engine not available for registration in the State of California; see Power Teams chart.

SUBURBAN

**Body Ordering Codes:
Panel Rear Doors—ZW9
Endgate—E55†**



**Capacity—143.5 cu ft
Load Floor Area—40 sq ft**

Series	Ground Clearance (in)★	
	Front	Rear
C10	7.5	7.2
C20	8	7.8
K10	8.7	7.2
K20	8.8	7.2

Model	Engine No. Cyl.	Dimensions (in)★				†Curb Weight (lb)			†Model Weight (lb)*		
		WB	OL	OH	GT	Front	Rear	Total	Front	Rear	Total

C10 SERIES

CC10906	6	129.5	218.7	71.5	27.5	2093	2207	4300	2336	2414	4750
----------------	---	-------	-------	------	------	------	------	------	------	------	------

C20 SERIES

CC20906	8	129.5	218.7	71.8	27.3	2301	2336	4637	2544	2543	5087
----------------	---	-------	-------	------	------	------	------	------	------	------	------

K10 SERIES

CK10906	8	129.5	218.7	73.5	29.5	2535	2281	4816	2778	2488	5266
----------------	---	-------	-------	------	------	------	------	------	------	------	------

K20 SERIES

CK20906	8	129.5	218.7	75.4	32.0	2617	2422	5039	2860	2629	5489
----------------	---	-------	-------	------	------	------	------	------	------	------	------

★Dimensions with standard equipment, unloaded.

*Model Weight includes Curb Weight plus occupants (standard seating capacity x 150 lb). Total Model Weight may vary as much as ±150 lbs to allow for production build variation.

†Curb Weights and Model Weights shown are for models with ZW9 Panel Rear Doors. For models with E55 Endgate, weights must be adjusted as follows: Front - 14 lb; Rear +52 lb; Total added weight 38 lb.

SUBURBAN

GVWR SELECTOR

GVW Rating (lbs)	†GAWR (lbs)		Minimum Equipment Required for GVW Rating		
	Front	Rear	Tire Capacity (lbs ea)		Chassis Equipment
			Front	Rear	

C10 SERIES

GVW Rating (lbs)	Front GAWR (lbs)	Rear GAWR (lbs)	Front Tire Capacity (lbs ea)	Rear Tire Capacity (lbs ea)	Chassis Equipment
●*6050	3210	3210	1605	1605	Standard
◆*6400	3250	3440	1720	1720	
◆6800	3250	3750	1905	1905	Center Seat (AT5) and Stabilizer Bar (F59); or Center and Rear Seats (AS3)
7000	3400	3750	1905	1905	Center and Rear Seats (AS3); 454 4-bbl V8 (LF8)

K10 SERIES

GVW Rating (lbs)	Front GAWR (lbs)	Rear GAWR (lbs)	Front Tire Capacity (lbs ea)	Rear Tire Capacity (lbs ea)	Chassis Equipment
*6200	3210	3210	1605	1605	Standard
*6800	3520	3520	1760	1760	
7300	3600	3810	1905	1905	

†GAWR's shown are the maximum for each axle with equipment listed. Other GAWR's are available, and they are determined as the minimum capacity of either axle, springs or tires.

*Center and rear seats (AS3) not available.

●Available with standard 6-cyl. or 305 V8 engines only.

◆Requires V8 engine.

FRONT AND REAR TIRE AVAILABILITY CHART

C-K10 SERIES

Spare tire to match either front or rear tires must be ordered
K10 models require matching front and rear tread

FRONT				REAR			
Capacity (lbs ea)	Description	Option Number		Capacity (lbs ea)	Description	Option Number	
		Highway	▲On-Off Road			Highway	On-Off Road

TUBELESS

1605	H78-15B	HL	HR	1605	H78-15B	HL	HR
1605	H78-15B White Stripe	HM	—	1605	H78-15B White Stripe	HM	—
1760	10-15B	WR●	—	1760	10-15B	WR●	—
1760	10-15B White Lettered	WS	—	1760	10-15B White Lettered	WS	—
1790	L78-15B	LB	LC	1790	L78-15B	LB	LC
1790	L78-15B White Stripe	LD	—	1790	L78-15B White Stripe	LD	—
*1905	L78-15D	LK	—	*1905	L78-15D	LK	—
*1905	L78-15D White Stripe	LL	—	*1905	L78-15D White Stripe	LL	—
1905	LR78-15C Radial White Stripe	CD	—	1905	LR78-15C Radial White Stripe	CD	—

TUBE-TYPE

1610	6.50-16C	MG	—	1610	6.50-16C	MG	—
1720	7.00-15C	NH	—	1720	7.00-15C	NH	—

▲On-Off road front tires available on K10 models only.

●Available on K10 models only.

*Rated 202S capacity on K10 models.

SUBURBAN

GVWR SELECTOR

GVW Rating (lbs)	†GAWR (lbs)		Minimum Equipment Required for GVW Rating		
			Tire Capacity (lbs ea)		Chassis Equipment
	Front	Rear	Front	Rear	

C20 SERIES

GVW Rating (lbs)	Front GAWR (lbs)	Rear GAWR (lbs)	Front Tire Capacity (lbs ea)	Rear Tire Capacity (lbs ea)	Chassis Equipment
7100	3500	3980	1990	1990	Standard
7500	3500	5200	2780	2780	HD Rear Springs (G50); HD Power Brakes (J55)
8200	3800	5560	2780	2780	HD Front Springs (F60); 2850-lb ea Rear Springs (G51); HD Power Brakes (J55)

K20 SERIES

GVW Rating (lbs)	Front GAWR (lbs)	Rear GAWR (lbs)	Front Tire Capacity (lbs ea)	Rear Tire Capacity (lbs ea)	Chassis Equipment
6800	3700	3980	1990	1990	Standard
7500	3700	4700	1990	2350	HD Power Brakes (J55)
8400	3700	5500	2060	2750	

†GAWR's shown are the maximum for each axle with equipment listed. Other GAWR's are available, and they are determined as the minimum capacity of either axle, springs or tires.

FRONT AND REAR TIRE AVAILABILITY CHART

C-K20 SERIES

Spare tire to match either front or rear tires is available at extra cost
K20 models require matching front and rear tread

FRONT				REAR			
Capacity (lbs ea)	Description	Option Number		Capacity (lbs ea)	Description	Option Number	
		Highway	▲On-Off Road			Highway	On-Off Road

TUBELESS

1990	8.75-16.5C	TR	—	1990	8.75-16.5C	TR	—
2350	8.75-16.5D	TA	TF	2350	8.75-16.5D	TA	TF
2350	8.75R-16.5D Radial Steel Belted	RU	—	2350	8.75R-16.5D Radial Steel Belted	RU	—
2750	10-16.5D	—	WF	2750	10-16.5D	—	WF●
2780	9.50-16.5D	UF	UE	2780	9.50-16.5D	UF	UE
2780	9.50R-16.5D Radial Steel Belted	UK	—	2780	9.50R-16.5D Radial Steel Belted	UK	—

TUBE-TYPE

2060	7.50-16C	PB	PC	2060	7.50-16C	PB	PC
				2440	7.50-16D	PF	PG
				2780	7.50-16E	PK●	PL●
2440	7.50-16D	PF	PG	2440	7.50-16D	PF	PG
2780	7.50-16E	PK	PL	2780	7.50-16E	PK	PL

▲On-Off road front tires available on K20 models only.

●Available on K20 models only.

◆Available on C20 models only.

SUBURBAN

POWER TEAMS

ALL STATES EXCEPT CALIFORNIA

C10 SERIES

		GVWR	6050				6400-6800				7000				
		Axle Ratio	3.07	3.40	3.73	4.11	2.76	3.07	3.40	3.73	4.11	2.76	3.07	3.40	3.73
Engine	Transmission	Axle Cap. (lb)	Axle Ratio Codes [▲]												
4.1 Litre 250 2-bbl LG—LE3 (Std)	3-Spd—MM3 (Std)	3750 ♦	—	GQ1	GT4	H04	—	—	—	—	—	—	—	—	—
	4-Spd—MM4		—	GQ1	GT4	H04	—	—	—	—	—	—	—	—	—
	Automatic—MX1		—	GQ1	GT4	H04	—	—	—	—	—	—	—	—	—
5.0 Litre 305 2-bbl V8—LG8	3-Spd—MM3 (Std)		—	GQ1	GT4	H04	—	—	GQ1	GT4	H04	—	—	—	—
	4-Spd—MM4		GQ1	HE4	GT4	H04	—	GQ1	HE4	GT4	H04	—	—	—	—
	Automatic—MX1		GQ1	HE4	GT4	H04	—	GQ1	HE4	GT4	H04	—	—	—	—
5.7 Litre 350 4-bbl V8—LS9	3-Spd—MM3 (Std)		—	—	—	—	—	—	GQ1	GT4	—	—	—	—	—
	4-Spd—MM4		—	—	—	—	—	GQ1	HE4	GT4	H04	—	—	—	—
	Automatic—MX1		—	—	—	—	—	GQ1	HE4	GT4	H04	—	—	—	—
7.4 Litre 454 4-bbl V8—LF8	Automatic—MX1	—	—	—	—	GQ1	HE3	HE4	GT4	—	GQ1	HE3	HE4	GT4	

C20 SERIES

		GVWR	7100			7500			8200		
		Axle Ratio	3.21	3.73	4.10	3.21	3.73	4.10	3.21	3.73	4.10
Engine	Transmission	Axle Cap. (lb)	Axle Ratio Codes [▲]								
5.7 Litre 350 4-bbl V8—LS9 (Std)	4-Spd—MM4 (Std)	5700 ♦	—	GQ1	GTS	—	GQ1	GTS	—	GQ1	GTS
	Automatic—MX1		—	—	GQ1	—	—	GQ1	—	—	GQ1
7.4 Litre 454 4-bbl V8—LF8	Automatic—MX1		GQ1b	GT4	GTS	GQ1b	GT4	GTS	GQ1b	GT4	GTS

▲ GQ1 indicates standard axle ratio.

♦ Locking Differential rear axle also available.

* Transfer Cases: New Process #203—Full-time 4-wheel-drive; New Process #205—Conventional 4-wheel-drive.

a Not available with Air Conditioning.

b Not available with G80 Locking Differential rear axle.

ENGINE RATINGS

SAE Net Ratings @ 85°F	4.1 Litre 250 2-bbl L6*	5.0 Litre 305 2-bbl V8*	5.7 Litre 350 4-bbl V8* ●	6.6 Litre 400 4-bbl V8*	7.4 Litre 454 4-bbl V8*
Net Horsepower.....	130 @ 4000 rpm	140 @ 4000 rpm	165 @ 3600 rpm	185 @ 3600 rpm	205 @ 3600 rpm
Net Torque, lb-ft.....	210 @ 2000 rpm	240 @ 2000 rpm	270 @ 2000 rpm	300 @ 2400 rpm	335 @ 2800 rpm

*Medium Duty Emissions.

● Except K10-20 with MX1 Automatic Transmission (includes air pump): Net Horsepower 155 @ 3600 rpm; Net Torque, lb-ft 260 @ 2000 rpm.

SUBURBAN

POWER TEAMS

ALL STATES EXCEPT CALIFORNIA

K10 SERIES

Engine	Transmission	Transfer Case*	GVWR	6200				6800				7300			
				Axle Ratio	2.76	3.07	3.40	3.73	2.76	3.07	3.40	3.73	2.76	3.07	3.40
			Axle Cap. (lb)	Axle Ratio Codes [▲]											
5.0 Litre 305 2-bbl V8—LG9 (Std)	3-Spd—MM3 (Std) ^a	NP205	4000 ♦	—	—	GQ1	GT4	—	—	GQ1	GT4	—	—	GQ1	GT4
	3-Spd—MM3 (Std)	NP205		—	—	GQ1	GT4	—	—	GQ1	GT4	—	—	GQ1	GT4
5.7 Litre 350 4-bbl V8—LS9	4-Spd—MM4	NP205		HC2	GQ1	HE4	GT4	HC2	GQ1	HE4	GT4	HC2	GQ1	HE4	GT4
	Automatic—MX1	NP203		HC2	GQ1	HE4	GT4	HC2	GQ1	HE4	GT4	HC2	GQ1	HE4	GT4
6.6 Litre 400 4-bbl V8—LF4	Automatic—MX1	NP203	HC2	GQ1	HE4	GT4	HC2	GQ1	HE4	GT4	HC2	GQ1	HE4	GT4	

K20 SERIES

Engine	Transmission	Transfer Case*	GVWR	6800		7500		8400	
				Axle Ratio	3.73	4.10	3.73	4.10	3.73
			Axle Cap. (lb)	Axle Ratio Codes [▲]					
5.7 Litre 350 4-bbl V8—LS9 (Std)	3-Spd—MM3 (Std) Without HD Power Brakes	NP205	5700 ♦	GQ1	GTS	—	—	—	—
	3-Spd—MM3 (Std) With HD Power Brakes			—	GQ1	—	GQ1	—	GQ1
	4-Spd—MM4	NP203		GQ1	GTS	GQ1	GTS	GQ1	GTS
	Automatic—MX1	NP203		GQ1	GTS	GQ1	GTS	GQ1	GTS
6.6 Litre 400 4-bbl V8—LF4	Automatic—MX1	NP203	GQ1	GTS	GQ1	GTS	GQ1	GTS	

▲ **GQ1** indicates standard axle ratio.

♦ Locking Differential rear axle also available.

* Transfer Cases: New Process #203—Full-time 4-wheel-drive; New Process #205—Conventional 4-wheel-drive.

^a Not available with Air Conditioning.

^b Not available with G80 Locking Differential rear axle.

FOR ENGINE RATINGS—SEE PAGE 7

SUBURBAN POWER TEAMS

CALIFORNIA ONLY

C10 SERIES

Engine	Transmission	GVWR Axle Ratio Axle Cap. (lb)	6400-6800				7000				
			2.76	3.07	3.40	3.73	4.11	2.76	3.07	3.40	3.73
c 5.7 Litre 350 4-bbl V8—LS9	3-Spd—MM3 (Std)	3750 ♦	—	—	GQ1	GT4	—	—	—	—	—
	4-Spd—MM4		—	GQ1	HE4	GT4	HO4	—	—	—	—
	Automatic—MX1		—	GQ1	HE4	GT4	HO4	—	—	—	—
c 7.4 Litre 454 4-bbl V8—LF8	Automatic—MX1		GQ1	HE3	HE4	GT4	—	GQ1	HE3	HE4	GT4

C20 SERIES

Engine	Transmission	GVWR Axle Ratio Axle Cap. (lb)	7100			7500			8200		
			3.21	3.73	4.10	3.21	3.73	4.10	3.21	3.73	4.10
5.7 Litre 350 4-bbl V8—LS9 (Std)	4-Spd—MM4 (Std)	5700 ♦	—	GQ1	GT5	—	GQ1	GT5	—	GQ1	GT5
	Automatic—MX1		—	GQ1	GT5	—	GQ1	GT5	—	GQ1	GT5
7.4 Litre 454 4-bbl V8—LF8	Automatic—MX1		GQ1b	GT4	GT5	GQ1b	GT4	GT5	GQ1b	GT4	GT5

K10 SERIES

Engine	Transmission	Transfer Case*	GVWR Axle Ratio Axle Cap. (lb)	6200				6800				7300			
				2.76	3.07	3.40	3.73	2.76	3.07	3.40	3.73	2.76	3.07	3.40	3.73
5.7 Litre 350 4-bbl V8—LS9 (Std)	3-Spd—MM3 (Std)	NP205	4000 ♦	—	—	GQ1	GT4	—	—	GQ1	GT4	—	—	GQ1	GT4
	4-Spd—MM4	NP203		HC2	GQ1	HE4	GT4	HC2	GQ1	HE4	GT4	HC2	GQ1	HE4	GT4
	Automatic—MX1			HC2	GQ1	HE4	GT4	HC2	GQ1	HE4	GT4	HC2	GQ1	HE4	GT4
6.6 Litre 400 4-bbl V8—LF4	Automatic—MX1	NP203		HC2	GQ1	HE4	GT4	HC2	GQ1	HE4	GT4	HC2	GQ1	HE4	GT4

K20 SERIES

Engine	Transmission	Transfer Case*	GVWR Axle Ratio Axle Cap. (lb)	6800		7500		8400	
				3.73	4.10	3.73	4.10	3.73	4.10
5.7 Litre 350 4-bbl V8—LS9 (Std)	3-Spd—MM3 (Std) Without HD Power Brakes	NP205	5700 ♦	GQ1	GT5	—	—	—	—
	3-Spd—MM3 (Std) With HD Power Brakes	NP203		—	GQ1	—	GQ1	—	GQ1
	4-Spd—MM4			GQ1	GT5	GQ1	GT5	GQ1	GT5
	Automatic—MX1			GQ1	GT5	GQ1	GT5	GQ1	GT5
6.6 Litre 400 4-bbl V8—LF4	Automatic—MX1	NP203		GQ1	—	GQ1	—	GQ1	—

▲ GQ1 indicates standard axle ratio.

♦ Locking Differential rear axle also available.

* Transfer Cases: New Process #203—Full-time 4-wheel-drive; New Process #205—Conventional 4-wheel-drive.

b Not available with G80 Locking Differential rear axle.

c 5.7 Litre 350 V8 or 7.4 Litre 454 V8 engine required for registration in the State of California.

ENGINE RATINGS

SAE Net Ratings @ 85°F	5.7 Litre 350 4-bbl V8*	6.6 Litre 400 4-bbl V8*	7.4 Litre 454 4-bbl V8*
Net Horsepower	155 @ 3600 rpm	170 @ 3600 rpm	205 @ 3600 rpm
Net Torque, lb-ft	260 @ 2000 rpm	305 @ 1600 rpm	335 @ 2800 rpm

*Medium Duty Emissions.

NOTES

Vertical text or scanning artifact on the left side of the page.

SUBURBAN 1979 VEHICLES WITH STANDARD EQUIPMENT

Prices shown are effective with initial shipments of 1979 model motor vehicles

Description	Model Number	Body Code	Wheel Base	Factory D&H [§]	List Price	Mfr's Sg'd Retail Price★	Group Number
◆ 6-Cylinder 4.1 Litre (250 Cu. In.) 2 BBL Engine—Engine Ordering Code LE3							
K10 Series 2-Wheel Drive							
Panel Doors.....	CC10906	ZW9	129.5"	13.85	6147.00	6160.85	15
Tailgate.....	CC10906	E55	129.5"	13.85	6178.00	6191.85	15
◆ 8-Cylinder 5.0 Litre (305 Cu. In.) 2 BBL Engine—Engine Ordering Code LG9							
K10 Series 4-Wheel Drive							
Panel Doors.....	CK10906	ZW9	129.5"	13.85	7774.00	7787.85	16
Tailgate.....	CK10906	E55	129.5"	13.85	7805.00	7818.85	16
◆ 8-Cylinder 5.7 Litre (350 Cu. In.) 4 BBL—Engine Ordering Code LS9							
C20 Series 2-Wheel Drive							
Panel Doors.....	CC20906	ZW9	129.5"	14.84	6821.00	6835.84	15
Tailgate.....	CC20906	E55	129.5"	14.84	6852.00	6866.84	15
K20 Series 4-Wheel Drive							
Panel Doors.....	CK20906	ZW9	129.5"	14.84	8220.00	8234.84	16
Tailgate.....	CK20906	E55	129.5"	14.84	8251.00	8265.84	16

- ★ Manufacturer's Suggested Retail Prices do not include applicable destination charges, state and local taxes, license fees, optional equipment or accessories or special items or services.
- ◆ Refer to Power Team Chart for California Emission Certification Requirements.

OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments of 1979 model motor vehicles

Description	Added Weight (F R)	Option Number	Factory D&H [§]	List Price	Mfr's Suggested Retail Price◇
-------------	--------------------	---------------	--------------------------	------------	-------------------------------

POWER TEAMS AND AXLES

(Refer to Power Teams Chart for availability and complete specifications)

Engines:

5.0 Litre (305 Cu. In.) 2 BBL V8. C10 series only. Not available when YF5 California Emission is specified.....	69	17	LG9	N.A.	240.00	240.00
5.7 Litre (350 Cu. In.) 4 BBL V8.						
C10 series only.....	83	18	LS9	N.A.	365.00	365.00
K10 series only.....	16	4	LS9	N.A.	125.00	125.00
6.6 Litre (400 Cu. In.) 4 BBL. K10-K20 series only. Available only when MX1 Automatic transmission is specified						
K10 series only.....	32	8	LF4	N.A.	295.00	295.00
K20 series only.....	16	4	LF4	N.A.	170.00	170.00
7.4 Litre (454 Cu. In.) 4 BBL. C10-K20 series only. Available only when UA1 HD battery, N41 power steering and MX1 Automatic transmission are specified.						
C10 series only.....	285	100	LF8	N.A.	605.00	605.00
C20 series only.....	184	9	LF8	N.A.	240.00	240.00

Liquid Petroleum Gas Conversion: All 1979 Light Duty Truck gasoline production engines may be converted to use LP Gas when permissible under Federal and State laws and regulations without causing harmful effect to the engine. Complete conversion to LPG requires adaptation by a local distributor who sells and services LPG equipment. The exhaust system of the vehicles must be revised by the local distributor. This includes removing the catalytic converter (if so equipped) and replacing it with a muffling device to comply with noise laws of their particular area. Caution should be exercised so that the fuel tank is mounted on and is vented to the outside of the vehicle. In addition, vehicles converted to LPG should not be stored in enclosed places such as garages.

Transmissions:

Automatic. K20 series includes extra cooling.						
With LE3 4.1 Litre 2 BBL engine. C10 series only.....	18	7	MX1	N.A.	370.00	370.00
With LG9 5.0 Litre 2 BBL engine or LS9 5.7 Litre 4 BBL engine.						
C10 series only.....	13	7	MX1	N.A.	370.00	370.00
K10 series only.....	55	21	MX1	N.A.	370.00	370.00

- § Factory D & H Charges reflect provisions for pass through of tire weight tax imposed on manufacturer or importer of tires.
- ◇ State and local taxes not included.

SUBURBAN

OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments of 1979 model motor vehicles

Description	Added Weight (F R)		Option Number	Factory D&H [§]	List Price	Mfr's Suggested Retail Price [◇]
POWER TEAMS AND AXLES						
TRANSMISSIONS: (Continued)						
With LF4 6.6 Litre 4 BBL engine. K10-20 series only . . .	55	21	MX1	N.A.	370.00	370.00
With LF8 7.4 Litre 4 BBL engine. C10 series only.	28	11	MX1	N.A.	385.00	385.00
<i>4-Speed Manual. C-K10 or K20 series only.</i> C10 series only. Available when LE3 4.1 Litre 2 BBL engine. LG9 5.0 Litre 2 BBL engine or LS9 5.7 Litre 4 BBL engine is specified.	79	25	MM4	N.A.	164.00	164.00
C20 series only. Available only when LS9 5.7 Litre 4 BBL engine is specified.	0	0	MM4	<i>NO ADDITIONAL CHARGE</i>		
K10-20 series only. Available only when LS9 5.7 Litre 4 BBL engine is specified.	75	25	MM4	N.A.	164.00	164.00
Axles, Rear: (See Power Teams Chart for option number selection, availability and complete specifications) <i>Optional Ratio.</i>	0	0	N.A.	25.00	25.00
<i>Locking Differential.</i> C-K10 series only.	0	3	G80	N.A.	185.00	185.00
C-K20 series only.	0	5	G80	N.A.	185.00	185.00

MODEL OPTIONS

(See Interior and Exterior Color Selection Chart)

Scottsdale: Not available when YE9 Silverado is specified. Includes bright windshield and rear side window moldings; V37 front and rear bumpers; B84 body side spear moldings; bright taillight, turn signal and side marker lamp bezels, dual horns; nameplates on front fender and instrument panel; BB5 headliner; U37 cigarette lighter; C91 dome lamp with bright bezels; bright sill plates; special insulation; Also includes spare tire cover when spare tire is specified.	33	49	Z62	N.A.	308.00	308.00
Silverado: With custom cloth or custom vinyl seats only. Includes V37 front and rear bumpers; N31 custom steering wheel; B85 bright body side upper moldings; taillight and rear door or tailgate moldings; bright front turn signal and front side marker lamp bezels; Silverado fender nameplates; bright windshield and rear side window moldings; color-keyed carpeting with bright sill plates; plastic door trim panels with storage pockets and bright brushed-finish accents; BC3 deluxe instrument cluster; N31 custom steering wheel; Z53 voltmeter, temperature and oil pressure gages; dual horns; Silverado nameplate on instrument panel; U37 cigarette lighter; BB5 headliner; C91 dome lamp with bright bezels; special insulation, pillar trim panels; B30 floor and wheelhouse carpeting. Also includes spare tire cover when spare tire is specified.	47	64	YE9	N.A.	622.00	622.00

OTHER OPTIONS

Air Conditioning: All-Weather. Available only when V8 engine is specified. Not available when V10 cold climate package is specified. Includes extra cooling and K77 55-amp generator. <i>Front.</i> Recommended for front seat area cooling only. Without Z62 Scottsdale or YE9 Silverado. Also includes BB5 headliner.	89	31	C60	N.A.	671.00	671.00
C10 series only.	91	29	C60	N.A.	671.00	671.00
K10 series only.	91	29	C60	N.A.	671.00	671.00
Without MX1 Automatic transmission.	89	27	C60	N.A.	671.00	671.00
With MX1 Automatic transmission.	89	27	C60	N.A.	671.00	671.00
With Z62 Scottsdale or YE9 Silverado.	81	12	C60	N.A.	559.00	559.00
C10 series only.	83	10	C60	N.A.	559.00	559.00
K10 series only.	83	10	C60	N.A.	559.00	559.00
Without MX1 Automatic transmission.	81	8	C60	N.A.	559.00	559.00
K20 series only.	81	8	C60	N.A.	559.00	559.00
With MX1 Automatic transmission.	81	8	C60	N.A.	559.00	559.00

[§] Factory D & H Charges reflect provisions for pass through of tire weight tax imposed on manufacturer or importer of tires.
[◇] State and local taxes not included.

SUBURBAN

OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments of 1979 model motor vehicles

Description	Added Weight (F R)	Option Number	Factory D&H [§]	List Price	Mfr's Suggested Retail Price [◇]
OTHER OPTIONS					
Air Conditioning: (Continued)					
<i>Independent Front and Rear.</i> Rear Interior Roof Mounted. Available only when YE9 Silverado or Z62 Scottsdale is specified. Rear system operates on recirculating air. Includes K81 63-amp generator					
C10 series only.....	98 49	C69	N.A.	895.00	895.00
K10 series only.....	100 47	C69	N.A.	895.00	895.00
Without MX1 Automatic transmission.					
K20 series only.....	100 47	C69	N.A.	895.00	895.00
With MX1 Automatic transmission.....	98 45	C69	N.A.	895.00	895.00
Batteries: 12-Volt					
<i>Auxiliary.</i> 3500 Watt Delco Freedom.....					
.....	51 07	TP2	N.A.	97.00	97.00
<i>Heavy-Duty.</i> 4000 Watt Delco Freedom.					
Without V8 engine.....	14 -2	UA1	N.A.	39.00	39.00
With V8 engine. Included when Z82 Trailing Special or V10 Cold-Climate Package is specified.....	2 0	UA1	N.A.	39.00	39.00
Brakes: Heavy-Duty Power.					
C20 series only.....	4 41	J55	N.A.	65.00	65.00
K20 series only. Includes rear springs 2800-lb capacity each.....	4 67	J55	N.A.	65.00	65.00
Bumper Equipment:					
<i>Bumpers, Chromed.</i> Front and Rear. Included when Z62 Scottsdale or YE9 Silverado is specified.....					
.....	0 0	V37	N.A.	54.00	54.00
<i>Bumpers, Deluxe.</i> Front and Rear. Not available when V31 bumper guards are specified. Includes black resilient impact strips and V37 front and rear bumpers.					
Without Z62 Scottsdale or YE9 Silverado.....	3 2	VE5	N.A.	90.00	90.00
With Z62 Scottsdale or YE9 Silverado.....	3 2	VE5	N.A.	36.00	36.00
<i>Guards, Chromed Front Bumper.</i> Available only when V37 front and rear bumpers, Z62 Scottsdale or YE9 Silverado is specified					
.....	10 -2	V31	N.A.	33.00	33.00
Clock, Electric: Not available when U16 tachometer is specified.					
Without YE9 Silverado. Includes Z53 voltmeter, temperature and oil pressure gages.....					
.....	1 0	U35	N.A.	55.00	55.00
With YE9 Silverado.....	0 0	U35	N.A.	26.00	26.00
Cold-Climate Package: Not available when C60 front air conditioning or C69 front and rear air conditioning is specified. Includes super heater and defroster, engine block heater and anti-freeze protection to -32 degrees.					
Without V8 engine.....	16 -2	V10	N.A.	140.00	140.00
With V8 engine					
Without Z82 Trailing Special. Also includes UA1 HD battery and K77 55-Amp Generator.....					
.....	4 0	V10	N.A.	140.00	140.00
With Z82 Trailing Special.....	2 0	V10	N.A.	101.00	101.00
Coolers: Recommended for heavy duty trailering.					
<i>Engine Oil.</i> Available only when V8 engine is specified.....					
.....	9 -1	KC4	N.A.	91.00	91.00
<i>Transmission Oil.</i> Available only when LS9 5.7 Litre 4 BBL engine, LF4 6.6 Litre 4 BBL engine or LF8 7.4 Litre 4 BBL engine and MX1 Automatic transmission are specified. C-K10 series also available only when C60 air conditioning or V01 HD radiator is specified with LS9 5.7 Litre 4 BBL engine or LF8 7.4 Litre 4 BBL engine					
.....	5 -1	V02	N.A.	45.00	45.00
Cooling: Radiator, Heavy-Duty. Not available when C60 front air conditioning or C69 front and rear air conditioning is specified.					
C10 series only.					
With LE3 4.1 Litre 2 BBL engine or LF8 7.4 Litre 4 BBL engine	4 -1	V01	N.A.	40.00	40.00
With LG9 5.0 Litre 2 BBL engine or LS9 5.7 Litre 4 BBL engine	8 -1	V01	N.A.	40.00	40.00
K10 series only. Also not available when LF4 6.6 Litre 4 BBL engine is specified.....	8 -1	V01	N.A.	40.00	40.00
K20 series only. Also not available when MX1 Automatic transmission is specified.....	6 -1	V01	N.A.	40.00	40.00
Emission Systems:					
<i>California Emission Requirements:</i> Includes all testing, equipment and /or certification necessary for registration in the State of California (See Power Teams Chart for availability and complete specifications).....					
.....	12 0	YF5	N.A.	55.00	55.00

§ Factory D & H Charges reflect provisions for pass through of tire weight tax imposed on manufacturer or importer of tires.

◇ State and local taxes not included.

SUBURBAN

OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments of 1979 model motor vehicles

Description	Added Weight (F R)	Option Number	Factory D&H [§]	List Price	Mfr's Suggested Retail Price [◇]
OTHER OPTIONS					
Floor Covering:					
<i>Carpeting, Floor and Wheelhouse:</i> Available only when Z62 Scottsdale and AT5 or AS3 seats are specified. Included when YE9 Silverado is specified.	.4	32	B30	108.00	108.00
<i>Mats, 2 Color-Keyed Front Floor:</i>	2	1	B32	11.00	11.00
Gages:					
<i>Voltmeter, Temperature and Oil Pressure:</i> Included when YE9 Silverado, U35 electric clock or U16 tachometer is specified.	1	0	Z53	29.00	29.00
<i>Tachometer:</i> Available only when V8 engine is specified. Not available when U35 electric clock is specified.	2	0	U16	87.00	87.00
Without YE9 Silverado Includes Z53 voltmeter, temperature and oil pressure gages	1	0	U16	58.00	58.00
With YE9 Silverado					
Generators:					
<i>55-amp Delcotron:</i> Not available when Z82 Trailering or C69 front and rear Air conditioning is specified. Included when C60 front air conditioning or V10 Cold-Climate Package is specified.	0	0	K77	44.00	44.00
<i>63-Amp Delcotron:</i> Included when C69 front and rear air conditioning or Z82 trailering special are specified.	0	0	K81	49.00	49.00
Without C60 Air Conditioning or V10 Cold-Climate Package.	0	0	K81	5.00	5.00
With C60 Air Conditioning or V10 Cold-Climate Package	0	0	A01	57.00	57.00
Glass: Tinted. All Windows	0	0	V22	29.00	29.00
Grille: Chromed.	0	0	UY7	33.00	33.00
Harness, Trailer Wiring: Heavy-Duty.	0	3	T63	8.00	8.00
Headlamp Warning Buzzer.	0	0			
Headliner, Interior: Included when YE9 Silverado, Z62 Scottsdale, C60 front air conditioning or C69 front and rear air conditioning is specified. Includes C91 dome lamp.	8	19	BB5	112.00	112.00
Hood Lock Release: Inside	1	0	T44	23.00	23.00
Instrument Panel, Deluxe: Available only when U35 electric clock, U16 tachometer or Z53 voltmeter, temperature and oil pressure gages are specified. Included when YE9 Silverado is specified.	0	0	BC3	37.00	37.00
Lamps:					
<i>Dome.</i> Two. Included when BB5 headliner, C60 front air conditioning, C69 front and rear air conditioning, Z62 Scottsdale or YE9 Silverado is specified. Includes door actuated switches and bright bezels	1	0	C91	26.00	26.00
<i>Roof Marker.</i> Five. Not available for registration in the State of California	1	0	U01	37.00	37.00
Lighter, Cigarette: Included when YE9 Silverado or Z62 Scottsdale is specified.	0	0	U37	23.00	23.00
Mirrors, Exterior: LH and RH.					
<i>Below-Eye-Line Type.</i> 7.5" x 10.5". Provides field of vision for vehicles to 80" wide.					
Painted	6	1	D29	30.00	30.00
Stainless Steel	5	1	DG4	55.00	55.00
<i>Camper Type.</i> Stainless steel. Includes below-eye-line mirrors with adjustable arm feature to provide field of vision for vehicles to 96" wide. Shipped loose for dealer installation.	5	1	DF2	71.00	71.00
Moldings:					
<i>Body Side Spear.</i> Bright with black insert. Not available when ZY3 special two-tone paint, ZY5 Exterior Decor Package, YE9 Silverado, YG2 wood-grained exterior trim, B85 body side upper moldings or YG1 body side upper and lower moldings are specified. Included when Z62 Scottsdale is specified	3	3	B84	62.00	62.00
<i>Body Side Upper.</i> Not available when ZY3 special two-tone paint, ZY5 Exterior Decor Package, YG2 wood-grained exterior trim, B84 body side spear moldings or YG1 body side upper and lower moldings are specified. Included when YE9 Silverado is specified. Includes fender, door, rear side panel, rear door or tailgate moldings plus bright front turn signal, front side marker and taillight trim.					
Without Z62 Scottsdale	2	3	B85	63.00	63.00
With Z62 Scottsdale	2	3	B85	1.00	1.00

§ Factory D & H Charges reflect provisions for pass through of tire weight tax imposed on manufacturer or importer of tires.
 ◇ State and local taxes not included.

SUBURBAN

OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments of 1979 model motor vehicles

Description	Added Weight (F R)	Option Number	Factory D&Hs	List Price	Mfr's Suggested Retail Price ◊	
OTHER OPTIONS						
Moldings: (Continued)						
<i>Body Side Upper and Lower.</i> Not available when B84 body side spear moldings are specified. Included when ZY3 special two-tone paint, ZY5 Exterior Decor Package or YG2 wood-grained trim is specified. Includes lower body side, rear door or tailgate and B96 wheel opening moldings.						
Without Z62 Scottsdale or YE9 Silverado. Also includes B85 body side upper moldings described above.	4	5	YG1	N.A.	158.00	158.00
With Z62 Scottsdale.	3	4	YG1	N.A.	96.00	96.00
With YE9 Silverado	3	4	YG1	N.A.	95.00	95.00
<i>Guards, Door Edge.</i> Not available when YG2 wood-grained exterior trim is specified.						
	0	0	B93	N.A.	17.00	17.00
<i>Wheel Opening.</i> Included when YG1 upper and lower moldings, YG2 wood-grained exterior trim, ZY3 special two-tone paint or ZY5 Exterior Decor Package is specified.						
	1	1	B96	N.A.	23.00	23.00
Paints, Exterior: See Interior and Exterior Color Selection Chart for ordering information.						
<i>Solid.</i>						
	0	0	ZY1	NO ADDITIONAL CHARGE		
<i>Special Two-Tone.</i> Area between upper and lower side moldings painted secondary color. Includes YG1 body side upper and lower moldings and B96 wheel opening moldings.						
Without Z62 Scottsdale or YE9 Silverado.	3	4	ZY3	N.A.	259.00	259.00
With Z62 Scottsdale	3	4	ZY3	N.A.	197.00	197.00
With YE9 Silverado	3	4	ZY3	N.A.	196.00	196.00
<i>Exterior Decor Package.</i> Hood and area between upper and lower side moldings painted secondary color. Includes YG1 body side upper and lower moldings, B96 wheel opening moldings, hood ornament and hood accent stripes.						
Without Z62 Scottsdale or YE9 Silverado.	3	4	ZY5	N.A.	370.00	370.00
With Z62 Scottsdale	3	4	ZY5	N.A.	308.00	308.00
With YE9 Silverado	3	4	ZY5	N.A.	307.00	307.00
Plate, Fuel Tank Shield:						
C10-20 series only						
Without NE2 fuel tank	-6	33	NY1	N.A.	38.00	38.00
With NE2 fuel tank	-6	33	NY1	N.A.	97.00	97.00
K10-20 series only. Includes transfer case skid plate.						
Without NE2 fuel tank	7	46	NY1	N.A.	71.00	71.00
With NE2 fuel tank	7	46	NY1	N.A.	130.00	130.00
Radio Equipment:						
<i>AM Radio.</i> Pushbutton. Includes U76 antenna						
	4	1	U63	N.A.	93.00	93.00
<i>AM /FM Radio.</i> Pushbutton. Includes U76 antenna						
	6	1	U69	N.A.	168.00	168.00
<i>Speaker, Rear Auxiliary.</i> Available only when U63 AM radio or U69 AM /FM radio is specified.						
	0	2	U80	N.A.	38.00	38.00
<i>Windshield Antenna.</i> Included when U63 AM radio or U69 AM /FM radio is specified.						
	0	0	U76	N.A.	27.00	27.00
Seats: Seat trim matches front seat whether standard or optional. Includes seat area floor covering, floor insulation and (3) seat belts. <i>Dealer Note</i> - One of the following seat options must be specified. (Added weight includes passenger weight allowance of 150-lbs per seating position).						
<i>Center only.</i> Non-adjustable type with independent LH and RH folding sections						
	152	416	AT5	N.A.	290.00	290.00
<i>Center and Rear.</i> Includes non-adjustable center and quick release removable type rear seats, (3) additional seat belts plus LH and RH rear arm rests with ash trays.						
C10 series only. Available only when LL or LK L78-15 /D or CD LR78-15 /C tires are specified. Not available when LE3 4.1 Litre 2 BBL engine is specified. Also includes F59 stabilizer						
	141	961	AS3	N.A.	566.00	566.00
K10 series only. Available only when LL or LK L78-15 /D or CD LR78-15 /C tires are specified.						
	121	961	AS3	N.A.	540.00	540.00
C-K20 series only						
	121	961	AS3	N.A.	540.00	540.00
<i>Seat Not Desired.</i>						
	0	0	YG4	NO ADDITIONAL CHARGE		

9 Factory D & H Charges reflect provisions for pass through of tire weight tax imposed on manufacturer or importer of tires.
 ◊ State and local taxes not included.

SUBURBAN

OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments of 1979 model motor vehicles

Description	Added Weight (F R)	Option Number	Factory D&H [§]	List Price	Mfr's Suggested Retail Price [◇]
OTHER OPTIONS					
Seat Trim: Driver and Passenger.					
<i>Vinyl Bench Seat. Not available when Z62 Scottsdale or YE9 Silverado is specified.</i>					
	0	0	...	<i>NO ADDITIONAL CHARGE</i>	
<i>Special Custom Cloth Bench Seat. Available only when Z62 Scottsdale or YE9 Silverado is specified</i>					
<i>With Z62 Scottsdale</i>					
Without AT5 or AS3 seats	0	0	...	N.A.	42.00
With AT5 center seat without AS3 center and rear seats. Includes full floor mats	0	0	...	N.A.	98.00
With AS3 center and rear seats. Includes full floor mats	0	0	...	N.A.	140.00
<i>With YE9 Silverado</i>					
Without AT5 or AS3 seats	0	0	...	<i>NO ADDITIONAL CHARGE</i>	
With AT5 center seat without AS3 center and rear seats. Includes full floor carpeting	0	0	...	N.A.	114.00
With AS3 center and rear seats. Includes full floor carpeting	0	0	...	N.A.	156.00
<i>Custom Vinyl Bench Seat. Available only when Z62 Scottsdale or YE9 Silverado is specified.</i>					
<i>With Z62 Scottsdale</i>					
Without AT5 or AS3 seats	0	0	...	N.A.	42.00
With AT5 center seat without AS3 center and rear seats. Includes full floor mats	0	0	...	N.A.	98.00
With AS3 center and rear seats. Includes full floor mats	0	0	...	N.A.	140.00
<i>With YE9 Silverado</i>					
Without AT5 or AS3 seats	0	0	...	<i>NO ADDITIONAL CHARGE</i>	
With AT5 center seat without AS3 center and rear seats. Includes full floor carpeting	0	0	...	N.A.	114.00
With AS3 center and rear seats. Includes full floor carpeting	0	0	...	N.A.	156.00
<i>Custom Vinyl High Back Bucket Seats. Available only when YE9 Silverado is specified. Includes center console.</i>					
Without AT5 or AS3 seats	-67	-70	...	N.A.	179.00
With AT5 center seat without AS3 center and rear seats. Includes full floor carpeting	-67	-70	...	N.A.	293.00
With AS3 center and rear seats. Includes full floor carpeting	-67	-70	...	N.A.	335.00
Shock Absorbers: Front and Rear, Heavy-Duty. C10-20 series only					
	3	3	F51	N.A.	26.00
Speed Control: Automatic. Available only when V8 engine and MX1 Automatic transmission are specified.					
	6	0	K30	N.A.	99.00
Springs:					
<i>Front, Heavy-Duty. Capacity 1900-lb each.</i>					
C20-series only Capacity 1900-lb each	-3	0	F60	N.A.	11.00
K10-20 series only Capacity 2250-lb each. Includes HD front and rear shock absorbers	30	3	F60	N.A.	71.00
<i>Rear, Heavy-Duty. Rear spring 2800-lb capacity each are included when J55 HD Brakes are specified on K20 series. Capacity 2600-lb each. C20 series only</i>					
	0	26	G50	N.A.	42.00
<i>Rear, Extra Capacity. Capacity 2850-lb each. C20 series only</i>	0	38	G51	N.A.	46.00
Stabilizers:					
<i>Front. 1" diameter. C10-20 series only. Included on C10 series when AS3 seats are specified</i>					
	20	0	F59	N.A.	26.00
<i>Front, Heavy-Duty. C20 series only. Standard on K10-20 series</i>					
	26	0	F58	N.A.	37.00
Steering, Power: Standard on K10-20 series. Included when Z82 Trailering Special is specified.					
<i>C10 series only.</i>					
Without V8 engine	35	0	N41	N.A.	198.00
With V8 engine	29	0	N41	N.A.	198.00
C20 series only	29	0	N41	N.A.	198.00
Steering Wheels:					
<i>Comfortilt. Available only when MM4 4-speed Manual or MX1 Automatic Transmission is specified.</i>					
With MX1 Automatic transmission	2	0	N33	N.A.	78.00
With MM4 4-speed transmission	3	1	N33	N.A.	78.00
<i>Custom. Includes 16" steering wheel. Included when YE9 Silverado is specified.</i>					
	0	0	N31	N.A.	15.00

[§] Factory D & H Charges reflect provisions for pass through of tire weight tax imposed on manufacturer or importer of tires.
[◇] State and local taxes not included.

SUBURBAN

OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments of 1979 model motor vehicles

Description	Added Weight (F R)	Option Number	Factory D&H [§]	List Price	Mfr's Suggested Retail Price [◇]
OTHER OPTIONS					
Tank, Fuel: Replaces production fuel tank					
Approximately 31-Gallon Capacity	-7 48	NK7	N.A.	33.00	33.00
Approximately 40-Gallon Capacity	-15 124	NE2	N.A.	71.00	71.00
Tires and Wheels: See following pages					
Towing Device: Two front towing hooks. K10-20 series only					
	11 -2	V76	N.A.	30.00	30.00
Trailer Hitch:					
Deadweight Type	-9 30	VR2	N.A.	43.00	43.00
Weight Distributing Platform Type	-21 69	VR4	N.A.	122.00	122.00
Trailer Special: Available only when V8 engine, MM4 4-speed or MX1 Automatic transmission is specified. MM4 4-speed transmission available only when V01 HD radiator is specified unless C60 front air conditioning or C69 front and rear air conditioning is specified. Includes UA1 HD battery and Trailing Special emblem. See Chart A on the Trailing Special Package page for Suburban, under the Recreational Vehicles Tab, for GCW ratings with available power teams combinations.					
C10-20 series only. Also includes N41 power steering. C10 series also requires F59 Stabilizer Bar and AT5 or AS3 seats. Not available when H78-15, 6.50-16, 7.00-15 or 10.00-15 tires are specified on C10 series.					
Without V10 Cold-Climate Package, C60 front or C69 front and rear air conditioning. Also includes K81 63-amp generator.					
	31 0	Z82	N.A.	286.00	286.00
With V10 cold-climate or C60 front air conditioning. Also includes K81 63-amp generator.					
	31 0	Z82	N.A.	242.00	242.00
With C69 Front and Rear Air Conditioning					
	31 0	Z82	N.A.	237.00	237.00
K10-20 series only. K10 series also requires 1790-lb capacity or larger tires.					
Without V10 Cold-Climate Package, C60 front or C69 front and rear air conditioning. Also includes K81 63-amp generator.					
	31 0	Z82	N.A.	88.00	88.00
With V10 Cold-Climate Package or C60 front air conditioning. Also includes K81 63-Amp Generator					
	31 0	Z82	N.A.	44.00	44.00
With C69 Front and Rear Air Conditioning					
	31 0	Z82	N.A.	39.00	39.00
Wheel Trim: Bright Metal.					
<i>Trim Rings. Not available on C-K10 series when H78-15 tires are specified or on C-K20 series when 7.50-16 tires are specified. Included when N67 rally wheels are specified.</i>					
	2 2	P06	N.A.	43.00	43.00
Wheel Covers. Not available on C-K10 series when MG 6.50-16 /C tires are specified.					
C10 series only.					
	1 1	P01	N.A.	23.00	23.00
C20 series only. Not available when 7.50-16 tires are specified.					
	1 1	P01	N.A.	66.00	66.00
K10 series only.					
	3 3	P01	N.A.	23.00	23.00
K20 series only. Not available when 7.50-16 or 10.00-16 tires are specified.					
	3 3	P01	N.A.	66.00	66.00
Wheels: C-K10 series only. Not available when MG 6.50-16 /C or NH 7.00-15 /C tires are specified on C-K10 series. Also not available when HL or HM H78-15 /B tires are specified on K10 series.					
Rally. Includes special hub caps and P06 trim rings.					
C10 series only.					
Without HL, HM or H78-15 tires. Also includes 15" x 8" wheels					
	3 4	N67	N.A.	84.00	84.00
With HL, HM or H78-15 tires. Also includes 15" x 7" wheels					
	3 4	N67	N.A.	84.00	84.00
K10 series only. Also includes 15" x 8" wheels					
	2 2	N67	N.A.	84.00	84.00
Styled.					
C10 series only.					
	1 2	PA6	N.A.	170.00	170.00
K10 series only.					
	2 3	PA6	N.A.	170.00	170.00
Window, Tailgate: Electric. Available only when E55 Tailgate series is specified.					
	-3 10	A33	N.A.	65.00	65.00
Windshield Wiper System: Intermittent					
	1 0	CD4	N.A.	33.00	33.00

[§] Factory D & H Charges reflect provisions for pass through of tire weight tax imposed on manufacturer or importer of tires.
[◇] State and local taxes not included.

SUBURBAN

OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Prices shown are effective with initial shipments of 1979 model motor vehicles

Description	Added Weight (F R)	Option Number	Factory D&H [§]	List Price	Mfr's Suggested Retail Price [◇]
-------------	-----------------------	---------------	--------------------------	------------	---

OTHER OPTIONS

Wood-Grained Exterior Trim: Not available when ZY5 Exterior Decor Package, ZY3 special two-tone paint, B84 body side spear moldings or B85 body side upper moldings are specified. Includes Estate nameplate, YG1 body side upper and lower moldings and B96 wheel opening moldings.

Without Z62 Scottsdale or YE9 Silverado	3	4	YG2	N.A.	295.00	295.00
With Z62 Scottsdale	3	4	YG2	N.A.	233.00	233.00
With YE9 Silverado	3	4	YG2	N.A.	232.00	232.00

[§] Factory D & H Charges reflect provisions for pass through of tire weight tax imposed on manufacturer or importer of tires.
[◇] State and local taxes not included.

SUBURBAN

FACTORY INSTALLED TIRES

See Tire Chart for Available Front/Rear Combinations.
Spare tire available to match either front or rear tires.
Prices shown are effective with initial shipments of 1979 model motor vehicles

Tire Size and Type	Rim Width Included In Tire Option	Added Weight (F) (R)	Option Number	Factory D&H [§]	List Price	Mfr's Suggested Retail Price [◇]
C10 SERIES						
TUBELESS TIRES USED WITH SINGLE REAR WHEELS						
H78-15 /B Passenger Type. Maximum Tire Capacity (Each)— Front (1605) Rear (1605)						
<i>AVAILABLE ONLY WHEN LE3 4.1 LITRE 2 BBL ENGINE OR LG9 5.0 LITRE 2 BBL ENGINE IS SPECIFIED</i>						
Highway Bias Belted Ply Blackwall						
Front (Standard)	6.00	0 0	XHL		NO ADDITIONAL CHARGE	
Rear (Standard)	6.00	0 0	YHL		NO ADDITIONAL CHARGE	
Spare (Standard)	6.00	0 0	ZHL		NO ADDITIONAL CHARGE	
Highway Bias Belted Ply White Stripe						
Front	6.00	1 0	XHM	N.C.	20.00	20.00
Rear	6.00	0 1	YHM	N.C.	20.00	20.00
Spare	6.00	0 1	ZHM	N.C.	10.00	10.00
On-Off Road Bias Belted Ply Blackwall						
Rear	6.00	0 5	YHR	0.48	12.00	12.48
Spare	6.00	0 2	ZHR	0.24	6.00	6.24
L78-15 /B Passenger Type. Maximum Tire Capacity (Each)— Front (1790) Rear (1790)						
Highway Bias Belted Ply Blackwall						
Front	6.00	5 0	XLB	0.56	28.00	28.56
Rear	6.00	0 5	YLB	0.56	28.00	28.56
Spare	6.00	0 3	ZLB	0.28	14.00	14.28
Highway Bias Belted Ply White Stripe						
Front	6.00	6 0	XLD	0.56	52.00	52.56
Rear	6.00	0 6	YLD	0.56	52.00	52.56
Spare	6.00	0 3	ZLD	0.28	26.00	26.28
On-Off Road Bias Belted Ply Blackwall						
Rear	6.00	0 17	YLC	1.02	40.00	41.02
Spare	6.00	0 14	ZLC	0.51	20.00	20.51
L78-15 /D Passenger Type. Maximum Tire Capacity (Each)— Front (1905) Rear (1905)						
Highway Bias Belted Ply Blackwall						
Front	6.00	14 0	XLK	1.36	50.00	51.36
Rear	6.00	0 14	YLK	1.36	50.00	51.36
Spare	6.00	-2 9	ZLK	0.68	25.00	25.68
Highway Bias Belted Ply White Stripe						
Front	6.00	15 0	XLL	1.36	74.00	75.36
Rear	6.00	0 15	YLL	1.36	74.00	75.36
Spare	6.00	-2 9	ZLL	0.68	37.00	37.68
LR78-15 /C Passenger Type. Maximum Tire Capacity (Each)— Front (1905) Rear (1905)						
Highway Steel Belted Radial Ply White Stripe						
Front	6.00	11 0	XCD	1.28	114.00	115.28
Rear	6.00	0 11	YCD	1.28	114.00	115.28
Spare	6.00	-1 7	ZCD	0.64	57.00	57.64
10.00-15 /B (4 PR) Truck Type. Maximum Tire Capacity (Each)—Front (1760) Rear (1760)						
<i>Available only when N67 Rally or PA6 Styled Wheels is specified</i>						
Polyester White Lettered						
Front	8.00	54 0	XWS	3.14	142.00	145.14
Rear	8.00	0 54	YWS	3.14	142.00	145.14
Spare	8.00	-5 27	ZWS	1.57	71.00	72.57

§ Factory D & H Charges reflect provisions for pass through of tire weight tax imposed on manufacturer or importer of tires.
◇ State and local taxes not included.

SUBURBAN

FACTORY INSTALLED TIRES

See Tire Chart for Available Front/Rear Combinations.
Spare tire available to match either front or rear tires.
Prices shown are effective with initial shipments of 1979 model motor vehicles

Tire Size and Type	Rim Width Included In Tire Option	Added Weight (F) (R)		Option Number	Factory D&H [§]	List Price	Mfr's Suggested Retail Price [◇]
--------------------	-----------------------------------	----------------------	--	---------------	--------------------------	------------	---

C10 SERIES

TUBE-TYPE TIRES USED WITH SINGLE REAR WHEELS

6.50-16 /C (6 PR) Truck Type. Maximum Tire Capacity (Each)— Front (1610) Rear (1610)

Available only when LE3 4.1 Litre 1 BBL engine or LG9 5.0 Litre 2 BBL engine is specified

Highway Nylon Blackwall

Front	5.00	10	0	XMG	0.34	12.00	12.34
Rear	5.00	0	10	YMG	0.34	12.00	12.34
Spare	5.00	-1	6	ZMG	0.17	6.00	6.17

7.00-15 /C (6 PR) Truck Type. Maximum Tire Capacity (Each)— Front (1720) Rear (1720)

Highway Nylon Blackwall

Front	6.00	7	0	XNH	0.82	36.00	36.82
Rear	6.00	0	7	YNH	0.82	36.00	36.82
Spare	6.00	0	4	ZNH	0.41	18.00	18.41

K10 SERIES

TUBELESS TIRES USED WITH SINGLE REAR WHEELS

H78-15 /B Passenger Type. Maximum Tire Capacity (Each)— Front (1605) Rear (1605)

Highway Bias Belted Ply Blackwall

Front (Standard)	6.00	0	0	XHL	<i>NO ADDITIONAL CHARGE</i>		
Rear (Standard)	6.00	0	0	YHL	<i>NO ADDITIONAL CHARGE</i>		
Spare (Standard)	6.00	0	0	ZHL	<i>NO ADDITIONAL CHARGE</i>		

Highway Bias Belted Ply White Stripe

Front	6.00	1	0	XHM	N.C.	20.00	20.00
Rear	6.00	0	1	YHM	N.C.	20.00	20.00
Spare	6.00	0	1	ZHM	N.C.	10.00	10.00

On-Off Road Bias Belted Ply Blackwall

Front	6.00	3	0	XHR	0.48	12.00	12.48
Rear	6.00	0	3	YHR	0.48	12.00	12.48
Spare	6.00	0	2	ZHR	0.24	6.00	6.24

L78-15 /B Passenger Type. Maximum Tire Capacity (Each)— Front (1790) Rear (1790)

Highway Bias Belted Ply Blackwall

Front	6.00	5	0	XLB	0.56	28.00	28.56
Rear	6.00	0	5	YLB	0.56	28.00	28.56
Spare	6.00	0	3	ZLB	0.28	14.00	14.28

Highway Bias Belted Ply White Stripe

Front	6.00	5	0	XLD	0.56	52.00	52.56
Rear	6.00	0	5	YLD	0.56	52.00	52.56
Spare	6.00	0	3	ZLD	0.28	26.00	26.28

On-Off Road Bias Belted Ply Blackwall

Front	6.00	6	0	XLC	1.02	40.00	41.02
Rear	6.00	0	6	YLC	1.02	40.00	41.02
Spare	6.00	0	4	ZLC	0.51	20.00	20.51

[§] Factory D & H Charges reflect provisions for pass through of tire weight tax imposed on manufacturer or importer of tires.
[◇] State and local taxes not included.

SUBURBAN

FACTORY INSTALLED TIRES

See Tire Chart for Available Front/Rear Combinations.
Spare tire available to match either front or rear tires.
Prices shown are effective with initial shipments of 1979 model motor vehicles

Tire Size and Type	Rim Width Included In Tire Option	Added Weight (F) (R)		Option Number	Factory D&H [§]	List Price	Mfr's Suggested Retail Price [○]
--------------------	--	----------------------------	--	------------------	-----------------------------	---------------	--

K10 SERIES

TUBELESS TIRES USED WITH SINGLE REAR WHEELS

L78-15 /D Passenger Type. Maximum Tire Capacity (Each)— Front (2025) Rear (2025)

Highway Bias Belted Ply Blackwall

Front	6.00	14	0	XLK	1.36	50.00	51.36
Rear	6.00	0	14	YLK	1.36	50.00	51.36
Spare	6.00	-2	9	ZLK	0.68	25.00	25.68

Highway Bias Belted Ply White Stripe

Front	6.00	14	0	XLL	1.36	74.00	75.36
Rear	6.00	0	14	YLL	1.36	74.00	75.36
Spare	6.00	-2	9	ZLL	0.68	37.00	37.68

LR78-15 /C Passenger Type. Maximum Tire Capacity (Each)— Front (1905) Rear (1905)

Highway Steel Belted Radial Ply White Stripe

Front	6.00	11	0	XCD	1.28	114.00	115.28
Rear	6.00	0	11	YCD	1.28	114.00	115.28
Spare	6.00	-1	7	ZCD	0.64	57.00	57.64

K10 SERIES

TUBELESS WIDE BASE WHEELS USED WITH SINGLE REAR WHEELS

10.00-15 /B (4 PR) Truck Type. Maximum Tire Capacity (Each)— Front (1760) Rear (1760)

Polyester Blackwall

Front	8.00	30	0	XWR	3.14	130.00	133.14
Rear	8.00	0	30	YWR	3.14	130.00	133.14
Spare	8.00	-3	18	ZWR	1.57	65.00	66.57

Polyester White Lettered

Front	8.00	32	0	XWS	3.14	142.00	145.14
Rear	8.00	0	32	YWS	3.14	142.00	145.14
Spare	8.00	-4	20	ZWS	1.57	71.00	72.57

K10 SERIES

TUBE-TYPE TIRES USED WITH SINGLE REAR WHEELS

6.50-16 /C (6 PR) Truck Type. Maximum Tire Capacity (Each)— Front (1610) Rear (1610)

Highway Nylon Blackwall

Front	5.00	5	0	XMG	0.34	12.00	12.34
Rear	5.00	0	5	YMG	0.34	12.00	12.34
Spare	5.00	-1	1	ZMG	0.17	6.00	6.17

7.00-15 /C (6 PR) Truck Type. Maximum Tire Capacity (Each)— Front (1720) Rear (1720)

Highway Nylon Blackwall

Front	6.00	7	0	XNH	0.82	36.00	36.82
Rear	6.00	0	7	YNH	0.82	36.00	36.82
Spare	6.00	0	4	ZNH	0.41	18.00	18.41

[§] Factory D & H Charges reflect provisions for pass through of tire weight tax imposed on manufacturer or importer of tires.
[○] State and local taxes not included.

SUBURBAN

FACTORY INSTALLED TIRES

See Tire Chart for Available Front/Rear Combinations.
Spare tire available to match either front or rear tires.
Prices shown are effective with initial shipments of 1979 model motor vehicles

Tire Size and Type	Rim Width Included In Tire Option	Added Weight (F) (R)	Option Number	Factory D&Hs	List Price	Mfr's Suggested Retail Price◇
--------------------	-----------------------------------	----------------------	---------------	--------------	------------	-------------------------------

C-K20 SERIES WIDE BASE TUBELESS TIRES USED WITH SINGLE REAR WHEELS

8.75-16.5 /C (6 PR) Maximum Tire Capacity (Each)— Front (1990) Rear (1990)

Highway Polyester						
Front (Standard)	6.00	0 0	XTR		NO ADDITIONAL CHARGE	
Rear (Standard)	6.00	0 0	YTR		NO ADDITIONAL CHARGE	
Spare	6.00	-9 45	ZTR	3.71	102.00	105.71

8.75-16.5 /D (8 PR) Maximum Tire Capacity (Each)— Front (2350) Rear (2350)

Highway Polyester						
Front	6.00	8 0	XTA	0.42	22.00	22.42
Rear	6.00	0 8	YTA	0.42	22.00	22.42
Spare	6.00	-10 51	ZTA	3.92	113.00	116.92
On-Off Road Nylon						
Front, K20 series only	6.00	7 0	XTF	0.72	40.00	40.72
Rear	6.00	0 7	YTF	0.72	40.00	40.72
Spare	8.00	-10 50	ZTF	4.07	122.00	126.07

8.75R-16.5 /D (8 PR) Maximum Tire Capacity (Each)— Front (2350) Rear (2350)

Highway Steel Belted Radial Ply Blackwall						
Front	6.00	16 0	XRU	1.06	106.00	107.06
Rear	6.00	0 16	YRU	1.06	106.00	107.06
Spare	6.00	-12 59	ZRU	4.24	155.00	159.24

9.50-16.5 /D (8 PR) Maximum Tire Capacity (Each)— Front (2780) Rear (2780)

Highway Polyester						
Front	6.75	32 0	XUF	1.50	60.00	61.50
Rear	6.75	0 32	YUF	1.50	62.00	63.50
Spare	6.75	-13 65	ZUF	4.46	130.00	134.46
On-Off Road Nylon						
Front, K20 series only	6.75	31 0	XUE	1.82	80.00	81.82
Rear	6.75	0 31	YUE	1.82	82.00	83.82
Spare	6.75	-13 64	ZUE	4.62	140.00	144.62

9.50R-16.5 /D (8 PR) Maximum Tire Capacity (Each)— Front (2780) Rear (2780)

Highway Steel Belted Radial Ply Blackwall						
Front	6.75	26 0	XUK	2.50	144.00	146.50
Rear	6.75	0 26	YUK	2.50	146.00	148.50
Spare	6.75	-14 70	ZUK	4.96	172.00	176.96

K20 SERIES TUBELESS FLOTATION TYPE TIRES USED WITH SINGLE REAR WHEELS

10.00-16.5 /D (8 PR) Maximum Tire Capacity (Each)— Front (2750) Rear (2750)

On-Off Road Nylon						
Front	8.25	42 0	XWF	2.06	174.00	176.06
Rear	8.25	0 42	YWF	2.06	203.00	205.06
Spare	8.25	-14 71	ZWF	4.74	160.00	164.74

§ Factory D & H Charges reflect provisions for pass through of tire weight tax imposed on manufacturer or importer of tires.
◇ State and local taxes not included.

SUBURBAN

FACTORY INSTALLED TIRES

See Tire Chart for Available Front/Rear Combinations.
Spare tire available to match either front or rear tires.
Prices shown are effective with initial shipments of 1979 model motor vehicles

Tire Size and Type	Rim Width Included In Tire Option	Added Weight (F) (R)		Option Number	Factory D&H's	List Price	Mfr's Suggested Retail Price [◇]
C-K20 SERIES							
TUBE-TYPE TIRES USED WITH SINGLE REAR WHEELS							
7.50-16 /C (6 PR) Maximum Tire Capacity (Each)— Front (2060) Rear (2060)							
Highway Nylon							
Front	6.00	17	0	XPB	0.18	(-14.00)	(-13.82)
Rear	6.00	0	17	YPB	0.18	(-13.00)	(-12.82)
Spare	6.00	-11	56	ZPB	3.80	94.00	97.80
On-Off Road Nylon							
Front. K20 series only	6.00	26	0	XPC	1.06	20.00	21.06
Rear	6.00	0	26	YPC	1.06	21.00	22.06
Spare	6.00	-12	61	ZPC	4.24	111.00	115.24
7.50-16 /D (8 PR) Maximum Tire Capacity (Each)— Front (2440) Rear (2440)							
Highway Nylon							
Front	6.00	24	0	XPF	0.64	8.00	8.64
Rear	6.00	0	24	YPF	0.64	9.00	9.64
Spare	6.00	-12	60	ZPF	4.03	105.00	109.03
On-Off Road Nylon							
Front. K20 series only	6.00	30	0	XPG	1.22	44.00	45.22
Rear	6.00	-	30	YPG	1.22	45.00	46.22
Spare	6.00	-13	64	ZPG	4.32	123.00	127.32
7.50-16 /E (10 PR) Maximum Tire Capacity (Each)— Front (2780) Rear (2780)							
Highway Nylon							
Front	6.00	30	0	XPB	1.68	30.00	31.68
Rear	6.00	0	30	YPB	1.68	31.00	32.68
Spare	6.00	-13	64	ZPB	4.55	116.00	120.55
On-Off Road Nylon							
Front. K20 series only	6.00	40	0	XPL	2.14	72.00	74.14
Rear	6.00	0	40	YPL	2.14	73.00	75.14
Spare	6.00	-14	68	ZPL	4.78	137.00	141.78

§ Factory D & H Charges reflect provisions for pass through of tire weight tax imposed on manufacturer or importer of tires.
◇ State and local taxes not included.

NOTES

SUBURBAN

**CAB & BODY FEATURES
CAB DIMENSIONS
SEATING ARRANGEMENTS
COLOR & TRIM CHARTS
TWO-TONES**

SUBURBAN

CUSTOM DELUXE FEATURES—STANDARD MODEL

The Custom Deluxe standard models include the following items as standard equipment



Optional center folding seat also shown in illustration


EXTERIOR

- **Bumpers:** Front and rear; painted white
- **Color:** See Interior and Exterior Color Selection Chart
- **Doors:** Four side doors: two LH and two RH; two rear panel doors (optional endgate with drop-glass available)
- **Grille:** Molded plastic; painted dark gray; integral Chevrolet emblem at center includes bright insert with ochre trim
- **Grille Frame:** Bright headlamp/parking lamp bezels plus bright upper and lower moldings joining extensions of lamp bezels; dark gray-painted bezel centers in headlamp area
- **Horn:** Single, electric, low-note
- **Hub Caps:** Bright metal with black and ochre trim
- **Keys:** Two-key system with separate keys for ignition switch and door locks
- **Lights:**
 - Backup lamps: Two rear (integral with taillamps)
 - Combination parking/direction/hazard: Two front
 - Combination tail/stop/direction/hazard: Two rear
 - Headlamps: Two; Power Beam
 - License plate lamp: Single rear
 - Side marker lamps with reflectors: Two front; two rear (integral with taillamps)
- **Mirrors:** RH and LH fixed arm with adjustable 5½" x 4" head; chrome finish
- **Moldings:** Bright; drip moldings over side and rear doors plus decorative molding at hood rear edge
- **Nameplates:** Bright "Custom Deluxe" nameplates, with series designation, on upper portions of front fenders near doors; bright "Suburban" nameplate on RH rear door
- **Tools:** Mechanical jack and wheel wrench
- **Wheels:** Painted white
- **Windshield Wipers and Washers:** Electric, 2-speed wipers with matte finish on exposed metal portions; partially concealed arms; coordinated dual-orifice washers

SUBURBAN

CUSTOM DELUXE FEATURES—STANDARD MODEL

The Custom Deluxe standard models include the following items as standard equipment



Optional center folding seat also shown in illustration


INTERIOR

- **Armrests:** RH and LH padded; integral with side door trim panels
- **Ashtrays:** In middle of instrument panel and in rear side door trim panels
- **Coat Hooks:** Over RH and LH rear side door openings
- **Colors:**
Painted areas: Same as exterior primary color choice
Interior trim: Coordinated with seat trim color choice
- **Floor Covering:** Embossed black rubber mats over entire floor area
- **Heater and Defogger:** Deluxe-air; automatic blower operation with ignition switch on for power ventilation system
- **Instrument Cluster Bezel:** Black with bright trim
- **Instruments:**
Gages: Speedometer, odometer and fuel
Switches: Main, for control of exterior lights, instrument cluster lights, and courtesy/map light; wiper-washer; headlight beam (foot); ignition; direction signal (with lane change position); hazard warning; heater fan
Warning lights: Generator, oil pressure, engine temperature, seat belt, service-parking brake, direction/hazard signal, high beam, and Hi/Low Lock indicator (4-wheel-drive models with full-time transfer case only)
- **Instrument Panel Control Knobs:** Soft black plastic with white graphic identification (except heater and wiper-washer controls)
- **Instrument Panel Pad:** Color-keyed, energy-absorbing foam type with grained vinyl skin; has bright applique on RH side with black insert, black trim and bright "Custom Deluxe" nameplate
- **Insulation and Sound Deadening Material:** Dash (firewall), under floor mats and under front seat at center (includes extra-thick insulation in center seat area when optional seat is ordered)
- **Lights:** Instrument cluster and courtesy/map lights
- **Mirror, Rearview:** 10" prismatic with soft vinyl rim
- **Scuff Plates:** Door-opening protection and floor mat retention; bright; partial for front side doors, full-length for rear side doors, and full-width for rear compartment platform
- **Seat:** Full-width bench-type front seat only with full-depth foam padded seat cushion and houndstooth pattern vinyl trim. See Interior and Exterior Color Selection Chart for color availability
- **Seat Belts:** Front only; non-detachable combination lap and shoulder belts for outboard positions with automatic-locking retractors on lap belts, emergency-locking retractors on shoulder belts, and switch in driver's lap belt retractor for buzzer warning system; lap belt with manual adjustment for center position. All seat belts are color-keyed with pushbutton type buckles
- **Spare Tire Carrier:** LH rear side
- **Steering Wheel and Column:** 16" black, soft plastic wheel with 2 spokes; black energy-absorbing steering column with anti-theft locking feature
- **Stowage Box:** In RH side of instrument panel; door has bright turn-type latch release
- **Sunshades:** RH and LH padded; color-keyed
- **Trim Panels:** Color-keyed, embossed molded plastic on side doors with integral armrests; painted steel panels on rear quarter areas

SUBURBAN

SCOTTSDALE MODEL OPTION—RPO Z62


This option includes all Custom Deluxe standard model items plus the additions or substitutions listed below



Optional folding center seat also shown in illustration.

EXTERIOR

- **Bright Appearance Items:**
 - "Scottsdale" nameplates, with series designation, on front fenders
 - Body side upper spear molding trim
 - Front and rear bumpers
- Side marker lamp and taillamp trim
- Windshield reveal moldings
- Rear side window trim
- **Horn:** Additional, electric, high-note
- **Moldings:** Spear-type black plastic body side upper moldings



INTERIOR

- **Bright Appearance Items:**
 - "Scottsdale" nameplate on instrument panel pad
 - Dome lamp trim
 - Full-length front door sill scuff plates
- **Cigar Lighter:** With ashtray light
- **Dome Lamps:** Two; one front, one rear
- **Dome and Courtesy Lamp Switches:** Front side door actuated (dome and courtesy lamps also may be activated by main light switch)
- **Floor Covering:** Color-keyed rubber mat in front seat area (also in center and rear seat areas when optional center seat is ordered)
- **Headliner:** Full-length, mystic colored, perforated molded plastic with fiber glass blanket backing; includes matching retainer moldings
- **Insulation:** Under cowl panel and on headliner
- **Pillar Trim Panels:** Light fawn molded plastic on windshield pillars and center door pillars
- **Seats:** Choice of: 1) houndstooth pattern vinyl trim (standard); 2) ribbed pattern velour cloth and vinyl trim (at extra cost) or 3) all-vinyl oxen hide grain trim (at extra cost). See Interior and Exterior Color Selection Chart for color availability
- **Spare Tire Cover:** Color-keyed carpet
- **Sunshades:** Mystic colored to match headliner

SUBURBAN SILVERADO MODEL OPTION—RPO YE9


This option includes all items in the Scottsdale model option plus the additions or substitutions listed below



Optional folding center seat also shown in illustration.

EXTERIOR

- **Bright Appearance Items:**
 - “Silverado” nameplates, with series designation, on front fenders
 - Upper body side and rear door (or tailgate) moldings with black paint trim
- **Body-to-Fender Insulators**
- **Hood Insulator**
- **Secondary Door Seals:** On side door upper frames




INTERIOR

- **Bright Appearance Items:**
 - “Silverado” nameplate on instrument panel pad
 - Four-speed transmission shift lever
 - Transfer case shift lever (K10-20 models with conventional 4WD)
 - Trim on instrument cluster bezel, instrument panel pad applique, side door trim panels, and on horn button
- **Colors:** Choice of single or two-tone interior color scheme
- **Cowl Panel Trim:** Color-keyed molded plastic.
- **Floor Covering:** Color-keyed carpeting; front seat area (also in center and rear seat areas and on wheelhouses when optional center seat is ordered)
- **Instrument Cluster:** Voltmeter, engine temperature gage, and oil pressure gage replace warning lights; includes bright brush-finished bezel
- **Instrument Panel Pad Applique:** Bright with brush-finished insert and black trim
- **Insulation:** Extra-thick front compartment floor insulators, including full-width insulator under front seat (also in center and rear seat areas when optional center seat is ordered)
- **Seats:** Choice of: 1) all-vinyl oxen hide grain trim or 2) ribbed pattern velour cloth and vinyl trim. See Interior and Exterior Color Selection Chart for color availability
- **Side Door Trim Panels:** Color-keyed molded plastic (with door closing assist strap and vinyl storage pockets on front door units only); includes bright brush-finished inserts having bright borders with tooled leather pattern trim plus carpeting on lower portions
- **Steering Wheel:** Bright trim on horn button

August 18, 1978

Suburban—Page E

SUBURBAN GENERAL



**With Tailgate
and Manual Drop
Glass**
Body Ordering
Code E55*


Suburban models have 4 side doors, two front and two rear. Front side doors are equipped with drop-glass and ventipane assemblies; the rear side doors have a drop-glass in the forward portion and fixed glass in the rear portion. The rear quarter windows have fixed glass.

Suburbans ordered with Body Ordering Code ZW9 have panel-type rear doors incorporating fixed glass, positive fork-cam latches, and an outside key lock. A 2-position, strap-type check on each door permits either a 118- or 162-degree door opening, depending on how the retaining pin is positioned; full door opening of 172-degrees is obtained by removing the retaining pin.

*Both models shown with optional folding center and removable rear seats

Suburbans ordered with Body Ordering Code E55 have a tailgate with a manually-controlled curved drop glass. Operation of the window is through an articulated crank-type regulator handle on the tailgate outer panel; a key lock cylinder is concealed in the regulator handle, and must be unlocked before the window can be lowered. After the window is lowered, the tailgate can be lowered by moving the release handle at the upper center of the tailgate inner panel. When the tailgate is open, it is supported by reel-type cables. Embossments on the tailgate inner panel facilitate loading of large objects. An optional electric tailgate window is available by ordering RPO A33.

CUSTOM OPTIONS



(Deluxe bumper shown)

Chromed Bumpers & Deluxe Chromed Bumpers (RPO V37, VES)

Chromed bumpers (RPO V37) and Deluxe chromed bumpers (RPO VES) with resilient impact strips are available optionally on all Suburban models.




Custom Trim Moldings (RPO B84, B85, YG1)

Side and rear upper trim moldings (RPO B85) or side and rear upper and lower and wheel opening trim moldings (RPO YG1) of bright metal are offered on all Suburban models plus upper body side spear moldings (RPO B84) of black plastic with bright trim. RPO's B85 and YG1 include bright trim for side marker and taillamps.



Wheel Covers (RPO P01)

Stainless steel wheel covers are available on all Suburban models. The front units for K10-20 models with conventional 4WD have a cut-out at the center to clear the axle hubs.



Wood Grained Exterior Trim (RPO YG2)

Wide wood grained applique mounted to entire length of body side panels, doors, front fenders and rear doors or tailgate between included upper and lower moldings (RPO YG1). Also includes "Estate" nameplates on body sides at center rear.

SINGLE TONE INTERIOR

SUBURBAN

INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART

Please Note: Exterior and interior paint combinations shown in chart below are those recommended by Chevrolet. Any exterior color combination may be ordered with any available seat trim if the particular combination is desired by a customer.

SEAT TRIM			MODEL OPTION			SEAT TRIM COLOR AND ORDERING CODE		
Fabric	▲Code	Type	Custom Deluxe	Scottsdale Z62	Silverado YES	Blue	Carmine	Camel Tan
Standard Vinyl	V	Bench	X	X		VDD1		VCC1
Custom Vinyl	W	Bench		X	X	XDD1	XRR1●	XCC1
		Bucket			X			XCC4
Custom Cloth	D	Bench		X	X	LDD1	LRR1●	LCC1
♦ EXTERIOR COLORS			Primary	Secondary	RECOMMENDED INTERIOR TRIM COLORS			
FROST WHITE			12	12	X	X		X
Mystic Silver			12	17	X		X	
Deep Blue			12	26	X			
Santa Fe Tan			12	60				X
Dark Carmine Red			12	71			X	
Midnight Black			12	86	X			
MYSTIC SILVER (Metallic)			17	17	X	X		
Frost White			17	12	X	X		
Deep Blue			17	26	X			
Dark Carmine Red			17	71			X	
Midnight Black			17	86	X			
CHARCOAL (Metallic)			18	18	X	X		
Frost White			18	12	X	X		
Mystic Silver			18	17	X	X		
Midnight Black			18	86	X	X		
HAWAIIAN BLUE			23	23	X			
Frost White			23	12	X			
Deep Blue			23	26	X			
MARINER BLUE (Metallic)			25	25	X			
Frost White			25	12	X			
Deep Blue			25	26	X			
DEEP BLUE			26	26	X			
Frost White			26	12	X			
Mystic Silver			26	17	X			
SHAMROCK GREEN (Metallic)			43	43				X
Frost White			43	12				X
HOLLY GREEN			46	46				X
Frost White			46	12				X
Mystic Silver			46	17				X
Santa Fe Tan			46	60				X
COLONIAL YELLOW			53	53				X
Frost White			53	12				X
Santa Fe Tan			53	60				X
SANTA FE TAN			60	60				X
Frost White			60	12				X
LIGHT CAMEL (Metallic)			65	65				X
Frost White			65	12				X
Santa Fe Tan			65	60				X
DARK CARMINE RED			71	71			X	X
Frost White			71	12			X	X
Mystic Silver			71	17			X	
Santa Fe Tan			71	60				X
CARDINAL RED			73	73			X	X
Frost White			73	12			X	X
Mystic Silver			73	17			X	X
Santa Fe Tan			73	60			X	X
Dark Carmine Red			73	71			X	X
CORDOVA BROWN (Metallic)			81	81				X
Frost White			81	12				X
Santa Fe Tan			81	60				X
MIDNIGHT BLACK			86	86	X	X		
Frost White			86	12	X	X		
Mystic Silver			86	17	X	X		
Santa Fe Tan			86	60			X	X
Dark Carmine Red			86	71			X	

♦ Primary color shown in **BOLDFACE TYPE**; secondary colors shown in Lightface Type. ● Available Silverado only.
▲ Seat Trim Codes: V—Houndstooth Pattern Vinyl; W—Oxen Hide Vinyl; D—Ribbed Pattern Velour Cloth.

SEE PAGE J FOR ZYS EXTERIOR DECOR PACKAGE ILLUSTRATION

TWO-TONE INTERIOR
SUBURBAN
INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART

Please Note: Exterior and interior paint combinations shown in chart below are those recommended by Chevrolet. Any exterior color combination may be ordered with any available interior color or seat trim if the particular combination is desired by a customer.


SEAT TRIM			MODEL OPTION		SEAT TRIM COLOR AND ORDERING CODE		
Fabric	▲Code	Type	Silverado YES		Mystic	Mystic	Mystic
Custom Cloth	D	Bench	X		LMD1	LMC1	LMR1
EXTERIOR COLOR				TWO-TONE INTERIOR COLOR			
Primary Colors and Available Secondary Colors ♦			Primary Code	Secondary Code	Blue and Mystic	Camel and Mystic	Carmine and Mystic
FROST WHITE			12	12	X	X	X
Mystic Silver			12	17	X		X
Deep Blue			12	26	X		
Santa Fe Tan			12	60		X	
Dark Carmine Red			12	71			X
Midnight Black			12	86			X
MYSTIC SILVER (Metallic)			17	17	X		X
Frost White			17	12			X
Deep Blue			17	26	X		
Dark Carmine Red			17	71			X
Midnight Black			17	86			X
CHARCOAL (Metallic)			18	18			X
Frost White			18	12			X
Mystic Silver			18	17			X
Midnight Black			18	86			X
HAWAIIAN BLUE			23	23	X		
Frost White			23	12	X		
Deep Blue			23	26	X		
MARINER BLUE (Metallic)			25	25	X		
Frost White			25	12	X		
Deep Blue			25	26	X		
DEEP BLUE			26	26	X		
Frost White			26	12	X		
Mystic Silver			26	17	X		
SHAMROCK GREEN (Metallic)			43	43		X	
Frost White			43	12		X	
HOLLY GREEN			46	46		X	
Frost White			46	12		X	
Mystic Silver			46	17		X	
Santa Fe Tan			46	60		X	
COLONIAL YELLOW			53	53		X	
Frost White			53	12		X	
SANTA FE TAN			60	60		X	
Frost White			60	12		X	
LIGHT CAMEL (Metallic)			65	65		X	
Frost White			65	12		X	
Santa Fe Tan			65	60		X	
DARK CARMINE RED			71	71			X
Frost White			71	12			X
Mystic Silver			71	17			X
CARDINAL RED			73	73			X
Frost White			73	12			X
Mystic Silver			73	17			X
Dark Carmine Red			73	71			X
CORDOVA BROWN (Metallic)			81	81		X	
Frost White			81	12		X	
Santa Fe Tan			81	60		X	
MIDNIGHT BLACK			86	86		X	X
Frost White			86	12		X	X
Mystic Silver			86	17		X	X
Dark Carmine Red			86	71		X	X

♦ Primary color shown in **BOLDFACE TYPE**; secondary colors shown in Lightface Type.
 ▲ Seat Trim Code: D—Ribbed Pattern Velour Cloth.

SEE PAGE J FOR ZYS EXTERIOR DECOR PACKAGE ILLUSTRATION



SUBURBAN

TWO-TONE EXTERIOR COLOR COMBINATIONS*



SPECIAL TWO-TONE

Special two-tone (ZY3) paint colors include custom upper and lower moldings (lower only on models with Silverado Model Option; upper is already included). The primary color is applied to the areas above and below the moldings (including the roof). The secondary color is applied to the area between these moldings.



EXTERIOR DECOR PACKAGE

Exterior Decor Package (ZYS) paint colors and trim are available in a choice of six combinations (see chart below). The package includes all the moldings and paint described under Special Two-Tone. In addition, it includes the secondary paint color choice on the hood with color-coordinated striping at either side of the hood panel, plus a bright spring-loaded, stand-up type hood emblem.

CODE	PRIMARY COLOR	CODE	SECONDARY COLOR	INTERIOR COLOR	HOOD STRIPE COLORS
18	Charcoal	17	Mystic Silver	Mystic and Carmine†	Orange to Red
25	Mariner Blue	26	Deep Blue	Blue	Blues
65	Light Camel	60	Santa Fe Tan	Camel Tan	Yellows
73	Cardinal Red	71	Dark Carmine Red	Carmine	Orange to Red
81	Cordova Brown	60	Santa Fe Tan	Camel Tan	Yellows
86	Midnight Black	17	Mystic Silver	Carmine	Orange to Red

†Two-tone interior; requires Silverado Model Option with Code D Custom Cloth seat trim.

*Optional at extra cost