



CONTENTS

| MODELS | 2 |
|--------------------------------------|----|
| ASTRO CS TRIM | 3 |
| ASTRO CL (YC6) TRIM | 4 |
| ASTRO LT (YC7) TRIM | 5 |
| POWERTRAINS | 6 |
| STANDARD SUSPENSION | 8 |
| OPTIONAL SUSPENSION | 9 |
| WHEELS AND TIRES/STEERING AND BRAKES | 10 |
| ELECTRICAL/COOLING | 11 |
| DIMENSIONS | 12 |
| OPTIONS | 13 |
| COLOR COMBINATIONS | 15 |
| EXTERIOR COLORS | В |
| INTERIOR TRIM | C |
| SEATS | D |
| TRAILERING | E |

A STANDARD OF THE STANDARD OF


| The state of the s | 是连续发 M | (OA) | 1 = = : | | (1991=1) | (CEEAVA | National States | |
|--|----------------------------|-------------|------------------------|-----------------------------------|-----------------------------------|---------------------------------------|------------------------------|---|
| ASTRO PASSENGER VAN | MODEL NUMBER | WB (IN.) | GVWR (LBS.) | | PASS. CAP. STD/OPT | STD ENGINE/ TRANS | OPT ENGINE/ TRANS | |
| | CM10906 | 111 | 5600 | 1774 | 5/7/8 | 4.3L V6/A4 | 4.3L V6/A4 (LU2) | ASTRO PASSENGER VAN |
| | | | | | | | | The standard Astro Passenger Van model is offered in a 5600-lb. GVWR with a choice of seating configurations. |
| ASTRO EXTENDED | CM11006 | 111 | 5850 | 1937 | 5/7/8 | 4.3L V6/A4 | 4.3L V6/A4 (LU2) | ASTRO EXTENDED |
| PASSENGER VAN | | | | | | | | PASSENGER VAN The Astro Extended Passenger Van retains the same 111-in. wheelbase as the regular-length model, while adding 10-inches to the rear frame for increased cargo capacity. |
| F SHAR COLL R WILLIAM | A I | CAV | | DEWEL | ACCEN | OFD VAN | * ** | |
| 影。 "以你,你们也是一个的。" 第二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十 | AL AL | 1 852.1 | | DRIVER | H22EM | GEROVA | V is. | |
| ASTRO ALL-WHEEL DRIVE PASSENGER VAN | MODEL NUMBER | WB | GVWR (LBS.) | MAX1 | PASS. | STD ENGINE/ TRANS | OPT ENGINE/ TRANS | and the second |
| | MODEL | WB | GVWR | MAX1 PAYLOAD | PASS. CAP. | STD ENGINE/ | OPT ENGINE/ | ASTRO ALL-WHEEL |
| | MODEL NUMBER | WB (IN.) | GVWR (LBS.) | MAX¹ PAYLOAD (LBS.) | PASS. CAP. STD/OPT | STD ENGINE/ TRANS | OPT ENGINE/ TRANS | DRIVE PASSENGER VAN The Astro All-Wheel Drive |
| | MODEL NUMBER CL10906 | WB (IN.) | GVWR (LBS.) 5800 | MAX¹ PAYLOAD (LBS.) 1644 | PASS. CAP. STD/OPT 5/7/8 | STD ENGINE/ TRANS 4.3L V6/A4 | OPT ENGINE/ TRANS — | DRIVE PASSENGER VAN |
| | MODEL NUMBER CL10906 | WB (IN.) | GVWR (LBS.) 5800 | MAX¹ PAYLOAD (LBS.) 1644 | PASS. CAP. STD/OPT 5/7/8 | STD ENGINE/ TRANS 4.3L V6/A4 | OPT ENGINE/ TRANS — | DRIVE PASSENGER VAN The Astro All-Wheel Drive Passenger Van offers two GVWRs with full-time All- |

Based on curb weigh

ASTRO PASSENGER VAN SEATING ARRANGEMENTS


STANDARD: 5-PASSENGER (ZP5)

Includes high-back front bucket seats and a standard removable 3-passenger bench seat. With YC7 trim, includes reclining front bucket seats and a removable split-back reclining 3-passenger bench seat with folding armrests.




OPTIONAL: 7-PASSENGER (RPO ZP7)

Includes four high-back bucket seats and a removable 3-passenger bench seat. Also includes A78 reclining seat backs on bucket seats. With YC7 trim, includes four reclining bucket seats (2 front and 2 center), and a removable split-back reclining 3-passenger bench seat with folding armrests.




OPTIONAL: 8-PASSENGER (RPO ZP8)

Includes two high-back buckets and two removable 3-passenger bench seats. With YC7 trim, includes two reclining bucket seats and two removable split-back reclining 3-passenger bench seats with folding armrests.



ASTRO: PASSENGER VAN WINDOW ARRANGEMENTS



NOTE: Right face profile is identical to left face profile.

ASTRO CS

(ZW9)

The CS trim level is the standard trim level of the Astro series. It is designed to offer buyers a high level of standard features when purchasing a standardlevel vehicle.

The following features are standard.



Some equipment shown may be optional or extra cost.

POWERTRAIN/CHASSIS

- ALTERNATOR: 85 Amp Delcotron.
- BATTERY: 12 volt, neg. ground; 630 CCA @ 0 degrees F.
- BRAKES: Power; vacuum (CM10906 only). Front-disc. Rear-drum. Power; hydraulic (CM11006, CL10906 and CL11006). Frontdisc. Rear-drum. Includes four-wheel antilock brake system.
- ENGINE: 4.3-liter V6 EFI. 150 net horse power @ 4000 rpm and 230 lb. ft. of net torque @ 2400 rpm.
- EXHAUST: Single.
- FRAME: Integral body design with boxed section front stub frame.
- FUEL TANK: 27.0-gallon (approx.).
- REAR AXLE: Hypoid, Semi-Floating. Ratio: 3.23 on CM10906 and CM11006. 3.42 on CL10906 and CL11006.
- SHOCK ABSORBERS: Front and Rear. 32 mm piston dia.
- ⇒ STABLIZER BAR: Front. 1.26 inch dia. on CM10906 and CM11006. 1.18 inch dia. on CL 10906 and CL11006.
- STEERING: Integral Power Variable Ratio-16/13:1
- SUSPENSION: Front-Independent with computer-selected springs. Rear-wheel drives with coil springs; all-wheel drives wit torsion bars. Rear-Composite leaf springs.
- TRANSMISSION: 4-Speed automatic with overdrive.

EXTERIOR

- 3 AIR DAM: Lower body color.
- BUMPER: Front and rear painted lower body color. Front includes bumper guards on CL10906 and CL11006.
- 1 COLORS: Choice of ten in a solid paint scheme. See Color and Trim specifications for details.
- 1 DOORS: Driver and passenger front side, sliding RH side cargo, and RH and LH rear load doors.
- GRILLE: Black molded plastic.

- HEADLAMPS: Single halogen.
- HORN: Dual high-note and low-note.
- LICENSE PLATE BRACKET: Front only.
- MIRRORS: Black RH and LH fixed type with pivoting arm and adjustable heads. Head size is 43/4" x 7".
- NAMEPLATE: Astro in bright finish.
- SPARE TIRE/WHEEL: Compact; mounted under floor.
- TIRES: Four all-season steel belted radials. P205/75R15 on CM10906 and CL10906
- and P215/75R15 on CM11006 and CL11006.
- ☼ UNDERBODY PROTECTION: Entire underbody sprayed with hot melt wax.
- WHEELS: Four 15.0" x 6.0" argent steel wheels. Includes bright metal hub caps witl black trim
- 3 WINDOW PILLARS: Black.

INTERIOR

- ARMREST: RH and LH front door.
- CHIMES: Headlamp warning.
- CIGARETTE LIGHTER: Includes ashtray liaht.
- COAT HOOKS: Two LH and one RH.
- COLORS: Choice of four. Blue, Garnet, Saddle or Gray.
- DOME LAMP: Two with front door actuated switches.
- DOOR PANELS: Color-keyed vinyl with front door map pockets.
 DOOR SILL PLATE: Bright plastic.
- FLOOR COVERING: Color-keyed carpeting on wheelhouses and floor.
- FUEL FILLER DOOR: Remote release.
- GAGES: Includes speedometer, odometer, fuel level, voltmeter, oil pressure, coolant

- temperature, trip odometer and additional telltale lights.
- HEADLINER: Full length, color-keyed, foam backed cloth.
- HEATER: Deluxe with windshield and side window defoggers.
- MIRRORS: 10 inch rearview.
- RADIO: Electronically-tuned AM with two 6" diameter front dash speakers and fixed mast antenna. (Refer to Delco Electronics brochure in RPO Detail for further information.)
- SEATS: Front high-back adjustable buckets with all-vinyl trim plus removable center 3passenger bench.
- STEERING WHEEL: Black vinyl 4-spoke.
- STORAGE COMPARTMENT: Molded, color-keyed plastic in LH rear quarter area.


- STOWAGE BOX: Located in front face of engine cover extension. Includes beverage holder.
- SUNSHADES: Color-keyed RH and LH padded cloth with RH visor mirror.
- SWING-OUT GLASS: Included on sliding side door.
- TOOLS: Screw-operated scissor-type jack with ratchet handle and extension and two wheel blocks. Located behind side panel at right rear.
- WINDOWS: Tinted glass.
- WINDSHIELD WIPERS: Intermittent.

ASTRO CL

(YC6)

The CL trim level is an optional trim level for the Astro series. It is designed to offer buyers an increased level of comfort and convenience features compared to the standard CS trim.

The following features are standard. Bold type denotes equipment in addition to or replacing that of the CS



Some equipment shown may be optional or extra cost.

POWERTRAIN/CHASSIS

- ALTERNATOR: 85 Amp Delcotron.
- BATTERY: 12 volt, neg. ground; 630 CCA @ 0 degrees F.
- BRAKES: Power; vacuum (CM11006, CM10906 only). Front-disc. Rear-drum. Power; hydraulic (CL10906 and CL11006). Front-disc. Rear-drum. Includes four-wheel anti-lock brake system.
- ENGINE: 4.3-liter V6 EFI. 150 net horsepower @ 4000 rpm and 230 lb. ft. of net torque @ 2400 rpm.
- EXHAUST: Single.
- FRAME: Integral body design with boxed section front stub frame.
- FUEL TANK: 27.0-gailon (approx.).
- REAR AXLE: Hypoid, Semi-Floating. Ratio: 3.23 on CM10906 and CM11006, 3.42 on CL10906 and CL11006.
- SHOCK ABSORBERS: Front and Rear, 32 mm piston dia.
- STABLIZER BAR: Front. 1.26 inch dia. on CM10906 and CM11006. 1.18 inch dia. on CL10906 and CL11006.
- STEERING: Integral Power Variable Ratio-16/13:1.
- SUSPENSION: Front-Independent with computer-selected springs. Rear-wheel drives with coil springs; all-wheel drives with torsion bars. Rear-Composite leaf springs.
- TRANSMISSION: 4-Speed automatic with overdrive.

EXTERIOR

- AiR DAM: Includes fog lamps.
- BUMPER: Front and rear lower body color with matching color-keyed end caps, rub strips with bright trim and rear black combination top step surface.
- COLORS: Choice of ten in a solid paint scheme. See Color and Trim specifications for details.
- DOORS: Driver and passenger front side, sliding RH side cargo and RH and LH rear load doors.
- GRILLE: Black molded plastic with argent paint on feature surfaces.

- HEADLAMPS: Single halogen.
- HORN: Dual high-note and low-note.
- LICENSE PLATE BRACKET: Front only. MIRRORS: Black RH and LH fixed type
- with pivoting arm and adjustable heads. Head size is 43/4" x 7"
- 3 MOLDINGS: Black body side with bright
- NAMEPLATE: Astro in bright finish.
- SPARE TIRE/WHEEL: Compact; mounted under floor.
- TIRES: Four all-season steel belted radials.
- P205/75R15 on CM10906 and CL10906 and P215/75R15 on CM11006 and CL11006.
- UNDERBODY PROTECTION: Entire underbody sprayed with hot melt wax.
- WHEEL OPENING MOLDINGS: Black,
- WHEELS: Four 15.0" x 6.5" argent steel rally wheels. Bright trim rings with black center cap.
- WINDOW PILLARS: Black.

INTERIOR

- ARMREST: RH and LH front door.
- CHIMES: Headlamp warning.
- CIGARETTE LIGHTER: Includes ashtray light.
- COAT HOOKS: Two LH and one RH.
- COLORS: Choice of four, Blue, Garnet, Saddle or Gray.
- DOME LAMP: Two with front door, rear door and sliding door-actuated switches. Includes door-jamb override switch.
- DOOR PANELS: Color-keyed expanded vinyl with carpet inserts, insulation and
- front door map pockets.
 DOOR SILL PLATE: Bright plastic.
- FLOOR COVERING: Color-keyed carpeting on wheelhouses and floor.
- FLOOR MATS: Front and rear colorkeved.
- FUEL FILLER DOOR: Remote release.

- GAGES: Includes speedometer, odometer, fuel level, voltmeter, oil pressure, coolant temperature, trip odometer and additional telltale lights.
- HEADLINER: Full length, color-keyed, foam backed cloth.
- HEATER: Deluxe with windshield and side window defoggers.
- LAMPS: Stepwell and storage box.
- MIRRORS: 10 inch rearview.
- RADIO: Electronically-tuned AM with two 6" diameter front dash speakers and fixed mast antenna. (Refer to Delco Electronics brochure in RPO Detail for further information.)
- SEATS: Front high-back adjustable buckets with all-vinyl trim plus removable center 3passenger bench. Choice of Custom Vinyl or Custom Cloth with Vinyl trim.
- STEERING WHEEL: 4-spoke Custom.

- STORAGE COMPARTMENT: Molded, color-keyed plastic in LH rear quarter area.
- STOWAGE BOX: Located in front face of engine cover extension. Includes beverage holder
- SUNSHADES: Color-keyed RH and LH padded cloth with RH visor mirror with İight.
- SWING-OUT GLASS: Included on sliding side door and rear door.
- TOOLS: Screw-operated scissor-type jack with ratchet handle and extension and two wheel blocks. Located behind side panel at riaht rear.
- WINDOWS: Tinted glass.
- WINDSHIELD WIPERS: Intermittent.

| | TRANSMISSION AUTOMATIC: | | | | | | | |
|----------------------------|---|--|--|--|--|--|--|--|
| MODEL | AUTOMATIC 4-SPEED W/OVERDRIVE 700R4 | | | | | | | |
| RPO CODE | MXO | | | | | | | |
| GEAR RATIOS | | | | | | | | |
| First | 3.06 | | | | | | | |
| Second | 1.63 | | | | | | | |
| Third | 1.00 | | | | | | | |
| Fourth | .70 | | | | | | | |
| Reverse | 2.29 | | | | | | | |
| GEAR TYPE | Planetary | | | | | | | |
| TORQUE CONVERTER | | | | | | | | |
| Element Types | Pump/Stator/Turbine | | | | | | | |
| Lock-up Clutch | Automatic | | | | | | | |
| LUBRICANT CAPACITY (pints) | | | | | | | | |
| Dry Fill | 19 | | | | | | | |
| Refill | 10 | | | | | | | |

| AXLES | REAR | | | | FRONT - ALL | -WHEEL DRIVE | |
|---|---|-------------------------|-------------------------|------------------------|--------------------------|--------------------------|--|
| MAKE AND CAPACITY (lbs.) | GM 3150 | | | | GM 150 | | |
| PINION & RING GEARS Type | | Hy | poid | | Hypoid | | |
| Ratio Pinion Teeth Ring Gear Teeth Ring Gear Dia. (in.) | 3.23 13 42 7.5 | 3.42 12 41 7.5 | 3.73 11 41 7.5 | 4.10 9 37 7.5 | 3.42 12 41 7.25 | 3.73 11 41 7.25 | |
| DIFFERENTIAL Type Bearings, Type | | | inion ed Roller | | _ · | Pinion ed Roller | |
| AXLE SHAFTS Type Min. Diameter (in.) | Semi-Floating Integral Shaft and Drive Flange — | | | | | | |
| HOUSING @ SPRING SEAT Section Diameter and Thickness (in.) | | 2.69 x .116175 | | | _ | | |

| | TWO-WH | EELDRIVE | ALL-WHEEL DRIVE | | | |
|---|--|----------------------------|---|--|--|--|
| MODEL | ASTRO ASTRO PASSENGER VAN ASTRO EXTENDED PASSENGER VAN | | ASTRO ALL-WHEEL DRIVE PASSENGER VAN | ASTRO ALL-WHEEL DRIVE EXTENDED PASSENGER VAN | | |
| MODEL NUMBER | CM10906 | CM11006 | CL10906 | CL11006 | | |
| | STAN | NDARD SUSPENSIO | N | | | |
| PAYLOAD (Maximum lbs.)¹ | 1774 | 1937 | 1644 | 1863 | | |
| GVWR (lbs.) | 5600 | 5850 | 5800 | 6100 | | |
| GAWR (lbs.): Front Rear | 2700 2900 | 2700 3150 | 2906 2906 | 3050 3150 | | |
| FRONT SUSPENSION Type Standard Spring Cap. (Total lbs.) | Ind. Coil Spring 2700 | Ind. Coil Spring 2700 | Torsion Bar 3050 | Torsion Bar 3050 | | |
| Front Shock Absorbers Piston Diameter (mm) | 32 | 32 | 32 | 32 | | |
| Front Stabilizer Bar Diameter (in.) | 1.26 | 1.26 | 1.18 | 1.18 | | |
| REAR SUSPENSION Type | Composite Leaf Spring | Composite Leaf Spring | Composite Leaf Spring | Composite Leaf Spring | | |
| Standard Spring Cap. (Total lbs.) Leaves Per Spring | 2900 1 | 3150 ⁻ 1 | 3150 1 | 3150 1 | | |
| Leaf Total Thickness (in.) | .813 | .813 | .813 | .813 | | |
| Rear Shock Absorbers Piston Diameter (mm) | 32 | 32 | 32 | 32 | | |
| FRONT AXLE | | | | | | |
| Type Make | | _ | Independent | Independent | | |
| Maximum Capacity (lbs.) | 2700 | 2700 | GM 3050 | GM | | |
| Standard Hub Locks | _ | | Insta-Trac | 3050 Insta-Trac | | |
| Pinion/Ring Gear Type | - | | Hypoid | Hypoid | | |
| REAR AXLE | | | | | | |
| Type Make | Semi-Floating | Semi-Floating | Semi-Floating | Semi-Floating | | |
| Maximum Capacity (lbs.) | GM 3150 | GM 3150 | GM 3150 | GM | | |
| Pinion/Ring Gear Type | Hypoid | Hypoid . | Hypoid | 3150 Hypoid | | |
| STANDARD TIRES | Tubeless SBR P205/75R15 | Tubeless SBR P215/75R15 | Tubeless SBR P205/75R15 | Tubeless SBR P215/75R15 | | |
| Tire Capacity (lbs.) each Front/ Rear Inflation (psi) Max. | 1453 35 | 1583 | 1453 35 | 1583 | | |
| Revolutions per mile @ 45 MPH | 769 | 35 753 | 769 | 35 753 | | |
| WHEELS Size (in.) Front/Rear Capacity (lbs.) each Bolt Holes Bolt Circle Diameter (in.) | 15.0 × 6.00 1575 5 5 | 15.0 x 6.00 1575 5 | 15.0 x 6.00 1575 5 | 15.0 x 6.00 1575 5 | | |
| Offset (mm) | 13 | 13 | 5 13 | 5 13 | | |

| | TWO-WHE | EEL DRIVE | ALL-WHE | ALL-WHEEL DRIVE | | | |
|--|------------------------|------------------------------------|----------------------------|------------------------------|--|--|--|
| MODEL | ASTRO PASSENGER VAN | ASTRO EXTENDED PASSENGER VAN | ASTRO PASSENGER VAN | ASTRO EXTENDED PASSENGER VAN | | | |
| MODEL NUMBER | CM10906 | CM11006 | CL10906 | CL11006 | | | |
| | ОРП | ONAL SUSPENSIO | N | | | | |
| PTION | _ | - | C6M | | | | |
| PAYLOAD (Maximum lbs.)1 | - | _ | 1794 | | | | |
| GVWR (lbs.) | - | _ | 5950 | <u> </u> | | | |
| GAWR (lbs.) Front Rear | _ | _ | 3050 3150 | | | | |
| FRONT SUSPENSION Type Standard Spring Cap. (Total lbs.) | - | = | Torsion Bar 3050 | | | | |
| Front Shock Absorbers Piston Diameter (mm) | _ | _ | 32 | | | | |
| Front Stabilizer Bar Diameter (in.) | - | _ | 1.18 | _ | | | |
| REAR SUSPENSION Type | | | Composite Leaf Spring | _ | | | |
| Standard Spring Cap. (Total lbs.) | | _ | 3150 | _ | | | |
| Leaves Per Spring Leaf Total Thickness (in.) | - | _ | .813 | = | | | |
| Rear Shock Absorbers Piston Diameter (mm) | _ | _ | 32 | _ | | | |
| FRONT AXLE | | | | | | | |
| Туре | _ | _ | Independent GM | _ | | | |
| Make Maximum Capacity (lbs.) | _ | | 3050 | _ | | | |
| Standard Hub Locks | _ | _ | Insta-Trac | _ | | | |
| Pinion/Ring Gear Type | | | Hypoid | | | | |
| REAR AXLE | | | Comi Election | | | | |
| Type Make | _ | _ | Semi-Floating GM | _ | | | |
| Maximum Capacity (lbs.) | _ | | 3150 | _ | | | |
| Pinion/Ring Gear Type | | | Hypoid | | | | |
| STANDARD TIRES | _ | _ | Tubeless SBR P215/70R15 | _ | | | |
| Capacity (lbs.) each | _ | _ | 1583 | | | | |
| Front/Rear Inflation (psi) Maximum Revolutions per mile @ 45 MPH | <u>-</u> | = | 35 753 | Ξ | | | |
| WHEELS | _ | | 15.0 x 6.0 | _ | | | |
| Size (in.) Front/Rear Capacity (lbs.) each | - | | 1575 | _ | | | |
| Bolt Holes | _ | _ | 5 5 | | | | |
| Bolt Circle Diameter (in.) Offset (mm) | _ | | 13 | | | | |

¹ Based on Curb Weight.

WHEELS AND TIRES/ STEERING AND BRAKES

KEY: — Not Available
AS -- All-Season
SBR -- Steel-Beited Radial Ply

BW - Blackwall WW - Whitewall WL - White Lettered

HWY - Highway ON-OFF - On-Off Road WOL - White Outline Lettered

| | TIRES. | | | | | | | | | | | | | |
|--------------|------------|-----|-----|---------------|--------------------------------|-------------------------|------------------------|---------------------------------|---------------|------------------------------|--------|------------------------------|--|--|
| TIRE SIZE | TYPE | RPO | PLY | LOAD RANGE | TIRE CAPACITY (LBS. EA.) | INFLATION (PSI) MAX. | WHEEL SIZE (IN.) | WHEEL CAPACITY (LBS. EA.) | BOLT HOLES | BOLT CIRCLE DIA. (IN.) | OFFSET | REV. PER MILE @ 45 MPH | | |
| P205/75R15 | AS/SBR/BW | QCE | _ | - | 1453 | 35 | 15.0 x 6.0 | 1575 | 5 | 5 | 13 | 769 | | |
| P205/75R15 | AS/SBR/WL | QCF | | _ | 1453 | 35 | 15.0 x 6.0 | 1575 | 5 | 5 | 13 | 769 | | |
| P205/75R15 | AS/SBR/WW | QCG | | _ | 1453 | 35 | 15.0 x 6.0 | 1575 | 5 | 5 | 13 | 769 | | |
| P215/75R15 | AS/SBR/BW | acu | _ | _ | 1583 | 35 | 15.0 x 6.0 | 1575 | 5 | 5 | 13 | 753 | | |
| P215/75R15 | AS/SBR/WW | QCV | | | 1583 | 35 | 15.0 x 6.0 | 1575 | 5 | 5 | 13 | | | |
| P215/75R15 | AS/SBR/WL | acw | _ | | 1583 | 35 | 15.0 x 6.0 | 1575 | 5 | 5 | 13 | | | |
| P245/60R15' | AS/SBR/WOL | QWT | | | 1593 | | 15.0 x 6.5 | 1575 | 5 | 5 | 13 | 753 784 | | |

¹ Requires FE3 Suspension or BYP Sport Package.

| | OPTIONAL WHEELS | | | | | | | | | | |
|-----|--|------------------------|----------|---------------|------------------------------|-------------|--|--|--|--|--|
| RPO | DESCRIPTION | WHEEL SIZE (IN.) | CAPACITY | BOLT HOLES | BOLT CIRCLE DIA. (IN.) | OFFSET (MM) | | | | | |
| PF3 | Wheels - Aluminum (and Special Hub Caps) | 15.0 x 6.5 | 1575 | 5 | 5 | 10 | | | | | |
| ZJ7 | Wheels - Rally (Included w/BYP Sport Pkg., YC6 CL, YC7 LT or FE3 Suspension; Rally Wheels Include Special Hub Caps and Trim Rings) | 15.0 x 6.5 | 1575 | 5 | 5 | 10 | | | | | |

| MODEL | ASTRO PASSENGER VAN | ASTRO EXTENDED PASSENGER VAN | ASTRO ALL-WHEEL DRIVE PASSENGER VAN | | ASTRO ALL-WHEEL DRIVE EXTENDED PASSENGER VAN | |
|--|--|---|---|----------|---|--|
| MODEL NUMBER | CM10906 | CM11006 | CL | 10906 | CL11006 | |
| | | STEERING | | | | |
| Туре | Integral Power | Integral Power | Integra | al Power | Integral Power | |
| Steering Ratio (Variable) | 16/13:1 | 16/13:1 | 16/ | 13:1 | 16/13:1 | |
| Turning Diameter Curb-to-Curb (ft.) Wall-to-Wall (ft.) | 39.5 40.5 | 39.5 40.5 | 40.5 41.5 | | 40.5 41.5 | |
| | | BRAKES | | | | |
| GVWR (lbs.) | 5600 | 5850 | 5800 | 5950 | 6100 | |
| Туре | Vacuum Power Front Disc/Rear Drum with 4-Wheel Anti-Lock System | Hydraulic Power Front Disc/Rear Drum with 4-Wheel Anti-Lock System | Hydraulic Power Front Disc/Rear Drum with 4-Wheel Anti-Lock System | | Hydraulic Power Front Disc/Rear Drum with 4-Wheel Anti-Lock System | |
| Booster (Diaphragm Diameter) (in.) | 7.9 x 7.9 Tandem | Hydro-boost | Hydro-boost | | Hydro-boost | |
| Front Rotor Size (Diameter x Thickness) (in.) | 11.86 x 1.04 | 11.57 x 1.25 | 11.57 x 1.25 | | 11.57 x 1.25 | |
| Front Facing Contact Per Axle (sq. in.) | 37.9 | 34.8 | 34.8 | | 34.8 | |
| Rear Drum Size (Diameter x Width) (in.) | 9.5 × 2.0 | 9.5 x 2.0 | 9.5 x 2.0 | | 9.5 x 2.0 | |
| Rear Facing Contact Per Axle (sq. in.) | 64.7 | 64.7 | 64 | | 64.7 | |
| Parking Brake Type | Cable to Rear Wheels | Cable to Rear Wheels | Cable to Re | · · | Cable to Rear Wheels | |


· ELECTRICAL/COOLING


ASTRO PASSENGER VAN

NOTE: Alternator is available only as part of Noted RPO.

| MODEL | ASTRO PASSENGER VAN | ASTRO EXTENDED PASSENGER VAN | ASTRO ALL-WHEEL DRIVE PASSENGER VAN | ASTRO ALL-WHEEL DRIVE EXTENDED PASSENGER VAN |
|--|---|---|---|---|
| MODEL NUMBER | CM10906 | CM11006 | CL10906 | CL11006 |
| | | ELECTRICAL | | |
| ENGINE STD/OPT | 4.3L V6/— | 4.3L V6/ | 4.3L V6/— | 4.3L V6/— |
| STANDARD BATTERY Cold Cranking Amps @ 0° F @ -20° F Reserve Capacity Min. @ 80° F | 630 470 115 | 630 470 115 | 630 470 115 | 630 470 115 |
| STANDARD ALTERNATOR Max. Capacity (Amps) Max Watts @ 12 Volts Nominal Amp @ Idle (approx.) Drive Pulley Ratio Model Number | 85 1020 30 3.2:1 CS130 | 85 1020 30 3.2:1 CS130 | 85 1020 30 3.2:1 CS130 | 85 1020 30 3.2:1 CS130 |
| OPTIONAL ALTERNATOR¹ Max. Capacity (Amps) Max Watts @ 12 Volts Nominal Amp @ Idle (approx.) Drive Pulley Ratio Model Number | w/C60 Air or C69 Front/Rear Air 100 1200 36 3.2:1 CS130 |

ALTERNATOR CURVES







| | | COOLING | | |
|--|---|---|---|---|
| MODEL. | ASTRO PASSENGER VAN | ASTRO EXTENDED PASSENGER VAN | ASTRO ALL-WHEEL DRIVE PASSENGER VAN | ASTRO ALL-WHEEL DRIVE EXTENDED PASSENGER VAN |
| MODEL NUMBER | CM10906 | CM11006 | CL10906 | CL11006 |
| STANDARD COOLING SY | STEM | | | |
| ENGINE Radiator Thickness (in.) System Capacity (gal.) Fan-No. Blades x Dia. x Pitch (in.) | 4.3L .93 3.4 3 x 18.1 x 2.72 |
| OPTIONAL COOLING SYS | TEMS | | | |
| OPT. AIR CONDITIONING Radiator Thickness (in.) System Capacity (gal.) Fan-No. Blades x Dia. x Pitch (in.) | C60 ¹ .93 3.4 5 x 19 x 2.7 | C60¹ .93 3.4 5 x 19 x 2.7 | C60 ¹ .93 3.4 5 x 19 x 2.7 | C60¹ .93 3.4 5 x 19 x 2.7 |
| OPT. H.D. RADIATOR AND TRANS. OIL COOLER Radiator Thickness (in.) System Capacity (gal.) Fan-No. Blades x Dia. x Pitch (in.) | V02 ² .93 3.4 3 x 18.1 x 2.72 |

w/o V02 Cooling, Includes V01 Cooling

^{*} Included w/Z82 Trailering

| MODEL MODEL NUMBER | | ASTRO PASSENGER VAN CM10906 | ASTRO EXTENDED PASSENGER VAN CM11006 | ASTRO ALL-WHEEL DRIVE PASSENGER VAN | ASTRO ALL-WHEEL DRIVE EXTENDED PASSENGER VAN CL11006 | | | |
|--|----------------|---|--|---|--|--|--|--|
| | | | CM10906 CM11006 CL10906 EXTERIOR DIMENSIONS | | | | | |
| BODY | | | Divide (Color Color Colo | | | | | |
| Wheelbase (in.) | WB | 111.0 | 111.0 | 111.0 | 111.0 | | | |
| Overall Length (in.) | OAL | 176.8 | 186.8 | 176.8 | 111.0 | | | |
| Overall Height Nominal (in.) | OAH | 73.7 | 73.7 | 73.7 | 73.7 | | | |
| Maximum Width (in.) | WAO | 77.0 | 77.0 | 77.0 | 77.0 | | | |
| Bumper To Axle (in.) Front/Rear | BA | 30.6/35.2 | 30.6/45.2 | 30.6/35.2 | 30.6/45.2 | | | |
| Ground To Top of Rear Load Floor (in.) | _ | 24.4 | 24.6 | 24.4 | 24.6 | | | |
| Ground Clearance (in.) Front/Rear | _ | 7.8/7.3 | 7.8/7.3 | 7.6/7.3 | 7.6/7.3 | | | |
| SIDE LOAD DOOR Opening Height/Width (in.) | _ | 44.5/34.5 | 44.5/34.5 | 44.5/34,5 | 44.5/34.5 | | | |
| REAR LOAD DOOR Opening Height/Width (in.) | _ | 44.7/57.0 | 44.7/57.0 | 44.7/57.0 | 44.7/57.0 | | | |
| Step Up Height (in.) | T | | | 141.777.0 | 44.7/57.0 | | | |
| Front Door | _ | 16.3 | 16.3 | 16.3 | 16.3 | | | |
| Side Sliding Door | | 17.4 | 17.4 | 17.4 | 17.4 | | | |
| SIGN PANEL AREA Side Panel/Front Door (in.) | Shaded Area | 18 x 80.5/18 x 35 | 18 x 90.5/18 x 35 | 18 x 80.5/18 x 35 | 18 x 90.5/18 x 35 | | | |
| | | INTERIOR | DIMENSIONS | | <u> </u> | | | |
| Head Room (in.) Front/Middle/Rear | HR | 39.2/37.9/38.3 | 39.2/37.9/38.3 | 39,2/37,9/38,3 | 39.2/37.9/38.3 | | | |
| Leg Room (in.) Front/Middle/Rear | LR | 41.6/36.5/38.5 | 41.6/36.5/38.5 | 41.6/36.5/38.5 | 41.6/36.5/38.5 | | | |
| Shoulder Room (in.) Front/Middle/Rear | SR | 64.0/67.8/67.8 | 64.0/67.8/67.8 | 64.0/67.8/67.8 | 64.0/67.8/67.8 | | | |
| Hip Room (in.) Front/Middle/Rear | HP | 64.9/50.9/50.9 | 64.9/50.9/50.9 | 64.9/50.9/50.9 | 64.9/50.9/50.9 | | | |
| Load Floor Length (in.) w/Front/Middle/Rear Seats | LFL. | 88.9/51,4/24,1 | 98.9/61.4/34.1 | 88.9/51.4/24.1 | 98.9/61.4/34.1 | | | |
| Interior Height (in.) | IH | 47.5 | 47.5 | 47.5 | 47.5 | | | |
| Interior Width Between Wheelhousings (in.) | IWW | 51.6 | 51.6 | 51.6 | 51.6 | | | |
| Cargo Volume (cu. ft.) w/Front/Middle/Rear Seats | cv | 151.8/85.8/22.7 | 170.4/104.4/41.3 | 151.8/85.8/22.7 | 170.4/104.4/41.3 | | | |
| | | FUEL | TANK | | L | | | |
| Std. Tank Nominal (gal.) | | 27.0 | 27.0 | 27.0 | 27.0 | | | |
| Location of Tank | | Between Frame Rails Forward of Rear Axle | Between Frame Rails Forward of Rear Axle | Between Frame Rails Forward of Rear Axle | Between Frame Rails Forward of Rear Axle | | | |
| Location of Filler | | Left Side | Left Side | Left Side | orward or near Axie | | | |





| | | SSENGER VAN (CM10906) | | N | | MODELS | | |
|--|-----------------|---|--|---------|---------|---------|----------|--|
| — Not Available 3. | ASTRO AW | FENDED PASSENGER VAN (CM11005) D PASSENGER VAN (CL10906) D EXTENDED PASSENGER VAN (CL11006) | | 2-WHEEL | . DRIVE | ALL-WHE | EL DRIVE | |
| OTE: Refer to Dealer Order Guide | for update | d option availability. | | 1 | 2 | 3 | 4 | |
| OPTION | CODE | | RESTRICTIONS | | | | | |
| AIR CONDITIONING Front | C60 | w/o V02 Cooling Incls V01 Cooling Incl w/C69 Front and Rear Air | | 0 | 0 | 0 | 0 | |
| Front and Rear | C69 | Incls C60 Front Air | | 0 | 0 | 0 | 0 | |
| AXLE, REAR | G80 | Locking Differential | N/A with FE3 or BYP Sport Pkg | 0 | 0 | 0 | 0 | |
| BUMPER EQUIPMENT | VE5 | Front and Rear Chromed w/Rub Strip | N/A BYP Sport Pkg | 0 | 0 | 0 | 0 | |
| | VE6 | Painted Front and Rear w/Color Keyed End Caps | incl w/YC6, YC7 or BYP Sport Pkg | 0 | 0 | 0 | 0 | |
| CARRIER LUGGAGE | V54 | Black | Oport Ng | 0 | 0 | 0 | 0 | |
| COLD CLIMATE PACKAGE | V10 | Incls Engine Block Heater | | Ö | ŏ | o | ō | |
| | | and Coolant Protection | | | | | | |
| CONSOLE, ROOF | DK6 | | Reqs TR9 Lighting | 0 | 0 | 0 | 0 | |
| CONVENIENCE GROUP | ZQ2 | Incls Power Windows and Power D | | 0 | 0 | 0 | 0 | |
| | ZQ3 | Incls Comfortilt Steering and Electron | onic Speed Control | 0 | 0 | 0 | 0 | |
| COOLING SYSTEM | | () w/700 Table 1 | Dans VO1 as VO2 Castina | ^ | ^ | 1 _ | 0 | |
| Engine Oil Cooler | KC4 | Incl w/Z82 Trailering | Reqs V01 or V02 Cooling N/A V02 Cooling | 0 | 0 | 0 | 0 | |
| Radiator H.D. Radiator and | V01 V02 | Incl w/C60 or C69 Air Incl w/Z82 Trailering | N/A VU2 Cooling | 0 | ŏ | 0 | ŏ | |
| Transmission Oil DOOR LOCK SYSTEM, POWER | L AU3 | Incl w/ZQ2 Conv Pkg | | 0 | 0 | | 0 | |
| ENGINES | | (See Powertrains) | , | | | | | |
| 4.3-liter EFI V6 | LB4 | (000) 011011107 | | s | S | S | S | |
| 4.3-liter EFI V6 H.O. | LU2 | | | 0 | 0 | 1 - | _ | |
| GLASS ARRANGEMENTS | ZW6 | Complete Body | N/A CM10906 with BYP Sport Pkg | 0 | 0 | 0 | 0 | |
| GLASS TINTING | 1 | | | _ | ^ | | _ | |
| Deep Tinted | AJ1 | Incl w/YC7 LT | <u> </u> | 0 | 0 | 0 | 0 | |
| HEATER | C36_ | Rear | | 0 | 0 | | Ö | |
| INSTRUMENTATION, ELECTRONIC | U52 | | | O | - | | | |
| LIGHTING, AUXILIARY | TR9 | Incl w/YC6 or YC7. Incls Front and Rear Dome and Reading Lamps, Courtesy Light Switches on all Doors, Front/Rear Stepwell Lights and Glove Box Light. | | 0 | 0 | 0 | 0 | |
| LUXURY PACKAGE (CL) | YC6 | (See Trim Level Section) | | 0 | 0 | 0 | 0 | |
| LUXURY TOURING PACKAGE (LT) | YC7 | (See Trim Level Section) | | 0 | 0 | 0 | 0 | |
| MIRRORS | | - | | _ | | | _ | |
| Exterior, Below-Eye-Line Type Exterior, Electric Remote | D44 | Black L.H. 5.0" x 8.5" R.H. 51/4 x 9" L.H. 5.0" x 8.5" R.H. 51/4" x 9" | | 0 | 0 | 0 | 0 | |
| PAINT, EXTERIOR | | (See Color and Trim) | | | | _ | _ | |
| Solid | ZY1 | Solid | | S | S | S | S | |
| Special Two-Tone | ZY3 | w/YC7LT Incis Body Side Molding | ine Bose VEE Bumper we VCC | 0 0 | 0 | 0 | 0 | |
| Deluxe Two-Tone | ZY4 | Incls Body Side Molding and Body Stri | uriy neqs veo buriber w/o 100 | 0 | Ö | 6 | ŏ | |
| Custom Two-Tone RADIO EQUIPMENT | ZY6 | Incls Body Side Molding Reqs VE5 | A ACO DOUIDAS | | • | 1 | • | |
| Electronically-Tuned AM/FN Stereo Radio w/Seek-Scan and Digital Clock | UM7 | 14 Presets, Digital Display, two 6" ERS Front Speakers, two 6" ERS Rear Speakers, two 4" Rear Speakers, 33 Watts Total Power Output. | | 0 | 0 | 0 | 0 | |
| Electronically-Tuned AM/FM Stereo Radio w/Seek-Scan, Stereo Cassette Tape and Digital Clock | | 14 Presets, Digital Display, two 6" ERS Front Speakers, two 6" ERS Rear Speakers, 33 Watts Total Power Output. | | 0 | 0 | 0 | 0 | |
| Electronically-Tuned AM Stereo/FM Stereo Radio w/Seek-Scan, Stereo Cassett Tape with Search and Repea Graphic Equalizer and Digital Clock | t, | 14 Presets, Digital Display, two 6" ERS Front Speakers, two 6" ERS Rear Speakers, two 4" Rear Speakers, 33 Watts Total Power Output | | 0 | 0 | 0 | 0 | |
| Radio Delete | 01.5 | 1 | | 0 | 0 | 0 | 0 | |

Radio Delete

UL5

MODELS

ASTRO PASSENGER VAN

KEY: S - Standard O - Optional — Not Available


ASTRO PASSENGER VAN (CM10906)
 ASTRO EXTENDED PASSENGER VAN (CM11006)
 ASTRO AWD PASSENGER VAN (CL10906)
 ASTRO AWD EXTENDED PASSENGER VAN (CL11006)

| | | YD PASSENGER VAN (CL10906) YD EXTENDED PASSENGER VAN (CL11006) | į | 2-WHEE | L DRIVE | ALL-WHEEL DRIVE | | |
|---|------------|--|--|--------|----------|-----------------|-----|--|
| OTE: Refer to Dealer Order Guide | | | | 1 | 2 | 3 | 4 | |
| ОРТІОМ | CODE | DESCRIPTION | RESTRICTIONS | | | | | |
| SEATING ARRANGEMENTS | ŀ | | | | | | | |
| 5 Person Seating | ZP5 | 2 Front High Back Buckets and Standard removable 3-Passenger Bench | , | s | s | s | s | |
| 7 Person Seating | ZP7 | 4 High Back Bucket Seats and a removable 3-Passenger Bench; Incls A78 Seat Back Recliner | Reqs Custom Trim; CL10906 reqs P215 tires | 0 | 0 | 0 | 0 | |
| 8 Person Seating | ZP8 | 2 High Back Bucket Seats and Two removable 3-Passenger Bench Seats; YC7 LT Adds Reclining Seat Backs and Split Bench Seats | CL10906 reqs P215 tires | 0 | 0 | 0 | 0 | |
| SEAT BACK RECLINER AND DUAL ARMRESTS | A78 | Incl w/ZP7 Seating; or YC7 LT | Regs Custom Trim | 0 | 0 | Ο | 0 | |
| SEAT, 6-WAY POWER, DRIVER | AC3 | | Regs A78 Seat Back Recliner, ZP7 or YC7 LT | 0 | 0 | 0 | . 0 | |
| SPORT PACKAGE | ВҮР | Incls Air Dam w/Fog Lamps, FE3 Sport Suspension, Luxury Sport Steering Wheel, Color Keyed Front & Rear Bumpers and a Wide Black Body Side Molding w/Red Insert and Grille w/Red Striping | Incls ZW6 with CM11006. N/A YC7 LT; N/A ZW6 Glass with CM10906. Reqs ZY1 or ZY6 paint | O | 0 | <u>-</u> | - | |
| STOWAGE COMPARTMENT | BA8 | Drawer-type, non-locking type beneath front passenger seat | | 0 | 0 | 0 | 0 | |
| SUSPENSION, SPORT | FE3 | Incls ZJ7 Wheels, QWT P245/60R15 White Outlined Lettered Tires, Rear Stablizer & Front & Rear Gas Shocks Incl w/BYP Sport Pkg | | 0 | 0 | ~ | _ | |
| TIRE EQUIPMENT | | (See Wheels and Tires for Details) | | | | | | |
| P205/75R15 | QCE | | N/A FE3 Susp or BYP Sport Package | s | | s | _ | |
| P205/75R15 | QCF | | N/A FE3 Susp or BYP Sport Package | 0 | - 1 | 0 | _ | |
| P205/75R15 | QCG | | N/A FE3 Susp or BYP Sport Package | 0 | <u> </u> | 0 | _ | |
| P215/75R15 | QCU | | N/A FE3 Susp or BYP Sport Package | _ | s | 0 | S. | |
| P215/75R15 | QCV | | N/A FE3 Susp or BYP Sport Package | | 0 | 0 | 0 | |
| P215/75R15 | QCW | | N/A FE3 Susp or BYP Sport Package | - | 0 | 0 | 0 | |
| P245/60R15 | QWT | | Reqs FE3 Susp or BYP Sport Package | 0 | 0 | | _ | |
| TRAILERING SPECIAL EQUIPMENT | | | | | | | | |
| Heavy-Duty | Z82 | Incls Trailering Hitch and Wiring Harness; Incls V02 and KC4 Engine Oil Cooler and Heavy-Duty Flasher | CM10906 or CM11006 w/ LB4 Eng reqs GU6 or GT4 Rear Axle; CL10906 or CL11006 reqs GT4 Rear Axle | 0 | 0 | 0 | 0 | |
| Light-Duty | Z72 | Incls Trailer Hitch and Wiring Harness | Reqs V01 or V02 Cooling | 0 | 0 | 0 | 0 | |
| TRANSMISSIONS 4-Speed Automatic w/Overdrive | мхо | (See Powertrains) | | s | s | s | s | |
| WHEELS Aluminum Rally | PF3 ZJ7 | On YC7 LT Color-Keyed Incl w/BYP Sports Pkg, YC6, | | 0 | 0 | 0 | 0 | |
| | | YC7 or FE3. Incls Special Hub Caps and Trim Rings | | - | | | | |

SOLID COLORS

WITHOUT LUXURY TOURING PACKAGE

Solid paint (ZY1) is standard on all models. All painted areas of the body and front end sheet metal, including the bumpers, are the same color. Below are the interior trim color and exterior paint combinations recommended by Chevrolet, however any available interior trim color may be ordered. For further information, refer to Seats and Interior Trim pages as well as the Ordering Guide.



KEV. __ Not Available

Rlank---Available

WHEEL COLOR LEGEND: S - Silver, G - Gold, B - Lt. Blue, W - White.

| EXTERIOR CO | LORS | STRIPE COLORS | II. | ITERIO | COLO | RS | WHEEL CO | LORS |
|-------------------------|---------|---------------|----------|----------|--------|------|----------|-------|
| COLOR 1 | COLOR 2 | | Blue | Garnet | Saddle | Gray | Aluminum | Rally |
| 10 Ivory White | 10 | _ | • | | | | w | s |
| | 10 | | | • | | | W | S |
| | 10 | | | | • | | W | G |
| | 10 | | | | | • | W | Ŝ |
| 15 Sterling Silver Met. | 15 | _ | • | • | | • | S | S |
| 16 Fieldstone Gray Met. | 16 | | | • | | • | S | S |
| 27 Smoke Blue Met. | 27 | | • | | | • | В | Ŝ |
| 33 Mojave Beige | 33 | _ | | • | • | | G | G |
| 34 Sunset Gold Met. | 34 | | | 1 | • | | G | G |
| 11 Onyx Black | 41 | | | • | | • | S | S |
| • | 41 | _ | <u>-</u> | | • | | G | G |
| 75 Deep Red Met. | 75 | | | • | 1 | • | \$ | S |
| 76 Burnt Red Met. | 76 | | | • | • | • | S | S |
| 98 Midnight Blue Met. | 98 | | • | 1 | | • | S | S |

WITH LUXURY TOURING PACKAGE (YC7) ONLY

(Includes Decal Striping)

Below are the interior trim color and exterior paint combinations recommended by Chevrolet. They are the only available interior and exterior combinations allowed. For further information, refer to Seats and Interior Trim pages as well as the Ordering Guide.

KEY: - Not Available

-Recommended

WHEEL COLOR LEGEND: S - Silver, B - Lt. Blue

| EXTERIOR COLORS | | STRIPE COLORS | 1I 8 | NTERIO | R COLO | WHEEL COLORS | | |
|-----------------------|---------|--------------------|------|--------|--------|--------------|----------|-------|
| COLOR 1 | COLOR 2 | | Blue | Garnet | Saddle | Gray | Aluminum | Rally |
| 30 Catalina Blue Met. | 30 | Lt. Blue/Med. Blue | • | | _ | | 8 | S |
| 97 Slate Met. | 97 | Lt. Gray/Dk. Gray | | | | • | S | S |

WITH BYP ASTRO GT SPORT PACKAGE

Below are the interior trim color and exterior paint combinations recommended by Chevrolet, however any available interior trim color may be ordered. For further information, refer to Seats and Interior Trim pages as well as the Ordering Guide.

KEY: - Not Available

Recommended

Blank-Available

WHEEL COLOR LEGEND: S - Silver, B - Lt. Blue, G - Gold, W - White


| EXTERIOR CO | LORS | STRIPE COLORS | 11 | NTERIO | R COLO | WHEEL COLORS | | |
|-------------------------|---------|---------------|------|--------|---------------------------------------|--------------|----------|-------|
| COLOR 1 | COLOR 2 | | Blue | Garnet | Saddle | Gray | Aluminum | Rally |
| 10 Ivory White | 10 | _ | | | | • | w | s |
| 15 Sterling Silver Met. | 15 | | | | · · · · · · · · · · · · · · · · · · · | • | S | S |
| 27 Smoke Blue Met. | 27 | | • | | | | В | S |
| 34 Sunset Gold Met. | 34 | _ | | | • | | G | G |
| 41 Onyx Black | 41 | - | | • | | • | S | S |
| 75 Deep Red Met. | 75 | | | • | [<u> </u> | | S | S |

SPECIAL TWO-TONE

(ZY3) (Includes Decal Striping and Body Side Molding)

Special two-tone paint (ZY3) is available with the Luxury Touring Package (YC7) only. It includes a dual color decal stripe and black body side molding. Color code 1 is applied to the areas above the belt styling crease line. Color code 2 is applied to the areas below the belt styling crease line. Below are the interior trim color and exterior paint combinations recommended by Chevrolet. They are the only available interior and exterior combinations allowed. For further information, refer to Seats and Interior Trim pages as well as the Ordering Guide.

WITH LUXURY TOURING PACKAGE (YC7) ONLY



KEY: -- Not Available

Recommended


WHEEL COLOR LEGEND: S - Silver, B - Lt. Blue

| EXTERIOR COLORS | | STRIPE COLORS | WHEEL COLORS | | | |
|-------------------------|-----------------------|--------------------|--------------|------|----------|-------|
| COLOR 1 | COLOR 2 | | Blue | Gray | Aluminum | Rally |
| 16 Fieldstone Gray Met. | 97 Slate Met. | Lt. Gray/Dk. Gray | _ | • | s | s |
| 27 Smoke Blue Met. | 30 Catalina Blue Met. | Lt. Blue/Med. Blue | • | | В | s |

DELUXE TWO-TONE

(ZY4)

Deluxe two-tone paint (ZY4) is available on all models (except Astro LT). Color code 1 is applied to the areas above the decal striping and below the bodyside molding. Color code 2 is applied to the area in between bodyside molding and decal. Below are the interior trim color and exterior paint combinations recommended by Chevrolet. The only available color code 1/color code 2 exterior color combinations are those shown in the chart below, however, any available interior trim color may be ordered. For further information refer to Seats and Interior Trim pages as well as the Ordering



WHEEL COLOR LEGEND: S - Silver, G - Gold, B - Lt. Blue KEY: Blank-Available Recommended

| (e) | लेशाइंशस्ट्राइट | OWNERS WAS BUILD | 12 - 1 / E | 1-1/019 | Medalar | 1.15 | | olrol: |
|-------------------------|-------------------------|--------------------|------------|---------|---------|------|------------|--------|
| COLOR 1 | COLOR 2 | | Blue | Garnet | Saddle | Gray | Aluminum · | Rally |
| 10 Ivory White | 16 Fieldstone Gray Met. | Black/Red/Black | | ı | | • | S | s |
| | 34 Sunset Gold Met. | Black/Orange/Black | | | • | T | G | G |
| | 98 Midnight Blue Met. | Silver/Blue/Silver | • | | | | S | S |
| 15 Sterling Silver Met. | 16 Fieldstone Gray Met. | Black/Red/Black | | • | | • | S | S |
| | 76 Burnt Red Met. | Black/Red/Black | | • | | • | S | S |
| | 98 Midnight Blue Met. | Silver/Blue/Silver | • | | | | S | S |
| 16 Fieldstone Gray Met. | 15 Sterling Silver Met. | Black/Red/Black | | • | | • | S | s |
| 27 Smoke Blue Met. | 98 Midnight Blue Met. | Silver/Blue/Silver | • | | | | В | S |
| 33 Mojave Beige | 34 Sunset Gold Met. | Black/Gold/Black | | • | • | | G | G |
| 34 Sunset Gold Met. | 41 Onyx Black | Black/Orange/Black | | | • | | G | G |
| 41 Onyx Black | 15 Sterling Silver Met. | Black/Red/Black | İ | • | | • | S | S |
| | 16 Fieldstone Gray Met. | Silver/Red/Silver | | • | | • | S | S |
| | 34 Sunset Gold Met. | Black/Orange/Black | | | • | | G | G |
| 75 Deep Red Met. | 15 Sterling Silver Met. | Black/Red/Black | | • | | • | S | s |
| | 16 Fieldstone Gray Met. | Silver/Red/Silver | | • | | • | S | s |
| | 76 Burnt Red Met. | Black/Red/Black | | • | | • | S | S |
| 76 Burnt Red Met. | 15 Sterling Silver Met. | Black/Red/Black | | • | | • | s | s |
| | 16 Fieldstone Gray Met. | Silver/Red/Silver | | • | | • | S | s |
| | 34 Sunset Gold Met. | Black/Gold/Black | | • | • | | G | G |
| 98 Midnight Blue Met. | 15 Sterling Silver Met. | Silver/Blue/Silver | • | | | • | s | s |

COLOR COMBINATIONS


ASTRO PASSENGER VAN

CUSTOM TWO-TONE

(ZY6)

WITHOUT BYP ASTRO GT SPORT PACKAGE

Custom two-tone paint (ZY6) is available on all models (except on Astro LT). Color code 1 is applied to the area above the bodyside molding, and Color code 2 is applied to the areas below the bodyside molding. Below are the interior trim color and exterior paint combinations recommended by Chevrolet. The only available Color code 1/Color code 2 exterior color combinations are those shown in the chart below, however any available interior trim color may be ordered. For further information, refer to Seats and Interior Trim as well as the Order Guide.



KEY: -- Not Available Blank-Available •- Recommended WHEEL COLOR LEGEND: S - Silver, G - Gold, B - Lt. Blue

| | SAPERIORE SERVICES | | | | | | | |
|-------------------------|-------------------------|---|------|----------|--------|------|----------|-------|
| COLOR 1 | COLOR 2 | | 8lue | Garnet | Saddle | Gray | Aluminum | Rally |
| 10 Ivory White | 16 Fieldstone Gray Met. | _ | | | | • | S | S |
| | 34 Sunset Gold Met. | _ | | | • | | G | G |
| | 98 Midnight Blue Met. | | • | | | | S | s |
| 15 Sterling Silver Met. | 16 Fieldstone Gray Met. | - | | • | | • | S | S |
| | 76 Burnt Red Met. | ŀ | | • | | • | S | s |
| | 98 Midnight Blue Met. | 1 | • | | | | S | S |
| 16 Fieldstone Gray Met. | 15 Sterling Silver Met. | _ | | • | | • | S | S |
| 27 Smoke Blue Met. | 98 Midnight Blue Met. | _ | • | <u> </u> | | | В | S |
| 33 Mojave Beige | 34 Sunset Gold Met. | - | | • | • | | G | G |
| 34 Sunset Gold Met. | 41 Onyx Black | 1 | | | • | | G | G |
| 41 Onyx Black | 15 Sterling Silver Met. | _ | | • | | • | S | S |
| | 16 Fieldstone Gray Met. | _ | | • | | • | S | S |
| | 34 Sunset Gold Met. | | | I | • | | G | G |
| 75 Deep Red Met. | 15 Sterling Silver Met. | | | • | | • | S | S |
| | 16 Fieldstone Gray Met. | - | I | • | | • | S | S |
| | 76 Burnt Red Met. | | | | | • | S | S |
| 76 Burnt Red Met. | 15 Sterling Silver Met. | | | • | | • | S | S |
| | 16 Fieldstone Gray Met. | | | • | | • | S | S |
| | 34 Sunset Gold Met. | 1 | | • | • | | G | G |
| 98 Midnight Blue Met. | 15 Sterling Silver Met. | | • | | | • | S | s |

WITH BYP ASTRO GT SPORT PACKAGE

Below are the interior and exterior paint combinations recommended by Chevrolet, however any available interior trim color may be ordered. For further information, refer to Seats and Interior Trim as well as the Ordering Guide.

KEY: -- Not Available Blank-Available •-Recommended WHEEL COLOR LEGEND: S - Silver, G - Gold, B - Lt. Blue, W - White

| BXeq=:Hei | HIGOIROHSE SE | Suring Ecologies | # INT | (=: [e]; | (O(O)E(S | IRS. | WHEEL | OLORS |
|-------------------------|---------------|------------------|-------|----------|----------|------|----------|-------|
| COLOR 1 | COLOR 2 | | Blue | Garnet | Saddle | Gray | Aluminum | Rally |
| 10 Ivory White | 41 Onyx Black | | | | | • | W | S |
| 15 Sterling Silver Met. | 41 Onyx Black | - | | | | • | S | S |
| 27 Smoke Blue Met. | 41 Onyx Black | _ | • | | | | В | S |
| 34 Sunset Gold Met. | 41 Onyx Black | | | | • | | G | G |
| 75 Deep Red Met. | 41 Onyx Black | _ | | • |] | | S | S |