




*1993 CHEVROLET
G-VAN
RESTORATION
PACKAGE*





GM Service Technology Group

1993 LIGHT DUTY TRUCK, MULTIPURPOSE PASSENGER VEHICLE (MPV) AND INCOMPLETE VEHICLE VIN SYSTEM



- 3 MAKE**
- A - CHEV BUS*
 - B - CHEV INCOMPLETE
 - C - CHEV TRUCK
 - D - GMC INCOMPLETE
 - E - CADILLAC INCOMPLETE
 - H - OLDSMOBILE MPV
 - J - GMC BUS*
 - K - GMC MPV
 - L - BUICK INCOMPLETE
 - M - PONTIAC MPV
 - N - CHEV MPV
 - T - GMC TRUCK*
 - *VAN WITH 4TH SEAT

4 GVWR/BRAKE SYSTEM

CODE	GVWR RANGE (LB POUNDS)	BRAKE SYSTEM
B	3001-4000	HYD
C	4001-5000	HYD
D*	5001-6000	HYD
E	6001-7000	HYD
F**	7001-8000	HYD
G	8001-9000	HYD
H	9001-10000	HYD
J	3001-10000	HYD
K	14001-16000	HYD

*CADILLAC BUICK & CHEV COMMERCIAL BODY CHASSIS
*CADILLAC COMMERCIAL BODY CHASSIS-PROP KUMHARA COACH

- 5 LINE & CHASSIS TYPE**
- B - SPECIAL BODY (BUICK OR CHEVROLET) 4x2
 - C - CONVENTIONAL CAB GMT40 4x2
 - D - MILITARY TRUCK 4x4
 - E - COMPACT CAB 4x2
 - G - VAN** 4x2
 - H - CHASSIS OUTRIG/SPECIAL BODY FROM CAO PASS CAR (FWD) 4x2
 - J - COMPACT CAB 4x4
 - K - CONVENTIONAL CAB GMT40 4x4
 - L - SMALL VAN** 4x4
 - M - SMALL VAN** 4x2
 - P - FORWARD CONTROL 4x2
 - S - SMALL CONVENTIONAL CAB 4x2
 - T - SMALL CONVENTIONAL CAB 4x4
 - U - ALL PURPOSE VEHICLE (APV) 4x2
 - Z - SPECIAL BODY (CADILLAC) 4x2
- **INCLUDES BLADE, JUMP, EXTENSION, BROWDER AND TWIN CHEV VAN, SPORT AND 4870 GMC VAN/RAV4 RALLY AND SAVAN

- 6 SERIES**
- B - ALL PURPOSE VEHICLE
 - 1 - 1/2 TON
 - 2 - 3/4 TON
 - 3 - 1 TON
 - D - CADILLAC BUICK & CHEVROLET COMMERCIAL BODY CHASSIS


- 7 BODY TYPE**
- B - CHASSIS ONLY
 - D - CADILLAC BUICK & CHEVROLET COMMERCIAL BODY CHASSIS
 - 1 - HI-CUBE AND CUTAWAY VAN*
 - 2 - FORWARD CONTROL
 - 3 - FOUR DOOR CAB/UTILITY
 - 4 - TWO DOOR CAB
 - 5 - VAN
 - 6 - ALL PURPOSE VEHICLE SUBURBAN
 - 7 - MOTOR HOME CHASSIS
 - 8 - UTILITY TWO-DOOR
 - 9 - EXTENDED CAB/VAN
- *GMC MAGNAN AND CHOPPED VAN

8 ENGINE TYPE

CODE	A	B	C	D	E	F	G	J	K	L	N	R	U	W	X	Z	7
ENGINE OPTION	L34	L26	L18	L66	L03	L65	L02	L14	L05	L27	L19	L12	L55	L35	B21	L84	L06
DISPL. (L)	2.5	4.9	6.2	3.1	5.0	6.5	2.3	6.7	5.7	3.8	2.4	2.8	1.6	4.3	-	4.3	3.7
CYLINDERS	4	6	6	4	4	6	4	6	6	4	4	4	4	4	-	4	4
FUEL SYSTEM*	TBI	MFI	DSL	TBI	TBI	DSL	MFI	DSL	TBI	MFI	TBI	TBI	CPI	-	TBI	TBI	-
GV USAGE	CT	B	CT	E123	CT1	CT	23	CT	CT	1234	CT	CT	C	CMT	-	CMT	145
PRODUCER IN*	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U

*LEGEND U=U.S. C=CANADA M=MEXICO J=JAPAN X=ENGINE DELETE DSL=DIESEL
TBI=THROTTLE BODY INJECTION MFI= MULTIPORT FUEL INJECTION CPI= CENTRAL PORT INJECTION

1993 MEDIUM DUTY TRUCK AND INCOMPLETE VEHICLE VIN SYSTEM



- 3 MAKE**
- C = CHEV INCOMPLETE
 - M = CHEV TRUCK
 - H = GMC INCOMPLETE
 - T = GMC TRUCK

- 4 GVWR/BRAKE SYSTEM**
- | CODE | GVWR RANGE (LB POUNDS) | BRAKE SYSTEM |
|------|------------------------|--------------|
| A | 9 001-10 000 | HYD |
| B | 10 001-14 000 | HYD |
| C | 14 001-16 000 | HYD |
| D | 14 001-16 000 | AIR |
| E | 16 001-19 500 | HYD |
| F | 16 001-19 500 | AIR |
| G | 19 501-23 500 | HYD |
| H | 19 501-23 500 | AIR |
| J | 23 501-26 000 | HYD |
| K | 23 501-26 000 | AIR |
| L | 26 001-33 000 | HYD |
| M | 26 001-33 000 | AIR |
| N | 33 001-40 500 | HYD |
| P | 33 001-40 500 | AIR |
| R | 40 501-48 500 | HYD |
| S | 40 501-48 500 | AIR |
| T | 48 501-58 000 | AIR |
| X | GLIDER KIT | - |

- 6 TRUCK LINE & CAB TYPE (MODEL)**
- A - 76 2" BBC TILT STEEL MEDIUM (W7/W6)
 - B - 67 2" BBC TILT STEEL MEDIUM (W4/W5)
 - H - 104" BBC CONV. MEDIUM (C)
 - P - CHASSIS ONLY (BSP 57)
 - G - CHASSIS ONLY (B6P, P6S/P4)
 - T - BUS CHASSIS (B7)
- BBC = BUMPER TO BACK OF CAB

4 GVWR/BRAKE SYSTEM

CODE	GVWR RANGE (LB POUNDS)	BRAKE SYSTEM
A	9 001-10 000	HYD
B	10 001-14 000	HYD
C	14 001-16 000	HYD
D	14 001-16 000	AIR
E	16 001-19 500	HYD
F	16 001-19 500	AIR
G	19 501-23 500	HYD
H	19 501-23 500	AIR
J	23 501-26 000	HYD
K	23 501-26 000	AIR
L	26 001-33 000	HYD
M	26 001-33 000	AIR
N	33 001-40 500	HYD
P	33 001-40 500	AIR
R	40 501-48 500	HYD
S	40 501-48 500	AIR
T	48 501-58 000	AIR
X	GLIDER KIT	-

- 5 SERIES**
- 4 - 4500 SERIES MED DUTY
 - 5 - 5000 SERIES MED DUTY
 - 6 - 6000 SERIES MED DUTY
 - 7 - 7000 SERIES MED DUTY

- 6 TRUCK LINE & CAB TYPE (MODEL)**
- A - 76 2" BBC TILT STEEL MEDIUM (W7/W6)
 - B - 67 2" BBC TILT STEEL MEDIUM (W4/W5)
 - H - 104" BBC CONV. MEDIUM (C)
 - P - CHASSIS ONLY (BSP 57)
 - G - CHASSIS ONLY (B6P, P6S/P4)
 - T - BUS CHASSIS (B7)
- BBC = BUMPER TO BACK OF CAB

- 7 CHASSIS TYPE**
- B - GLIDER KIT
 - 1 - 4x2
 - 4 - 6x4


- 8 ENGINE TYPE**
- A - GM 5.7L V8 TBI GASOLINE
 - J - CAT 6.6L 3116 DIESEL L70
 - K - ISUZU 3.9L 4 CYLINDER DIESEL
 - M - GM 7.0L V8 TBI GASOLINE L70
 - P - GM 6.0L TBI V8 GASOLINE L50
 - U - ISUZU 6.5L 6B61 DIESEL
 - X - GLIDER KIT LESS ENGINE
 - Z - GM 4.3L TBI V6 GASOLINE L84

General Motors Corporation, Service Technology Group, 30501 Van Dyke, Warren, MI 48090.
 Litho in U.S.A. 9/92 (313) 947-8772/8773
 ©1992 General Motors Corporation. All Rights Reserved.

General Motors

Truck 1993

VIN System




'93

Sportvan


Ordering Information

New for '93

- ▶ Four-wheel anti-lock brake system (ABS) standard; improves vehicle steerability and stability during braking levels which approach wheel lockup.
- ▶ 9200 GVWR available; G30 models only.
- ▶ Optional air conditioning system operates with environment-friendly 134A refrigerant (instead of Freon).
- ▶ New Solar Ray™ tinted glass reflects and absorbs up to 60 percent of the sun's energy to reduce interior heat buildup.
- ▶ Standard 4-speed automatic overdrive transmission is now electronically controlled for improved shift smoothness.
- ▶ Brake/transmission shift interlock; with ignition "ON," requires the brake pedal to be depressed to shift out of PARK position.
- ▶ Quiet fan drive for all engines; reduces fan noise at start-up.
- ▶ 4.3L V6 (RPO LB4) engine enhancements for improved performance.
- ▶ Scotchgard™ Fabric Protector on seats, door and quarter trim panels (cloth interiors only).



Feature Vehicle: Beauville 148" WB G30 ▲



Focus Vehicle: Beauville 125" WB G20 ▲


- ▶ Steel sleeve steering column with Comfortilt Wheel is designed for improved security. Improvements include three steel shields, revised lock cylinder and new lock bolt spring.
- ▶ Wear indicators added to lower ball joints; provides means of identifying wear (G10 and G20 models only).
- ▶ New colors for '93 include Khaki — Code 52, Mohave Beige — Code 33 and Summit White — Code 50.




- ▶ Choice of Regular-Body or Extended-Body, with seating for 5, 8, 12 or 15 passengers in Sportvan, depending on options and model selected.
- ▶ Great towing capacity. A Regular-Body G30 with the optional 7.4 Liter V8 can move up to 17,000 lbs., including vehicle, trailer, equipment, people and cargo when properly equipped.
- ▶ Extended-Body model is a true extended-body van with a longer wheelbase for better weight distribution and ride characteristics. Includes smooth, single-stamped sheet metal in rear quarters.
- ▶ Choice of 60/40 swing-out side doors (standard) or sliding side door (no-cost option).
- ▶ Four-wheel anti-lock brakes are standard on all models. As brake pressure is applied, the system automatically modulates the braking action as necessary to minimize wheel lockup.
- ▶ Self-aligning steering wheel is designed to automatically align with driver's body in the event of a frontal collision to help reduce chest impact and injury.

Seat Styling Options

Vinyl seat trim available in Beige or Blue ▼




Vinyl high-back bucket seats ▼




Custom Vinyl seat trim available in Beige, Black, Blue, Garnet or Gray ▼




Custom Vinyl high-back bucket seats ▼




Custom Cloth seat trim available in Beige, Black, Blue, Garnet or Gray ▼



Custom Cloth high-back bucket seats ▼



Custom Cloth reclining bucket seats ▼




Wheels


Standard Sportvan wheel with Bright hubcap (G30 version shown) ▼




Optional full wheel cover (G30 model only) (RPD PD1) ▼



Optional Rally Wheel (not available on G30 Series) (RPD NG7) ▼



Optional cast aluminum wheel (not available on G30 Series) (RPD PF3) ▼



'93

Positioning for '93

Sportvan is Chevy's premier people-mover, with passenger capacities ranging from a standard 5-passenger seating plan in the G10 Series up to an optional 15-passenger capacity in the 146"-wheelbase Extended-Body G30 Series.

In the commercial marketplace, Sportvan, with available seating for up to 15 passengers, appeals to operators as a people-mover — it is used as a bus, for ride-share programs and as an airport/hotel limousine.

Sportvan

Popular Colors

Listed below are the most popular Sportvan colors nationally, based on 1992 Model Year production volumes. NOTE: These colors are for reference only. Use RSA to identify the top-selling colors, by model, in your area.

COLOR	PERCENT (%)
12 — Frost White	48
47 — Royal Blue Met.	10
78 — Burgundy Met.	8
54 — Spruce Blue Met.	5

NOTE: New exterior colors for '93 Sportvan are:
52 — Khaki
33 — Mohave Beige
50 — Summit White.

Ordering Recommendations

FEATURE AND FOCUS VEHICLES

The Sportvan Feature vehicle for 1993 is the 146"-wheelbase G30 Extended-Body with Beauville trim. It is the vehicle Chevy plans to highlight in trade advertising, merchandising, show and display activities. This vehicle has broad appeal for the commercial market due to its long load length, impressive towing capacity and choice of engines.

The Focus vehicle for 1993 is the 125"-wheelbase G20 Sportvan with Beauville trim. It represents the best opportunity for volume sales in '93.

NOTE: The Sportvan Focus vehicle may vary in your locality. You can verify or select your dealership's Sportvan Focus vehicles with Retail Sales Analysis (RSA).

FOCUS PLANNING WITH RETAIL SALES ANALYSIS

Economic influences, fuel costs, seasonal changes and many other variable factors can influence van customers. During the model year, you can "take the pulse" of buyers as required to determine what models, PEGs and colors are currently being most often chosen. To do this, Chevrolet Motor Division recommends that you utilize Retail Sales Analysis when ordering vehicles for inventory. RSA is found in the Chevrolet Dealer Information System (DCS/CDIS).

- ▶ Use RSA to identify which Sportvan models, PEGs and colors are selling at your dealership as well as other dealerships in your MDA, Sales Area, ADI, MSSA, Branch, SMA and National.
- ▶ You can increase your turnover rate by using RSA to identify top-selling models and PEGs that you can focus on in your advertising and promotions.
- ▶ For more information about RSA, refer to your Chevrolet Dealer Information System (CDIS) Manual or contact your Account Manager - CMC.

Preferred Equipment Groups

Popular Sportvan options are combined into convenient Preferred Equipment Groups. These equipment packages are designed to:

- ▶ Appeal to a broad base of your truck customers
- ▶ Make ordering easier
- ▶ Add value to vehicles and enhance trade-in values.
- ▶ Enable you to make your inventory and sales strategies more responsive to your competition.

The G20 125"-wheelbase Sportvan with Preferred Equipment Group 4 and optional equipment as listed at right offers the features most often desired by buyers.

(NOTE: Airport, hotel and other limousine services most often choose the Extended-Body G30 in Beauville trim and PEG 3.)

▶ 1993 SPORTVAN RECOMMENDED FOCUS MODEL/PEG/OPTIONS

- ▶ Sportvan G20 125" WB with PEG 4 (V2A4)
Includes: ♦ ZW9 Standard Body (E94 Body may be substituted)
♦ Air Conditioning, Front and Rear ♦ AM/FM Stereo with Cassette Tape Player ♦ Beauville Body ♦ Convenience Groups: Comfortilt Wheel and Speed Control; Power Windows and Power Door Locks ♦ Lighting: Auxiliary ♦ Mirrors: Stainless Steel ♦ Glass: Deep-Tinted ♦ Seats: Custom Cloth with Reclining Front Bucket Seats with Armrests ♦ One Additional Bench Seat (8-passenger seating) ♦ Rally Wheels.
- ▶ Popular Options
♦ 5.0 Liter V8 (L03) ♦ Deluxe Two-Tone Paint (ZY4)
♦ Spare Tire: P225/75R-15 (ZET).

See Truck Order Guide for complete PEG availability, full content description and allowable substitutions

SPORTVAN AND BEAUVILLE ARE TRADEMARKS OF GENERAL MOTORS CORPORATION. CHEVY AND SOLAR RAY ARE TRADEMARKS OF GENERAL MOTORS CORPORATION.

Forecasted Percent of Mix — 1993 Sportvan

SERIES	
G10 110" WB	2%
125" WB	3%
G20 125" WB	35%
G30 125" WB	20%
G30 146" WB	40%
Total	100%

DOORS	
Swing-Out Side Doors	70%
Sliding Doors	30%
Total	100%

TRIM LEVELS	
Standard	35%
Beauville	65%
Total	100%

ENGINES	
4.3L V6	4%
5.0L V8	7%
5.7L V8	80%
7.4L V8	4%
6.2L V8 Diesel LD	3%
6.2L V8 Diesel HD	2%
Total	100%

TRANSMISSIONS	
MXD	100%
Total	100%

MODELS PASSENGERS

Sportvan CG11006	5
Sportvan CG11306	5

DIMENSIONS /SPECIFICATIONS

Wheelbase (inches)	
CG11006	110.0
CG11306	125.0
Length (overall - inches)	
CG11006	180.1
CG11306	204.1
Height (overall - inches)	
CG11006	79.4
CG11306	79.1
Width (maximum - inches)	
79.5	
Sliding Side Load Door (inches)	
Opening Height	48.5
Opening Width	44.2
Swing-Out Side Load Door (inches)	
Opening Height	48.5
Opening Width	46.7
Large Door	30.3
Small Door	19.2
Rear Load Door (inches)	
Opening Height	48.8
Opening Width	54.4
Cargo Capacity (cu. ft.)	
CG11006	207.0
CG11306	260.0
Payload (pounds)	
CG11006	1358/1754
CG11306	1031/1428
GVWR (pounds)	
5600/6000	
Fuel Tank Capacity	
CG11006	22 Gal.
CG11306	33 Gal.

POWER TEAMS

Standard Engine	
RPO LB4 4.3L (262 Cu. In.) - V6 with Electronic Fuel Injection (EFI)	
Standard Transmission	
RPO MX0 4-Speed Electronically Controlled Automatic with Overdrive	
Standard Axle Ratio	3.42

STANDARD EQUIPMENT SUMMARY

EXTERIOR

Alternator: 100 amps
 Battery: Heavy-duty with 630 CCA
 Brakes: Heavy-duty power front disc/rear drum brakes and 4-wheel anti-lock braking system
 Brake/Transmission shift interlock
 Bumpers: Front and rear, chromed with front bumper guards
 Defoggers: Side window
 Door Stop, Rear Door
 Doors: Swing-out side load door
 Glass: Windshield side door, swing-out rear doors, side load doors, swing-out front quarter glass and LH and RH rear quarter fixed glass
 Glass, Solar-Ray Tinted: All Windows
 Grille: Molded plastic grille painted light argent
 Headlamps: Halogen
 Horn, Dual: Electric high note and low note
 Mirrors: RH and LH white painted below-eye-line with adjustable heads, 6.5" x 9"
 Moldings: Black body side
 Shock Absorbers: 32mm heavy-duty, front and rear
 Steering, Power
 Tire, Spare: Full size spare tire and wheel
 Tires: P205/75R15 blackwall steel belted radial ply
 Wheel Trim: Bright metal hub caps with black trim
 Wheels: 15" x 6" white painted steel wheels
 Wiper System: Intermittent windshield wipers

INTERIOR

Armrest: Padded RH and LH side door and rear seat
 Assist Handle: Back of passenger seat
 Carrier, Spare Tire on RH Rear Side
 Cigarette Lighter
 Coat Hooks: LH
 Door Trim Panels: Color-keyed cloth on door and sidewalls and carpeting on lower areas (Available on CG11306 Only)
 Floor Covering: Embossed black rubber mats over entire floor area and front wheelhousing
 Gages: Engine temperature, fuel level, odometer, oil pressure, speedometer, trip odometer and voltmeter
 Headliner: Full length, with garnish moldings (N/A CG11006 Models)
 Heater: Deluxe outside air heater and defogger
 Insulation and sound-deadening material under instrument and front floor panels and engine cover
 Lamps: Front and rear dome lamps with door-actuated switches
 Parcel Tray with beverage holder provisions
 Radio: Electronically tuned AM with digital clock and fixed mast antenna
 Scotchgard™ Fabric Protector on cloth trims and door panels
 Seat Trim: Adjustable high back front bucket seats and removable 3-passenger bench seat with vinyl trim
 Sunshades: RH and LH vinyl, color-keyed

OPTIONAL UPLEVEL TRIM

BEAUVILLE TRIM LEVEL (RPO E94)

The following equipment is in addition to or replacing items included in the base trim level.

EXTERIOR

Grille: Molded plastic grille painted light argent with bright Chevrolet emblem
Headlamps: Dual halogen hi-beam
Moldings: Black body side and rear with bright inserts and bright wheel opening moldings
Nameplate: Beauville

INTERIOR

Coat Hooks: LH and RH and rear
Floor Covering: Color-keyed carpeting over entire floor area with color-keyed rubber front and rear floor mats
Headliner: Full Length cloth headliner and garnish moldings
Lamps: Front and rear dome with front reading lamp and door actuated switches
Mats, Stepwell: Embossed, black rubber
Rear Door Trim Panels: Color-keyed cloth on door and carpeting on lower areas
Seat Trim: Adjustable high-back bucket seats and removable 3-passenger bench seat with custom vinyl or custom cloth
Storage Compartment: Locking, located under passenger seat

MODEL AND BODY

	Description	Model No
2-WHEEL-DRIVE MODELS		
16940 00	Sportvan	CG11006
17640 00	Sportvan	CG11306

EMISSIONS (Must Specify One)
(N/A YF5 CALIFORNIA)

NA5 Standard Emission Equipment
NA6 High Altitude Emission Equipment

POWER TEAMS (Must Specify Engine, Transmission and Rear Axle)
(Consult GVWR Selector for Minimum Equipment Required)

ENGINE	TRANSMISSION	AXLES			GVWR
		3.08	3.42	3.73	
W/NA5 STANDARD EMISSION EQUIPMENT or NA6 HIGH ALTITUDE EMISSION EQUIPMENT					
LB4 V6 4.3 Liter (262 Cu In)-EFI	MX0	--	GQ1	(b) GT4	5600
	MX0	--	GQ1	(b) GT4	6000
L03 V8 5.0 Liter (305 Cu In)-EFI	MX0	GQ1	GU6	--	5600
	MX0	GQ1	GU6	--	6000
(a) L05 V8 5.7 Liter (350 Cu In)-EFI	MX0	GQ1	GU6	--	6000

(a) Available on G11306 Only
(b) Reqs KC4 Cooling

GVWR SELECTOR

GVW Rating (lbs)	(a) GAWR (lbs)		Minimum Equipment Required For GVW Rating
	Front	Rear	Restrictions
	5600	2906	2906
6000	3166	3166	(N/A CE Tires)

(a) GAWR'S shown are the maximum for each axle with equipment listed. Other GAWR'S are available, and they are determined as the minimum capacity of either axle, springs or tires.

CAPACITIES

SPRINGS:		AXLES:	
Front:		Front:	
3400	Base	3400	Base
Rear		Rear	
3400	Base	3500	Base

TIRES (Must Specify Front, Rear and Spare)

Description	All Seasons		
	Front	Rear	Spare
TUBELESS STEEL BELTED RADIAL			
P205/75R15 B/W	XCE	YCE	ZCE
P215/75R15 B/W	XCU	YCU	ZCU
P215/75R15 W/W	XCV	YCV	ZCV
P215/75R15 W/L	XCW	YCW	ZCW

B/W=Blackwall
 W/W=Whitewall
 W/L=White Lettered

PREFERRED VEHICLE

No Deletions Allowed. Additional Options/Substitutions (Where Indicated) May be Ordered from the Custom Ordering Option Listing.

EMISSION, ENGINE, TRANSMISSION,
AXLE AND TIRE *MUST* BE SPECIFIED.

		BASE		BEAUVILLE	
		V 1 A 1	V 1 A 2	V 1 A 3	V 1 A 4
N.C.	Preferred Equipment Group 1				
	Standard Body (A) ZW9	x	x	NI	NI
*1116.00	Preferred Equipment Group 2				
**(-150.00)	PEG 2 Savings				
	Air Conditioning: Front (B) C60		x	x	NI
	Radio: Stereo, Seek-Scan/Clock (C) UM7		x	x	NI
*2962.00	Preferred Equipment Group 3				
**(-750.00)	PEG 3 Savings				
	Body: Beauville (N/A with CG11006) E94			x	x
	Convenience Group: Tilt Wheel and Speed Control ZC3			x	x
	Convenience Group: Power Windows and Power Door Locks ZQ2			x	x
	Lighting: Auxiliary TR9			x	x
	Mirrors: Stainless Steel (D) D45			x	x
*4512.00	Preferred Equipment Group 4				
**(-850.00)	PEG 4 Savings				
	Air Conditioning: Front & Rear C69				x
	Glass: Deep Tinted AJ1				x
	Radio: Stereo, Seek-Scan/Cassette/Clock (E) UM6				x
	Seats: Reclining Front w/Armrests K**6				x
	Wheels: Rally (F) N67				x

*The Preferred Equipment Group MSRP's Reflect the Basic Group Equipment Prices. For any Option Additions, Upgrades, or Substitutions, Refer to the Vehicle Price Schedule for any Price Differential.

** PEG Savings Amount represents the savings for Preferred Equipment Groups.

Allowable Substitutions (Where Available):

- (A) E94 May be substituted for ZW9 Standard Body
- (B) C69 May be substituted for C60 Air
- (C) UM6, UX1 or U1C May be substituted for UM7 Radio
- (D) DG9 May be substituted for D45 Mirrors
- (E) UX1 or U1C May be substituted for UM6 Radio
- (F) PF3 May be substituted for N67 Wheels

CUSTOM ORDERING OPTIONS
PLEASE REVIEW OPTION RESTRICTIONS BEFORE ORDERING

INCL w/PEG		OPTION	
975.00 N.C.	2,3	C60	AIR CONDITIONING: (E94 Beauville w/o LB4 Eng Reqs YCU, YCV or YCW Tires) Front (Incl w/C69 Front and Rear Air) (Incls HD Cooling) w/V1A2 or V1A3
1574.00 599.00 N.C.	4	C69	Front and Rear (Incls C60 Front Air) w/V1A2 or V1A3 w/V1A4
N.C. 44.00		GQ1	AXLES: Rear (Refer Power Teams Chart for Availability) Base Optional
252.00 N.C.	1,2	G80	Locking Differential
48.00		ZW9	BODY CODE: Standard
		V10	COLD-CLIMATE PACKAGE: (Incls Engine Block Heater)
434.00 N.C.	3,4	ZQ2	CONVENIENCE GROUP: Power Windows and AU3 Power Door Locks w/V1A3 or V1A4
383.00 N.C.	3,4	ZQ3	Comfort Steering Wheel and Speed Control w/V1A3 or V1A4
135.00 63.00		KC4	COOLING SYSTEM: Engine Oil Cooler (Reqs LB4 Engine)
N.C.		V02	Heavy Duty Radiator and Transmission Oil Cooler (w/LB4 Eng Reqs KC4 Cooler) (w/L03 Eng Reqs NA5 or NA6 Emission)
		V05	Heavy Duty Radiator (w/LB4 Eng Reqs KC4 Cooler) (N/A C60 or C69 Air Conditioning or V02 Cooling)
818.00	3,4	E94	DECOR: Beauville: Black Side and Rear Moldings with Bright Trim, Chrome Wheel Opening Moldings, Color Coordinated Interior Moldings, Deluxe Front Appearance Items, Front Seat Storage Compartment, Full Floor Carpeting and Front and Rear Rubber Floor Mats, Spare Tire Cover and Visor Mirror (N/A CG11006) w/V1A3 or V1A4
N.C. 104.00		C49	DEFOGGER: Rear Window (Incls Fixed Rear Door Glass)
223.00 N.C.		AU3	DOOR LOCK SYSTEM, POWER: (Incl w/ZQ2 Conv Pkg) w/o ZQ2 Convenience Group w/ZQ2 Convenience Group
N.C.		YA2	DOOR: Sliding Side Door (Swing Out Side Door Standard)
N.C.		NA5	EMISSIONS: Standard Emission Equipment
N.C.		NA6	High Altitude Emission Equipment
N.C. 575.00		LB4	ENGINES: (Refer Power Teams Chart for Availability) V6 4.3 Liter (262 Cu In)-EFI
845.00		L03	V8 5.0 Liter (305 Cu In)-EFI
308.00 N.C.	4	L05	V8 5.7 Liter (350 Cu In)-EFI
205.00 156.00 N.C.		WJ1	GLASS: Deep Tinted w/V1A4
175.00		C36	HEATER, REAR SEAT
	3,4	TR9	LIGHTING, AUXILIARY: (Incls Headlamp Warning Buzzer, Underhood Lamp, and Front and Rear Dome Reading Lamps) w/V1A3 or V1A4
45.00 N.C.		A K3	LOCK: Remote Keyless Entry System (Reqs TR9 Lighting and ZQ2 Conv Group) (Incls Headlamp Delay)
98.00 53.00	3,4	D45	MIRRORS, EXTERIOR: Below-Eye-Line Stainless Steel w/V1A3 or V1A4
75.00 N.C.		DG9	Electric, Stainless Steel (Reqs ZQ2 Conv Group) w/V1A3 or V1A4
		DH6	MIRROR, INTERIOR: Lighted RH & LH Visor/Vanity (Reqs E94 Beauville Decor)
N.C. 269.00 137.00 N.C.		B96	MOLDING DELETE: Body Side (N/A CG11306 w/E94 Decor)
		ZY1	PAINTS, EXTERIOR: (Refer Color/Trim Chart for Availability) Solid
		ZY4	Deluxe Two-Tone w/o E94 Beauville w/E94 Beauville
141.00 N.C. 263.00 122.00 N.C.	2,3	R8T	PRICED ORDER ACKNOWLEDGEMENT RADIO EQUIPMENT: (Electronically Tuned AM Radio w/Digital Clock Standard) (With Optional Radio and w/o E94 Beauville Incls Two Premium Front Speakers and Wiring for Rear Speakers) (With Optional Radio and w/E94 Beauville Incls Two Premium Front Speakers and Dual Extended Range Rear Speakers)
		UM7	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan and Digital Clock w/V1A2 or V1A3
	4	UM6	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Stereo Cassette Tape and Digital Clock w/V1A2 or V1A3 w/V1A4

CUSTOM ORDERING OPTIONS
PLEASE REVIEW OPTION RESTRICTIONS BEFORE ORDERING

INCL w/PEG	OPTION	
		RADIO EQUIPMENT: (Continued)
413.00	UX1	Electronically Tuned AM Stereo/FM Stereo w/Seek-Scan Stereo Cassette Tape with Search and Repeat, Graphic Equalizer and Digital Clock w/V1A2 or V1A3
272.00		w/V1A4
150.00		
537.00	U1C	Electronically Tuned AM Stereo/FM Stereo Radio w/Seek-Scan, Compact Disc Player and Digital Clock w/V1A2 or V1A3
396.00		w/V1A4
274.00		
85.00	U75	Radio Antenna, Power
(-95.00)	UL5	Radio Delete (Reqs V1A1)
		SEAT TRIM: (Refer Trim Chart for Availability)
N.C.	V**4	Vinyl High Back Bucket Seats
20.00	X**4	Custom Vinyl High Back Bucket Driver's Seat w/o E94 Decor
N.C.		w/E94 Decor
N.C.	K**4	Custom Cloth High Back Bucket Seats
	K**6	Custom Cloth Reclining Bucket Seats w/o V1A4
402.00		w/V1A4
N.C.		
60.00	NP5	STEERING WHEEL: Leather Wrapped
		TIRES: Refer Tire Chart for Availability
		Front
N.C.	XCE	P205/75R-15 All Seasons Steel Belted Radial Ply Blackwall
26.00	XCU	P215/75R-15 All Seasons Steel Belted Radial Ply Blackwall
56.00	XCV	P215/75R-15 All Seasons Steel Belted Radial Ply Whitewall
70.00	XCW	P215/75R-15 All Seasons Steel Belted Radial Ply White Lettered
		Rear
N.C.	YCE	P205/75R-15 All Seasons Steel Belted Radial Ply Blackwall
26.00	YCU	P215/75R-15 All Seasons Steel Belted Radial Ply Blackwall
56.00	YCV	P215/75R-15 All Seasons Steel Belted Radial Ply Whitewall
70.00	YCW	P215/75R-15 All Seasons Steel Belted Radial Ply White Lettered
		Spare
N.C.	ZCE	P205/75R-15 All Seasons Steel Belted Radial Ply Blackwall
13.00	ZCU	P215/75R-15 All Seasons Steel Belted Radial Ply Blackwall
28.00	ZCV	P215/75R-15 All Seasons Steel Belted Radial Ply Whitewall
35.00	ZCW	P215/75R-15 All Seasons Steel Belted Radial Ply White Lettered
132.00	Z72	TRAILERING SPECIAL EQUIPMENT: Light-Duty (Incls Bumper Mounted Trailer Hitch, 5-Wire Wiring Harness and HD Flasher)
N.C.	MX0	TRANSMISSION: 4-Speed Electronically Controlled Automatic with Overdrive (Refer Power Teams Chart for Availability)
		WHEELS: (Spare is Base Steel Wheel)
331.00	PF3	Aluminum, Cast w/V1A4
N.C. 210.00		
121.00	4 N67	Rally w/V1A4
N.C.		

SPORTVAN

INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART WITH ZY1 OR ZY4 PAINT

PLEASE NOTE: Below are the interior trim color and exterior paint combinations *recommended* by Chevrolet. The only available color code 1/color code 2 exterior color combinations are those shown in the chart below.

TRIM LEVEL Seat Type	Model Option	INTERIOR COLORS			
		Blue	Camel	Beige	Gray
STANDARD INTERIOR Vinyl High Back Bucket Seats	Std	YDD4		YUU4	
Custom Vinyl High Back Bucket Seats		XDD4		XUU4	
BEAUVILLE Custom Vinyl High Back Bucket Seats	E94	XDD4	(a) XRR4	XUU4	(a) YTT4
Custom Cloth High Back Bucket Seats		(a) KDD4	(a) KRR4	(a) KUU4	(a) KTT4
Custom Cloth Reclining High Back Bucket Seats		(a) KDD6	(a) KRR6	(a) KUU6	(a) KTT6

EXTERIOR COLORS w/ZY1 or ZY4 PAINT APPLICATION	Color Code 1	Color Code 2	RECOMMENDED INTERIOR TRIM COLORS				STRIPE COLOR Included with Two-Tone Paint
BEIGE, MOHAVE	33	33			x		Not Applicable
Khaki	33	52			x		Dk Brown/Doesak/Dk Brown
BLACK, MIDNIGHT	41	41		x		x	Not Applicable
Quicksilver (Metallic)	41	96		x		x	Vermilion/Slate/Vermilion
Khaki	41	52			x		Gold/Black/Gold
BLUE, BRILLIANT (Metallic)	22	22	x			x	Not Applicable
Quicksilver (Metallic)	22	96	x			x	Lt Blue/Dk Blue/Lt Blue
BLUE, DK SAPPHIRE	28	28	x			x	Not Applicable
Quicksilver (Metallic)	28	96	x			x	Lt Blue/Dk Blue/Lt Blue
BLUE, ROYAL (Metallic)	47	47	x			x	Not Applicable
Blue, Sky	47	26	x			x	Lt Blue/Dk Blue/Lt Blue
White, Summit	47	50	x			x	Lt Blue/Dk Blue/Lt Blue
BLUE, SKY	26	26	x			x	Not Applicable
Blue, Royal (Metallic)	26	47	x			x	Lt Blue/Dk Blue/Lt Blue
White, Summit	26	50	x			x	Lt Blue/Dk Blue/Lt Blue
BLUE, SPRUCE (Metallic)	54	54			x	x	Not Applicable
White, Summit	54	50			x	x	Silver/Black/Silver
BURGUNDY (Metallic)	78	78		x		x	Not Applicable
White, Summit	78	50		x		x	Vermilion/Dk Carmine/Vermilion
GRAY, STEEL (Metallic)	90	90	x	x		x	Not Applicable
Black, Midnight	90	41				x	Vermilion/Slate/Vermilion
White, Summit	90	50				x	Vermilion/Slate/Vermilion
GUNMETAL	14	14		x		x	Not Applicable
Black, Midnight	14	41		x		x	Vermilion/Slate/Vermilion
Quicksilver (Metallic)	14	96		x		x	Vermilion/Dk Carmine/Vermilion
Quicksilver (Metallic)	14	96				x	Vermilion/Slate/Vermilion
KHAKI	52	52			x		Not Applicable
Beige, Mohave	52	33			x		Dk Brown/Doesak/Dk Brown
QUICKSILVER (Metallic)	96	96	x	x		x	Not Applicable
Black, Midnight	96	41		x		x	Vermilion/Slate/Vermilion
Blue, Dk Sapphire	96	28	x			x	Lt Blue/Dk Blue/Lt Blue
Gunmetal	96	14	x	x		x	Vermilion/Slate/Vermilion
Red, Mahogany (Metallic)	96	83		x		x	Vermilion/Dk Carmine/Vermilion
RED, MAHOGANY (Metallic)	83	83		x		x	Not Applicable
Quicksilver (Metallic)	83	96		x		x	Vermilion/Dk Carmine/Vermilion
RED, APPLE	72	72		x		x	Not Applicable
Gray, Steel (Metallic)	72	90		x		x	Vermilion/Slate/Vermilion
White, Summit	72	50		x		x	Vermilion/Slate/Vermilion
RED, VICTORY	74	74			x	x	Not Applicable
Quicksilver (Metallic)	74	96				x	Vermilion/Slate/Vermilion
WHITE, SUMMIT	50	50	x	x	x	x	Not Applicable
Gunmetal	50	14		x		x	Vermilion/Slate/Vermilion
Gunmetal	50	14	x			x	Lt Blue/Dk Blue/Lt Blue



(a) N/A CG11006
ZY4 N/A CG11006

PAINT APPLICATIONS

DELUXE TWO-TONE PAINT-ZY4

(Includes Molding w/o E94)
Color Code 1


SOLID PAINT -- ZY1



COLOR CODE 2

AVAILABLE SEAT ARRANGEMENTS

(See Option Section)



Standard 5-Passenger Seating

G10 SPORTVAN
Page 8

1993 ORDER GUIDE

REVISED: 12-18-92

Prices Shown Are Manufacturer's Suggested Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory Management Since MSRP Figures Change Periodically. The Vehicle Price Schedule Is The Official Pricing Documentation Of Chevrolet Motor Division And Should Be Used In Discussing Vehicle Prices With Potential Buyers. The Model Prices Shown In The Order Guide Include The Destination Freight Charges.

MODELS **PASSENGERS**

Sportvan CG21306 5/8

DIMENSIONS /SPECIFICATIONS

Wheelbase (inches)	125.0
Length (overall - inches)	204.1
Height (overall - inches)	79.5
Width (maximum - inches)	79.5
Sliding Side Load Door (inches)	
Opening Height	48.5
Opening Width	44.2
Swing-Out Side Load Door (inches)	
Opening Height	48.5
Opening Width	46.7
Large Door	30.3
Small Door	19.2
Rear Load Door (inches)	
Opening Height	48.8
Opening Width	54.4
Cargo Capacity (cu. ft.)	260.0
Payload (pounds)	2016
GVWR (pounds)	6600/6850
Fuel Tank Capacity	33 Gal

POWER TEAMS

Standard Engine	
RPO LB4 4.3L (262 Cu. In.) - V6 with Electronic Fuel Injection (EFI)	
Standard Transmission	
RPO MX0 4-Speed Electronically Controlled Automatic with Overdrive	
Standard Axle Ratio	3.42

STANDARD EQUIPMENT SUMMARY

EXTERIOR

Alternator: 100 amps
 Battery: Heavy-duty with 630 CCA for gasoline engines or two 540 CCA for diesel engines
 Brakes: Heavy-duty power front disc/rear drum brakes and 4-wheel anti-lock braking system
 Brake/Transmission shift interlock
 Bumpers: Front and rear, chromed with front bumper guards

STANDARD EQUIPMENT SUMMARY

EXTERIOR (Cont'd)

Defoggers: Side window
 Door Stop, Rear Door
 Doors: Swing-out side load door
 Glass: Windshield side door, swing-out rear doors, side load doors, swing-out front quarter glass and LH and RH rear quarter fixed glass
 Glass, Solar-Ray Tinted: All Windows
 Grille: Molded plastic grille painted light argent
 Headlamps: Halogen
 Horn, Dual: Electric high note and low note
 Mirrors: RH and LH white painted below-eye-line with adjustable heads, 6.5" x 9"
 Moldings: Black body side
 Shock Absorbers: 32mm heavy-duty, front and rear
 Springs, Rear: Heavy-duty
 Steering, Power
 Tires: P225/75R15 blackwall steel belted radial ply with gasoline engine and P235/75R15 blackwall steel belted radial ply with diesel engine
 Wheel Trim: Bright metal hub caps with black trim
 Wheels: 15" x 6" white painted steel wheels
 Wiper System: Intermittent windshield wipers

INTERIOR

Armrest: Padded RH and LH side door and rear seat
 Assist Handle: Back of passenger seat
 Carrier, Spare Tire on RH Rear Side
 Cigarette Lighter
 Coat Hooks: LH
 Door Trim Panels: Color-keyed cloth on door and sidewalls and carpeting on lower areas
 Floor Covering: Embossed black rubber mats over entire floor area and front wheelhousing
 Gages: Engine temperature, fuel level, odometer, oil pressure, speedometer, trip odometer and voltmeter
 Headliner: Full length, with garnish moldings
 Heater: Deluxe outside air heater and defogger
 Insulation and sound-deadening material under instrument and front floor panels and engine cover
 Lamps: Front and rear dome lamps with door-actuated switches
 Parcel Tray with beverage holder provisions
 Radio: Electronically tuned AM with digital clock and fixed mast antenna
 Scotchgard™ Fabric Protector on cloth trims and door panels
 Seat Trim: Adjustable high-back bucket seats and removable 3-passenger bench seat with vinyl trim
 Sunshades: RH and LH vinyl, color-keyed

OPTIONAL UPLEVEL TRIM

BEAUVILLE TRIM LEVEL (RPO E94)

The following equipment is in addition to or replacing items included in the base trim level.

EXTERIOR

Grille: Molded plastic grille painted light argent with bright Chevrolet emblem
Headlamps: Dual halogen hi-beam
Moldings: Black body side and rear with bright inserts and bright wheel opening moldings
Nameplate: Beauville

INTERIOR

Coat Hooks: LH and RH and rear
Floor Covering: Color-keyed carpeting over entire floor area with color-keyed rubber front and rear floor mats
Headliner: Full Length cloth headliner and garnish moldings
Lamps: Front and rear dome with front reading lamp and door actuated switches
Mats, Stepwell: Embossed, black rubber
Rear Door Trim Panels: Color-keyed cloth on door and carpeting on lower areas
Seat Trim: Adjustable high-back bucket seats and removable 3-passenger bench seat with custom vinyl or custom cloth
Storage Compartment: Locking, located under passenger seat

MODEL AND BODY

	Description	Model No
	2-WHEEL-DRIVE MODEL	
17830.00	Sportvan	CG21306

EMISSIONS (Must Specify One)

- NA5 Standard Emission Equipment
- NA6 High Altitude Emission Equipment
- YF5 California Emission Requirements

POWER TEAMS (Must Specify Engine, Transmission and Rear Axle)
(Consult GVWR Selector for Minimum Equipment Required)

ENGINE	TRANSMISSION	AXLES			GVWR
		AUTO	3.08	3.42	
W/NA5 STANDARD EMISSION EQUIPMENT					
LB4 V6 4.3 Liter (262 Cu In)-EFI	MX0	--	GQ1	(a) GT4	6600
L03 V8 5.0 Liter (305 Cu In)-EFI	MX0	GQ1	GU6	(b)GT4	6600
L05 V8 5.7 Liter (350 Cu In)-EFI	MX0	GQ1	GU6	(b)GT4	6600/6875
LH6 Diesel 6.2 Liter V8 (379 Cu In)	MX0	--	GQ1	(b)GT4	6875
W/NA6 HIGH ALTITUDE EMISSION EQUIPMENT					
LB4 V6 4.3 Liter (262 Cu In)-EFI	MX0	--	GQ1	(a) GT4	6600
L03 V8 5.0 Liter (305 Cu In)-EFI	MX0	--	GQ1	(b)GT4	6600
L05 V8 5.7 Liter (350 Cu In)-EFI	MX0	GQ1	GU6	(b)GT4	6600/6875
LH6 Diesel 6.2 Liter V8 (379 Cu In)	MX0	--	GQ1	(b)GT4	6875
W/YF5 CALIFORNIA EMISSION EQUIPMENT					
LB4 V6 4.3 Liter (262 Cu In)-EFI	MX0	--	GQ1	(a) GT4	6600
L05 V8 5.7 Liter (350 Cu In)-EFI	MX0	GQ1	GU6	(b)GT4	6600/6875

- (a) Reqs KC4 Cooling.
- (b) Reqs 282 Trailering Special.

GVWR SELECTOR

GVW Rating (lbs)	(a) Front	GAWR (lbs) Rear	Minimum Equipment Required For GVW Rating
			Restrictions
6600	3400	3406	N/A LH6 Eng or FL Tires
6875	3600	3500	Reqs LH6 or L05 and FL Tires

(a)GAWR'S shown are the maximum for each axle with equipment listed. Other GAWR'S are available, and they are determined as the minimum capacity of either axle, springs or tires.

CAPACITIES

SPRINGS:		AXLES:	
Front		Front	
3400	w/c LH6	3400	w/o LH6
3670	w/LH6	3675	w/LH6
Rear		Rear	
3800	Base	3500	Base

TIRES: Must Specify Front, Rear and Spare Tire or Option R6Z (Spare Tire not Desired)

Description	All Seasons		
	Front	Rear	Spare
TUBELESS STEEL BELTED RADIAL (N/A LH6)			
P225/75R15 B/W	XET	YET	ZET
P225/75R15 W/W	XEU	YEU	ZEU
P225/75R15 W/L	XEV	YEV	ZEV
TUBELESS STEEL BELTED RADIAL (Reqs LH6 or L05 Engine)			
P235/75R15 B/W	XFL	YFL	ZFL

B/W=Blackwall
W/W=Whitewall
W/L=White Lettered

G20 SPORTVAN

REFER WEEKLY STOPS/LATEST UPDATE

PREFERRED VEHICLE

No Deletions Allowed. Additional Options/Substitutions (Where Indicated)
May be Ordered from the Custom Ordering Option Listing.

EMISSION, ENGINE, TRANSMISSION,
AXLE AND TIRE *MUST* BE SPECIFIED.

		BASE		BEAUVILLE	
		V 2 A 1	V 2 A 2	V 2 A 3	V 2 A 4
N.C.	Preferred Equipment Group 1				
	Standard Body (A) ZW9	x	x	N/I	N/I
*1116.00	Preferred Equipment Group 2				
**(-150.00)	PEG 2 Savings				
	Air Conditioning: Front (B) C60		x	x	N/I
	Radio: Stereo, Seek-Scan/Clock (C) UM7		x	x	N/I
*2962.00	Preferred Equipment Group 3				
**(-1150.00)	PEG 3 Savings				
	Body: Beauville E94			x	x
	Convenience Group: Tilt Wheel and Speed Control ZQ3			x	x
	Convenience Group: Power Windows and Power Door Locks ZQ2			x	x
	Lighting: Auxiliary TR9			x	x
	Mirrors: Stainless Steel (D) D45			x	x
*4883.00	Preferred Equipment Group 4				
**(-1350.00)	PEG 4 Savings				
	Air Conditioning: Front & Rear C69				x
	Glass: Deep Tinted AJ1				x
	Radio: Stereo, Seek-Scan/Cassette/Clock (E) UM6				x
	Reclining Front Seats w/Armrests K**6				x
	Seating: Rear, One Additional Bench Seat (8 Passenger Seating) AQ3				x
	Wheels: Rally (F) N67				x

*The Preferred Equipment Group MSRP's Reflect the Basic Group Equipment Prices. For any Option Additions, Upgrades, or Substitutions, Refer to the Vehicle Price Schedule for any Price Differential.

** PEG Savings Amount represents the savings for Preferred Equipment Groups.

Allowable Substitutions (Where Available):

- (A) E94: May be substituted for ZW9 Standard Body.
- (B) C69: May be substituted for C60 Air.
- (C) UM6, UX1 or U1C: May be substituted for UM7 Radio.
- (D) DG9: May be substituted for D45 Mirrors.
- (E) UX1 or U1C: May be substituted for UM6 Radio.
- (F) PF3: May be substituted for N67 Wheels.

CUSTOM ORDERING OPTIONS
PLEASE REVIEW OPTION RESTRICTIONS BEFORE ORDERING

INCL.		W/ PEG OPTION		
975.00	2.3	C60	AIR CONDITIONING:	Front (Incl w/C69 Front and Rear Air) (Incls HD Cooling)
N.C.				w/V2A2 or V2A3
1574.00	4	C69		Front and Rear (Incls C60 Front Air)
599.00				w/V2A2 or V2A3
N.C.				w/V2A4
N.C.		GQ1	AXLES: Refer Power Teams Chart for Availability	Base
44.00		---		Optional
252.00		G80		Locking Differential
N.C.	1.2	ZW9	BODY CODE: Standard	
48.00		V10	COLD-CLIMATE PACKAGE: (Incls Engine Block Heater)	
434.00	3.4	ZQ2	CONVENIENCE GROUP:	Power Windows and AU3 Power Door Locks
N.C.				w/V2A3 or V2A4
383.00	3.4	ZQ3		Comfortilt Steering Wheel and Speed Control
N.C.				w/V2A3 or V2A4
135.00		KC4	COOLING SYSTEM:	Engine Oil Cooler (w/L03 or L05 Eng Reqs V02 Cooling) (Incl w/Z82 Trailing) (N/A LH6 Eng)
N.C.				w/o Z82 Trailing
				w/Z82 Trailing
63.00		V02		Heavy Duty Radiator and Transmission Oil Cooler (w/LB4 Eng Reqs KC4 Cooler) (Incl w/Z82 Trailing)
N.C.				(w/L03 Eng Reqs NA5/NA6 Emission) (N/A LH6 Eng)
N.C.				w/o Z82 Trailing
				w/Z82 Trailing
818.00	3.4	E94		Heavy Duty Radiator (w/LB4 Eng Reqs KC4 Cooler) (N/A C60 or C69 Air Cond, LH6 Eng or V02 Cooling)
N.C.			DECOR:	Beauville, Incls: Black Side and Rear Moldings with Bright Trim, Chrome Wheel Opening Moldings, Color Coordinated Interior Moldings, Deluxe Front Appearance Items, Front Seat Storage Compartment, Full Floor Carpeting and Front and Rear Rubber Floor Mats, Spare Tire Cover and Visor Mirror
104.00		C49		w/V2A3 or V2A4
223.00		AU3	DEFOGGER: Rear Window (Incls Fixed Rear Door Glass)	
N.C.			DOOR LOCK SYSTEM, POWER: (Incl w/ZQ2 Conv Pkg)	
N.C.		YA2		w/o ZQ2 Convenience Package
				w/ZQ2 Convenience Package
			DOOR: Sliding Side Door (Swing Out Side Door Standard)	
		NA5	EMISSIONS:	Standard Emission Equipment
		NA6		High Altitude Emission Equipment
100.00		YF5		California Emission Requirements
		LB4	ENGINES: (Refer Power Teams Chart for Availability)	V6 4.3 Liter (262 Cu In)-EF1
575.00		L03		V8 5.0 Liter (305 Cu In)-EF1
845.00		L05		V8 5.7 Liter (350 Cu In)-EF1
2400.00		LH6		V8 6.2 Liter (379 Cu In) Diesel (Reqs V2A1 or V2A2)
306.00	4	AJ1	GLASS: Deep Tinted	
N.C.				w/V2A4
205.00		C36	HEATER, REAR SEAT	
156.00	3.4	TR9	LIGHTING, AUXILIARY: (Incls Headlamp Warning Buzzer, Underhood Lamp and Front and Rear Dome and Reading Lamps)	
N.C.				w/V2A3 or V2A4
175.00		AX3	LOCK: Remote Keyless Entry System (Reqs TR9 Lighting and ZQ2 Group)	
				(Incls Headlamp Delay)
45.00	3.4	D45	MIRRORS, EXTERIOR: Below-Eye-Line	Stainless Steel
N.C.				w/V2A3 or V2A4
98.00		DG9		Electric, Stainless Steel (Reqs ZQ2 Group)
53.00				w/V2A3 or V2A4
75.00		DH6	MIRROR, INTERIOR: Lighted RH & LH Visor/Vanity (Reqs E94 Beauville Decor)	
N.C.		B98	MOLDING DELETE: Body Side (N/A E94 Decor)	
		ZY1	PAINTS, EXTERIOR: (Refer Color/Trim Chart for Availability)	Solid
		ZY4		Deluxe Two-Tone
269.00				w/o E94 Beauville
137.00				w/E94 Beauville

Handwritten notes:
G20
2000
2005

Page 6
Prices Shown Are Manufacturer's Suggested Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory Management Since MSRP Figures Change Periodically. The Vehicle Price Schedule Is The Official Pricing Documentation Of Chevrolet Motor Division And Should Be Used In Discussing Vehicle Prices With Potential Buyers. The Model Prices Shown In The Order Guide Include The Destination Freight Charges.

CUSTOM ORDERING OPTIONS
PLEASE REVIEW OPTION RESTRICTIONS BEFORE ORDERING

INCL. W/ PEG OPTION				
				PRICED ORDER ACKNOWLEDGEMENT
				RADIO EQUIPMENT: (Electronically Tuned AM Radio w/Digital Clock Standard) (With Optional Radio and w/o E94 Beauville Incls Two Premium Front Speakers and Wiring for Rear Speakers) (With Optional Radio and w/E94 Beauville Incls Two Premium Front Speakers and Dual Extended Range Rear Speakers)
141.00	2.3	UM7		Electronically Tuned AM/FM Stereo Radio w/Seek-Scan and Digital Clock w/V2A2 or V2A3
N.C.				
263.00	4	UM6		Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Stereo Cassette Tape and Digital Clock w/V2A2 or V2A3
122.00				w/V2A4
N.C.				
413.00		UX1		Electronically Tuned AM Stereo/FM Stereo Radio w/Seek-Scan, Stereo Cassette Tape with Search and Repeat, Graphic Equalizer and Digital Clock w/V2A2 or V2A3
272.00				w/V2A4
150.00				
537.00		U1C		Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Compact Disc Player and Digital Clock w/V2A2 or V2A3
396.00				w/V2A4
274.00				
85.00		U75		Radio Antenna, Power
(-95.00)		UL5		Radio Delete (Reqs V2A1)
				SEATING, REAR: (Must Specify One)
371.00	4	AQ3		One Additional Seat (8 Passenger Seating) w/V2A4
N.C.				
N.C.		YG4		Additional Rear Seat Not Desired (N/A w/AQ3 Seat)
				SEAT TRIM: (Refer Trim Chart for Availability)
N.C.		V**4		Vinyl High-Back Bucket Seats
		X**4		Custom Vinyl High-Back Bucket Seats w/o E94 Decor
20.00				w/E94 Decor
N.C.				
N.C.		K**4		Custom Cloth High Back Bucket Seats
		K**6		Custom Cloth Reclining Bucket Seats w/o V2A4
402.00				w/V2A4
N.C.				
60.00		NP5		STEERING WHEEL: Leather Wrapped TIRES: Refer Tire Chart for Availability
				Front
N.C.		XET		P225/75R15 All Season Steel Belted Radial Ply Blackwall
36.00		XEU		P225/75R15 All Season Steel Belted Radial Ply Whitewall
50.00		XEV		P225/75R15 All Season Steel Belted Radial Ply White Lettered
N.C.		XFL		P235/75R15 All Season Steel Belted Radial Ply Blackwall
				Rear
N.C.		YET		P225/75R15 All Season Steel Belted Radial Ply Blackwall
36.00		YEU		P225/75R15 All Season Steel Belted Radial Ply Whitewall
50.00		YEV		P225/75R15 All Season Steel Belted Radial Ply White Lettered
N.C.		YFL		P235/75R15 All Season Steel Belted Radial Ply Blackwall
				Spare (Must Specify One)
137.00		ZET		P225/75R15 All Season Steel Belted Radial Ply Blackwall
155.00		ZEU		P225/75R15 All Season Steel Belted Radial Ply Whitewall
161.00		ZEV		P225/75R15 All Season Steel Belted Radial Ply White Lettered
151.00		ZFL		P235/75R15 All Season Steel Belted Radial Ply Blackwall
N.C.		R6Z		Spare Tire Not Desired
				TRAILERING SPECIAL EQUIPMENT:
132.00		Z72		Light Duty (Incls Bumper Mounted Trailer Hitch, 5-Wire Wiring Harness and HD Flasher)
		Z82		Heavy-Duty (Incls Platform Trailer Hitch, 7-Wire Wiring Harness and HD Flasher) (Incls KC4 Cooler and V02 Cooler w/L03 or L05 Eng) w/o LH6 Diesel Engine
508.00				w/LH6 Diesel Engine
310.00				
N.C.		MX0		TRANSMISSION: 4-Speed Electronically Controlled Automatic with Overdrive (Refer Power Teams Chart for Availability)
				WHEELS: (Spare is Base Steel Wheel)
331.00		PF3		Aluminum, Cast w/V2A4
210.00				
121.00	4	N67		Rally w/V2A4
N.C.				

SPORTVAN

INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART WITH ZY1 OR ZY4 PAINT

PLEASE NOTE: Below are the interior trim color and exterior paint combinations *recommended* by Chevrolet. The only available color code 1/color code 2 exterior color combinations are those shown in the chart below.


TRIM LEVEL Seat Type	Model Option	INTERIOR COLORS			
		Blue	Garnet	Beige	Gray
STANDARD INTERIOR Vinyl High Back Bucket Seats	Std	VDD4		VUU4	
Custom Vinyl High Back Bucket Seats		XDD4		XUU4	
BEAUVILLE Custom Vinyl High Back Bucket Seats	E94	XDD4	XRR4	XUU4	XTT4
Custom Cloth High Back Bucket Seats		KDD4	KRR4	KUU4	KTT4
Custom Cloth Recreating High Back Bucket Seats		KDD6	KRR6	KUU6	KTT6

EXTERIOR COLORS w/ZY1 or ZY4 PAINT APPLICATION	Color Code 1	Color Code 2	RECOMMENDED INTERIOR TRIM COLORS				STRIPE COLOR Included with Two-Tone Paint
			Blue	Garnet	Beige	Gray	
BEIGE, MOHAVE	33	33			x		Not Applicable
Khaki	33	52			x		Dk Brown/Doeskin/Dk Brown
BLACK, MIDNIGHT	41	41		x	x	x	Not Applicable
Quicksilver (Metallic)	41	96		x		x	Vermillion/Slate/Vermillion
Khaki	41	52			x		Gold/Black/Gold
BLUE, BRILLIANT (Metallic)	22	22	x			x	Not Applicable
Quicksilver (Metallic)	22	96	x			x	Lt Blue/Dk Blue/Lt Blue
BLUE, DK SAPPHIRE	28	28	x		x	x	Not Applicable
Quicksilver (Metallic)	28	96	x			x	Lt Blue/Dk Blue/Lt Blue
BLUE, ROYAL (Metallic)	47	47	x			x	Not Applicable
Blue, Sky	47	26	x			x	Lt Blue/Dk Blue/Lt Blue
White, Summit	47	50	x			x	Lt Blue/Dk Blue/Lt Blue
BLUE, SKY	26	26	x			x	Not Applicable
Blue, Royal (Metallic)	26	47	x			x	Lt Blue/Dk Blue/Lt Blue
White, Summit	26	50	x			x	Lt Blue/Dk Blue/Lt Blue
BLUE, SPRUCE (Metallic)	54	54			x	x	Not Applicable
White, Summit	54	50				x	Silver/Black/Silver
BURGUNDY (Metallic)	78	78		x	x	x	Not Applicable
White, Summit	78	50		x		x	Vermillion/Dk Carmine/Vermillion
GRAY, STEEL (Metallic)	90	90	x	x		x	Not Applicable
Black, Midnight	90	41				x	Vermillion/Slate/Vermillion
White, Summit	90	50				x	Vermillion/Slate/Vermillion
GUNMETAL	14	14		x		x	Not Applicable
Black, Midnight	14	41		x		x	Vermillion/Slate/Vermillion
Quicksilver (Metallic)	14	96		x			Vermillion/Dk Carmine/Vermillion
Quicksilver (Metallic)	14	96				x	Vermillion/Slate/Vermillion
KHAKI	52	52			x		Not Applicable
Beige, Mohave	52	33			x		Dk Brown/Doeskin/Dk Brown
QUICKSILVER (Metallic)	96	96	x	x		x	Not Applicable
Black, Midnight	96	41		x		x	Vermillion/Slate/Vermillion
Blue, Dk Sapphire	96	28	x			x	Lt Blue/Dk Blue/Lt Blue
Gunmetal	96	14	x	x		x	Vermillion/Slate/Vermillion
Red, Mahogany (Metallic)	96	83		x		x	Vermillion/Dk Carmine/Vermillion
RED, MAHOGANY (Metallic)	83	83		x	x	x	Not Applicable
Quicksilver (Metallic)	83	96		x		x	Vermillion/Dk Carmine/Vermillion
RED, APPLE	72	72		x		x	Not Applicable
Gray, Steel (Metallic)	72	90		x		x	Vermillion/Slate/Vermillion
White, Summit	72	50		x		x	Vermillion/Slate/Vermillion
RED, VICTORY	74	74			x	x	Not Applicable
Quicksilver (Metallic)	74	96				x	Vermillion/Slate/Vermillion
WHITE, SUMMIT	50	50	x	x	x	x	Not Applicable
Gunmetal	50	14		x		x	Vermillion/Slate/Vermillion
Gunmetal	50	14	x				Lt Blue/Dk Blue/Lt Blue


PAINT APPLICATIONS

DELUXE TWO-TONE PAINT -- ZY4
(Includes Molding w/o E94)

SOLID PAINT--ZY1



Color Code 1



Color Code 2

AVAILABLE SEAT ARRANGEMENTS

(See Option Section)



Standard 5-Passenger Seating



W/AQ3 8-Passenger Seating

G30 SPORTVAN

REFER WEEKLY STOPS/LATEST UPDATE

MODELS PASSENGERS

Sportvan CG31306	5/8/12
Sportvan Extended Van CG31606	12/15

DIMENSIONS /SPECIFICATIONS

Wheelbase (inches)	
CG31306	125.0
CG31606	146.0
Length (overall - inches)	
CG31306	204.1
CG31606	225.1
Height (overall - inches)	
CG31306	
7400 GVWR	81.8
8600 GVWR	81.9
CG31606	82.3
Width (maximum - inches)	79.5
Sliding Side Load Door (inches)	
CG31306 Only	
Opening Height	48.5
Opening Width	44.2
Swing-Out Side Load Door (inches)	
Opening Height	48.5
Opening Width	46.7
Large Door	30.3
Small Door	19.2
Rear Load Door (inches)	
Opening Height	48.8
Opening Width	54.4
Cargo Capacity (cu. ft.)	
CG31306	260.0
CG31606	306.0
Payload (pounds)	
CG31306	2155/3501/3897
CG31606	2946/4049
GVWR (pounds)	
CG31306	7400/8600/9200
CG31606	8600/9200
Fuel Tank Capacity	33 Gal

POWER TEAMS

Standard Engine	
RPO L05 5.7 Liter (350 Cu. In.) - V8 with Electronic Fuel Injection (EFI)	
Standard Transmission	
RPO MX0 4-Speed Electronically Controlled Automatic with Overdrive	
Standard Axle Ratio	
CG31306 w/o C6P or C6W	3.23
CG31606 or CG31306 w/C6P or C6W	3.73

STANDARD EQUIPMENT SUMMARY

EXTERIOR

Alternator: 100 amps
Battery: Heavy-duty with 630 CCA for gasoline engines or two 540 CCA for diesel engines
Brake/Transmission Shift Interlock
Brakes: Heavy-duty power front disc/rear drum brakes and 4-wheel anti-lock braking system
Bumpers: Front and rear, chromed with front bumper guards
Defoggers: Side window
Door Stop, Rear Door
Doors: Swing-out side load door
Glass: Windshield side door, swing-out rear doors, side load doors, swing-out front quarter glass and LH and RH rear quarter fixed glass
Glass, Solar-Ray Tinted: All Windows
Grille: Molded plastic grille painted light argent
Headlamps: Halogen
Horn, Dual: Electric high note and low note
Mirrors: RH and LH white painted below-eye-line with adjustable heads, 6.5" x 9"
Moldings: Black Body Side
Shock Absorbers: 35mm heavy-duty, front and rear
Steering, Power
Tires: LT225/75R16-D blackwall steel belted radial ply with gasoline engine; LT225/75R16-E blackwall steel belted radial ply with diesel engine
Wheel Trim: Bright metal hub caps with black trim
Wheels: 16.5" x 6.5" white painted steel wheels
Wiper System: Intermittent windshield wipers

INTERIOR

Armrest: Padded RH and LH side door and rear seat
Assist Handle: Back of passenger seat
Carrier, Spare Tire on RH Rear Side
Cigarette Lighter
Coat Hooks: LH
Door Trim Panels: Color-keyed cloth on door and sidewalls and carpeting on lower areas
Floor Covering: Embossed black rubber mats over entire floor area and front wheelhousing
Gages: Engine temperature, fuel level, odometer, oil pressure, speedometer, trip odometer and voltmeter

REVISED: 12-18-92

1993 ORDER GUIDE

G30 SPORTVAN
Page 1

Prices Shown Are Manufacturers Suggested Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory Management Since MSRP Figures Change Periodically. The Vehicle Price Schedule Is The Official Pricing Documentation Of Chevrolet Motor Division And Should Be Used In Discussing Vehicle Prices With Potential Buyers. The Model Prices Shown In The Order Guide Include The Destination Freight Charges.

STANDARD EQUIPMENT SUMMARY

INTERIOR (Continued)

Headliner: Full Length, with garnish moldings
Heater: Deluxe outside air heater and defogger
Insulation and sound-deadening material under instrument and front floor panels and engine cover
Lamps: Front and rear dome lamps with door-actuated switches
Parcel Tray with beverage holder provisions
Radio: Electronically tuned AM with digital clock and fixed mast antenna
Seat Trim: Adjustable high back bucket seats and removable 3-passenger bench seat with vinyl trim. Standard feature 12-passenger seating, adding a rear 4-passenger bench seat
Scotchgard™ Fabric Protector on cloth trims and door panels
Sunshade RH and LH vinyl, color-keyed

OPTIONAL UPLEVEL TRIM BEAUVILLE TRIM LEVEL (RPO E94)

The following equipment is in addition to or replacing items included in the base trim level.

EXTERIOR

Grille: Molded plastic grille painted light argent with bright Chevrolet emblem
Headlamps: Dual halogen hi-beam
Moldings: Black body side and rear with bright inserts and bright wheel opening moldings
Nameplate: Beauville

INTERIOR

Coat Hooks: LH and RH and rear
Floor Covering: Color-keyed carpeting over entire floor area with color-keyed rubber front and rear floor mats
Headliner: Full length cloth headliner and garnish moldings
Lamps: Front and rear dome with front reading lamp and door actuated switches
Mats, Stepwell: Embossed, black rubber
Rear Door Trim Panels: Color-keyed cloth on door and carpeting on lower areas
Seat Trim: Adjustable high back bucket seats and removable 3-passenger bench seat with custom vinyl or custom cloth. Standard feature 12-passenger seating, adding rear 4-passenger bench seat
Storage Compartment: Locking, located under passenger seat

MODEL AND BODY

	Description	Model No
2-WHEEL-DRIVE MODELS		
19580.00	Sportvan	CG31306 & C6C
19460.00	H D. Sportvan	CG31306 & C6P
19580.00	H D. Sportvan	CG31306 & C6W
21065.00	Extended Sportvan	CG31606 & C6P
21305.00	Extended Sportvan	CG31606 & C6W

EMISSIONS (Must Specify One)

- NA5 Standard Emission Equipment**
(SATISFIES HIGH ALTITUDE EMISSION REQUIREMENTS W/L05 OR L19 ENGINE AND 8600/9200 GVWR)
- NA6 High Altitude Emission Equipment**
(WITH LL4 ENG FOR EXHAUST SMOKE REDUCTION PURPOSES AT HIGH ALTITUDE;
NOT REQUIRED TO SATISFY HIGH ALTITUDE EMISSION REGULATIONS)
- YF5 California Emission Requirements**
CG31306 W/C6P/C6W AND CG31606
CG31306 W/O C6P/C6W

POWER TEAMS (Must Specify Engine, Transmission and Rear Axle)

(Consult GVWR Selector for Minimum Equipment Required)

ENGINE	TRANSMISSION	AXLES				GVWR
		AUTO	3.23	3.42	3.73 4.10	
W/NA5 STANDARD, NA6 HIGH ALTITUDE OR YF5 CALIFORNIA EMISSION EQUIPMENT						
(a) L05 V8 5.7 Liter (350 Cu In)-EFI	MX0	GQ1	--	--	--	(b) 7400
	MX0	--	--	(b) GQ1	(c) GT5	(d) 8600
	MX0	--	--	(b) GQ1	(c) GT5	(e) 9200
(a) L19 V8 7.4 Liter (454 Cu In)-EFI	MX0	--	GQ1	GT4	GT5	(d) 8600
	MX0	--	GQ1	GT4	GT5	(e) 9200
LL4 Diesel 6.2 Liter V8 (379 Cu In)	MX0	--	--	(b) GQ1	(c) GT5	(d) 8600
	MX0	--	--	--	GQ1	(e) 9200

- (a) N/A NA6 High Altitude Emission Equipment as NA5 Standard Emission Satisfies NA6 Requirements
- (b) N/A CG31606
- (c) w/CG31606 4.10 Axle is Base at no Extra Charge
- (d) Reqs C6P w/8600 GVWR
- (e) Reqs C6W w/9200 GVWR

GVWR SELECTOR

GVW Option Required	GVW Rating (lbs)	(a) Front	Minimum Equipment Required For GVW Rating		Restrictions
			GAWR (lbs)	Rear	
MODEL CG31306					
C6C	7400	3400		4380	N/A C6P or C6W
C6P	8600	3880		5360	Reqs C6P and AQ3, AQ4 or YG4 & YHF
C6W	9200	4000		5360	Reqs C6W and YHF Tires
MODEL CG31606					
C6P	8600	3880		5360	Reqs C6P and L05
C6P	8600	4000		5360	Reqs C6P and L19 or LL4
C6W	9200	4000		5360	Reqs C6W and YHF Tires

(a) GAWR'S shown are the maximum for each axle with equipment listed. Other GAWR'S are available, and they are determined as the minimum capacity of either axle, springs or tires.

CAPACITIES

SPRINGS:		AXLES:	
Front		Front	
3400	w/o C6P or CG31606		
3900	w/C6P	4000	Base
3900	w/CG31606 w/o L19/LL4		
4000	w/CG31606 w/L19 or LL4		
Rear		Rear	
5400	Base	5700	Base
6000	w/C6W	6000	w/C6W

TIRES (Must Specify Front, Rear and Spare Tire or Option R6Z Spare Tire not Desired)

Description	Highway		
	Front	Rear	Spare
TUBELESS STEEL BELTED RADIAL			
(a) LT225/75R16-D B/W	XHP	YHP	ZHP
LT225/75R16-E B/W	XHF	YHF	ZHF

(a) Reqs L05 Engine, CG31306 and 7400 GVWR
B/W = Blackwall

**PREFERRED VEHICLE GROUPS
INCLUDE THE FOLLOWING STANDARD SEATING:**
5-PASSENGER
 -CG31306 WITH C6P 8600 OR C6W 9200 GVWR
12-PASSENGER
 -CG31306 WITH 7400 GVWR
 -CG31606

Optional seating is available only on CG31306 models and C6P 8600 or C6W 9200 GVWR and CG31606 models. (Refer Seating, Rear Page 7)

PREFERRED VEHICLE
No Deletions Allowed. Additional Options/Substitutions (Where Indicated)

EMISSION, ENGINE, TRANSMISSION,
AXLE AND TIRE *MUST* BE SPECIFIED.

		BASE		BEAUVILLE	
		V 3 A 1	V 3 A 2	V 3 A 3	V 3 A 4
N.C.	Preferred Equipment Group 1 Standard Body (A) ZW9	x	x	NI	NI
*1116.00 **(-150.00)	Preferred Equipment Group 2 PEG 2 Savings Air Conditioning: Front (B) C60 Radio: Stereo, Seek-Scan/Clock (C) UM7		x	x	NI NI
*2962.00 **(-750.00)	Preferred Equipment Group 3 PEG 3 Savings Body: Beauville E94 Convenience Group: Tilt Wheel and Speed Control ZQ3 Convenience Group: Power Windows and Power Door Locks ZQ2 Lighting: Auxiliary TR9 Mirrors: Stainless Steel (D) D45			x	x x x x x
*4433.00 **(-850.00)	Preferred Equipment Group 4 (V3A4 N/A CG31606 w/ZP3 Seat) PEG 4 Savings Air Conditioning: Front & Rear C69 Glass: Deep Tinted AJ1 Radio: Stereo, Seek-Scan/Cassette/Clock (E) UM6 Reclining Front Seats w/Armrests K**6 Wheel Covers, Full P01				x x x x x

*The Preferred Equipment Group MSRP's Reflect the Basic Group Equipment Prices. For any Option Additions, Upgrades, or Substitutions, Refer to the Vehicle Price Schedule for any Price Differential.

** PEG Savings Amount represents the savings for Preferred Equipment Groups.

- (A) E94 May be substituted for ZW9 Standard Body
- (B) C69 May be substituted for C60 Air
- (C) UM6, UX1 or U1C May be substituted for UM7 Radio
- (D) DG9 May be substituted for D45 Mirrors
- (E) UX1 or U1C May be substituted for UM6 Radio

CUSTOM ORDERING OPTIONS

PLEASE REVIEW OPTION RESTRICTIONS BEFORE ORDERING

INCL		w/PEG	OPTION
975.00	2.3	C60	AIR CONDITIONING: Front (Incl w/C69 Front and Rear Air) (Incls HD Cooling) w/V3A2
N.C.			
1574.00	4	C69	Front and Rear (N/A ZP3 Seating) (Incls C60 Front Air) w/V3A2
599.00			w/V3A4
N.C.			
N.C.		GQ1	AXLES: Rear (Refer Power Teams Chart for Availability) Base
44.00		---	Optional
252.00		G80	Locking Differential
N.C.	1.2	ZW9	BODY CODE: Standard
48.00		V10	COLD-CLIMATE PACKAGE: (N/A LL4 Diesel Eng) (Incls Engine Block Heater)
			CONVENIENCE GROUP:
434.00	3.4	ZQ2	Power Windows and AU3 Power Door Locks w/V3A3 or V3A4
N.C.			
383.00	3.4	ZQ3	Comfortit Steering Wheel and Speed Control w/V3A3 or V3A4
N.C.			
		KC4	COOLING SYSTEM: (N/A LL4 Diesel Eng) Engine Oil (Reqs V02 Cooler w/L05 Eng) (Incl w/L19 Engine or Z82 Trailering) w/o Z82 Trailering, L05 or L19 Eng w/Z82 Trailering w/L19 Eng
135.00			
N.C.		V02	Heavy Duty Radiator and Transmission Oil Cooler (Reqs L05 Eng) (Incl w/Z82 Trailering) w/o Z82 Trailering and L05 Eng w/Z82 Trailering and L05 Eng
N.C.			
N.C.		V05	Heavy Duty Radiator (N/A C60 or C69 Air Conditioning, L19 Eng or V02 Cooling)
			DECOR:
818.00	3.4	E94	Beauville. Incls: Black Side and Rear Moldings with Bright Trim, Chrome Wheel Opening Moldings, Color Coordinated Interior Moldings, Deluxe Front Appearance Items, Front Seat Storage Compartment, Full Floor Carpeting and Front and Rear Rubber Floor Mats, Spare Tire Cover and Visor Mirror w/V3A3 or V3A4
N.C.			
104.00		C49	DEFOGGER: Rear Window (Incls Fixed Rear Door Glass)
		AU3	DOOR LOCK SYSTEM, POWER: (Incl w/ZQ2 Conv Pkg) w/o ZQ2 Convenience Group w/ZQ2 Convenience Group
223.00			
N.C.		YA2	DOOR: Sliding Side Door (N/A CG31606) (Swing Out Side Door Standard)
N.C.			EMISSIONS:
N.C.		NA5	Standard Emission Equipment
N.C.		NA6	High Altitude Emission Equipment
		VF5	California Emission Requirements CG31306 w/C6P/C6W and CG31606 CG31306 w/o C6P/C6W
100.00			
N.C.			ENGINES: (Refer Power Teams Chart for Availability)
		L05	V8 5.7 Liter (350 Cu In)-EFI
605.00		L13	V8 7.4 Liter (454 Cu In)-EFI
1555.00		LL1	V8 6.2 Liter (379 Cu In) Diesel
125.00		KL5	Alternative Fuel (LPG or CNG Conversion Ready) (Reqs L05 Eng) (N/A C6C 7400 GVWR)
306.00	4	AJ	GLASS: Deep Tinted w/V3A4
N.C.			
			GVWR: (Must Specify One)
N.C.		C6C	7400#
N.C.		C6P	8600#
N.C.		C6W	9200#
205.00		C38	HEATER, REAR SEAT
158.00	3.4	TR9	LIGHTING, AUXILIARY: (Incls Headlamp Warning Buzzer, Underhood Lamp, and Front and Rear Dome Reading Lamps) w/V3A3 or V3A4
N.C.			
175.00		AX3	LOCK: Remote Keyless Entry System (Reqs TR9 Lighting and ZQ2 Conv Group) (Incls Headlamp Delay)
			MIRRORS, EXTERIOR: Below-Eye-Line
45.00	3.4	D45	Stainless Steel w/V3A3 or V3A4
N.C.			
98.00		DG9	Electric, Stainless Steel (Reqs ZQ2 Conv Group) w/V3A3 or V3A4
53.00			
75.00		DH6	MIRROR, INTERIOR: Lighted RH & LH Visor/Vanity (Reqs E94 Beauville Decor Pkg) (w/LL4 Also Reqs ZP3 Seating)
N.C.		B98	MOLDING DELETE: Body Side (N/A E94 Decor)

G30 SPORTVAN

REFER WEEKLY STOPS/LATEST UPDATE

CUSTOM ORDERING OPTIONS PLEASE REVIEW OPTION RESTRICTIONS BEFORE ORDERING

INCL w/PEG OPTION			
N.C.	ZY1	PAINTS, EXTERIOR: (Refer Color/Trim Chart for Availability)	Solid
269.00	ZY4	Deluxe Two-Tone	w/o E94 Beauville Decor Pkg
137.00			w/E94 Beauville Decor Pkg
N.C.	R8T	PRICED ORDER ACKNOWLEDGEMENT	
		RADIO EQUIPMENT: (Electronically Tuned AM Radio w/Digital Clock Standard) (With Optional Radio and w/o E94 Beauville Incds Two Premium Front Speakers and Wiring for Rear Speakers) (With Optional Radio and w/E94 Beauville Incds Two Premium Front Speakers and Dual Extended Range Rear Speakers)	
141.00	2.3	UM7	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan and Digital Clock
N.C.			w/V3A2 or V3A3
263.00	4	UM6	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Stereo Cassette Tape and Digital Clock
122.00			w/V3A2 or V3A3
N.C.			w/ V3A4
413.00		UX1	Electronically Tuned AM Stereo/FM Stereo Radio w/Seek-Scan, Stereo Cassette Tape with Search and Repeat, Graphic Equalizer and Digital Clock
272.00			w/V3A2 or V3A3
150.00			w/V3A4
537.00		U1C	Electronically Tuned AM Stereo/FM Stereo Radio w/Seek-Scan, Compact Disc Player and Digital Clock
396.00			w/V3A2 or V3A3
274.00			w/V3A4
85.00		U75	Radio Antenna, Power (w/E94 Decor and LL4 Eng Reqs ZP3 Seating)
(-95.00)		UL5	Radio Delete (Reqs V3A1)
			SEATING, REAR: (Must Specify One) (Available w/C6P or C6W GVWR)
371.00		AQ3	One Additional Seat (8 Passenger Seating) (CG31306 Only)
736.00		AQ4	Two Additional Seats (12 Passenger Seating) (STD CG31606 w/o ZP3 or CG31306 w/7400 GVWR)
371.00		ZP3	One Additional Seat (15 Passenger Seating) (CG31606 Only)
			(N/A C69 Front and Rear Air or ZB2 Trailering)
			(N/A V3A4)
N.C.	YG4		Additional Rear Seat Not Desired (N/A w/AQ4, AQ3 or ZP3)
			(w/L05 Eng Reqs C6P or C6W GVWR)
N.C.	V**4	SEAT TRIM: (Refer Trim Chart for Availability)	Vinyl High Back Bucket Seats
20.00	X**4		Custom Vinyl High Back Bucket Driver's Seat
N.C.			w/o E94 Decor
N.C.	K**4		w/E94 Decor
N.C.	K**6		Custom Cloth High Back Bucket Seats
402.00			Custom Cloth Reclining High Back Bucket Seats
N.C.			w/o V3A4
60.00			w/V3A4
		NP5	STEERING WHEEL: Leather Wrapped (w/E94 Decor and LL4 Eng Reqs ZP3 Seating)
			TIRES: Refer Tire Chart for Availability
			Front
N.C.	XHP		LT225/75R-16/D All Season Steel Belted Radial Ply Blackwall
	XHF		LT225/75R-16/E All Season Steel Belted Radial Ply Blackwall
34.00			CG31306 w/o C6P
N.C.			CG31306 w/C6P/C6W or CG31606
			Rear
N.C.	YHP		LT225/75R-16/D All Season Steel Belted Radial Ply Blackwall
	YHF		LT225/75R-16/E All Season Steel Belted Radial Ply Blackwall
34.00			CG31306 w/o C6P
N.C.			CG31306 w/C6P/C6W or CG31606
			Spare (Must Specify One)
207.00	ZHP		LT225/75R-16/D All Season Steel Belted Radial Ply Blackwall
224.00	ZHF		LT225/75R-16/E All Season Steel Belted Radial Ply Blackwall
N.C.	R6Z		Spare Tire Not Desired
			TRAILERING SPECIAL EQUIPMENT:
132.00	Z72		Light Duty (Incls Bumper Mounted Trailer Hitch, 5-Wire Wiring Harness and HD Flasher)
	ZB2		Heavy-Duty (Incls Platform Mounted Trailer Hitch, 7-Wire Wiring Harness and HD Flasher)
			(Incls KC4 Cooler and V02 Cooler w/L05 Eng) (N/A ZP3 Seating) (CG31606 Reqs C6P or C6W GVWR w/LL4 or L05 Eng) (N/A w/C5Y GVWR or CG31606 w/L05 Eng) —
508.00			w/L05 Engine
310.00			w/LL4 or L19 Engine
N.C.	MX0	TRANSMISSION: 4-Speed Electronically Controlled Automatic with Overdrive (Refer Power Teams Chart for Availability)	
42.00	4	P01	WHEEL COVERS: Bright Metal, Full Cover
N.C.			w/V3A4

REVISED: 12-18-92

1993 ORDER GUIDE

G30 SPORTVAN

Page 7

Prices Shown Are Manufacturer's Suggested Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory Management Since MSRP Figures Change Periodically. The Vehicle Price Schedule Is The Official Pricing Documentation Of Chevrolet Motor Division And Should Be Used In Discussing Vehicle Prices With Potential Buyers. The Model Prices Shown In The Order Guide Include The Destination Freight Charges.

SPORTVAN

INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART WITH ZY1 OR ZY4 PAINT

PLEASE NOTE: Below are the interior trim color and exterior paint combinations *recommended* by Chevrolet. The only available color code 1/color code 2 exterior color combinations are those shown in the chart below.


TRIM LEVEL Seat Type	Model Option	INTERIOR COLORS			
		Blue	Garnet	Beige	Gray
STANDARD INTERIOR	Std				
Vinyl High Back Bucket Seats		VDD4		VUU4	
Custom Vinyl High Back Bucket Seats		XDD4		XUU4	
BEAUVILLE	EB4				
Custom Vinyl High Back Bucket Seats		XDD4	(a) XRR4	XUU4	XTT4
Custom Cloth High Back Bucket Seats		KDD4	(a) KRR4	KUU4	KTT4
Custom Cloth Recreating High Back Bucket Seats		KDD6	(a) KRR6	KUU6	KTT6

EXTERIOR COLORS w/ZY1 or ZY4 PAINT APPLICATION	Color Code 1	Color Code 2	RECOMMENDED INTERIOR TRIM COLORS				STRIPE COLOR Included with Two-Tone Paint
BEIGE, MOHAVE	33	33			X		Not Applicable
Khaki	33	52			X		Ok Brown/Dogskin/Dk Brown
BLACK, MIDNIGHT	41	41		X		X	Not Applicable
Quicksilver (Metallic)	41	96		X		X	Vermilion/Slate/Vermilion
Khaki	41	52			X		Gold/Black/Gold
BLUE, BRILLIANT (Metallic)	22	22	X				Not Applicable
Quicksilver (Metallic)	22	96	X			X	Lt Blue/Dk Blue/Lt Blue
BLUE, DK SAPPHIRE	28	28	X			X	Not Applicable
Quicksilver (Metallic)	28	96	X			X	Lt Blue/Dk Blue/Lt Blue
BLUE, ROYAL (Metallic)	47	47	X			X	Not Applicable
Blue, Sky	47	26	X			X	Lt Blue/Dk Blue/Lt Blue
White, Summit	47	50	X			X	Lt Blue/Dk Blue/Lt Blue
BLUE, SKY	26	26	X			X	Not Applicable
Blue, Royal (Metallic)	26	47	X			X	Lt Blue/Dk Blue/Lt Blue
White, Summit	26	50	X			X	Lt Blue/Dk Blue/Lt Blue
BLUE, SPRUCE (Metallic)	54	54		X		X	Not Applicable
White, Summit	54	50			X		Silver/Black/Silver
BURGUNDY (Metallic)	78	78		X	X	X	Not Applicable
White, Summit	78	50		X		X	Vermilion/Dk Carmine/Vermilion
GRAY, STEEL (Metallic)	90	90	X	X		X	Not Applicable
Black, Midnight	90	41				X	Vermilion/Slate/Vermilion
White, Summit	90	50				X	Vermilion/Slate/Vermilion
GUNMETAL	14	14		X		X	Not Applicable
Black, Midnight	14	41		X		X	Vermilion/Slate/Vermilion
Quicksilver (Metallic)	14	96		X		X	Vermilion/Dk Carmine/Vermilion
Quicksilver (Metallic)	14	96				X	Vermilion/Slate/Vermilion
KHAKI	52	52			X		Not Applicable
Beige, Mohave	52	33			X		Ok Brown/Dogskin/Dk Brown
QUICKSILVER (Metallic)	96	96	X	X		X	Not Applicable
Black, Midnight	96	41		X		X	Vermilion/Slate/Vermilion
Blue, Dk Sapphire	96	28	X			X	Lt Blue/Dk Blue/Lt Blue
Gunmetal	96	14	X	X		X	Vermilion/Slate/Vermilion
Red, Mahogany (Metallic)	96	83		X		X	Vermilion/Dk Carmine/Vermilion
RED, MAHOGANY (Metallic)	83	83		X	X	X	Not Applicable
Quicksilver (Metallic)	83	96		X		X	Vermilion/Dk Carmine/Vermilion
RED, APPLE	72	72		X		X	Not Applicable
Gray, Steel (Metallic)	72	90		X		X	Vermilion/Slate/Vermilion
White, Summit	72	50		X		X	Vermilion/Slate/Vermilion
RED, VICTORY	74	74			X	X	Not Applicable
Quicksilver (Metallic)	74	96			X	X	Vermilion/Slate/Vermilion
WHITE, SUMMIT	50	50	X	X		X	Not Applicable
Gunmetal	50	14		X		X	Vermilion/Slate/Vermilion
Gunmetal	50	14	X			X	Lt Blue/Dk Blue/Lt Blue

(a) N/A CG31806


PAINT APPLICATIONS

SOLID PAINT - ZY1



DELUXE TWO-TONE PAINT-ZY4

(Includes Molding w/o EB4)
Color Code 1



Color Code 2

AVAILABLE SEAT ARRANGEMENTS (See Option Section)



Standard 5-Passenger Seating
on G31306 Model with
C6P or C6W



WAQ3 8-Passenger Seating
on G31306 Model with C6P or C6W



WAQ4 12-Passenger Seating
on G31306 Model with C6P or C6W
Standard on G31306 Model
without C6P or C6W



WZP3 15-Passenger Seating
on G31606 Extended Model

G30 SPORTVAN

1993 ORDER GUIDE

REVISED: 12-18-92

Page 8

Prices Shown Are Manufacturers Suggested Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory Management Since MSRP Figures Change Periodically. The Vehicle Price Schedule Is The Official Pricing Documentation Of Chevrolet Motor Division And Should Be Used In Discussing Vehicle Prices With Potential Buyers. The Model Prices Shown In The Order Guide Include The Destination Freight Charges.


'93

Chevy Van


Ordering Information

New for '93

- ▶ Four-wheel anti-lock brake system (ABS) standard; improves vehicle steerability and stability during braking levels which approach wheel lockup.
- ▶ 9200 GVWR available; G30 models only.
- ▶ Optional air conditioning system operates with environment-friendly 134A refrigerant (instead of Freon).
- ▶ New Solar-Ray™ tinted glass reflects and absorbs up to 60 percent of the sun's energy to reduce interior heat buildup.
- ▶ The standard 4-speed automatic overdrive transmission is now electronically controlled; features improved shift smoothness.
- ▶ Brake/transmission shift interlock; with ignition "ON," requires the brake pedal to be depressed to shift out of PARK position.
- ▶ Quiet fan drive for all engines; reduces fan noise at start-up.
- ▶ 4.3L V6 (RPO LB4) engine enhancements for improved performance.



Feature Vehicle: Base 148" WB G30 ▲



Focus Vehicle: Base 125" WB G20 ▲

- ▶ Steel sleeve steering column with Comfortilt Wheel is designed to improve security. Improvements include three steel shields, revised lock cylinder and new lock bolt spring.
- ▶ Wear indicators added to lower ball joints; provide means of identifying wear (G10 and G20 models only).
- ▶ New colors for '93 include Khaki - Code 52, Mohave Beige - Code 33 and Summit White - Code 50.

Key Vehicle Features


- ▶ Choice of Regular-Body or Extended-Body, with optional seating for two available.
- ▶ Great towing capacity. A Regular-Body G30 with the optional 7.4 Liter V8 can move up to 17,000 lbs., including vehicle, trailer, equipment, people and cargo when properly equipped.
- ▶ Extended-Body model is a true extended-body van with a longer wheelbase and smooth, single-stamped sheet metal for better weight distribution and ride characteristics.
- ▶ Choice of 60/40 swing-out side doors (standard) or sliding side door (no-cost option).
- ▶ Four-wheel anti-lock brakes are standard on all models. As brake pressure is applied, the system automatically modulates the braking action as necessary to minimize wheel lockup.
- ▶ Self-aligning steering wheel is designed to automatically align with driver's body in the event of a frontal collision to help reduce chest impact and injury.



Vinyl seat trim available in Beige or Blue ▼




Vinyl high-back bucket seats ▼



Custom Vinyl seat trim available in Beige, Black, Blue, Garnet or Gray ▼




Custom Vinyl high-back bucket seats ▼




Standard Chevy Van wheel with bright hubcap (G30 version shown) ▼



Optional full wheel cover (G30 model only) (RPO P01) ▼



Optional Rally Wheel (not available on G30 Series) (RPO N67) ▼



Optional cast aluminum wheel (not available on G30 Series) (RPO PF3) ▼



'93



Chevy Van



Listed below are the most popular Chevy Van colors, nationally, based on 1992 Model Year production volumes. NOTE: These colors are for reference only. Use RSA to identify the top-selling colors, by model, in your area.

COLOR	PERCENT (%)
12 - Frost White	48
47 - Royal Blue Met.	10
78 - Burgundy Met.	8
54 - Spruce Blue Met.	5

NOTE: New exterior colors for '93 Chevy Van are:
52 - Khaki
33 - Mohave Beige
50 - Summit White.

Positioning for '93

Chevy Van is Chevy's big-job cargo mover, with volumes up to 306 cubic feet in the Extended-Body model (without the optional front passenger seat) and up to 9200-lb. GVWR. It's a tough,

dependable, long-lasting full-size van ideal for RV conversions, plumbers, carpet installers and other vocations where extra load space is a must.

FEATURE AND FOCUS VEHICLES

The Chevy Van Feature vehicle for 1993 is the 146"-wheelbase G30 Extended-Body. It is the vehicle Chevy plans to highlight in trade advertising, merchandising, show and display activities. This vehicle has broad appeal for the commercial market due to its long load length, impressive towing capacity and choice of engines.

The Focus vehicle for 1993 is the G20 Chevy Van with 125" wheelbase. Popular for commercial applications such as plumbers, florists, parcel delivery firms and carpet installers, this unit is also used heavily by van converters. It represents the best opportunity for volume sales in '93.

NOTE: The Chevy Van Focus model may vary in your locality. You can verify or select your dealership's Chevy Van Focus model with Retail Sales Analysis (RSA).

FOCUS PLANNING WITH RETAIL SALES ANALYSIS

Economic influences, fuel costs, seasonal changes and many other variable factors can influence van customers. During the model year, you can "take the pulse" of buyers as required to determine what models, PEGs and colors are currently being most often chosen. To do this, Chevrolet Motor Division recommends that you utilize Retail Sales Analysis when ordering vehicles for inventory. RSA is found in the Chevrolet Dealer Information System (DCS/CDIS).

- ▶ Use RSA to identify which Chevy Van models, PEGs and colors are selling at your dealership as well as at other dealerships in your MDA, Sales Area, ADI, MSSA, Branch, SMA, and National.
- ▶ You can increase your turnover rate by using RSA to identify top-selling models and PEGs that you can focus on in your advertising and promotions.
- ▶ For more information about RSA, refer to your Chevrolet Dealer Information System (CDIS) Manual or contact your Account Manager - CMC.

Preferred Equipment Groups

Popular Chevy Van options are combined into convenient Preferred Equipment Groups. Upgrades are allowed for air conditioning systems, glass and the stereo sound system. These equipment packages are designed to:

- ▶ Appeal to a broad base of your truck customers
- ▶ Make ordering easier
- ▶ Add value to vehicles and enhance trade-in value
- ▶ Enable you to make your inventory and sales strategies more responsive to your competition.

The G20 125" WB Chevy Van with Preferred Equipment Group 2 and popular options (as listed at right) offers the features most often desired by full-size van buyers.

1993 CHEVY VAN RECOMMENDED FOCUS MODEL/PEG/OPTIONS

- ▶ Chevy Van G20 125" WB with PEG 2 (G2A2)
Includes: ♦ Standard Body ♦ Air Conditioning, Front ♦ AM/FM Stereo ♦ Seat, Auxiliary ♦ Seats, Custom Vinyl High-Back Bucket.
- ▶ Popular Options
♦ P215/75R-15 Blackwall Tires (XCU/ZCU)
♦ Spare Tire, P215/75R-15 (ZCU).

See Truck Order Guide for complete PEG availability, full content description and allowable substitutions.

Forecasted Percent of Mix—1993 Chevy Van

SERIES	
G10 110" WB	20%
G10 125" WB	2%
G20 125" WB	30%
G30 125" WB	15%
G30 146" WB	33%
Total	100%

TRIM LEVELS	
Standard	100%
Total	100%

ENGINES	
4.3L V6	6%
5.0L V8	6%
5.7L V8	85%
7.4L V8	1%
6.2L V8 Diesel LD	1%
6.2L V8 Diesel HD	1%
Total	100%

TRANSMISSIONS	
MX0	100%
Total	100%

MODELS	PASSENGERS
Chevy Van CG11005	1
Chevy Van CG11305	1

DIMENSIONS /SPECIFICATIONS

Wheelbase (inches)	
CG11005	110.0
CG11305	125.0
Length (overall - inches)	
CG11005	180.1
CG11305	204.1
Height (overall - inches)	
CG11005	80.0
CG11305	79.9
Width (maximum - inches)	
	79.5
Sliding Side Load Door (inches)	
Opening Height	49.3
Opening Width	44.2
Rear Load Door (inches)	
Opening Height	48.9
Opening Width	54.4
Cargo Capacity (cu. ft.)	
CG11005	207.0
CG11305	260.0
Payload (pounds)	
CG11005	998/1681/2078
CG11305	858/1541/1938
GVWR (pounds)	4900/5600/6000
Fuel Tank Capacity	22 Gal.

POWER TEAMS

Standard Engine	
RPO LB4 4.3L (262 Cu. In.) - V6 with Electronic Fuel Injection (EFI)	
Standard Transmission	
RPO MX0 4-Speed Electronically Controlled Automatic with Overdrive	
Standard Axle Ratio	3.42

STANDARD EQUIPMENT SUMMARY

EXTERIOR

Alternator: 100 Amps
 Battery: Heavy-duty with 630 CCA
 Brake/Transmission Shift Interlock
 Brakes: Heavy-duty power front disc/rear drum brakes and 4-wheel anti-lock braking system
 Bumpers: Front and rear, painted silver with front bumper guards
 Defoggers: Side window
 Door Stop, Rear Door
 Doors: Swing-out side doors
 Glass, Solar-Ray Tinted: All windows
 Grille: Molded plastic grille and front lamp bezels painted light argent
 Headlamps: Single rectangular halogen
 Mirrors: RH and LH painted white below-eye-line with adjustable heads, 6.5" x 9"
 Moldings: Black body side
 Shock Absorbers: 32mm heavy-duty, front and rear
 Steering, Power
 Tire, Spare: Full size spare tire and wheel
 Tires: P205/75R15 blackwall steel belted radial ply
 Wheel Trim: Bright metal hub caps with black trim
 Wheels: 15" x 6" white painted steel wheels
 Wiper System: Intermittent windshield wipers

INTERIOR

Armrest: Padded, left hand
 Assist Handle: Back of passenger seat
 Carrier, Spare Wheel/Tire on RH Rear Side
 Cigarette Lighter with ashtray
 Coat Hook, LH
 Floor Covering: Embossed black rubber mat on driver side
 Gages: Engine temperature, fuel level, odometer, oil pressure, speedometer, trip odometer and voltmeter
 Heater: Deluxe outside air heater and defogger
 Lamps: Two dome lamps with front door-actuated switches
 Parcel Tray with beverage holder provisions
 Radio: Electronically tuned AM with digital clock and fixed mast antenna
 Seat Trim: Adjustable high back front bucket driver's seat with vinyl trim
 Stowage Box with Latched Door
 Sunshades: RH and LH vinyl, color-keyed

MODEL AND BODY

Description	Model No
2-WHEEL-DRIVE MODELS	
15180.00 Chevy Van	CG11005
15360.00 Chevy Van	CG11305

EMISSIONS (Must Specify One)

NA5 Standard Emission Equipment
 NA6 High Altitude Emission Equipment
 YF5 California Emission Requirements

POWER TEAMS (Must Specify Engine, Transmission and Rear Axle)
 (Consult GVWR Selector for Minimum Equipment Required)

ENGINE	TRANSMISSION	AXLES			GVWR
	AUTO	3.08	3.42	3.73	
W/NA5 STANDARD EMISSION EQUIPMENT					
LB4 V6 4.3 Liter (262 Cu In)-EFI	MX0	--	GQ1	(a) GT4	4900/5600/6000
L03 V8 5.0 Liter (305 Cu In)-EFI	MX0	GQ1	GU6	--	4900/5600/6000
W/NA6 HIGH ALTITUDE EMISSION EQUIPMENT					
LB4 V6 4.3 Liter (262 Cu In)-EFI	MX0	--	GQ1	(a) GT4	4900/5600/6000
L03 V8 5.0 Liter (305 Cu In)-EFI	MX0	GQ1	GU6	--	4900/5600
	MX0	--	GQ1	--	6000
W/YF5 CALIFORNIA EMISSION EQUIPMENT					
LB4 V6 4.3 Liter (262 Cu In)-EFI	MX0	--	GQ1	(a) GT4	4900/5600
	VX0	--	--	(a) GQ1	6000
L03 V8 5.0 Liter (305 Cu In)-EFI	MX0	GQ1	--	--	4900/5600/6000

(a) Reqs KC4 Cooling.

GVWR SELECTOR

GVW Rating (lbs)	(a) GAWR (lbs)		Minimum Equipment Required For GVW Rating
	Front	Rear	Restrictions
4900	2620	2600	N/A F60 or G50
5600	2906	2906	Reqs F60, G50 and CE Tires
6000	3166	3166	Reqs F60 and G50 (N/A CE Tires)

(a) GAWR'S shown are the maximum for each axle with equipment listed. Other GAWR's are available, and they are determined as the minimum capacity of either axle, springs or tires.

CAPACITIES

SPRINGS:			AXLES:		
Front			Front		
2620	Base		3400	Base	
3400	Base				
Rear			Rear		
2600	Base		3500	Base	
3400	Base				

TIRES (Must Specify Front, Rear and Spare)

Description	All Seasons		
	Front	Rear	Spare
TUBELESS STEEL BELTED RADIAL			
P205/75R15 B/W	XCE	YCE	ZCE
P215/75R15 B/W	XCU	YCU	ZCU
P215/75R15 W/W	XCV	YCV	ZCV
P215/75R15 W/L	XCW	YCW	ZCW

B/W=Blackwall
W/W=Whitewall
W/L=White Lettered

PREFERRED VEHICLE

No Deletions Allowed. Additional Options/Upgrades (Where Indicated)
 May be Ordered from the Custom Ordering Option Listing.

**EMISSION, ENGINE, TRANSMISSION,
 AXLE AND TIRE MUST BE SPECIFIED.**

		BASE	
		G 1 A 1	G 1 A 2
N.C.	Preferred Equipment Group 1		
	Standard Body	ZW9 x	x
1363.00	Preferred Equipment Group 2		
	Air Conditioning: Front (A)	C60	x
	Radio: Stereo, Seek-Scan/Clock (B)	UM7	x
	Seat: Auxiliary	A57	x
	Seats: Custom Vinyl High Back Bucket	X**4	x
	Springs: Heavy Duty Front	F60	x
	Springs: Heavy Duty Rear	G50	x

Allowable Substitutions (Where Available):
 (A) C69 May be substituted for C60 Air
 (B) UM6, UX1 or U1C May be substituted for UM7 Radio

CUSTOM ORDERING OPTIONS
PLEASE REVIEW OPTION RESTRICTIONS BEFORE ORDERING

INCL. W/ REQ OPTION			
			AIR CONDITIONING:
975.00	2	C60	Front (Incl w/C69 Front and Rear Air)
N.C.			W/G1A2
1574.00		C69	Front and Rear (Reqs G50 Rear Springs) (Incls C60 Front Air)
599.00			W/G1A2
142.00		V22	APPEARANCE, DELUXE FRONT
			AXLES: Rear (Refer Power Teams Chart for Availability)
N.C.		GQ1	Base
44.00		---	Optional
252.00		G80	Locking Differential
N.C.	1.2	ZW9	BODY CODE: Standard
76.00		V37	BUMPER EQUIPMENT: Chromed Front and Rear
48.00		V10	COLD-CLIMATE PACKAGE: (Incls Engine Block Heater)
			CONVENIENCE GROUP:
434.00		ZQ2	Power Windows and AU3 Power Door Locks
383.00		ZQ3	Comfort Steering Wheel and Speed Control
			COOLING SYSTEM:
135.00		KC4	Engine Oil (Reqs LB4 Engine)
63.00		V02	Heavy Duty Radiator and Transmission Oil (w/LB4 Eng Reqs KC4 Cooler)
N.C.		V05	Heavy Duty Radiator (w/LB4 Eng Reqs KC4 Cooler) (N/A C60 or C69 Air Conditioning or V02 Cooling)
154.00		C49	DEFOGGER: Rear Window (Reqs ZW3 Fixed Glass Pkg or A12 Fixed RR Door Glass)
		AU3	DOOR LOCK SYSTEM, POWER: (Incl w/ZQ2 Conv Group)
154.00	22300		w/o ZQ2 Convenience Group
N.C.			w/ZQ2 Convenience Group
N.C.		YA2	DOOR: Sliding Door (Swing Out Side Door is Standard)
			EMISSIONS:
N.C.		NA5	Standard Emission Equipment
N.C.		NA6	High Altitude Emission Equipment
100.00		YF5	California Emission Requirements
			ENGINES: (Refer Power Teams Chart for Availability)
N.C.		LB4	4.3 Liter (262 Cu In)-EFI V6
575.00		L03	5.0 Liter (305 Cu In)-EFI V8
147.00		B30	FLOOR COVERING: (Reqs A57 Seat) (N/A Black Trim) (Incls Front Floor and Wheelhouse Carpeting and Front Rubber Floor Mats)
			GLASS:
172.00		A07	Full Body, 6 Windows (Reqs ZX6 or ZW3 Glass Package) (Incls A08 Glass)
90.00	11049	ZW3	Fixed Glass Package (Incls A12 Fixed Rear Door Glass and Fixed Side Door Glass)
	11049	A08	RH Rear Body Side Window (Reqs ZX6 or ZW3 Glass) (Incl w/A07)
52.00			w/o A07 Glass
N.C.			w/A07 Glass
		A12	Rear Door, Fixed (Incl w/ZW3 Glass) (N/A ZX6 Glass)
50.00			w/o A07 or ZW3 Glass
N.C.			w/A07 or ZW3 Glass
		A18	Rear Door, Swing Out (Incl w/ZX6 Glass) (N/A ZW3 Glass)
109.00			w/o ZX6 or A07 Glass
59.00			w/A07 Glass
N.C.			w/ZX6 Glass
226.00		ZX6	Swing Out Glass Package (Incls Swing Out Rear Door Glass and Swing Out Side Door Glass)
205.00		C36	HEATER, REAR
156.00		TR9	LIGHTING, AUXILIARY: (Incls Headlamp Warning Buzzer, Underhood Lamp, and Front and Rear Dome Reading Lamps)
		AX3	LOCK: Remote Keyless Entry System (Reqs TR9 Lighting and ZQ2 Conv Group)
175.00			(Incls Headlamp Delay)
			MIRRORS, EXTERIOR: Below-Eye-Line
45.00		D45	Stainless Steel
98.00		OG9	Electric, Stainless Steel (Reqs ZQ2 Conv Group and A12, A18, ZW3 or ZX6 Glass)
N.C.		B98	MOLDING DELETE: Body Side
N.C.		ZY1	PAINT, EXTERIOR: Solid (Refer Color/Trim Chart for Availability)
N.C.		R8T	PRICED ORDER ACKNOWLEDGEMENT

CUSTOM ORDERING OPTIONS
PLEASE REVIEW OPTION RESTRICTIONS BEFORE ORDERING

INCL. W/ PEG	OPTION	
		RADIO EQUIPMENT: (Electronically Tuned AM Radio w/Digital Clock Standard) (With Optional Radio inds Premium Front Speakers and Wiring for Rear Speakers)
96.00	2 UM7	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan and Digital Clock
N.C.		w/G1A2
218.00	UM6	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Stereo Cassette Tape and Digital Clock
122.00		w/G1A2
368.00	UX1	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Stereo Cassette Tape with Search and Repeat, Graphic Equalizer and Digital Clock
272.00		w/G1A2
492.00	U1C	Electronically Tuned AM Stereo/FM Stereo Radio w/Seek-Scan, Compact Disc Player and Digital Clock
396.00		w/G1A2
85.00	U75	Radio Antenna, Power
(-95.00)	UL5	Radio Delete (Reqs G1A1)
187.00	2 A57	SEAT: (Must Specify One) Front, Auxiliary (inds Assist Handle)
N.C.		w/G1A2
	YG4	Seat Not Desired (N/A w/A57 Seat)
N.C.	V**4	SEAT TRIM: (Refer Trim Chart for Availability) Vinyl High Back Bucket Driver's Seat
	X**4	Custom Vinyl High Back Bucket Driver's Seat
20.00 10.00		w/A57 Aux Seat
40.00 20.00		w/A57 Aux Seat
N.C.		w/G1A2
15.00	2 F50	SPRINGS: Heavy-Duty Front (Reqs G50 Rear Springs)
N.C.		w/G1A2
70.00	2 G50	Rear (Reqs F60 Front Springs)
N.C.		w/G1A2
60.00	NP5	STEERING WHEEL: Leather Wrapped
96.00	NL7	TANK, FUEL: Approx 33-Gallon Total Vehicle Capacity (CG11305 only)
		TIRES: Refer Tire Chart for Availability
		Front
N.C.	XCE	P205/75R-15 All Seasons Steel Belted Radial Ply Blackwall
26.00	XCU	P215/75R-15 All Seasons Steel Belted Radial Ply Blackwall
56.00	XCV	P215/75R-15 All Seasons Steel Belted Radial Ply Whitewall
70.00	XCW	P215/75R-15 All Seasons Steel Belted Radial Ply White Lettered
		Rear
N.C.	YCE	P205/75R-15 All Seasons Steel Belted Radial Ply Blackwall
26.00	YCU	P215/75R-15 All Seasons Steel Belted Radial Ply Blackwall
56.00	YCV	P215/75R-15 All Seasons Steel Belted Radial Ply Whitewall
70.00	YCW	P215/75R-15 All Seasons Steel Belted Radial Ply White Lettered
		Spare
N.C.	ZCE	P205/75R-15 All Seasons Steel Belted Radial Ply Blackwall
13.00	ZCU	P215/75R-15 All Seasons Steel Belted Radial Ply Blackwall
28.00	ZCV	P215/75R-15 All Seasons Steel Belted Radial Ply Whitewall
35.00	ZCW	P215/75R-15 All Seasons Steel Belted Radial Ply White Lettered
132.00	Z72	TRAILERING SPECIAL EQUIPMENT: Light-Duty (inds Bumper Mounted Trailer Hitch, 5-Wire Wiring Harness and HD Flasher)
N.C.	MX0	TRANSMISSION: 4-Speed Electronically Controlled Automatic with Overdrive (Refer Power Teams Chart for Availability)
331.00	PF9	WHEELS: (Spare is Base Steel Wheel) Aluminum, Cast
121.00	N67	Rally


CHEVY VAN INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART WITH ZY1 PAINT

PLEASE NOTE: Below are the interior trim color and exterior paint combinations *recommended* by Chevrolet. The only available color code 1/color code 2 exterior color combinations are those shown in the chart below.


TRIM LEVEL Seat Type	Model Option	INTERIOR COLORS				
		Black	Blue	Garnet	Beige	Gray
Standard Interior	Std					
Vinyl High Back Bucket Driver's Seat			VDD4		VUU4	
Custom Vinyl High Back Bucket Driver's Seat		XBB4	XDD4	XRR4	XUU4	XTT4

EXTERIOR COLORS w/ZY1 PAINT APPLICATION	Color Code 1	Color Code 2	RECOMMENDED INTERIOR TRIM COLORS					
BEIGE, MOHAVE	33	33					X	
BLACK, MIDNIGHT	41	41	X	X	X		X	X
BLUE, BRILLIANT	22	22						X
BLUE, ROYAL (Metallic)	47	47		X			X	
BLUE, DK SAPPHIRE	28	28		X			X	X
BLUE, SKY	26	26		X				
BLUE, SPRUCE (Metallic)	54	54			X		X	
BURGUNDY (Metallic)	78	78			X		X	X
GRAY, STEEL (Metallic)	90	90	X	X	X		X	X
GUNMETAL	14	14	X		X			X
KHAKI	52	52					X	
QUICK SILVER (Metallic)	96	96	X	X	X		X	X
RED, APPLE	72	72			X		X	X
RED, MAHOGANY (Metallic)	83	83			X		X	X
RED, VICTORY	74	74	X				X	X
WHITE, SUMMIT	50	50	X	X	X		X	X


SOLID PAINT -- ZY1



AVAILABLE SEATING ARRANGEMENTS
(See Option Section)






W/A57






Standard

CHEVY VAN
AVAILABLE WINDOW ARRANGEMENTS
 (See Option Section for Restrictions)




STANDARD






W/A12
 (Includes Fixed Rear Door Glass)






W/A18
 (Includes Swing Out Rear Door Glass)






W/ZX6
 (Includes Swing Out Cargo Door and Rear Door Glass)






W/A07
 (Includes Rear Door Windows, Side Cargo Door Window, RH Side Quarter Windows and LH Center and Rear Quarter Windows) (Shown w/ZW3 Glass)



W/A08
 (Includes RH Rear Quarter Fixed Glass)
 Note: Requires ZW3/ZX8 Glass Package



W/ZW3
 (Includes Fixed Rear Door and Fixed Cargo Door Glass)



G20 CHEVY VAN

REFER WEEKLY STOPS/LATEST UPDATE

MODELS

PASSENGERS

Chevy Van CG21005	1
Chevy Van CG21305	1

DIMENSIONS /SPECIFICATIONS

Wheelbase (inches)	
CG21005	110.0
CG21305	125.0
Length (overall - inches)	
CG21005	180.1
CG21305	204.1
Height (overall - inches)	
w/Gasoline Engine	80.9
w/Diesel Engine	80.5
Width (maximum - inches)	79.5
Sliding Side Load Door (inches)	
Opening Height	49.3
Opening Width	44.2
Rear Load Door (inches)	
Opening Height	48.9
Opening Width	54.4
Cargo Capacity (cu. ft.)	
CG21005	207.0
CG21305	260.0
Payload (pounds)	
CG21005	2668
CG21305	2520
GVWR (pounds)	6600
Fuel Tank Capacity	22 Gal.

POWER TEAMS

Standard Engine	
RPO LB4 4.3L (262 Cu. In.) - V6 with Electronic Fuel Injection (EFI)	
Standard Transmission	
RPO MX0 4-Speed Electronically Controlled Automatic with Overdrive	
Standard Axle Ratio	3.42

STANDARD EQUIPMENT SUMMARY

EXTERIOR

Alternator: 100 Amps
Battery: Heavy-duty with 630 CCA for gasoline engines or two 540 CCA for diesel engines
Brakes: Heavy-duty power front disc/rear drum brakes and 4-wheel anti-lock braking system
Brake/Transmission Shift Interlock
Bumpers: Front and rear, painted silver with front bumper guards
Defoggers: Side window
Door Stop, Rear Door
Doors: Swing-out side door
Glass, Solar-Ray Tinted: All windows
Grille: Molded plastic grille and front lamp bezels painted light argent
Headlamps: Single rectangular halogen
Mirrors: RH and LH painted white below-eye-line with adjustable heads, 6.5" x 9"
Moldings: Black body side
Shock Absorbers: 32mm heavy-duty, front and rear
Springs, Rear: Heavy-Duty
Steering, Power
Tires: P225/75R15 blackwall steel belted radial ply for gasoline engines and P235/75R15 blackwall steel belted radial ply for diesel engines
Wheel Trim: Bright metal hub caps with black trim
Wheels: 15" x 6" white painted steel wheels
Wiper System: Intermittent windshield wipers

INTERIOR

Armrest: Padded, left hand
Carrier, Spare Wheel/Tire on RH Rear Side
Cigarette Lighter with ashtray
Coat Hook, LH
Floor Covering: Embossed black rubber mat on driver side
Gages: Engine temperature, fuel level, odometer, oil pressure, speedometer, trip odometer, and voltmeter
Heater: Deluxe outside air heater and defogger
Lamps: Two dome lamps with front door-actuated switches
Parcel Tray with beverage holder provisions
Radio: Electronically tuned AM with digital clock and fixed mast antenna
Seat Trim: Adjustable high back front bucket driver's seat with vinyl trim
Stowage Box with Latched Door
Sunshades: RH and LH vinyl, color-keyed

REVISED: 1-22-93

1993 ORDER GUIDE

G20 CHEVY VAN
Page 1

Prices Shown Are Manufacturer's Suggested Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory Management Since MSRP Figures Change Periodically. The Vehicle Price Schedule Is The Official Pricing Documentation Of Chevrolet Motor Division And Should Be Used In Discussing Vehicle Prices With Potential Buyers. The Model Prices Shown In The Order Guide Include The Destination Freight Charges.

MODEL AND BODY

	Description	Model No
	2-WHEEL-DRIVE MODELS	
15300.00	Chevy Van	CG21005
15500.00	Chevy Van	CG21305

EMISSIONS (Must Specify One)

- NA5 Standard Emission Equipment
- NA6 High Altitude Emission Equipment
- YF5 California Emission Requirements

POWER TEAMS (Must Specify Engine, Transmission and Rear Axle)

(Consult GVWR Selector for Minimum Equipment Required)

	ENGINE	TRANSMISSION		AXLES		GVWR
		AUTO		3.08	3.42	
W/NA5 STANDARD EMISSION EQUIPMENT						
	LB4 V6 4.3 Liter (262 Cu In)-EFI		MX0	--	GQ1 (b) GT4	6600
	L03 V8 5.0 Liter (305 Cu In)-EFI		MX0	GQ1	GU6 (c) GT4	6600
(a)	L05 V8 5.7 Liter (350 Cu In)-EFI		MX0	GQ1	GU6 (c) GT4	6600/6875
(a)	LH6 Diesel 6.2 Liter V8 (379 Cu In)		MX0	GQ1	GU6 (c) GT4	6875
W/NA6 HIGH ALTITUDE EMISSION EQUIPMENT						
	LB4 V6 4.3 Liter (262 Cu In)-EFI		MX0	--	GQ1 (b) GT4	6600
	L03 V8 5.0 Liter (305 Cu In)-EFI		MX0	--	GQ1 GT4	6600
(a)	L05 V8 5.7 Liter (350 Cu In)-EFI		MX0	GQ1	GU6 (c) GT4	6600/6875
(a)	LH6 Diesel 6.2 Liter V8 (379 Cu In)		MX0	--	GQ1 (c) GT4	6875
W/YF5 CALIFORNIA EMISSION EQUIPMENT						
	LB4 V6 4.3 Liter (262 Cu In)-EFI		MX0	--	GQ1 (b) GT4	6600
	L03 V8 5.0 Liter (305 Cu In)-EFI		MX0	GQ1	-- --	6600
(a)	L05 V8 5.7 Liter (350 Cu In)-EFI		MX0	GQ1	GU6 (c) GT4	6600/6875

- (a) G21305 Only
- (b) Reqs KC4 Cooling
- (c) Reqs Z82 Trailering Special

GVWR SELECTOR

GVW Rating (lbs)	(a) GAWR (lbs)		Minimum Equipment Required For GVW Rating
	Front	Rear	Restrictions
6600	3400	3406	N/A LH6 Eng. FL or FM Tires
6875	3600	3500	Reqs LH6 or L05 Eng and FL or FM Tires

(a) GAWR'S shown are the maximum for each axle with equipment listed. Other GAWR's are available and they are determined as the minimum capacity of either axle, springs or tires.

CAPACITIES

SPRINGS:		AXLES:	
Front:		Front:	
3400	w/o LH6	3400	w/o LH6
3670	w/LH6	3675	w/LH6
Rear		Rear	
3800	Base	3500	Base

TIRES (Must Specify Front, Rear and Spare Tire or Option R6Z Spare Tire not Desired)

Description	All Seasons		
	Front	Rear	Spare
TUBELESS STEEL BELTED RADIAL (Reqs LB4, L03 or L05 Engine)			
P225/75R15 B/W	XET	YET	ZET
P225/75R15 W/W	XEU	YEU	ZEU
P225/75R15 W/L	XEV	YEV	ZEV
TUBELESS STEEL BELTED RADIAL (Reqs LH6 or L05 Engine)			
P235/75R15 B/W	XFL	YFL	ZFL
(a) P235/75R15 W/S	XFM	YFM	ZFM

(a) Reqs L05 Eng
B/W=Blackwall
W/W=Whitewall
W/L=White Lettered
W/S=White Stripe

PREFERRED VEHICLE

No Deletions Allowed. Additional Options/Upgrades (Where Indicated)
 May be Ordered from the Custom Ordering Option Listing.

EMISSION, ENGINE, TRANSMISSION,
 AXLE AND TIRE *MUST* BE SPECIFIED.

		BASE	
		G 2 A 1	G 2 A 2
N.C.	Preferred Equipment Group 1		
	Standard Body	ZW9 x	x
1278.00	Preferred Equipment Group 2		
	Air Conditioning: Front (A)	C60	x
	Radio: Stereo, Seek-Scan/Clock (B)	UM7	x
	Seat: Auxiliary	A57	x
	Seats: Custom Vinyl High Back Bucket	X**4	x

Allowable Substitutions (Where Available):
 (A) C69 May be substituted for C60 Air
 (B) UM6, UX1 or U1C May be substituted for UM7 Radio

CUSTOM ORDERING OPTIONS
PLEASE REVIEW OPTION RESTRICTIONS BEFORE ORDERING

INCL. W/ PEG	OPTION	
		AIR CONDITIONING:
975.00	2 C60	Front (Incl w/C69 Front and Rear Air) w/G2A2
N.C.		
1574.00	C69	Front and Rear (Incls C60 Front Air) w/G2A2
599.00		
142.00	V22	APPEARANCE, DELUXE FRONT
		AXLES: Rear (Refer Power Teams Chart for Availability)
N.C.	GQ1	Base
44.00		Optional
252.00	G80	Locking Differential
N.C.	1.2 ZW9	BODY CODE: Standard
76.00	V37	BUMPER EQUIPMENT: Chromed Front and Rear
48.00	V10	COLD-CLIMATE PACKAGE: (N/A LH6 Diesel Engine) (Incls Engine Block Heater)
		CONVENIENCE GROUP:
434.00	ZQ2	Power Windows and AU3 Power Door Locks
383.00	ZQ3	Comfort Steering Wheel and Speed Control
		COOLING SYSTEM: (N/A LH6 Engine)
135.00	KC4	Engine Oil Cooler (w/L03 or L05 Eng Reqs V02 Cooling) (Incl w/Z82 Trailing)
N.C.		w/o Z82 Trailing
		w/Z82 Trailing
63.00	V02	Heavy Duty Radiator and Transmission Oil (w/LB4 Eng Reqs KC4 Cooler) (Incl w/Z82 Trailing)
N.C.		w/o Z82 Trailing
N.C.		w/Z82 Trailing
154.00	V05	Heavy Duty Radiator (w/LB4 Eng Reqs KC4 Cooler) (N/A C60 or C69 Air Conditioning or V02 Cooling)
	C49	DEFOGGER: Rear Window (Reqs ZW3 Fixed Glass Pkg or A12 Fixed RR Door Glass)
	AU3	DOOR LOCK SYSTEM, POWER: (Incl w/ZQ2 Conv Group)
223.00		w/o ZQ2 Convenience Group
N.C.		w/ZQ2 Convenience Group
N.C.	YA2	DOOR: Sliding Door (Swing Out Side Door is Standard)
		EMISSIONS:
N.C.	NA5	Standard Emission Equipment
N.C.	NA6	High Altitude Emission Equipment
100.00	YF5	California Emission Requirements
		ENGINES: (Refer Power Teams Chart for Availability)
N.C.	LB4	4.3 Liter (262 Cu In)-EFI V6
575.00	L03	5.0 Liter (305 Cu In)-EFI V8
845.00	L05	5.7 Liter (350 Cu In)-EFI V8
2400.00	LH6	6.2 Liter (379 Cu In) Diesel V8
147.00	B30	FLOOR COVERING: (Reqs A57 Seat) (N/A Black Trim) (Incls Front Floor and Wheelhouse Carpeting and Front Rubber Floor Mats)
		GLASS:
172.00	A07	Full Body, 6 Windows (Reqs ZX6 or ZW3 Glass Package) (Incls A08 Glass)
90.00	ZW3	Fixed Glass Package (Incls A12 Fixed Rear Door Glass and Fixed Side Door Glass)
	A08	RH Rear Body Side Window (Reqs ZX6 or ZW3 Glass) (Incl w/A07 Glass)
52.00		w/o A07 Glass
N.C.		w/A07 Glass
	A12	Rear Door, Fixed (Incl w/ZW3 Glass) (N/A ZX6 Glass)
50.00		w/o A07 or ZW3 Glass
N.C.		w/A07 or ZW3 Glass
	A18	Rear Door, Swing Out (Incl w/ZX6 Glass) (N/A ZW3 Glass)
109.00		w/o A07 or ZX6 Glass
59.00		w/A07 Glass
N.C.		w/ZX6 Glass
226.00	ZX6	Swing Out Glass Package (Incls Swing Out Rear Door Glass and Swing Out Side Door Glass)
205.00	C36	HEATER, REAR
156.00	TR9	LIGHTING, AUXILIARY: (Incls Headlamp Warning Buzzer, Underhood Lamp, and Front and Rear Dome Reading Lamps)
	AX3	LOCK: Remote Keyless Entry System (Reqs TR9 Lighting and ZQ2 Conv Group)
175.00		(Incls Headlamp Delay)
		MIRRORS, EXTERIOR: Below-Eye-Line
45.00	D45	Stainless Steel
98.00	DG9	Electric, Stainless Steel (Reqs ZQ2 Conv Group and A12, A18, ZW3 or ZX6 Glass)
N.C.	B98	MOLDING DELETE: Body Side
N.C.	ZY1	PAINT, EXTERIOR: Solid (Refer Color/Trim Chart for Availability)
N.C.	R8T	PRICED ORDER ACKNOWLEDGEMENT
		6400
		10400
		6875
		10410

CUSTOM ORDERING OPTIONS
PLEASE REVIEW OPTION RESTRICTIONS BEFORE ORDERING

INCL. W/ PEG	OPTION	
96.00 N.C.	2 UM7	RADIO EQUIPMENT: (Electronically Tuned AM Radio w/Digital Clock Standard) (With Optional Radio Incls Premium Front Speakers and Wiring for Rear Speakers) Electronically Tuned AM/FM Stereo Radio w/Seek-Scan and Digital Clock w/G2A2
218.00 122.00 368.00	UM6	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Stereo Cassette Tape and Digital Clock w/G2A2
272.00 492.00 396.00	UX1	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Stereo Cassette Tape with Search and Repeat, Graphic Equalizer and Digital Clock w/G2A2
85.00 (-95.00)	U1C	Electronically Tuned AM Stereo/FM Stereo Radio w/Seek-Scan, Compact Disc Player and Digital Clock w/G2A2
187.00 N.C. N.C.	U75	Radio Antenna, Power
	UL5	Radio Delete (Reqs G2A1 Only)
	2 A57	SEAT: (Must Specify One) Front, Auxiliary (Incls Assist Handle) w/G2A2
	YG4	Seat Not Desired (N/A w/A57 Seat or LH6 Eng)
		SEAT TRIM: (Refer Trim Chart for Availability) V**4 High Back Bucket Driver's Seat X**4 Custom Vinyl High Back Bucket Driver's Seat w/o A57 Aux Seat w/A57 Aux Seat w/G2A2
20.00 10.00 N.C.	NP5	STEERING WHEEL: Leather Wrapped
60.00 96.00	NL7	TANK, FUEL: Approx 33-Gallon Total Vehicle Capacity (CG21305 Only) (Incl w/LH6 Eng) TIRES: Refer Tire Chart for Availability
N.C.	XET	Front P225/75R-15 All Seasons Steel Belted Radial Ply Blackwall
36.00	XEU	P225/75R-15 All Seasons Steel Belted Radial Ply Whitewall
50.00	XEV	P225/75R-15 All Seasons Steel Belted Radial Ply White Lettered
N.C.	XFL	P235/75R-15 All Seasons Steel Belted Radial Ply Blackwall
64.00	XFM	P235/75R-15 All Seasons Steel Belted Radial Ply White-Stripe
N.C.	YET	Rear P225/75R-15 All Seasons Steel Belted Radial Ply Blackwall
36.00	YEU	P225/75R-15 All Seasons Steel Belted Radial Ply Whitewall
50.00	YEV	P225/75R-15 All Seasons Steel Belted Radial Ply White Lettered
N.C.	YFL	P235/75R-15 All Seasons Steel Belted Radial Ply Blackwall
64.00	YFM	P235/75R-15 All Seasons Steel Belted Radial Ply White-Stripe
137.00	ZET	Spare P225/75R-15 All Seasons Steel Belted Radial Ply Blackwall
155.00	ZEU	P225/75R-15 All Seasons Steel Belted Radial Ply Whitewall
161.00	ZEV	P225/75R-15 All Seasons Steel Belted Radial Ply White Lettered
151.00	ZFL	P235/75R-15 All Seasons Steel Belted Radial Ply Blackwall
169.00	ZFM	P235/75R-15 All Seasons Steel Belted Radial Ply White-Stripe
N.C.	R6Z	Spare Tire Not Desired
132.00	Z72	TRAILERING SPECIAL EQUIPMENT: Light-Duty (Incls Bumper Mounted Trailer Hitch, 5-Wire Wiring Harness and HD Flasher)
	Z82	Heavy-Duty (Incls Platform Mounted Trailer Hitch, 7-Wire Wiring Harness and HD Flasher) OK (N/A LB4 Eng) (w/L03 or L05 Eng Incls KC4 and V02 Cooler) w/o LH6 Engine w/LH6 Engine
508.00 310.00	MX0	TRANSMISSION: 4-Speed Electronically Controlled Automatic with Overdrive (Refer Power Teams Chart for Availability)
N.C.	PF3	WHEELS: (Spare is Base Steel Wheel) Aluminum, Cast
331.00 121.00	N67	Rally

CHEVY VAN INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART WITH ZY1 PAINT


PLEASE NOTE: Below are the interior trim color and exterior paint combinations *recommended* by Chevrolet. The only available color code 1/color code 2 exterior color combinations are those shown in the chart below.

TRIM LEVEL Seat Type	Model Option	INTERIOR COLORS				
		Black	Blue	Garnet	Beige	Gray
Standard Interior	Std		VDD4		VUU4	
Vinyl High Back Bucket Driver's Seat		XBB4	XDD4	XRR4	XUU4	XTT4
Custom Vinyl High Back Bucket Driver's Seat						


EXTERIOR COLORS w/ZY1 PAINT APPLICATION	Color Code 1	Color Code 2	RECOMMENDED INTERIOR TRIM COLORS					
BEIGE, MOHAVE	33	33					X	
BLACK, MIDNIGHT	41	41	X	X	X	X	X	X
BLUE, BRILLIANT	22	22		X				X
BLUE, ROYAL (Metallic)	47	47		X			X	
BLUE, DK SAPPHIRE	28	28		X			X	X
BLUE, SKY	26	26		X				
BLUE, SPRUCE (Metallic)	54	54			X		X	
BURGUNDY (Metallic)	78	78			X		X	X
GRAY, STEEL (Metallic)	90	90	X	X	X	X	X	X
GUNMETAL	14	14	X		X			X
KHAKI	52	52					X	
QUICK SILVER (Metallic)	96	96	X	X	X			X
RED, APPLE	72	72			X		X	X
RED, MAHOGANY (Metallic)	83	83			X		X	X
RED, VICTORY	74	74	X				X	X
WHITE, SUMMIT	50	50	X	X	X	X	X	X

(6)


SOLID PAINT -- ZY1



AVAILABLE SEATING ARRANGEMENTS
(See Option Section)






W/A57



Standard




CHEVY VAN
AVAILABLE WINDOW ARRANGEMENTS
 (See Option Section for Restrictions)

STANDARD






W/A12

(Includes Fixed Rear Door Glass)






W/A18

(Includes Swing Out Rear Door Glass)





W/ZX6

(Includes Swing Out Cargo Door and Rear Door Glass)






W/A07

(Includes Rear Door Windows, Side Cargo Door Window, RH Side Quarter Windows and LH Center and Rear Quarter Windows) (Shown w/ZW3 Glass)






W/A08

(Includes RH Rear Quarter Fixed Glass)
Note: Requires ZW3/ZX8 Glass Package



W/ZW3

(Includes Fixed Rear Door and Fixed Cargo Door Glass)



MODELS PASSENGERS

Chevy Van CG31305	1
Heavy-Duty Chevy Van CG31305	1
Extended Chevy Van CG31605	1

DIMENSIONS /SPECIFICATIONS

Wheelbase (inches)	
CG31305	125.0
CG31605	146.0
Length (overall - inches)	
CG31305	204.1
CG31605	225.1
Height (overall - inches)	
CG31305	82.3
Width (maximum - inches)	
CG31305	79.5
Sliding Side Load Door (inches)	
CG31305	
Opening Height	49.3
Opening Width	44.2
Rear Load Door (inches)	
Opening Height	48.9
Opening Width	54.4
Cargo Capacity (cu. ft.)	
CG31305	260.0
CG31605	306.0
Payload (pounds)	
CG31305	2747
CG31605	3713
GVWR (pounds)	
CG31305	7100/7400/8600
CG31605	8600
Fuel Tank Capacity	
CG31305	22 Gal.
CG31605	33 Gal.

POWER TEAMS

Standard Engine	
CG31305-RPO LB4 4.3L (262 Cu. In.)-V6 with Electronic Fuel Injection (EFI)	
CG31605-RPO L05 5.7L (350 Cu. In.)-V8 with Electronic Fuel Injection (EFI)	
Standard Transmission	
RPO MX0 4-Speed Electronically Controlled Automatic with Overdrive	
Standard Axle Ratio	3.73

STANDARD EQUIPMENT SUMMARY

EXTERIOR

Alternator: 100 Amps
 Battery: Heavy-duty with 630 CCA for gasoline engines
 or two 540 CCA for diesel engines
 Brake/Transmission Shift Interlock
 Brakes: Heavy-duty power front disc/rear drum brakes
 and 4-wheel anti-lock braking system
 Bumpers: Front and rear, painted silver with front
 bumper guards
 Defoggers: Side window
 Door Stop, Rear Door
 Doors: Swing-out side door
 Glass, Solar-Ray Tinted: All windows
 Grille: Molded plastic grille and front lamp bezels
 painted light argent
 Headlamps: Single rectangular halogen
 Mirrors: RH and LH painted white below-eye-line with
 adjustable heads, 6.5" x 9"
 Moldings: Black body side
 Shock Absorbers: 35mm heavy-duty, front and rear
 Steering, Power
 Tires: LT225/75R16 blackwall steel belted radial ply
 Wheel Trim: Bright metal hub caps with black trim
 Wheels: 16" x 6.5" white painted steel wheels
 Wiper System: Intermittent windshield wipers

INTERIOR

Armrest: Padded, left hand
 Carrier, Spare Wheel/Tire on RH Rear Side
 Cigarette Lighter with ashtray
 Coat Hook, LH
 Floor Covering: Embossed black rubber mat on driver
 side
 Gages: Engine temperature, fuel level, odometer,
 oil pressure, speedometer, trip odometer, and
 voltmeter
 Heater: Deluxe outside air heater and defogger
 Lamps: Two dome lamps with front door-actuated
 switches
 Parcel Tray with beverage holder provisions
 Radio: Electronically tuned AM with digital clock and
 fixed mast antenna
 Seat Trim: Adjustable high back front bucket driver's
 seat with vinyl trim
 Stowage Box with Latched Door
 Sunshades: RH and LH vinyl, color-keyed

MODEL AND BODY

	Description	Model No
2-WHEEL-DRIVE MODELS		
15620.00	Chevy Van	CG31305 & LB4 & C5Y
16520.00	Chevy Van	CG31305 & L05 & C6C
17060.00	H.D. Chevy Van	CG31305 & L05 & C6P
17300.00	H.D. Chevy Van	CG31305 & L05 & C6W
18110.00	Ext Chevy Van	CG31605 & L05 & C6P
18350.00	Ext Chevy Van	CG31605 & L05 & C6W

EMISSIONS (Must Specify One)

- NA5 Standard Emission Equipment**
(SATISFIES HIGH ALTITUDE EMISSION REQUIREMENTS WITH 8600/9200 GVWR)
- NA6 High Altitude Emission Equipment**
(WITH LL4 ENG FOR EXHAUST SMOKE REDUCTION PURPOSES AT HIGH ALTITUDE;
NOT REQUIRED TO SATISFY HIGH ALTITUDE EMISSION REGULATIONS)
- YF5 California Emission Requirements**
w/8600 GVWR or 9200 GVWR
w/o 8600 GVWR or 9200 GVWR

POWER TEAMS (Must Specify Engine, Transmission and Rear Axle)

(Consult GVWR Selector for Minimum Equipment Required)

W/NA5 STANDARD, NA6 HIGH ALTITUDE OR YF5 CALIFORNIA EMISSIONS

	ENGINE	TRANSMISSION					GVWR
		AUTO	3.23	3.42	3.73	4.10	
(a) LB4 V6 4.3 Liter (262 Cu In)-EFI	MX0	--	--	GQ1	--	--	7100
	MX0	--	--	--	GQ1	HC4	(f) 8600
(c) L05 V8 5.7 Liter (350 Cu In)-EFI (N/A w/C6P/C6W)	MX0	GQ1	--	--	--	--	7400
	MX0	--	--	(b) GQ1	(e) GT5	--	(f) 8600
(c) L05 V8 5.7 Liter (350 Cu In)-EFI (Reqs C6P/C6W)	MX0	--	--	(b) GQ1	(e) GT5	--	(g) 9200
	MX0	--	GQ1	GT4	GT5	--	(f) 8600
(d) L19 V8 7.4 Liter (454 Cu In)-EFI	MX0	--	GQ1	GT4	GT5	--	(g) 9200
	MX0	--	--	(b) GQ1	(e) GT5	--	(f) 8600
LL4 Diesel 6.2 Liter V8 (379 Cu In)	MX0	--	--	--	GQ1	--	(g) 9200
	MX0	--	--	--	GQ1	--	(g) 9200

- (a) N/A CG31605; Also NA6 High Altitude Emission Equipment
- (b) N/A CG31605
- (c) N/A NA6 High Altitude Emission Equipment w/8600 or 9200 GVWR; NA5 Satisfies High Altitude Requirements
- (d) N/A NA6 High Altitude Emission Equipment; NA5 Satisfies NA6 Requirements; Also N/A B3D School Bus Equipment
- (e) w/CG31605 4.10 Axle is Base at No Extra Charge
- (f) Reqs C6P w/8600 GVWR
- (g) Reqs C6W w/9200 GVWR

GVWR SELECTOR

GVWR Option Required	GVW Rating (lbs)	Minimum Equipment Required For GVW Rating		
		(a) GAWR(lbs)		Restrictions
		Front	Rear	
MODEL CG31305				
C5Y	7100	3400	4380	Reqs LB4 (N/A C6P/C6W)
C6C	7400	3400	4380	Reqs L05 (N/A C6P/C6W)
C6P	8600	3880	5360	Reqs C6P and YHF Tires
C6W	9200	4000	5360	Reqs C6W, LL4/L05/L19 and YHF Tires
MODEL CG31605				
C6P	8600	3880	5360	Reqs C6P and L05
C6P	8600	4000	5360	Reqs C6P and L19 or LL4
C6W	9200	4000	5360	Reqs C6W, LL4/L05/L19 and YHF Tires

(a) GAWR'S shown are the maximum for each axle with equipment listed. Other GAWR's are available, and they are determined as the minimum capacity of either axle, springs or tires.

CAPACITIES

SPRINGS:		AXLES:	
Front:		Front:	
3400	w/o LB4	4000	Base
3900	w/C6P		
3900	w/CG31605 w/o L19/LL4		
4000	w/CG31605 w/L19 or LL4		
Rear:		Rear:	
5400	Base	5700	Base
6000	w/C6W	6000	w/C6W

TIRES (Must Specify Front, Rear and Spare Tire or Option R6Z Spare Tire not Desired)

Description	Highway		
	Front	Rear	Spare
TUBELESS STEEL BELTED RADIAL			
(a)LT225/75R16-D B/W	XHP	YHP	ZHP
LT225/75R16-E B/W	XHF	YHF	ZHF

(a) N/A C6P/C6W or CG31605
B/W=Blackwall

PREFERRED VEHICLE

No Deletions Allowed. Additional Options/Upgrades (Where Indicated)
 May be Ordered from the Custom Ordering Option Listing.

EMISSION, ENGINE, TRANSMISSION,
 AXLE AND TIRE MUST BE SPECIFIED.

		BASE	
		G 3 A 1	G 3 A 2
N.C.	Preferred Equipment Group 1		
	Standard Body	ZW9 x	x
1278.00	Preferred Equipment Group 2		
	Air Conditioning: Front (A)	C60	x
	Radio: Stereo, Seek-Scan/Clock (B)	UM7	x
	Seat: Auxiliary	A57	x
	Seats: Custom Vinyl High Back Bucket	X**4	x

Allowable Substitutions (Where Available):
 (A) C69 May be substituted for C60 Air
 (B) UM6, UX1 or U1C May be substituted for UM7 Radio

CUSTOM ORDERING OPTIONS
PLEASE REVIEW OPTION RESTRICTIONS BEFORE ORDERING

INCL. W/ PEG	OPTION	
975.00	2	C60
N.C.		
1574.00		C69
599.00		
142.00		V22
N.C.		GO1
44.00		---
252.00		G80
N.C.	1.2	ZW9
76.00		V37
48.00		V10
434.00		ZQ2
383.00		ZQ3
		KC4
135.00		
N.C.		
N.C.		
63.00		V02
N.C.		
N.C.		V05
154.00		C49
		AU3
223.00		
N.C.		
N.C.		YA2
N.C.		NA5
N.C.		NA6
		YF5
100.00		
N.C.		
(-845.00)		LB4
N.C.		L05
605.00		L19
1555.00		LL4
125.00		KL5
147.00		B30
172.00		A07
90.00		ZW3
52.00		A08
N.C.		
		A12
50.00		
N.C.		
		A18
109.00		
59.00		
N.C.		
226.00		ZX6
N.C.		CSY
N.C.		C6C
N.C.		C6P
N.C.		C6W

AIR CONDITIONING:
Front (Incl w/C69 Front and Rear Air)
w/G3A2
Front and Rear (Incls C60 Front Air)
w/G3A2

APPEARANCE, DELUXE FRONT
AXLES: Rear (Refer Power Teams Chart for Availability)
Base
Optional
Locking Differential

BODY CODE: Standard

BUMPER EQUIPMENT: Chromed Front and Rear

COLD-CLIMATE PACKAGE: (N/A LL4 Diesel Engine) (Incls Engine Block Heater)

CONVENIENCE GROUP:
Power Windows and AU3 Power Door Locks
Comfort Steering Wheel and Speed Control

COOLING SYSTEM: (N/A LL4 Engine)
Engine Oil Cooler (w/L05 Eng Reqs V02 Cooling) (Incl w/LB4 Eng on CG31305; Also Incl w/L19 Eng on CG31*05 and w/Z82 Trailing)
w/L05 Eng and Z82 Trailing
w/L05 Eng and Z82 Trailing
w/L19 Engine

Heavy Duty Radiator and Transmission Oil (Reqs L05 Eng) (Incl w/Z82 Trailing w/L05 Eng)
w/o Z82 Trailing
w/Z82 Trailing

Heavy Duty Radiator (CG31305 Reqs LB4 or L05 Eng) (CG31605 Reqs L05 Eng) (N/A C60 or C69 Air Conditioning, L19 Eng or V02 Cooling))

DEFOGGER: Rear Window (Reqs ZW3 Fixed Glass Pkg or A12 Fixed RR Door Glass)

DOOR LOCK SYSTEM, POWER: (Incl w/ZQ2 Conv Pkg)
w/o ZQ2 Convenience Group
w/ZQ2 Convenience Group

DOOR: Sliding Door (N/A CG31605) (Swing Out Side Door is Standard)

EMISSIONS:
Standard Emission Equipment
High Altitude Emission Equipment
California Emission Requirements
w/CSY or C6C GVWR
w/C6P or C6W GVWR

ENGINES: (Refer Power Teams Chart for Availability)
4.3 Liter (262 Cu In)-EFI V6
w/o C6P
w/C6P
5.7 Liter (350 Cu In)-EFI V8
7.4 Liter (454 Cu In)-EFI V8
6.2 Liter (379 Cu In) Diesel V8
Alternative Fuel (LPG or CNG Conversion Ready) (Reqs L05 Eng and C6P 8600 GVWR or C6W 9200 GVWR)

FLOOR COVERING: (Reqs A57 Seat) (N/A Black Trim) (Incls Front Floor and Wheelhouse Carpeting and Front Rubber Floor Mats)

GLASS:
Full Body, 6 Windows (Reqs ZX6 or ZW3 Glass Package) (Incls A08 Glass)
Fixed Glass Package (Incls A12 Fixed Rear Door Glass and Fixed Side Door Glass)
RH Rear Body Side Window (Reqs ZX6 or ZW3 Glass) (Incl w/A07)
w/o A07 Glass
w/A07 Glass
Rear Door, Fixed (Incl w/ZW3)
w/o A07 or ZW3 Glass
w/A07 or ZW3 Glass
Rear Door, Swing Out (Incl w/ZX6) (N/A ZW3)
w/o A07 or ZX6 Glass
w/A07 Glass
w/ZX6 Glass
Swing Out Glass Package (Incls Swing Out Rear Door Glass and Swing Out Side Door Glass)

GVWR: (Must Specify One)
7100#
7400#
8600#
9200#

CUSTOM ORDERING OPTIONS

PLEASE REVIEW OPTION RESTRICTIONS BEFORE ORDERING

INCL. W/ PEG	OPTION	
205.00	C36	HEATER, REAR
156.00	TR9	LIGHTING, AUXILIARY: (Incls Headlamp Warning Buzzer, Underhood Lamp, and Front and Rear Dome Reading Lamps)
175.00	AX3	LOCK: Remote Keyless Entry System (Reqs TR9 Lighting and ZQ2 Convenience Group) (Incls Headlamp Delay)
45.00	D45	MIRRORS, EXTERIOR: Below-Eye-Line Stainless Steel
98.00	DG9	Electric, Stainless Steel (Reqs ZQ2 Convenience Group and A12, A18, ZW3 or ZX6 Glass)
N.C.	B98	MOLDING DELETE: Body Side
N.C.	ZY1	PAINT, EXTERIOR: Solid (Refer Color/Trim Chart for Availability)
N.C.	R8T	PRICED ORDER ACKNOWLEDGEMENT
		RADIO EQUIPMENT: (Electronically Tuned AM Radio w/Digital Clock Standard) (With Optional Radio Incls Premium Front Speakers and Wiring for Rear Speakers)
96.00	2	UM7 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan and Digital Clock w/G3A2
N.C.		UM6 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Stereo Cassette Tape and Digital Clock w/G3A2
218.00		JX1 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Stereo Cassette Tape with Search and Repeat, Graphic Equalizer and Digital Clock w/G3A2
122.00		U1C Electronically Tuned Am Stereo/FM Stereo Radio w/Seek-Scan Compact Disc Player and Digital Clock w/G3A2
368.00		J75 Radio Antenna, Power
272.00		JL5 Radio Delete (Reqs G3A1)
492.00		33D SCHOOL BUS CHASSIS EQUIPMENT: (N/A LB4 or L19 Eng, Z72 or Z82 Trailering Equip) (Reqs C6W 9200 GVWR)
396.00		w/L05 Eng
85.00		w/LL4 Eng
(-95.00)		SEAT: (Must Specify One)
185.00		A57 Front, Auxiliary (Incls Assist Handle) w/G3A2
65.00		YG4 Seat Not Desired (N/A w/A57 Seat)
		SEAT TRIM: (Refer Trim Chart for Availability)
		V**4 Vinyl High Back Bucket Driver's Seat
		X**4 Custom Vinyl High Back Bucket Driver's Seat
		w/o A57 Aux Seat
10.00		w/A57 Aux Seat
20.00		w/G3A2
N.C.		NPS STEERING WHEEL: Leather Wrapped
60.00		N.7 TANK, FUEL: Approx 33-Gallon Total Vehicle Capacity (Standard CG31605)
96.00		TIRES: Refer Tire Chart for Availability
		Front
		XHF LT225/75R16-E Highway Steel Belted Radial Ply Blackwall CG31305 w/o C6P w/C6P CG31605
34.00		XHP LT225/75R16-D Highway Steel Belted Radial Ply Blackwall
N.C.		Rear
N.C.		YHF LT225/75R16-E Highway Steel Belted Radial Ply Blackwall CG31305 w/o C6P w/C6P CG31605
N.C.		YHP LT225/75R16-D Highway Steel Belted Radial Ply Blackwall
N.C.		Spare (Must Specify One)
224.00		ZHF LT225/75R16-E Highway Steel Belted Radial Ply Blackwall
207.00		ZHP LT225/75R16-D Highway Steel Belted Radial Ply Blackwall
N.C.		R6Z Spare Tire not Desired
		TRAILERING SPECIAL EQUIPMENT:
132.00		Z72 Light-Duty (Incls Bumper Mounted Trailer Hitch, 5-Wire Wiring Harness and HD Flasher)
		Z82 Heavy-Duty (Incls Platform Trailer Hitch, 7-Wire Wiring Harness and HD Flasher) (w/L05 Eng Incls KC4 and V02 Coolers) (CG31605-Reqs C6P/C6W w/LL4 Eng) (N/A w/CSY GVWR on CG31305 w/L05 Eng)-
508.00		w/L05 Eng
310.00		w/LL4 or L19 Eng
N.C.		MX0 TRANSMISSION: 4-Speed Electronic Automatic with Overdrive (Refer Power Teams Chart)
42.00		P01 WHEELS: Bright Metal, Full Cover

CHEVY VAN INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART WITH ZY1 PAINT


PLEASE NOTE: Below are the interior trim color and exterior paint combinations *recommended* by Chevrolet. The only available color code 1/color code 2 exterior color combinations are those shown in the chart below.

TRIM LEVEL Seat Type	Model Option	INTERIOR COLORS				
		Black	Blue	Garnet	Beige	Gray
Standard Interior	Std		VDD4		VUU4	
Vinyl High Back Bucket Driver's Seat		XBB4	XDD4	(a) XRR4	XUU4	XTT4
Custom Vinyl High Back Bucket Driver's Seat						


EXTERIOR COLORS w/ZY1 PAINT APPLICATION	Color Code 1	Color Code 2	RECOMMENDED INTERIOR TRIM COLORS				
BEIGE, MOHAVE	33	33				X	
BLACK, MIDNIGHT	41	41	X	X	X	X	X
BLUE, BRILLIANT	22	22		X			X
BLUE, ROYAL (Metallic)	47	47		X		X	
BLUE, DK SAPPHIRE	28	28		X		X	X
BLUE, SKY	26	26		X			
BLUE, SPRUCE (Metallic)	54	54			X	X	
BURGUNDY (Metallic)	78	78			X	X	X
GRAY, STEEL (Metallic)	90	90	X	X	X	X	X
GUNMETAL	14	14	X		X		X
KHAKI	52	52				X	
QUICK SILVER (Metallic)	96	96	X	X	X		X
RED, APPLE	72	72			X	X	X
RED, MAHOAGANY (Metallic)	83	83			X	X	X
RED, VICTORY	74	74	X			X	X
WHITE, SUMMIT	50	50	X	X	X	X	X

(a) N/A CG31605


SOLID PAINT - ZY1



**AVAILABLE SEATING ARRANGEMENTS
(See Option Section)**



WIA57



Standard

REVISED: 12-18-92




1993 ORDER GUIDE

G30 CHEVY VAN
Page 7




Prices Shown Are Manufacturer's Suggested Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory Management Since MSRP Figures Change Periodically. The Vehicle Price Schedule Is The Official Pricing Documentation Of Chevrolet Motor Division And Should Be Used In Discussing Vehicle Prices With Potential Buyers. The Model Prices Shown In The Order Guide Include The Destination Freight Charges.

CHEVY VAN
AVAILABLE WINDOW ARRANGEMENTS
 (See Option Section for Restrictions)




STANDARD






W/A12
 (Includes Fixed Rear Door Glass)






W/A18
 (Includes Swing Out Rear Door Glass)






W/ZX6
 (Includes Swing Out Cargo Door and Rear Door Glass)






W/A07
 (Includes Rear Door Windows, Side Cargo Door Window, RH Side Quarter Windows and LH Center and Rear Quarter Windows) (Shown w/ZW3 Glass)



W/A08
 (Includes RH Rear Quarter Fixed Glass)
 Note: Requires ZW3/ZX8 Glass Package



W/ZW3
 (Includes Fixed Rear Door and Fixed Cargo Door Glass)



MODEL SELECTION SUMMARY

Use the chart below to choose the model that fits your needs. Note that the Maximum Payload is based on curb weight. Also, the Maximum Gross Trailer Weight is based on vehicles that are properly equipped. See your 1993 Chevrolet Truck Order Guide for details.

SERIES	MODEL NUMBER/ BODY CODE/ OPTION CODE	PASSENGER CAPACITY (STD./OPT.)	STANDARD ENGINE/ TRANS.	OPTIONAL ENGINE/ TRANS.	GVWR (LBS.)	GAWR (LBS.) FRONT/ REAR	MAXIMUM PAYLOAD (LBS.) BASED ON CURB WT.	MAX. GROSS TRAILER WT./ TONGUE LOAD (LBS.) PROPERLY EQUIPPED
G-SERIES CHEVY VAN								
G10 CHEVY VAN								
G10 SHORT WHEELBASE	CG11005/ ZW9	1/2	4.3L V6/A4	— 5.0L V8/A4	4900	2620/2600	998	4000/500 6000/750
G10 SHORT WHEELBASE W/OPT. HD FRONT & REAR SPRINGS & STD. P205/75R15 TIRES	CG11005/ ZW9/F60/ G50/XCE/ YCE/ZCE	1/2	4.3L V6/A4	— 5.0L V8/A4	5600	2906/2906	1681	4000/500 6000/750
G10 SHORT WHEELBASE W/OPT. HD FRONT & REAR SPRINGS & OPT. P215/75R15 TIRES	CG11005/ ZW9/F60/ G50 N/A CE Tires	1/2	4.3L V6/A4	— 5.0L V8/A4	6000	3166/3166	2078	4000/500 6000/750
G10 REGULAR WHEELBASE	CG11305/ ZW9	1/2	4.3L V6/A4	— 5.0L V8/A4	4900	2620/2600	958	4000/500 6000/750
G10 REGULAR WHEELBASE W/OPT. HD FRONT & REAR SPRINGS & STD. P205/75R15 TIRES	CG11305/ ZW9/F60/ G50/XCE/ YCE/ZCE	1/2	4.3L V6/A4	— 5.0L V8/A4	5600	2906/2906	1541	4000/500 6000/750
G10 REGULAR WHEELBASE W/OPT. HD FRONT & REAR SPRINGS & OPT. P215/75R15 TIRES	CG11305/ ZW9/F60/ G50 N/A CE Tires	1/2	4.3L V6/A4	— 5.0L V8/A4	6000	3166/3166	1738	4000/500 6000/750
G20 CHEVY VAN								
G20 SHORT WHEELBASE	CG21005/ ZW9	1/2	4.3L V6/A4	— 5.0L V8/A4	6600	3400/3406	2668	4000/500 6500/800
G20 REGULAR WHEELBASE	CG21305/ ZW9	1/2	4.3L V6/A4	— 5.0L V8/A4 5.7L V8/A4 6.2L V8/A4	6600	3400/3406 3670/3500	2520	4000/500 6500/800 7000/840 6000/750

See the following page for the G30 series.

CHEVY VAN

SERIES	MODEL NUMBER/ BODY CODE/ OPTION CODE	PASSENGER CAPACITY (STD./OPT.)	STANDARD ENGINE/ TRANS.	OPTIONAL ENGINE/ TRANS.	GVWR (LBS.)	GAWR (LBS.) FRONT/ REAR	MAXIMUM PAYLOAD (LBS.) BASED ON CURB WT.	MAX. GROSS TRAILER WT./ TONGUE LOAD (LBS.) PROPERLY EQUIPPED
G-SERIES CHEVY VAN (CONT.)								
G30 CHEVY VAN								
G30 REGULAR WHEELBASE	CG31305/ ZW9	1/2	4.3L V6/A4	—	7100	3400/4380	2747	4000/500
G30 REGULAR WHEELBASE	CG31305/ ZW9	1/2	5.7L V8/A4	—	7400	3400/4380	2908	8000/960
G30 REGULAR WHEELBASE HD	CG31305/ ZW9/C6P	1/2	5.7L V8/A4	— 4.3L V6/A4 7.4L V8/A4 6.2L V8/A4	8600	3880/5360	4006	8000/960 4000/500 10000/1000 6000/750
G30 REGULAR WHEELBASE HD	CG31305/ ZW9/C6W/ YHF	1/2	5.7L V8/A4	— 4.3L V6/A4 7.4L V8/A4 6.2L V8/A4	9200	4000/5360	4313	8000/960 4000/500 10000/1000 6000/750
G30 EXTENDED WHEELBASE	CG31605/ ZW9	1/2	5.7L V8/A4	— 7.4L V8/A4 6.2L V8/A4	8600	3880/5360 4000/5360 4000/5360	3713	8000/960 4000/500 10000/1000 6000/750
G30 EXTENDED WHEELBASE HD	CG31605/ ZW9/C6W/ YHF	1/2	5.7L V8/A4	— 7.4L V8/A4 6.2L V8/A4	9200	4000/5360	4313	8000/960 4000/500 10000/1000 6000/750

POWERTRAINS

Chevrolet offers a variety of engines, transmissions and rear axle ratios for the Chevy Van. The following charts detail basic engine, transmission and axle specifications. See your 1993 Chevrolet Truck Order Guide for details.

ENGINES								
	4.3L V6	4.3L V6 HD	5.0L V8	5.7L V8	5.7L V8 HD	7.4L V8 HD	6.2L V8 DIESEL	6.2L V8 DIESEL HD
Order Code	LB4	LB4	L03	L05	L05	L19	LH6	LL4
Availability	Under 8501-lbs. GVW	Over 8500-lbs. GVW	G10/G20	G20 and G30 below 8600-lbs.	G30 8600-lbs. and above GVW	G30 8600-lbs. and above GVW	G20	G30 8600-lbs. and above GVW
SAE Net Horsepower @ rpm	155 @ 4000	155 @ 4000	170 @ 4000	195 @ 4000	190 @ 4000	230 @ 3600	145 @ 3600	155 @ 3500
SAE Net Torque lbs-ft @ rpm	230 @ 2000	230 @ 2400	265 @ 2400	290 @ 2400	300 @ 2400	385 @ 1600	260 @ 1900	285 @ 2000
Fuel System	EFI	EFI	EFI	EFI	EFI	EFI	Gear Driven Mechanical FI	Gear Driven Mechanical FI
Standard Battery Cold Cranking Amps @ 0°F	630	630	630	630	630	630	2 @ 540 each	2 @ 540 each
Standard Alternator Max. Cap. (Amps)	100	100	100	100	100	100	100	100

CHEVY VAN

TRANSMISSIONS

	ELECTRONIC AUTOMATIC 4-SPEED OVERDRIVE W/TORQUE CONVERTER CLUTCH (4L60-E) (M30)	ELECTRONICALLY-CONTROLLED AUTOMATIC 4-SPEED W/OD HEAVY DUTY (4L80-E) (MT1)
Availability	G10/G20 and G30 below 8600-lbs. GVW	G30 8600-lbs. GVW and above
Order Code	1X0	1X0
Application	LB4/L03/L05/LH6	LB4 HD/L05 HD/L19 HD/LL4 HD
Gear Ratios		
First	3.06	2.48
Second	1.63	1.48
Third	1.00	1.00
Fourth	0.70	0.75
Fifth	—	—
Reverse	2.29	1.08
Power Take Off	No	No

REAR AXLES

	G10/G20	G30 Under 8600-lbs. GVW			G30 8600-lbs. GVW			G30 9200-lbs. GVW				
Make/Capacity (lbs.)	GM/ 3500 Semi-Floating	GM/ 5700 Semi-Floating			GM/ 5700 Full-Floating			GM/ 6000				
Pinion and Ring Gear Type	Hypoid	Hypoid			Hypoid			Hypoid				
Engine Availability	L03/L05/LB4/L03/LB4/L03/LH6 (L05/LH6/L05/LH6)	L05	LB4	L19	L05/L19/LL4/L19/LL4	LB4/L05/L19/LL4	LB4/L05/L19/LL4	L19	L05/L19/L05/L19/LL4	L05/L19/LL4		
Axle Ratio Code	GU4	GU6	GT4	GU5	GT4	GU6	GT4	GT5	HC4	GU6	GT4	GT5
Ratio	3.08	3.42	3.73	3.23	3.73	3.42	3.73	4.10	4.56	3.42	3.73	4.10
Pinion Teeth	13	12	11	13	11	12	11	10	9	12	11	10
Ring Gear Teeth	40	41	41	42	41	41	41	41	41	41	41	41
Ring Gear Diameter (in.)	8.5	8.5	8.5	9.5	9.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5

Note: Axle Ratio availability depends on model, powertrain and emissions selected. See your 1993 Chevrolet Truck Order Guide for specific details.

* Engine applications are heavy duty (HD) at 8600-lbs. GVW or above.

TRIM LEVELS

Chevrolet offers the Chevy Van in one trim level, "Standard." The following chart details major standard features. See your 1993 Chevrolet Truck Order Guide for more details.

CHASSIS EQUIPMENT

KEY: ■ = STANDARD, — = NOT INCLUDED		STANDARD (ZW9)
BRAKES	Power-assisted, front-disc, rear drum. Four wheel anti-lock system. Transmission shift interlock.	■
EXHAUST	Single.	■
FRAME	All-welded integral body-frame construction.	■
FUEL TANK	22 gal. (approx.) located between frame rails behind rear axle; filler located left rear. 33 gal. (approx.) standard on Extended wheelbase and optional on Regular wheelbase models; same location.	■
REAR AXLE	G10, G20 and G30 below 8600-lbs. GVW: hypoid, semi-floating. G30 above 8600-lbs. GVW: Hypoid, full-floating.	■
SHOCK ABSORBERS	Front and rear: 32mm G10, G20; 35mm G30.	■
STABILIZER BAR	Front: 1.06-inch	■
STEERING	Integral Power	■
SUSPENSIONS, FRONT	Independent w/coil springs.	■
SUSPENSIONS, REAR	Semi-elliptic, two-stage multi-leaf.	■

CHEVY VAN

EXTERIOR EQUIPMENT		
KEY: ■ = STANDARD, — = NOT INCLUDED		STANDARD (ZW9)
BUMPER	Front and rear painted silver. Front bumper guards.	■
DOORS	Driver and passenger front side, choice of 60/40 hinged side-loading doors (E24) or sliding side-loading door (YA2) and RH and LH rear load doors.	■
DOOR STOPS	Positive rear.	■
GLASS	Solar-ray tinted.	■
GRILLE	Molded plastic and front lamp bezels painted light argent.	■
HEADLAMPS	Single halogen.	■
HORN	Single note.	■
HUB CAPS	Bright metal with black trim.	■
MIRRORS	RH and LH painted white below-eye-line type with pivoting arm and adjustable heads. 6.5" x 9.0".	■
MOLDINGS	Black body side "rub strips".	■
TIRES	Four steel-belted radials. Size: G10: P205/75R15 Blackwall Steel-Belted Radial Ply G20 Gas: P225/75R15 Blackwall Steel-Belted Radial Ply G20 Diesel: P235/75R15 Blackwall Steel-Belted Steel Radial Ply G30 Below 8600 GVW: LT225/75R16D Highway Steel-Belted Radial Ply BW G30 Above 8600 GVW: LT225/75R16E Highway Steel-Belted Radial Ply BW	■ ■ ■ ■ ■
UNDERCOATING	On body rocker panels, step panels and wheelhousings.	■
WHEELS	G10 and G20: four, 15.0" x 6.0" white steel wheels and bright metal hubcaps w/black trim. G30: four, 16.0" x 6.5" white steel wheels.	■ ■
INTERIOR EQUIPMENT		
ARMRESTS	LH padded front door.	■
CIGARETTE LIGHTER	With ashtray.	■
COAT HOOK	LH.	■
DOMELAMP	Two with front door-actuated switches.	■
FLOOR COVERING	Embossed black rubber mat on driver's side.	■
GAGES	Including speedometer, odometer, fuel level, oil pressure, voltmeter, engine temperature, and trip odometer.	■
HEADLINER	Mystic-colored perforated hardboard headliner in driver's area.	■
HEATER	Deluxe outside air heater and defogger.	■
MIRROR	10-inch rearview.	■
PARCEL TRAY	On top surface of instrument panel extension, includes beverage holder provisions.	■
RADIO	Electronically-tuned AM radio with two 4" x 6" front dash speakers, digital clock and fixed mast antenna.	■
SEAT, FRONT	Driver's high-back adjustable bucket seat.	■
SPARE TIRE/WHEEL	Full-size, mounted on RH rear interior side of rear floor. G10 models include full-size wheel and tire that match others ordered. G20 and 30 models only include full-size wheel that matches others ordered.	■
STEERING WHEEL	Black, vinyl 2-spoke.	■
STORAGE BOX	With latched door on front face of instrument panel extension.	■
STEP PADS	Safety, on front and rear side door step panels.	■
SUNSHADES	RH and LH padded, color-keyed.	■
TOOLS	Includes mechanical jack and wheel wrench located at RH rear of vehicle.	■
WINDSHIELD WIPERS	Intermittent.	■

PREFERRED EQUIPMENT GROUPS

Preferred Equipment Groups (PEGs) are convenient option packages that can save your customers money. They would pay appreciably more by buying all the options in a Preferred Equipment Group as individual options. (Savings based on a comparison of MSRP of option packages versus MSRP of individual options purchased separately). See your 1993 Chevrolet Truck Order Guide and Vehicle Price Schedule for specific information and prices.

OPTIONS

These options can be ordered individually in addition to the Preferred Equipment Groups if not already included. See your 1993 Chevrolet Truck Order Guide for specific availability and restrictions. The Option Code is listed in **bold type**.

Air Conditioning (front only)	C60	Glass RH Rear Body Side (fixed glass for RH rear quarter panel)	A08	Seek-Scan/Digital Clock, Front Speakers and Wiring for Rear Speakers	UM7
Air Conditioning (front and rear)	C69	Glass, Rear Door Fixed	A12	ETR AM/FM Stereo Radio w/ Seek-Scan/Digital Clock Stereo Cassette Tape, Premium Front Speakers & Wiring for Rear Speakers	UM6
Antenna, Power	U75	Glass, Rear Door Swing-out	A18	ETR AM/FM Stereo Radio w/ Seek-Scan/Digital Cassette w/ Search/Repeat, Graphic Equalizer/Digital Clock	UX1
Appearance Package, Deluxe Front (includes dark argent grille w/bright trim and dual rectangular headlamps)	V22	Glass, Fixed Package (includes fixed rear door and side door glass)	ZW3	ETR AM/FM Stereo Radio w/ Seek-Scan/Compact Disc Player/Digital Clock/Premium Front Speakers & Wiring for Rear Speakers	U1C
Axles, Rear see Order Guide for G01)		Glass, Swing-out Package (includes swing-out rear door and side door glass)	ZX6	School Bus Chassis Equipment (Reqs. C6W 9200# GVWR)	B3D
3.08	GU4	GVWR (non-merchandise codes for information only):		Seat, Front Auxiliary	A57
3.23	GU5	4900-lbs.	C5A	Seat, Not desired	YG4
3.42	GU6	5600-lbs.	C5G	Sprngs, Heavy-Duty Front	F60
3.73	GT4	6000-lbs.	C5J	Sprngs, Heavy-Duty Rear	G50
4.10	GT5	6600-lbs.	C5S	Steering Wheel, Leather Wrapped	NP5
4.56	HC4	7100-lbs.	C5Y	Tank, Fuel (33-gallon approx. capacity, standard on G30 Ext. wheelbase)	NL7
Axle, Rear Locking Differential	G80	7400-lbs.	C6C	Trailering Package Heavy-Duty (includes hitch platform, HD flasher & seven-wire harness)	ZB2
Bumpers, Front and Rear Chromed	V37	8600-lbs.	C6P	Trailering Package Light-Duty (includes deadweight hitch and five-wire harness)	Z72
Cold Climate Package (incis. engine block heater, anti-freeze protection to -32° F)	V10	9200-lbs.	C6W	Wheels, Cast Aluminum (15" x 6.5", includes 15" x 6" steel spare wheel)	PF3
Convenience Package, Driver's (includes Comfortilt™ steering, electronic speed control)	ZQ3	Heater, Auxiliary Rear	C36	Wheels, Rally (includes matching spare) ...	N67
Convenience Package, Operating (includes power door locks and power windows)	ZQ2	Keyless Entry System, Remote (remote door lock/unlock functions with illuminated entry and headlamp delay)	AX3	Wheel Covers (bright metal, full cover)	P01
Cooling: Engine Oil Cooler	KC4	Lighting, Auxiliary (includes front/rear dome and reading lamps, underhood lamp and headlamp warning buzzer)	TR9		
Cooling: Heavy-Duty Radiator	V05	Mirrors, Exterior Below-Eye-Line, Stainless Steel. (mirror head: 6.5" x 9.0")	D45		
Cooling: Heavy-Duty Radiator and Transmission Oil Cooler	V02	Mirrors, Exterior Below-Eye-Line, Electric, Stainless Steel (mirror head: 6.5" x 9.0")	DG9		
Defogger, Rear Window	C49	Molding Delete: Bodyside	B98		
Door Locking System, Power	AU3	Paint, Extenor: Solid	ZY1		
Door: Sliding Door, Side	YA2	Radio			
Engines (see Powertrains)		Radio Delete	ULS		
Floor Covering, Carpeting (floor & wheelhousings, front area only, incis. front rubber floor mats)	B30	Radio Delete	ULS		
Glass, Full Body (six windows)	A07	Radio Delete	ULS		

TIRES

KEY: AS = ALL-SEASON SBR = STEEL-BELTED RADIAL PLY BW = BLACKWALL WW = WHITEWALL WL = WHITE LETTERED HWY = HIGHWAY BL = BLACK LETTERED ON-OFF = ON-OFF ROAD WOL = WHITE OUTLINE LETTERED

		FRONT	REAR	SPARE
P205/75R15	AS/SBR/BW	XCE	YCE	ZCE
P215/75R15	AS/SBR/BW	XCU	YCU	ZCU
P215/75R15	AS/SBR/WW	XCV	YCV	ZCV
P215/75R15	AS/SBR/WL	XCW	YCW	ZCW
P225/75R15	AS/SBR/BW	XET	YET	ZET
P225/75R15	AS/SBR/WW	XEU	YEU	ZEU
P225/75R15	AS/SBR/WL	XEV	YEV	ZEV
P235/75R15	AS/SBR/BW	XFL	YFL	ZFL
LT225/75R16D	AS/SBR/BW	XHP	YHP	ZHP
LT225/75R16E	AS/SBR/BW	XHF	YHF	ZHF

CHEVY VAN

SPECIAL EQUIPMENT OPTIONS

The following special equipment is installed at the assembly plant. See your 1993 SEO catalog for details.

SPECIAL EQUIPMENT OPTIONS		
	LEAD TIME (DAYS)	OPTION CODE
Alternator, 105 amp	42	8W5
Armrest, Right Hand (Included w/auxiliary seat)	0	6P1
Armrest Deletion (available only with Seat Deletion SEO 8E2)	0	6P2
Bumper, Rear Delete (G31305 only)	0	9J4
Bumper, Rear Step (painted silver)	0	8F4
Buzzer, Headlamps On Warning	28	9W7
Door Trim Panel Override (G30 only)	28	8V1
Electrical Outlet, CB Jack (G31305 only)	49	8C5
Filler Neck, Anti-Siphon (31305-31605 only)	42	9L5
Floor Covering (125-inch wheelbase only. Provides rubber mat in cargo area)	28	5U4
Flasher, HD Turn Signal (G30 only)	28	8H9
Governor, Electric Road Speed (G31305 only)	28	9C2
Handles, Door: Inside Rear Door, Release and Assist Strap	42	6N3
Handles, Door: Inside Rear Door, Release	42	6N4
Headliner, Full Length (110-inch Wheelbase)	0	6M4
Headliner, Full Length (125-inch Wheelbase)	0	6L2
Headliner Trim Override (G30 only)	28	5G5
Horn, High Note (in addition to production low note horn)	0	7Z1
Hub Cap Deletion (not available on Extended Van or w/optional wheels)	0	5Z5
Interior Trim, Beauville (G21305 only)	35	5Q2
Key Equipment: Single Key (provides single key for ignition and all locks)	42	6A4
Key Equipment: Dual Key (G21005 only; provides unique key for ignition and front doors, and unique key for all cargo doors)	35	9L9
Key Equipment: Side Cargo and Rear Door (provides single key for ignition and separate key for side and RR cargo doors)	42	5X8
Label, Fasten Seat Belts (Located on both front door window glasses)	42	8X1
Locks, Automatic Door (for side and rear cargo doors only. Cargo doors remain locked at all times unless key is used)	42	6K3
Mats, Stepwell	28	9M3
Meter, Engine Hour (Datcon. Located in center of instrument panel. N/A with Air Conditioning)	49	7Y4
Mirror Delete, Outside rearview (G31305 only)	0	9F2
Mirrors, Exterior: Driver and passenger (Velvac 6.5" x 6.0" wide angle and 6.5" x 6.0" plain, painted white)	42	6M1
Mirrors, Exterior: Driver and passenger (Velvac 6.5" x 6.0" wide angle and 6.5" x 6.0" plain, stainless steel)	35	6L8
Oil Pan, Engine (G30 only. Five quart w/magnetic drain plug. Requires 5.7 L V8 and Engine Oil Cooler)	42	5Z1
Paints: Solid.		
Orange, Tangier WE9417	0	9W4
Yellow, Wheatland WE9418	0	9W3
Green, Woodland WE7156	0	9V5
Tan, Doeskin WE8265	0	9V9
Radio, Antenna Deletion	0	5Z9
Radio Provision (G31305 only. Provides radio wiring and speakers w/no radio)	28	9L7
Seat Trim, Cloth High Back Bucket	28	9X5
Seat, Front Deletion (Retains armrests, sunshades, seatbelts and floor mats. Does not retain seat pedestal)	0	8E2
Seat, Front and Shoulder/Lap Belt Deletion (Retains armrests, sunshades and floor mats)	0	8C9
Spare Tire and Wheel Deletion (G10 only)	42	5Z4
Steering Column, Tilt	0	9J6
Suspension, Special (G11005 only. Restricts suspension movement and provides steering gear w/internal stop)	0	9M6
Switches-Dome Lamp, RH Rear Door Jamb (N/A Extended Van or with Auxiliary Lighting)	28	9G6
Switches-Dome Lamp, Side and RH Rear Door Jamb (N/A Extended Van or with Auxiliary Lighting)	28	9G7
Tires, Puncture Sealant	42	P42
Trim Panels, Interior (G31605 only)	42	5L3
Wheel Deletion, Spare (G30 only)	0	5A7
P215/75R15 AS/SBR/WS (G10 only. Available only with SEO P42 puncture sealant)	42	Front 2CV Rear 3CV Spare 4CV
P225/75R15N AS/SBR (G11005 only)	42	Front 2ET Rear 3ET Spare 4ET

CHEVY VAN

SPECIAL EQUIPMENT OPTIONS (CONT.)

	LEAD TIME (DAYS)	OPTION CODE
P225/75R15 AS/SBR/WS (G20 only. Available only with SEO P42 puncture sealant)	~2	Front 2EU Rear 3EU Spare 4EU
LT215/75R15D AS/SBR/BW (G10/G20 only)	~2	Front 2EJ Rear 3EJ Spare 4EJ
LT235/75R15C AS/SBR/BW (G11005 only)	~2	Front 2FB Rear 3FB Spare 4FB

DIMENSIONS

MODELS	G10		G20		G30		
MODEL	CHEVY VAN SHORT WHEELBASE	CHEVY VAN REGULAR WHEELBASE	CHEVY VAN SHORT WHEELBASE	CHEVY VAN REGULAR WHEELBASE	CHEVY VAN REGULAR WHEELBASE	CHEVY VAN REGULAR WHEELBASE HEAVY-DUTY	CHEVY VAN EXTENDED WHEELBASE
MODEL NUMBER	CG11005/ZW9	CG11305/ZW9	CG21005/ZW9	CG21305/ZW9	CG31305/ZW9	CG31305/ZW9 C6P/C6W	CG31605/ZW9/ CP6/C6W
EXTERIOR DIMENSIONS							
BODY							
Wheelbase (in.)	110.0	125.0	110.0	125.0	125.0	125.0	146.0
Overall Length (in.)	180.1	204.1	180.1	204.1	204.1	204.1	225.1
Overall Height (in.)							
Nominal gas/diesel	80.0	79.9	80.9	80.9/80.5	82.3	82.3	82.3
Maximum Width (in.)	79.5	79.5	79.5	79.5	79.5	79.5	79.5
Bumper to Axle							
Front (in.)	29.6	29.6	29.6	29.6	29.6	29.6	29.6
Rear (in.)	38.5	47.5	38.5	47.5	47.5	47.5	47.5
Ground to Top of Rear Load Floor (in.)	25.0	24.7	25.9	25.5	27.3	27.3	30.1
Ground Clearance Front/Rear							
Gas	6.9/7.8	6.8/7.6	8.3/9.1	8.1/8.8	10.2/8.0	10.8/8.5	9.1/9.6
Diesel	—	—	—	8.4/9.4	—	9.4/8.5	9.1/9.6
Side Load Door Sliding (E24)							
Opening Height (in.)	49.3	49.3	49.3	49.3	49.3	49.3	—
Opening Width (in.)	44.2	44.2	44.2	44.2	44.2	44.2	—
Side Load Door Swing-Out (YA2)							
Opening Height (in.)	48.5	48.5	48.5	48.5	48.5	48.5	48.5
Opening Width (in.)							
—Both Doors Open	46.7	46.7	46.7	46.7	46.7	46.7	46.7
—Large Door Only	30.3	30.3	30.3	30.3	30.3	30.3	30.3
—Small Door Only	19.0	19.0	19.0	19.0	19.0	19.0	19.0
Rear Load Door							
Opening Height (in.)	48.9	48.9	48.9	48.9	48.9	48.9	48.9
Opening Width (in.)	54.4	54.4	54.4	54.4	54.4	54.4	54.4
Turning Diameter Curb-to-Curb (ft.)	41.3	45.9	41.3	46.0	48.5	48.5	54.0
SIGN PANEL AREA (In.)	51.25 x 94	51.25 x 118.5	51.25 x 94	51.25 x 118.5	51.25 x 118.5	51.25 x 118.5	51.25 x 139.5

CHEVY VAN

DIMENSIONS (CONT.)

MODELS	G10		G20			G30	
MODEL	CHEVY VAN SHORT WHEELBASE	CHEVY VAN REGULAR WHEELBASE	CHEVY VAN SHORT WHEELBASE	CHEVY VAN REGULAR WHEELBASE	CHEVY VAN REGULAR WHEELBASE	CHEVY VAN REGULAR WHEELBASE HEAVY-DUTY	CHEVY VAN EXTENDED WHEELBASE
MODEL NUMBER	CG11005/ZW9	CG11305/ZW9	CG21005/ZW9	CG21305/ZW9	CG31305/ZW9	CG31305/ZW9 C6P/C6W	CG31605/ZW9/ CP6/C6W
INTERIOR DIMENSIONS							
Head Room Front (in.)	40.8	40.8	40.8	40.8	40.8	40.8	40.8
Leg Room Front (in.)	39.5	39.5	39.5	39.5	39.5	39.5	39.5
Shoulder Room Front (in.)	68.8	68.8	68.8	68.8	68.8	68.8	68.8
Hip Room Front (in.)	69.7	69.7	69.7	69.7	69.7	69.7	69.7
Load Floor Length (in.) w/Front Seats	102.5	126.5	102.5	126.5	126.5	126.5	147.5
Inside Width at Beltline (in.)	70.8	70.8	70.8	70.8	70.8	70.8	70.8
Inside Width between Wheelhousings (in.)	53.5	53.5	53.5	53.5	53.5	53.5	53.5
Interior Height (in.)	53.7	53.8	53.7	53.8	53.8	53.8	53.8
Cargo Volume w/Front Seat (cu. ft.)	207.0	260.0	207.0	260.0	260.0	260.0	306.0

SPORTVAN

MODEL SELECTION SUMMARY

Use the chart below to choose the model that fits your needs. Note that the Maximum Payload is based on curb weight. Also, the Maximum Gross Trailer Weight is based on vehicles that are properly equipped. See your 1993 Chevrolet Truck Order Guide for details.

SERIES	MODEL NUMBER/ BODY CODE/ OPTION CODE	PASSENGER CAPACITY (STD./OPT.)	STANDARD ENGINE/ TRANS.	OPTIONAL ENGINE/ TRANS.	GVWR (LBS.)	GAWR (LBS.) FRONT/ REAR	MAXIMUM PAYLOAD (LBS.) BASED ON CURB WT.	MAX. GROSS TRAILER WT./ TONGUE LOAD (LBS.) PROPERLY EQUIPPED
G10 SPORTVAN								
G10 SHORT WHEELBASE	CG11006/ ZW9	5/—	4.3L V6/A4	— 5.0L V8/A4	5600	2906/2906	1358	4000/480 5500/660
G10 SHORT WHEELBASE WITH OPTIONAL P215/75R15 TIRES	CG11006/ ZW9 N/A CE Tires	5/—	4.3L V6/A4	— 5.0L V8/A4	6000	3166/3166	1754	4000/480 5500/660
G10 REGULAR WHEELBASE	CG11306/ ZW9	5/—	4.3L V6/A4	— 5.0L V8/A4	5600	2906/2906	1031	4000/480 5500/750
G10 REGULAR WHEELBASE WITH OPTIONAL P215/75R15 TIRES	C11306/ ZW9/ N/A CE Tires	5/—	4/3L V6/A4	— 5.0L V8/A4 5.7L V8/A4	6000	3166/3166	1428	4000/480 5500/660 6000/720
G20 SPORTVAN								
G20 REGULAR WHEELBASE	CG21306/ ZW9	5/8	4.3L V6/A4	— 5.0L V8/A4 5.7L V8/A4	6600	3400/3406	2016	4000/480 6500/780 7000/840
G20 REGULAR WHEELBASE DIESEL	CG21306/ ZW9/LH6	5/8	6.2L V8/A4	—	6850	3670/3500	1746	6000/720
G30 SPORTVAN								
G30 REGULAR WHEELBASE	CG31306/ ZW9	12/—	5.7L V8/A4	—	7400	3400/4380	2155	8000/960
G30 REGULAR WHEELBASE HD	CG31306/ ZW9/C6P	5/8/12	5.7L V8/A4	— 7.4L V8/A4 6.2L V8/A4	8600	3880/5360	3501	8000/960 10000/1200 6000/720
G30 REGULAR WHEELBASE HD	CG31306/ ZW9/C6W	5/8/12	5.7L V8/A4	— 7.4L V8/A4 6.2L V8/A4	9200	4000/5360	3897	8000/960 10000/1200 6000/720
G30 EXTENDED WHEELBASE	CG31606/ ZW9/C6P	12/15	5.7L V8/A4	— 7.4L V8/A4 6.2L V8/A4	8600	3880/5360	2946	3000/960 10000/1200 6000/720
G30 EXTENDED WHEELBASE	CG31606/ ZW9/C6W	12/15	5.7L V8/A4	— 7.4L V8/A4 6.2L V8/A4	9200	4000/5360	4049	8000/960 10000/1200 6000/720

¹ GAWR Front is 4000 lbs. w/L19 and LL4

POWERTRAINS

Chevrolet offers a variety of engines, transmissions and rear axle ratios for the Sportvans. The following charts detail basic engine, transmission and axle specifications. See your 1993 Chevrolet Truck Order Guide for details.

ENGINES							
	4.3L V6	5.0L V8	5.7L V8	5.7L V8 HD	7.4L V8 HD	6.2L V8 DIESEL	6.2L V8 DIESEL HD
Order Code	LB4	L03	L05	L05	L19	LH6	LL4
Availability	G10/G20	G10/G20	G10/G20 and G30 below 8600 lbs. GVW	G30 8600 lbs. and above GVW	G30 8600 lbs. and above GVW	G20	G30 8600 lbs. and above GVW
SAE Net Horsepower @ rpm	155 @ 4000	170 @ 4000	195 @ 4000	190 @ 4000	230 @ 3600	145 @ 3600	155 @ 3500
SAE Net Torque lbs-ft @ rpm	230 @ 2000	265 @ 2400	290 @ 2400	300 @ 2400	385 @ 1600	260 @ 1900	285 @ 2000
Fuel System	EFI	EFI	EFI	EFI	EFI	Gear Driven Mechanical Fuel Injection	Gear Driven Mechanical Fuel Injection
Standard Battery Cold Cranking Amps @ 0 F	630	630	630	630	630	2 @ 540 each	2 @ 540 each
Standard Alternator Maximum Capacity (Amps)	100	100	100	100	100	100	100

TRANSMISSIONS		
	ELECTRONIC AUTOMATIC 4-SPEED W/OD AND TORQUE CONVERTER CLUTCH (4L60-E) (M30)	ELECTRONICALLY-CONTROLLED AUTOMATIC 4-SPEED W/OD HD (4L80-E) (MT1)
Order Code	MX0	MX0
Availability	G10/G20 and G30 below 8600 lbs. GVW	G30 8600 lbs. GVW and above
Engine Availability	LB4/L03/L05/LH6	L19 HD/L05 HD/LL4 HD
Gear Ratios		
First	3.06	2.48
Second	1.63	1.48
Third	1.00	1.00
Fourth	0.70	0.75
Fifth	—	—
Reverse	2.29	2.08
Power Take Off	No	No

SPORTVAN

REAR AXLES										
Availability	G10/G20			G30 under 8600 lbs. GVW	G30 8600-lbs. GVW			G30 9200-lbs. GVW		
Make/ Capacity (lbs.)	GM/ 3500			GM/ 5700	GM/ 5700 Full-Floating			GM/ 6000		
Pinion and Ring Gear Type	Hypoid			Hypoid	Hypoid			Hypoid		
Engine Availability *	L03/ L05	LB4/ L03/ L05/ LH6	LB4/ L03/ L05/ LH6	L05	L19	L05/L19/ LL4	L05/ L19/ LL4	L19	L05	L05/ LL4
Axle Ratio Code	GU4	GU6	GT4	GU5	GU6	GT4	GT5	GU6	GT4	GT5
Ratio	3.08	3.42	3.73	3.23	3.42	3.73	4.10	3.42	3.73	4.10
Pinion Teeth	13	12	11	13	12	11	10	12	11	10
Ring Gear Teeth	40	41	41	42	41	41	41	41	41	41
Ring Gear Diameter (in.)	8.5	8.5	8.5	9.5	10.5	10.5	10.5	10.5	10.5	10.5

Note: Axle Ratio depends on model, powertrain and emissions selected. See your 1993 Chevrolet Truck Order Guide.
* Engine applications are heavy-duty (HD) at 8600 lbs. GVW or above.

TRIM LEVELS

Chevrolet offers the Sportvan in two trim levels: "Standard" and "Beauville." The following chart details major standard features. See you 1993 Chevrolet Truck Order Guide for details.

CHASSIS EQUIPMENT		STANDARD (Z99)	BEAUVILLE (E94)
KEY: ■ = STANDARD, — = NOT INCLUDED			
BRAKES	Power-assisted; front disc, rear drum. Includes four-wheel antilock system.	■	■
EXHAUST	Single.	■	■
FRAME	All-welded integral body-frame construction.	■	■
FUEL TANK	22 gal. (approx.) located between frame rails behind rear axle. (CG11006 only) 33 gal. (approx.) located between frame rails behind rear axle.	■	—
REAR AXLE	G10, G20 and G30 below 8600-lbs. GVW; hypoid, semi-floating. G30 above 8600 lbs. GVW; hypoid, full-floating.	■	■
SHOCK ABSORBERS	Front and rear 32mm G10, G20; 35mm on G30.	■	■
STABILIZER BAR	Front 1.06 inch.	■	■
STEERING	Integral power.	■	■
SUSPENSION, FRONT	Independent w/ coil springs.	■	■
SUSPENSION, REAR	Semi-elliptic, two-stage multi-leaf.	■	■

EXTERIOR EQUIPMENT		STANDARD (Z99)	BEAUVILLE (E94)
BUMPER	Front and rear chromed with front bumper guards.	■	■
DOORS	Driver and passenger front side, choice of 60/40 hinged side-loading doors (E24) or sliding side-loading door (YA2), and RH and LH rear load doors.	■	■
DOOR STOPS	Positive rear.	■	■
DOOR TRIM PANELS	Color-keyed cloth on front and rear doors, and rear quarter panels. No trim panels on rear doors. Not included on G10 short wheelbase models.	■	■
GLASS (FRONT TO REAR)	Includes windshield, front doors, LH swing-out quarter glass, RH and LH rear quarter glass, and LH and RH rear door swing-out glass.	■	■
GRILLE	Molded plastic and front lamp bezels painted light argent. Molded plastic and front lamp bezels painted light argent with bright moldings and gold Chevrolet emblem.	■	—
HEADLAMPS	Single halogen. Dual rectangular halogen.	■	—
HORN	Dual low- and high note.	■	■
HUB CAPS	Bright metal with black trim.	■	■

SPORTVAN

EXTERIOR EQUIPMENT

KEY: ■ = STANDARD, — = NOT INCLUDED		STANDARD (ZWB)	BEAUVILLE (E94)
MIRRORS	RH and LH white painted below-eye-line type with pivoting arm and adjustable heads. Head size 6.5" x 9.0"	■	■
MOLDINGS	Black body side. Black body side with bright strip and bright wheel opening moldings.	■ —	— ■
TIRES	Four steel-belted radials. Size: G10: P205/75R15 blackwall steel-belted radial ply. G20 Gas: P225/75R15 blackwall steel-belted radial ply. G20 Diesel: P235/75R15 blackwall steel-belted radial ply. G30 Below 8600 GVW: LT225/75R16D blackwall steel-belted radial ply. G30 Above 8600 GVW: LT225/75R16E blackwall steel-belted radial ply.	■ ■ ■ ■ ■	■ ■ ■ ■ ■
UNDERCOATINGS	On body rocker panels, step panels and wheelhouseings.	■	■
WHEELS	G10 and G20: four, 15.0" x 6.0" white steel wheels with bright metal nub caps with black trim. G30: four, 15.0" x 6.5" white steel wheels.	■ ■	■ ■
WINDOWS	Solar-Ray tinted glass.	■	■

INTERIOR EQUIPMENT

ARMRESTS	Padded RH and LH front door and rear seat.	■	■
ASHTRAY	Instrument panel and front bucket seat backs.	■	■
BEVERAGE HOLDERS	Parcel tray and top surface of instrument panel extension.	■	■
CIGARETTE LIGHTER	Includes ash tray lamp.	■	■
COAT HOOKS	LH. LH, RH and rear.	■ —	— ■
DOVE LAMP	Front and rear with front door-actuated switches.	■	■
FRONT READING LAMPS		—	■
FLOOR COVERING	Embossed black rubber mats over entire floor area and front wheelhouseings.	■	—
FLOOR MATS	Front and rear color-keved rubber floor mats.	—	■
GAGES	Including speedometer, odometer, fuel level, oil pressure, voltmeter, engine temperature and trip odometer.	■	■
HEADLINER	Full-length with garnish moldings (not included on G10 short wheelbase models.) Full-length cloth with garnish moldings.	■ —	— ■
INSTRUMENT PANEL	Brushed finish applique around cluster area.	—	■
INSULATION	Instrument panel, front floor panel, engine cover front extension and inside engine cover. Instrument panel, front floor panel, engine cover front extension and inside engine cover. Also, above headliner and on wheelhouseings.	■ —	— ■
MIRROR	10-inch rearview.	■	■
RADIO	Electronically-tuned AM radio with two 4" x 6" front dash speakers, digital clock and fixed mast antenna. Brushed finish applique around radio	■ —	■ ■
SEAT, FRONT	Two high-back adjustable bucket seats.	■	■
SEAT, MIDDLE	3-passenger removable middle bench (G30 7400 lbs. GVW models and G30 Extended models feature an additional 3-passenger middle bench and rear 4-passenger bench seat for 12-passenger seating.)	■	■
SPARE TIRE/WHEEL	Full-size, mounted on RH rear interior side of rear floor. G10 models include full-size wheel and tire that match others ordered. G20 and G30 models include only full-size wheel that matches others ordered.	■	■
STEERING WHEEL	Black, vinyl two-spoke.	■	■
STEPWELL MATS	Embossed black rubber for top surface of front and rear door stepwells.	—	■
STEP PADS	Safety, on front and rear side-door step panels.	■	■
STORAGE COMPARTMENT	Locking, under front passenger seat.	—	■
SUNSHADES	RH and LH padded, color-keved.	■	■
TOOLS	Includes mechanical jack and wheel wrench located at RH rear of vehicle.	■	■
WINDSHIELD WIPERS	Intermittent.	■	■

SPORTVAN

PREFERRED EQUIPMENT GROUPS

Preferred Equipment Groups (PEGs) are convenient option packages that can save your customers money. They would pay appreciably more by buying all the options in a Preferred Equipment Group as individual options. (Savings based on a comparison of Manufacturer's Suggested Retail Price of option packages versus MSRP of individual options purchased separately.) See your 1993 Chevrolet Truck Order Guide and Vehicle Price Schedule for specific information and prices.

OPTIONS

These options can be ordered individually in addition to the Preferred Equipment Groups if not already included. See your 1993 Chevrolet Truck Order Guide for specific availability and restrictions. The Option Code is listed in **bold type**.

Air Conditioning (front only)	C60	5600 lbs.	C5G	ETR AM/FM Stereo Radio w/	
Air Conditioning (front and rear)	C69	6000 lbs.	C5J	Seek-Scan/Compact Disc Player/	
Antenna, Power	U75	6600 lbs.	C56	Digital Clock and Four	
Axles, Rear (see Order Guide for GQ1):		6850 lbs.	C5V	Premium speakers	U1C
3.08	GU4	7400 lbs.	C6C	Seating, Rear: One Additional Seat	
3.23	GU5	8600 lbs.	C6P	(8-passenger seating, G20 models	
3.42	GU6	9200 lbs.	C6W	w/G50 HD springs or G30 125-inch	
3.73	GT4	Heater, Auxiliary Rear	C36	wheelbase models above	
4.10	GT5	Keyless Entry System, Remote		8600 lbs. GVW only)	AQ3
Axle, Rear Locking Differential	G80	(remote door lock/unlock		Seating, Rear: Two Additional Seats	
Cold Climate Package (includes		functions with illuminated entry		(12-passenger seating, G30 above	
engine block heater, antifreeze		and headlamp delay)	AX3	8600 lbs. GVW only)	AQ4
protection to 32 F)	V10	Lighting, Auxiliary		Seating, Rear: Three Additional Seats	
Convenience Package, (includes		(includes front/rear dome and		(15-passenger seating, G30 146-in.	
power windows and AU3 power		reading lamps, underhood lamp		wheelbase only)	ZP3
door locks)	ZQ2	and headlamp warning buzzer)	TR9	Additional Seat Not Desired	YG4
Convenience Package, Driver's		Mirrors, Exterior Below-Eye-Line,		Seating, Rear: Travel Bed Seating Pkg.	
(includes ComfortTilt™ Steering		Stainless Steel (mirror head:		(replaces standard 3-passenger	
and electronic speed control)	ZQ3	6.5" x 9.0")	D45	middle bench seat)	B6S
Cooling: Engine Oil Cooler		Mirrors, Exterior Below-Eye-Line,		Steering Wheel,	
(included w/Z82 trailering or		Electric (mirror head: 6.5" x 9.0")	DG9	Leather Wrapped	NP5
7.4L V8 L19 engine)	KC4	Mirrors, Lighted Visor Vanity		Trailer Package Light-Duty	
Cooling: Heavy-Duty Radiator	V05	(located on LH and RH visors,		(includes deadweight hitch,	
Cooling: Heavy-Duty Radiator and		requires Beauville E94 trim)	DH6	HD flasher and	
Transmission Oil Cooler		Molding Delete	B98	five-wire harness)	Z72
(included w/Z82 trailering)	V02	Paints Exterior:		Trailer Package Heavy-Duty	
Decor, Beauville	E94	Solid	ZY1	(includes platform hitch, HD flasher	
Defogger, Rear Window	C49	Deluxe Two-Tone	ZY4	and seven-wire harness)	Z82
Door: Sliding Side Door	YA2	Radio Equipment		Transmissions:	
Door Locking System, Power	AU3	Radio Delete	UL5	Electronic 4-speed	
Emissions:		ETR AM/FM Stereo Radio w/		automatic w/OD and torque	
Standard	NA5	Seek-Scan/Digital Clock and		converter clutch	MX0 (M30)
High Altitude	NA6	four speakers	UM7	Electronically-controlled 4-speed	
California	YF5	ETR AM/FM Stereo Radio w/		automatic w/OD.	
Engines: See Powertrain Section		Seek-Scan/Digital Clock Stereo		heavy-duty	MX0 (MT1)
Glass, Deep Tinted	AJ1	Cassette Tape and		Wheels:	
GVWR		four speakers	UM6	Cast Aluminum (15" x 6.5":	
(Non-merchandise codes for		ETR AM/FM Stereo Radio w/		includes 1" x 6" steel spare wheel) ..	PF3
information only):		Seek-Scan/Digital Cassette w/		Rally	
		Search/Repeat, Graphic Equalizer/		(includes matching spare wheel)	N67
		Digital Clock and four speakers	UX1	Wheel Covers	
				(bright metal, full cover)	P01

TIRES

KEY: AS = ALL-SEASON SBR = STEEL-BELTED RADIAL PLY BW = BLACKWALL WW = WHITEWALL WL = WHITE LETTERED
HWY = HIGHWAY BL = BLACK LETTERED ON-OFF = ON-OFF ROAD WOL = WHITE OUTLINE LETTERED

		FRONT	REAR	SPARE
P215/75R15	AS/SBR/BW	XCU	YCU	ZCU
P215/75R15	AS/SBR/WW	XCV	YCV	ZCV
P215/75R15	AS/SBR/WL	XCW	YCW	ZCW
P225/75R15	AS/SBR/WW	XEU	YEU	ZEU
P225/75R15	AS/SBR/WL	XEV	YEV	ZEV
P235/75R15	AS/SBR/BW	XFL	YFL	ZFL
LT225/75R16D	AS/SBR/BW	XHF	YHF	ZHF
LT225/75R16E	AS/SBR/BW	XHP	YHP	ZHP

SPECIAL EQUIPMENT OPTIONS

The following special equipment is installed at the assembly plant. See your 1993 SEO catalog for details.

SPECIAL EQUIPMENT OPTIONS		
	LEAD TIME (DAYS)	OPTION CODE
Bumper, Rear Step (Painted silver)	0	8F4
Buzzer, Headlamps on Warning	0	9W7
Handle, Door Inside rear door release and assist strap.	42	6N3
Handle, Door Inside rear door release.	35	6N4
Key Equipment; Single Key (Provides single key for ignition and all locks)	42	6A4
Key Equipment; Side Cargo and Rear Door (Provides single key for ignition and separate key for side and RR cargo doors)	42	5X8
Label, Fasten Seat Belts (Located on both front door window glasses)	49	8X1
Locks, Automatic Door (For side and rear cargo doors only. Cargo doors remain locked at all times unless key is used)	42	6K3
Mats, Heavy-Duty Front and Rear (Replaces production carpet)	35	6A3
Mats, Stepwell	0	9M3
Meter, Engine Hour (Datcon. Located in center of instrument panel. N/A with air conditioning)	42	7Y4
Mirrors, Exterior: Driver and Passenger (Velvac 6.5" x 6" wide angle and 6.5" x 6" plain, painted white)	42	6M1
Mirrors, Exterior: Driver and Passenger (Velvac 6.5" x 6" wide angle and 6.5" x 6" plain, stainless steel)	35	6L8
Paints: Solid.		
Orange, Tangier WE9417	0	9W4
Yellow, Wheatland WE9418	0	9W3
Green, Woodland WE7156	0	9V5
Tan, Doeskin WE8265	0	9V9
Radio, Antenna Deletion	0	5Z9
Seat, Front Delete (N/A G11006) Retains armrests, sunshades, seatbelts and floor mats. Does not retain seat pedestals.	0	8E2
Seat, Front and Shoulder/Lap Belt Deletion (N/A G1106 or LH6) Retains armrests, sunshades and floor mats. Does not retain seat pedestals.	0	8C9
Seat, Rear Delete (G30 only) Deletes one or three rear seats.	0	5R2
Seat Trim, Cloth High Back Bucket (G20 and G30 only)	0	9X5
Steering Column, Tilt	0	9J6
Tires, Puncture Sealant	0	P42
P215/75R15 AS/SBR/WS G10 Only (Requires P42)	42	Front: 2CV Rear: 3CU Spare: 4CV
P225/75R15 AS/SBR/WS G20 only (Requires P42)	42	Front: 2EU Rear: 3EU Spare: 4EU
LT215/75R15D AS/SBR/BW (G10/G20 only)	42	Front: 2EJ Rear: 3EJ Spare: 4EJ
Trim, Rear Door Panel	42	5P9

SPORTVAN

DIMENSIONS

MODEL	G10		G20		G30	
	SPORTVAN SHORT WHEELBASE	SPORTVAN/ BEAUVILLE REGULAR WHEELBASE	SPORTVAN/ BEAUVILLE REGULAR WHEELBASE	SPORTVAN/ BEAUVILLE REGULAR WHEELBASE	SPORTVAN/ BEAUVILLE- REGULAR WHEELBASE HEAVY-DUTY	SPORTVAN/ BEAUVILLE EXTENDED WHEELBASE
MODEL NUMBER	CG11006/ ZW9	CG11306/ ZW9-E94	CG21306/ ZW9-E94	CG31306/ ZW9-E94	CG31306/ ZW9-E94/ C6P-C6W	CG31606/ ZW9-E94 C6P-C6W
EXTERIOR DIMENSIONS						
BODY						
Wheelbase (in.)	110.0	125.0	125.0	125.0	125.0	146.0
Overall Length (in.)	180.1	204.1	204.1	204.1	204.5	225.1
Overall Height (in.) Nominal	79.4	79.1	79.5	81.8	81.9	82.3
Maximum Width (in.)	79.5	79.5	79.5	79.5	79.5	79.5
Bumper to Axle						
Front (in.)	29.6	29.6	29.6	29.6	29.6	29.6
Rear (in.)	38.5	47.5	47.5	47.5	47.5	47.5
Ground to Top of Rear Load Floor (in.)	24.7	24.4	24.9	27.0	27.0	29.6
Ground Clearance						
Front (in.)	7.4	7.2	7.8	9.6	10.0	8.9
Rear (in.)	7.9	7.7	8.6	7.3	8.5	9.6
Side Load Door Sliding (E24)						
Opening Height (in.)	48.5	48.5	48.5	48.5	48.5	—
Opening Width (in.)	44.2	44.2	44.2	44.2	44.2	—
Side Load Door Swing-Out (YA2)						
Opening Height (in.)	48.5	48.5	48.5	48.5	48.5	48.5
Opening Width (in.)						
— Both Doors Open	46.7	46.7	46.7	46.7	46.7	46.7
— Large Door Only	30.3	30.3	30.3	30.3	30.3	30.3
— Small Door Only	19.2	19.2	19.2	19.2	19.2	19.2
Rear Load Door						
Opening Height (in.)	48.8	48.8	48.8	48.8	48.8	48.8
Opening Width (in.)	54.4	54.4	54.4	54.4	54.4	54.4
Turning Diameter						
Curb-to-Curb (ft.)	41.3	45.9	46.0	48.5	48.5	54.0
SIGN PANEL AREA (in.)						
Shaded Area	29.0 x 97.0	29.0 x 121.5	29.0 x 121.5	29.0 x 121.5	29.0 x 121.5	29.0 x 121.5

INTERIOR DIMENSIONS						
Head Room						
Front/Middle 1	40.8/40.9	40.8/40.9	40.8/40.9	40.8/40.9	40.8/40.9	40.8/40.9
Middle 2/Rear (in.)	—/—	—/—	—/—	40.7/40.1	40.7/40.1	40.7/40.1
Leg Room						
Front/Middle 1	39.5/37.2	39.5/37.2	39.5/37.2	39.5/37.2	39.5/37.2	39.5/37.2
Middle 2/Rear (in.)	—/—	—/—	39.5/—	39.5/40.5	39.5/40.5	39.5/40.5
Shoulder Room						
Front/Middle 1	68.8/63.5	68.8/63.5	68.8/63.5	68.8/63.5	68.8/63.5	68.8/63.5
Middle 2/Rear (in.)	—/—	—/—	63.5/—	63.5/71.0	63.5/71.0	63.5/71.0
Hip Room						
Front/Middle 1	69.7/51.5	69.7/51.5	69.7/51.5	69.7/51.5	69.7/51.5	69.7/51.5
Middle 2/Rear (in.)	—/—	—/—	51.5/—	51.5/63.0	51.5/63.0	51.5/63.0
Load Floor Length (in.)						
w/Front Seats	102.5	126.5	126.5	126.5	126.5	147.5
w/Front, Middle Seat 1	67.7	91.7	91.7	91.7	91.7	112.7
w/Front, Middle 1, Middle 2	—	—	58.7	58.7	58.7	81.1
Inside Width at Beltline (in.)	71.0	71.0	71.0	71.0	71.0	71.0
Inside Width at Wheelhousings (in.)	53.5	53.5	53.5	53.5	53.5	53.5
Interior Height (in.)	53.0	53.0	53.0	53.0	53.0	53.0
Cargo Volume						
w/Driver's Seat (cu. ft.)	207.0	260.0	260.0	260.0	260.0	306.0

