

Astro Passenger Van

ORDERING INFORMATION

Focus Vehicle—Astro Extended-Body CS Passenger Van with rear-wheel drive. This durable mid-size van oiters best-in-class passenger accommodations, cargo hauling and trailering capabilities. When equipped with PEG 3 (ASA3), this model represents an excellent opportunity for high-volume Astro sales at your dealership.

Feature Vehicle—Astro Extended-Body LT Passenger Van with all-wheel drive (detailed on the following sneet).

erformance

■ 4.3 Liter EFI V6 Engine with Balance Shaft—enhanced engine smoothness, generates 165 hp/235 lb.-ft. of torque, towing capacity up to 5.500 lbs. when properly equipped (rear-wheel drive) ■ Fast-Ratio Power Steering System—quick, responsive steering control with low effort ■ Hydraulic Transmission Mount—helps to isolate powertrain vibrations, increasing interior comfort

ptions

■ 4.3 Liter EFI/CPI V6 Engines—choice of engines allows for balance of economy and performance (CPI L35 V6 on AWD only) ■ Trim Levels—standard CS decor, mid-level CL decor and luxury-level LT decor offer wide range of comfort, appearance and convenience features ■ Choice of Regular or Extended Lengths—with rear-wheel or all-wheel drive, meets wide range of owner needs

ork Credentials

■ Front Ladder-Type Frame—an extension of Astro's unipody construction, provides strong, durable support for engine and front suspension ■ Big Load Space—41 cu. ft. behind third bench seat and 170.4 cu. ft. with no center or third row seats ■ Rear Door Opening—over 4.5 ft. wide for easy loading

a s y

—TO OWN ■ Scotchgard™ Fabric Protector—on cloth seats, door panels and carpet, resists stains for easy cleanup
■ Solar-Ray Tinted Glass—screens out much of the sun's ultraviolet and infrared rays to help keep interior cool, helps
reduce fading and deterioration of interior fabrics/trim ■ Base Coat/Clear Coat Paint—high gloss shine, long-lasting
exterior finish resists fading


—ON THE MIND ■ Driver-Side Facial Air Bag—in conjunction with seat belts, helps protect against facial and head injuries in certain frontal collisions ■ Four-Wheel Anti-Lock Brake System—reduces chance of wheel lockup helping driver maintain control during severe braking, even on slippery surfaces ■ Center High-Mounted Stop Lamp—highly visible signal helps prevent rear-end collisions ■ Roadside Assistance—24-hour service assistance via Chevrolet's toll-free "800" number. Fast response for towing, repairs and other services

ellability/Durability


■ Underbody and Body Panel Corrosion Improvement—resists rust formation, providing long-lasting durability

■ Galvanized Steel—outer body panels (except roof) resist corrosion ■ Electronic Fuel Injection System—stable fuel delivery, proven reliability for better cold weather starts, smoother idling, high fuel efficiency ■ Bumper-to-Bumper Plus Warranty—3-year/36,000-mile no-deductible limited warranty, includes parts, labor. 6-year/100,000-mile body sheet metal rust through protection. 5-year/50,000-mile emissions control system coverage. (Tires covered by their manufacturer.)

FEATURE VEHICLE: ASTRO EXTENDED-BODY LT PASSENGER VAN








FOCUS
VEHICLE:
ASTRO
EXTENDEDBODY CS
PASSENGER
VAN



Asho Passennet Van

Trim Color/Seat Style Availability


Custom : ". available in Selgs, Slue, Garnet and Gray



Front High-Back Bucket Seats. Adjustable 3-Passenger Center



Custom Cloth avanable in Beige, Blue. Garnet and Gray



Front High-Back Adjustable Bucket Seats. Adjustable 3-Passenger Center Bench Seat -Optional CL decor



Velour Cloth available in Beige and Gray



Front Reclining High-Back **Bucket Seats with folding** integral armrests and adjustable headrest. Split-back Center Seat with Fold-Down Center Console. Convenience Tray. Cupholders. RH seat back folds forward -Optional LT decor



ZP7--7-passenger seating includes 4 high-back bucket seats. 3-passenger bench

ZP8-8-passenger seating includes 2 high-back bucket seats, two 3-passenger bench seats

Four Most Popular Exterior Colors By Percentage -

Below are the anticipated four most popular Astro Passenger Van colors based on national sales volume. They are listed for reference only. To identify the top selling colors in your area, by model, use the Retail Sales Analysis (RSA).



Teal Blue Metallic	14%
Ivory White	13%
Light Teal Metallic	13%
Burnt Red Metallic	12%

Four Most Popular Exterior Colors with Corresponding Interior Color Availability -

		1N	T E	RI	0 R
		Beige	Blue	Garnet	Gray
OR	Teal Blue !.tetallic				
H .	Ivory White				
T E	Light Tea: Metallic				
×	Burnt Red Metallic				!

NOTE: New Astro Passenger Van exterior colors are Light Autumnwood Metallic and Dark Autumnwood Metailic.

Wheels



15" x 6" Standard steel - painted Argent



15" x 6.5" Steel Rally - standard with CL and LT Decor



15" x 6.5" Optional Brushed Aluminum optional with CS, CL and LT



Astro Passenger Van

'94 Product Positioning

This tough, dependable and long-lasting mid-size van offers a high level of versatility with substantial passenger-carrying and towing capacity. It is suited to both commercial and personal uses, with a variety of seating arrangements and attractive styling. Astro Passenger Van buyers tend to:

- be primarily married couples with children
- be better educated than the average Chevy buyer
- · live in urban areas
- put an emphasis on automotive safety

Feature Vehicle: Astro Extended-Body LT Passenger Van with All-Wheel Drive

The 1994 Feature Vehicle is the Astro Extended-Body LT Passenger Van with allwheel drive and Preferred Equipment Group 5 (ASA5). It includes all the features listed above plus:

- LT Decor (in place of CS decor)
- Convenience Group: Power Windows and Power Door Locks
- · Mirrors, Exterior, Electric Remote
- AM/FM Stereo Radio with Seek and Scan, Cassette and Digital Clock
- Storage Compartment, Drawer Type, Non-Locking
- Tires: P215/75-15 W/L
- Luggage Carrier, Black
- · Console, Roof
- · Seat, 6-Way Power
- 7-Person Seating
- · Wheels, Aluminum

Refer to page 5 for Allowable Substitutions Additional Feature Vehicle recommended options include:

- · Rear Window Defogger
- Dutch Door
- 8-Passenger Seating

 Notes -	<u> </u>	_
 	<u> </u>	
 	<u> </u>	
		···
 · · · · · · · · · · · · · · · · · · ·	***	

Focus Vehicle: Astro Extended-Body CS Passenger Van with Rear-Wheel Drive Ordering Recommendations

The recommended Astro Extended-Body CS Passenger Van with rear-wheel drive content, based on national sales volume, is listed below to assist your dealership in ordering.

Astro Extended-Body CS
Passenger Van with Preferred
Equipment Group 3 (ASA3)

includes:

- CS Decor
- Body Code
- Air Conditioning
- Glass, Complete Body
- Mirrors, Below Eye-Line
- AM/FM Stereo Radio with Seek and Scan, Digital Clock
- Convenience Group: Tilt-Wheel and Speed Control
- CS Value Package
- 8-Person Seating
- Seatback Recliner, Dual Armrests

NOTE: Model, PEG and optional content may vary in your locality. Use the Retail Sales Analysis (RSA) to verify or select your dealership's Astro Passenger Van Focus Vehicle content.



Asiv Passenger Van

Forecasted Percent of Mix

Series

2WD Regular-Body	25%
2WD Extended-Body	60%
AWD Regular-Body	2%
AWD Extended-Body	13%
Total	100%
Trim Levels	
cs	45%
CL	42%
LT	13%
Total	100%
Engines	
4.3L V6	65%
4.3L (CPI) V6	35%
Total	100%
Transmissions	
4-Speed Electronically Controlled	
Automatic with Overdrive	100%
Total	100%

Additional Information on Significant Features

- The 4-Speed Electronically Controlled Transmission is standard on the Astro Passenger Van. Electronic controls provide consistent and smooth shifts in all weather conditions, regardless of the load. The overdrive gear reduces engine speed when cruising, contributing to higher fuel efficiency and reduced engine wear.
- The Astro Passenger Van offers standard 4-Wheel Anti-Lock Brakes. which reduce
 the chance of wheel lockup helping driver maintain control during severe braking. When
 wheel sensors detect an impending lockup, the control unit modulates brake pressure
 to the appropriate brake lines, helping to improve steering control even on slippery
 surfaces.
- The standard 4.3 Liter EFI V6 Engine has several enhancements. A counter-rotating balance shaft substantially improves smoothness under all operating conditions. Emissions have been improved with a new close-coupled monolith catalytic converter. And the Vortec induction system, combined with a fast-burn combustion chamber, provides excellent driveability and improved fuel economy (CPI only available on AWD).

Deletions

Two exterior colors have been dropped for 1994: Indigo Blue Metallic and Sand Beige Metallic. Two new exterior colors are Light Autumnwood Metallic and Dark Autumnwood Metallic.

ASTRO (PASSENGER VAN)

Astro Passenger Van RWD (CM10906)	with ratchet h License Plate E Mirrors: RH an adjustable ne Spare Tire Cari under the floo Spare Tire/Whe
	mounted und
Wheelbase (inches) 111.0	Stop Light, Cer
Length (overall-inches)	Tires: Four all-s
Passenger Van 176.8	Underbody cor
Extended Passenger Van 186.8	Wheel Trim: Br
Width (overall-inches) 77.0	Wheels: (4)15
Side Load Door (inches)	Window Pillars:
Opening Height 44.5	Windshield Windshield
Opening Width 34.5	
Rear Load Door (inches)	INTERIOR
Opening Height 44.7	Air Bag, Driver
Opening Width 57.0	Armrests: RH a
Payload-Maximum (pounds)	Assist Handles
Passenger Van RWD 1740	Cigarette lighte
Extended Passenger Van RWD1914	Coat Hooks: Tr
Passenger Van AWD 1697	Dome Lamp: T
Extended Passenger Van AWD 1783	switches
Fuel Tank Capacity	Door Guard Be

PASSENGERS

POWER TEAMS

Standard Engine CM10906/CM11006

MODELS

RPO LB4 4.3 Liter (262 Cu In) V6 with Electronic Fuel Injection (EFI)

CL10906/CL11006

RPO L35 4.3 Liter (262 Cu In) V6 with Central Port Fuel Injection (CPI)

Standard Transmission

RPO MX0 4-Speed Electronically Controlled Automatic with Overdrive

STANDARD EQUIPMENT SUMMARY

EXTERIOR

Alternator: 600 amp

Brakes: Power assisted front disc, rear drum, four-wheel

Brake/Transmission shift interlock

Bumper: Front and rear bumpers painted lower body

color, includes front bumper guards

Doors: Driver and passenger front side doors, sliding RH

side door, RH and LH rear load doors

Glass, Tinted: Solar-Ray all windows swing-out glass

on sliding side door

Grille: Molded plastic grille painted black

Headlamps: Halogen

EXTERIOR (Continued)

Jack: Tools include screw-operated scissor-type jack andle, extension and two wheel blocks

Bracket: Front

d LH painted mirrors with pivoting arm and ads. Mirror nead sizes are 4 3/4" x 7" rier: Winch-type spare tire carrier mounted

or at the rear

eel: Compact spare tire and wheel er floor

nter, High-Mounted

season steer-belted radial tires

rosion protection

right metal hub caps with black trim " x 6" steel wheels painted argent

: Painted black pers: Intermittent

's Facial and LH

: Front and rear passenger side

er with asntray light wo LH and one RH

wo dome lamps with front door actuated

eams, Side: Driver, passenger and sliding side door

Floor Covering: Color-keyed carpeting on wheel housing and entire load floor

Gages: Including coolant temperature, fuel level, odometer, oil pressure, speedometer, trip odometer and voltmeter

Glove Box: Including beverage holders on top of engine cover extension

Headlamp warning

Headliner: Full length, color-keyed, foam backed cloth

Heater: Deluxe heater with side window defogger Radio: Electronically tuned AM radio with fixed mast antenna

Scotchgard Fabric Protector optional cloth trims and carpeting

Seats: Front high back adjustable bucket seats with all vinyi trim, plus center removable, adjustable 3-passenger bench seat. Seat adjuster included on all 2nd and 3rd seats

Steering Wheel: Black 4-spoke steering wheel with anti-theft locking feature

Storage Compartment: Molded, color-keyed in LH rear 2nd seat area

Sunshades: LH and RH color-keyed cloth with RH visor

Trim Panels: Color-keyed vinyl door trim panels with front door map pockets, latex foam rubber door seals, black plastic door sill plates

Windows: Swing-out glass on sliding side door

REVISED: 1-10-94

1994 ORDER GUIDE

ASTRO PASSENGER

Page 1

ices Shown Are Manufacturer's Suggested Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory Management Since MSRP Figures Change Periodically. The Vehicle Price Schadule is The Official Pricing Documentation Of Chevrolet Motor Division And Should Be Used in Discussing Vehicle Prices With Potential Buyers. The Model Prices Shown in The Order Guide Include The Destination Preignt Charges.

ASTRO (PASSENGER VAN)

OPTIONAL UPLEVEL DECOR

ASTRO CL DECOR LEVEL (RPO YC6)

The following equipment is in addition to or replacing items included in the Standard CS decor

EXTERIOR

Air Dam: Air dam with fog lamps

Bumper: Front and rear bumpers painted lower body color with matching color-keyed end caps, black rub strips and

rear combination top step surface

Grille: Molded black plastic grille with argent paint on feature

surfaces

Moldings: Black body side moldings with bright inserts and

wheel opening moldings

Wheels: 15" x 6.5" steel raily color-keyed wheels

INTERIOR

Door Trim: Color-keyed expanded vinyl door trim panels with carpet insens, insulation and front door map pockets Floor Covering: Color-keyed floor mats for all seating positions

Lamps: Stepweil lamp, storage compartment lamp, two dome lamps with front, rear and sliding door-actuated switches. Also included is a door jamb defeat switch

Storage Compartment: Molded, color-keyed plastic storage compartment in LH rear quarter area

Sunshades: LH and RH color-keyed cloth sunshades with a lighted RH visor mirror

Windows: Swing-out glass on sliding side door, left front quarter panel and rear doors

ASTRO LT DECOR LEVEL (RPO YC7)

The following equipment is in addition to or replacing items included in the YC6 CL decor

EXTERIOR

Glass: Full Body; Side windows are deep tinted Solar Ray Nameplate: Special nameplates on front side door "B" pillars Striping: Wide, color-keyed striping at beitline

INTERIOR

Door Sills: Color-keyed door sill plates and scuff plates Seats: Special front bucket seats with reclining backs, folding integral armrests and adjustable headrests. Split back center seat includes fold-down center console with convenience tray and cup pockets. RH seat back folds forward for easy access to rear. All seats are trimmed with special velour fabric

Storage Compartment: Includes storage pouch with zipper on LH trim panel

ASTRO (PASSENGER VAN)

MODEL AND BODY

ZW9 or E54 Must Be Specified

_	Description	Model No	Body_	Descri	iption Mode	No Body
_	REAR-WHEEL DRIVE MODELS			ALL-W	VHEEL DRIVE MODELS	
*17, 07 0.00	Astro Van	CM10906	ZW9	*19,399.00 Astro	VanCL109	06 ZW9
*17,372.00	Extended Astro Van	CM11006	ZW9	*19,701.00 Exten	ded Astro VanCL110	06 ZW 9

^{*}Includes Destination and Handling Charges

EMISSIONS (Must Specify One) (Refer Emission Requirements Section)

FE9 Federal Emission Requirements
NG1 New York State Emission Requirements
YF5 California Emission Requirements
NB8 California Emission or New York State Emission Override (Reqs FE9 Federal Emissions)
NC7 Federal Emission Override (Reqs NG1 New York State or YF5 California Emissions)

GVWR SELECTOR

GVW		Minimum Equipment Required For GVW Rating
Rating (lbs)	(a) GAWR (lbs) Front Rear	Restrictions
5700	2800 2900	CM10906 Only
5950	2800 3150	CM11006 Only
5950	3050 2900	CL10906 Only
6100	3050 3150	CL11006 Only

⁽a) GAWR's shown are the minimum for each axle with equipment listed. Other GAWRs are available and they are determined as the minimum capacity of either axle or springs or tires.

CAPACITIES

M10906						CL10906						
SPRING	S:		AXLES:			SPRING	S:		AXLES:			
Front	2800	Base	Front	2800	Base	Front	3050	Base	Front	3050	Base	
Rear	2900	Base	Rear	3150	Base	Rear	2900	Base	Rear	3150	Base	
A11006						CL11006						
SPRINGS	S:		AXLES:			SPRING	S:		AXLES:			
Front	2800	Base	Front	2800	Ba se	Front	3050	Base	Front	3050	Base	
Rear	3150	Base	Rear	3150	Base	Rear	3150	Base	Rear	3150	Base	

REVISED: 1-10-94

1994 ORDER GUIDE

ASTRO PASSENGER

Page 3

POWER TEAMS (Must Specify Engine, Transmission and Rear Axle)

(Consult GVWR Selector for Minimum Equipment Required)

ENGINE	TRANSMISSION		AXLES		GVWR
	AUTO	3.23	3.42	3.73	
CM10906					
LB4 V6 4.3 Liter	мхо	GU5	GU6	GT4 (a)	5700
(262 Cu In)-EFI		<u></u>		 .	
L35 V6 4.3 Liter	MXO		GU6	GT4	5700
(262 Cu In)-CPI					
CL10906					
L35 V6 4.3 Liter	MXO	•••	GU6	GT4	5950
(262 Cu In)-CPI					
CM11006					
LB4 V6 4.3 Liter	мхо	GU5	GU6	GT4 (a)	5950
(262 Cu In)-EFI					
L35 V6 4.3 Liter	MXO		GU6	GT4	5950
(262 Cu In)-CPI					
CL11006					
L35 V6 4.3 Liter	MXO		GU6	GT4	6100
(262 Cu In)-CPI	17/10		200	- .,	3.55

⁽a) Reqs Z82 Trailering

PREFERRED VEHICLE

No Deletions Allowed. Additional Options/Substitutions (Where Indicated) May Be Ordered From The Additional Options Listing.

	MUST SPECIFY: EMISSION, ENGINE, TRANSMISSION,			CS/CL			LT
	BODY, TIRES AND AXLE		A S A	A S A 2	A & A &	A S A	A S A
	PREFERRED EQUIPMENT GROUP 1 CS DECOR (A) Body Code (May Substitute E54) Seating: 5-Person Seating (C)		X X X	x x x	X X N/I	N/I X N/I	N/I X N/I
1205.00 **(-700.00)	PREFERRED EQUIPMENT GROUP 2 PEG 2 Savings Air Conditioning: Front (D)	ZW6 D44		x x x	X X X	x x N/1 N/1	X X NJ NJ
2228.00 2693.00 **(-1200.00)	PREFERRED EQUIPMENT GROUP 3 W/ YC6 w/o YC6 PEG 3 Savings Convenience Group: Tilt Wheel and Speed Control Seating: 8-Person Seating (6). Seat: Back Recliner and Dual Armests (Incl w/YC7 LT) CS Value Pkg (Incl w/CS Decor Only).	ZP9 A7B			X X X	x x XI	X N1 X
4100.00 4180.00 4092.00 4172.00 **(-1400.00)	PREFERRED EQUIPMENT GROUP 4 CM10906 W/YC6 W/YC7 CM11006.CL10906 or CL11006 W/ YC6 W/ YC7 PEG 4 Savings CL (8) Convenience Group: Power Windows and Power Door Locks Mirrors: Extenor, Electric Remote	ZQ2 D48				xxx	* * * * * * * * * * * * * * * * * * *
	Radio: Stereo, Seek-ScarvCassetter/Clock (H) Storage Compartment: Drawer Type, Non-Locking Tires: P205/75R15 W/L (CM10906 Only) Tires: P215/75R15 W/L	BA8 QCF				x	X
5071.00 4811.00 5079.00 4819.00 **(-1600.00)	PREFERRED EQUIPMENT GROUP 5 CM11006, CL10906 or CL11006 w/rC6 w/rC7 CM10906 W/ YC6 W/ YC7 PEG S Savings		-		•		
(location)	Carrier: Luggage, Black Console: Roof Seat: 6-Way, Power Seating: 7-Person Seating (I) Wheels: Aluminum	DK6 AC3 ZP7					X X X

^{*}The Preferred Equipment Group MSRPs reflect the Basic Group Equipment Prices. For any Option Additions, Upgrades or Substitutions, refer to the Vehicle Price Schedule for any Price Differential.

Allowable Substitutions (Where Avariable):
(A) CS: w/ASA3 May substitute YC6 Decor
(B) CL: w/ASA4 CAY ASA5 May substitute YC7 Decor
(C) ZP5: May substitute ZP7 or ZP8 Seating
(D) C80: May substitute C69 Air Conditioning
(E) D44: May substitute D48 Mirrors
(F) UM7: May substitute UM8. UX1 or U1C Radio
(G) ZP8: May substitute ZP7 Seating
(H) UM6: May substitute UX1 or U1C Radio
(I) ZP7: May substitute UX1 or U1C Radio
(I) ZP7: May substitute UX1 or U1C Radio

	INCL w/PEG	OPTION	
			ACKNOWLEDGEMENTS:
N.C.		R8S	Multiple Order Numbers
N.Ç.		RST	Preliminary Invoice
			AIR CONDITIONING:
	2,3,4,5	C60	Front (Incl w/C69 Air)
N.C.			w/PEG ASA2, ASA3, ASA4 or ASA5
845.00		000	W/PEG ASA1
523.00		C69	Front and Rear (105 Amp Generator) (Incis C60 Front Air) w/PEG ASA2, ASA3, ASA4 or ASA5
1368.00			W/PEG ASA1
			AXLE, REAR: (Refer Power Teams Chart for Availability)
N.C.		GU5	3.23 Ratio
N.C.		GU6	3.42 Ratio
N.C.		GT4	3.73 Ratio
252.00		G80	Locking Differential BODY CODE: (Must Specify One)
N.C.	1,2,3,4,5	ZW9	Standard Body Equipment
364.00	.,2,0,7,0	E54	Dutch Doors (Incls Wiper/Washer and Electric Release)
		VE5	BUMPER EQUIPMENT: Bumpers, Deluxe Front and Rear Chromed w/Rub Strip
76.00			w/YC6.YC7 or ZL7
128.00	_		w/o YC6 or YC7
NO	5	V54	CARRIER, LUGGAGE: Black
N.C. 126.00			w/PEG ASA5 w/PEG ASA1, ASA2, ASA3 or ASA4
46.00		V10	COLD CLIMATE PACKAGE: (Incls Eng Block Heater and Coolant Protection)
	5	DK6	CONSOLE, ROOF: (Regs TR9 Aux Lighting)
N.C.			w/PEG ASA5
50.00			w/YC6 or YC7
83.00			w/o YC6 or YC7
	45	ZQ2	CONVENIENCE GROUP: Power Windows and AU3 Power Door Locks
N.C.	4,5	202	W/PEG ASA4 or ASA5
434.00			W/PEG ASA1, ASA2 or ASA3
75 1125	3,4,5	ZQ3	Tilt Wheel and Speed Control
N.C.	,-		W/PEG ASA3, ASA4 or ASA5
383.00			w/PEG ASA1 or ASA2
198.00		V08	COOLING SYSTEM: Heavy-Duty (Incls Eng and Trans Oil Cooler) (N/A L35 Eng)
465.00	3	Z L7	(Ind w/Z82 Trailering) CS VALUE PACKAGE: (Incls Deluxe Body Side Molding, Deluxe Color-Keyed Front and Rear Bumpers,
405.00	•	٠.,	Deluxe Grille, Rally Wheels, and Color-Keyeo Floor Mats) (N/A YC6, YC7 Decor or Pegs ASA4 or ASA5)
N.C.			W/PEG ASA3
			DECOR: (Refer Standard Equipment Pages for Option Content; Trim Chart for Availability)
		YC6	CL: Custom Luxury (Regs ASA3/ASA4 or ASA5)
N.C.			w/PEG ASA4 or ASA5
1086.00 1804.00		YC7	w/PEG ASA3 LT: Luxury Touring (Regs ASA4 or ASA5)
154.00		C49	DEFOGGER: Rear Window Electric (Regs E54 Body)
104.00		AU3	DOOR LOCK SYSTEM, POWER: (Incl w/ZQ2 Conv Pkg)
N.C.			w/ZQ2
223.00			w/o ZQ2
			EMISSIONS:
N.C.		FE9 NG1	Federal Emission Requirements New York State Emission Requirements
N.C.		1101	CL11006 Model
100.00			CL10906, CM10906 and CM11006 Models
100.00		YF5	California Emission Requirements
N.C.		NB8	California Emission or New York State Emission Override (Regs FE9 Federal Emissions)
N.C.		NC7	Federal Emission Override (Regs NG1 New York State or YF5 California Emissions)
N.C.		LB4	ENGINES: (Refer Power Teams Chart for Availability) 4.3 Liter (262 Cu In)-EFI V6
IN.C.		L35	4.3 Liter (262 Cu in)-CPI V6 (Incls Eng Oil Cooler, H.D. Radiator and Trans Oil Cooler)
N.C.			CL10906 or CL11006
500.00			CM10906 or CM11006
	2,3,4,5	ZW6	GLASS ARRANGEMENT: Complete Body (Inc. w/YC7 LT Decor)
N.C.			W/PEG ASA2, ASA3, ASA4, ASA5 or YC7
157.00			w/PEG ASA1

	INCL w/PEG	OPTION	
		AJ1	GLASS, DEEP TINTED: Solar-Ray (Incl w/YC7 LT)
N.C.			w/YC7
161.00			w/o YC7 or ZW6
290.00			w/ZW6
205.00		C36	HEATER: Rear
195.00		U52	INSTRUMENTATION, ELECTRONIC
	5	TR9	LIGHTING, AUXILIARY: (Incis Front and Rear Dome and Reading Lamps, Courtesy Light Switches on all Doors, Front and Rear Stepwell Lamps and Glove Box Light) (Incl w/YC6 and YC7))
N.C.			w/YC6 or YC7
94.00			w/ DK6
127.00			w/o DX6, YC6 or YC7
127.00			MIRRORS: Below-Eye-Line
	2.3	D44	Exterior, Black
N.C.	2,3	U-1-1	w/PEG ASA2 or ASA3
52.00			W/PEG ASA1
32.00	4.5	D48	Extenor, Electric Remote, Black
N.C.	4,5	040	w/PEG ASA4 or ASA5
98.00			w/PEG ASA2 or ASA3
150.00			W/PEG ASA1
150.00			PAINTS, EXTERIOR: (Refer Color/Trim Chart for Availability)
N.C.		ZY t	Solid
14.0.		ZY2	Custom Two-Tone (Regs VE5 Bumper w/o YC6 CL Decor) (N/A YC7 Decor)
104.00		212	w/YC6 or ZL7
329.00			w/o YC6 or ZL7
172.00		ZY3	Special Two-Tone (Reas YC7 Decor)
		ZY4	Deluxe Two-Tone (Regs VE5 Bumper w/o YC6 CL Decar) (N/A YC7 Decar)
251.00		214	w/YC6 or ZL7
476.00			w/p YC6 or ZL7
			RADIO EQUIPMENT: (Electronically Tuned AM Radio w/Fixed Mast Antenna Standard)
	2,3	UM7	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan and Digital Clock
N.C.			w/PEG ASA2 or ASA3
151,00			w/PEG ASA1
	4,5	UM6	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Cassette Tape and Digital Clock
N.C.			w/PEG ASA4 or ASA5
122.00			w/PEG ASA2 or ASA3
273.00			w/PEG ASA1
		UX1	Electronically Tuned AM Stereo/FM Stereo Radio w/Seek-Scan, Cassette Tape with Search and
			Repeat, Graphic Equalizer and Digital Clock
150.00			w/PEG ASA4 or ASA5
272.00			w/PEG ASA2 or ASA3
423.00			w/PEG ASA1
		U1C	Electronically Tuned AM Stereo/FM Stereo Radio w/Seek-Scan, Compact Disc Player and Digital Clock
284.00			w/PEG ASA4 or ASA5
406.00			w/PEG ASA2 or ASA3
557.00			w/PEG ASA1
(-95.00)		UL5	Radio Delete (Avail w/PEG ASA1 Only)
			SEATING ARRANGEMENTS: Adjustable
N.C.	1,2	ZP5	5-Person Seating, 2 Front High Back Bucket Seats and Standard 3-Passenger Bench (Standard)
	_		(NA YC7 Decor)
41.0	5	ZP7	7-Person Seating, 4 High Back Bucket Seats and 3-Passenger Bench (Indis A78 Seat Back Recliner)
N.C.			W/PEG ASA5
(-25.00)			w/PEG ASA3 or ASA4 and YC7 w/PEG ASA3 or ASA4 and YC6
315.00 429.00			W/PEG ASA3 or ASA4 w/o YC6 or YC7
1043.00			W/PEG ASA1 or ASA2
1043.00	3.4	ZP8	8-Person Seating, 2 Front High Back Bucket Seats and Two 3-Passenger Bench Seats
N.C.	3,4	250	w/PEG ASA3 or ASA4
(-315.00)			W/PEG ASA5 and YC6
25.00			W/PEG ASA5 and YC7
395.00			W/PEG ASA1 or ASA2
333.00	3,4,5	A78	SEAT BACK FRONT RECLINER AND DUAL ARMRESTS: (Inci w/ZP7 Seating or YC7 LT Decor)
N.C.	5,7,5	,,,,	w/PEG ASA3, ASA4 or ASA5 or w/ZP7 or YC7
245.00			W/PEG ASA1 or ASA2 W/o ZP7 or YC7

	INCL W/PEG	OPTION	
	5	AC3	SEAT, POWER: 6-Way (Reqs A78 Seat Back Recliner)
N.C.			w/PEG ASA5
240.00			w/PEG ASA1, ASA2, ASA3 or ASA4
			SEAT TRIM: (Refer Color/Trim Chart for Availability)
N.C.		X**4	Custom Vinyl High Back Bucket
N.C.		K**4	Custom Cloth High Back Bucket
N.C.		L**6	Velour Cloth Redining Bucket
		NP5	STEERING WHEEL: Leatner Wrapped (Incl w/YC7)
N.C.			w/YC7
54.00			w/o YC7
	4,5	BA8	STOWAGE COMPARTMENT: Drawer Type, Non-Locking Compartment Located Under the Front
N.C.			Passenger Seat
30.00			w/PEG ASA4 or ASA5
30.00			w/PEG ASA1, ASA2 or ASA3
			TIRES: Tubeless, All Seasons Steel Belted Radial (Incls Front, Rear and Compact Spare)
N.C.			(B/W=Blackwall, W/S=White Stripe, W/L=White Lettered, W/O/L=White Outlined Letter)
N.C.		QCE	P205/75R15 B/W (CM10906 Only) (N/A ASA4/ASA5)
	4,5	QCF	P205/75R15 W/L (CM10906 Only)
N.C.			w/PEG ASA4 or ASA5
96.00			w/PEG ASA1, ASA2 or ASA3
72.00		QCG	P205/75R15 W/S (CM10906 Only) (N/A PF3 Wheels) (N/A ASA4/ASA5)
N.C.		QCU	P215/75R15 B/W (N/A CM10906)
60.00		QCV	P215/75R15 W/S (N/A CM10906) (N/A PF3 Wheels)
	4,5	QCM	P215/75R15 W/L (N/A CM10906)
N.C.			w/PEG ASA4 or ASA5
88.00			w/PEG ASA1, ASA2 or ASA3
			TRAILERING SPECIAL EQUIPMENT:
		Z82	Heavy-Duty (Regs GU6 or GT4 Rear Axie w/LB4 Eng)
			(Incls Platform Trailer Hitch, 7-Wire Wiring Harness) (Incls V08 Cooling w/LB4 Eng)
309.00			w/L35
507.00			w/LB4
N.C.		MXO	TRANSMISSION: 4-Speed Electronically Controlled Automatic w/Overdrive (Refer Power Teams Chart)
			WHEELS: (Colors are Color Coordinated)
	5	PF3	Aluminum
N.C.			w/PEG ASA5
248.00			w/ ZL7, YC6 or YC7
340.00			W/o ZL7, YC6 or YC7
		ZJ7	Rally (Ind w/YC6, YC7, or ZL7)
N.C.			W/YC6, YC7 or ZL7
92.00			w/a YC6 ar YC7

ASTRO (Passenger)

AVAILABLE WINDOW/DOOR ARRANGEMENTS


(See Option Section For Restrictions)

STANDARD (Includes Rear Door Windows, Side Sliding Door Window and LH Front Guarter Window)












w/ZW6 (Includes RH and LH Rear Quarter Windows)













AVAILABLE SEATING ARRANGEMENTS

(One Seating Arrangement Option Must Be Specified) (See Interior and Exterior Chart for Restrictions)



w/ZP5
Standard 5-Person Seating

Includes High Back Buckets (2 Front) and Standard 3-Passenger Adjustable Bench Seat.




w/ZP8 8-Person Seating

Without YC7 Includes 2 High Back Buckets and Two 3-Passenger Adjustable Bench Seats.

With YC7
Includes 2 Reclining Bucket
Seats and 2 Split Back
Reclining 3-Passenger
Adjustable Bench Seats
with Folding Armrests.





REVISED: 1-10-94

Without YC7
Includes 4 High Back Buckets
(2 Front and 2 Mid-Ship) and
a 3-Passenger Adjustable
Bench Seat. Also
Includes A78 Reclining
Seat Backs on Bucket Seats.

With YC7
Includes 4 Rectining Bucket Seats
(2 Front and 2 Mid-Ship) and
a Split Back Reclining 3-Passenger
Adjustable Seat with Folding Armrests.

1994 ORDER GUIDE


ASTRO PASSENGER

Page 9


ASTRO (Passenger)

PAINT APPLICATIONS WITHOUT YC7 LUXURY TOURING PACKAGE WITH ZY1, ZY2 AND ZY4 PAINT SCHEMES


SOLID PAINT - ZY1
(Includes Body Side Molding with YC5)



CUSTOM TWO-TONE PAINT - ZY2 (Includes Body Side Moldings)



DELUXE TWO-TONE - ZY4 (Includes Decal Striping and Body Side Moldings)



ASTRO (Passenger)

INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART WITHOUT YC7 LUXURY TOURING PACKAGE WITH ZY1 AND ZY2 PAINT

PLEASE NOTE: Below are the interior trim color and exterior paint combinations recommended by Chevrolet. They are the only available interior and exterior combinations allowed.

TRIM LEVEL	1	INTERIOR COLORS					
Seat Type	Decor	Beige 1	Blue _	Garnet	Gray		
ASTRO CS	Std			XBB4	XTT4		
Custom Vinyl High Back Bucket Seats Custom Cloth High Back Bucket Seats	∤	XUU4 KUU4	XDD4 ≺DD4	KRR4	4714 4714		
ASTRO CL	YC6		VDD.4	V004	VTT4		
Custom Vinyl High Back Bucket Seats Custom Cloth High Back Bucket Seats	1 F	XUU4 KUU4	XDD4 XDD4	<u> </u>	XTT4 KTT4		

1				250014151	IDED WITEFIOR		
EXTERIOR COLORS W/ZY1 or ZY2 PAINT APPLICATION	Color Code 1	Calor Code 2		TRIM COL	NDED INTERIOR LORS		'ZJ7 WHEEL COLORS
AUTUMNWOOD, LT (Met)	55	55	x				Beige
AUTUMNWOOD, LT (Met)/Autumnwood, Dk	55	56	x				Beige
AUTUMNWOOD, DK (Met)	56	56	x				Beige
AUTUMNWOOD, DK (Met)/Autumnwood, Lt	56	55	×				Seige
BLACK, ONYX/Auturnnwood, Lt (Met)	41	55	x				Beige
BLACK, ONYX	41	41	x				Beige
BLACK, ONYX	41	41	******		×	x	Silver
BLACK, ONYX/Silver,Sterling (Met)	41	15		-	×	X	Silver
BLUE, LT QUASAR (Met)	20	20		x		X	Silver
BLUE, LT QUASAR (Met)/Blue,Med Quasar	20	80		×		x	Silver
BLUE, LT QUASAR (Met)/Silver,Sterling (Met)	20	15		x		х	Silver
BLUE,MED QUASAR (Met)	80	90		¥		x	Silver
BLUE,MED QUASAR (Met)/Blue,Lt Quasar (Met)	60	20		×		x	Silver
BLUE,MED QUASAR (Met)/Silver,Sterling (Met)	80	15		×		х	Silver
BLUE, TEAL (Met)	36	36	x				Beige
BLUE, TEAL (Met)	36	36				X	Silver
BLUE, TEAL (Met)/Silver, Sterling (Met)	36	15				x	Silver
BLUE, TEAL (Met)/Teal, Lt, (Met)	36	34	×			x	Silver
BLUE, TEAL (Met)/Autumnwood, Lt (Met)	36	55	×				Beige
GRAY, FIELDSTONE (Met)	16	16		x	×	x	Silver
GRAY, FIELDSTONE (Met)/Black,Onyx	16	41				x	Sliver
GRAY, FIELDSTONE (Met)/Silver, Sterling (Met)	16	15		X	Ĭ	x	Silver
RED, BURNT (Met)	76	76			x	х.	Silver
RED, BURNT (Met)	76	76	x				Beige
RED, BURNT (Met)/Silver,Sterling (Met)	76	15			х	x	Silver
RED, DEEP (Met)	75	75	X				Beige
RED, DEEP (Met)	75	75		L	. х	X	Silver
RED, DEEP (Met)/Silver,Sterling (Met)	75	15			x	x	Silver
SILVER, STERLING (Met)	15	15		х .	X	х _	Silver
SILVER, STERLING (Met)/Black, Onyx	15	41			x	×	Silver
SILVER, STERLING (Met)/Blue, Lt Quasar (Met)	15	20		X		x	Silver
SILVER, STERLING (Met)/Blue,Teal (Met)	15	36		1	<u> </u>	×	Silver
SILVER, STERLING (Met)/ Teal, Lt. (Met)	15	34	i			x	Silver
TEAL, LT (Met)	34	34			<u> </u>	х	Silver
TEAL, LT (Met)/Blue,Teal (Met)	34	36				х	Silver
TEAL, LT (Met)/Silver, Sterling (Met)	34	15			ļ.,	х	Silver
WHITE, IVORY	10	10		x	x	x	Silver
WHITE, IVORY	10	10	x				Seige
WHITE, IVORY/Autumnwood, Lt (Met)	10	55	x		I		Berge
WHITE, IVORY/Red, Deep (Met)	10	75			x		Silver
WHITE, IVORY/Red, Burnt (Met)	10	76			x		Sitver

ZY2 Two-Tone Paint w/Color Code 1 55 or Color Code 2 55 - Beige Wheels All other Two-Tone Paint Applications will have Silver Wheels

ASTRO PASSENGER 1994 ORDER GUIDE **REVISED: 1-10-94** Page 11

ASTRO (Passenger)

INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART WITHOUT YC7 LUXURY TOURING PACKAGE WITH ZY4 PAINT

PLEASE NOTE: Below are the interior trim color and exterior paint combinations recommended by Chevrolet. They are the only available interior and exterior combinations allowed.

		INTERIOR COLORS					
TRIM LEVEL Seat Type	Decor	Beige	Blue	Garnet	Gray		
ASTRO CS	Std			ŀ			
Custom Vinyl High Back Bucket Seats		XUU4	XOD4	XRR4	XTT4		
Custom Cloth High Back Bucket Seats		KUU4	KDD4	KRR4	KTT4		
ASTRO CL	YC6						
Custom Vinyt High Back Bucket Seats	1	XUU4	XDD4	XRR4	XTT4		
Custom Cloth High Back Bucket Seats		KUU4	KDD4	KRR4	KTT4		

		!			<u> </u>			
EXTERIOR COLORS	Color	Color	itor RECOMMENDED INTERI		ERIOR	'ZJ7 WHEEL		
w/ZY4 PAINT	Code 1	Code 2		TRIM	COLORS	<u> </u>	COLORS	STRIPE COLORS
AUTUMNWOOD,LT (Met)/Autumnwood.Dk (Met)	55	56	X				Beige	Beige/Brown/Beige
AUTUMNWOOD,DK (Met)/Autumnwood,Lt (Met)	56	55	x	i		i	Beige	Seige/Brown/Beige
BLACK, ONYX/Autumnwood,Lt (Met)	41	55	Х		!		Beige	Seige/Brown/Beige
BLACK, ONYX/Silver,Sterling (Met)	41	15				×	Silver	Gray/Silver/Gray
BLUE.LT QUASAR (Met)/Blue.Med Quasar	20	80		X		x	Silver	∃lue/Silver/8lue
BLUE.LT QUASAR (Met)/Silver.Sterling (Met)	20	15		x		×	Silver	∃lue/Silver/Blue
BLUE.MED QUASAR (Met)/Blue.Lt Quasar (Met)	80	20		x		x	Silver	3lue/SilverBlue
BLUE.MED QUASAR(MetySilver.Sterling (Met)	80	15		x		х	Silver	Blue/Silver/Blue
BLUE, TEAL (Met)/Silver.Sterling (Met)	36	15		1		x	Silver	"eat/Silver/Teal
BLUE, TEAL (Met)/Teal,Lt (Met)	36	34		1		x	Silver	√eal/Silver/Teal
GRAY, FIELDSTONE (Met)/Black,Onyx	16	41		1.		x	Silver	Gray/Silver/Gray
GRAY, FiELDSTONE(Met)/Silver,Sterling	16	15		x		x	Silver	Gray/Silver/Gray
RED, BURNT (Met)/Silver.Sterling (Met)	76	15		i	x	×	Silver	Red/Dk,Red/Red
RED, DEEP (Met)/Silver,Sterling (Met)	75	15		Î	Y	Y	Silver	Red/Dk.Red/Red
SILVER, STERLING (Met)/Black,Onyx	15	41				X	Silver	Silver/Sport Red/Silver
SILVER, STERLING (Met)/Blue,Lt,Quasar	15	20		¥		×	Silver	Silver/Blue Met/Silver
SILVER, STERLING (Met)/Blue.Med.Quasar (Met)	15	80		X		X	Silver	Blue/Silver/Blue
SILVER, STERLING (Met)/Gray Fieldstone (Met)	15	16		×		x	Silver	Silver/Sport Red/Silver
SILVER, STERLING (Met)/Red,Burnt (Met)	15	76			X	x	Silver	Red/Dk.Red/Red
SILVER, STERLING (Met)/Red,Deep (Met)	15	75			х	_х	Silver	Red/Dk.Red/Red
SILVER, STERLING (Met)/Teal,Lt (Met)	15	34				×	Silver	Silver/Black/Silver
SILVER, STERLING (Met)/Blue,Teat (Met)	15	36				X	Silver	Teal/Silver/Teal
TEAL, LT (Met)/Blue, Teal (Met)	34	36				x	Silver	Teal/Silver/Teal
TEAL, LT (Met)/Silver.Sterling (Met)	34	15				x	Silver	Teal/Silver/Teal

ASTRO PASSENGER

1994 ORDER GUIDE

ASTRO


(Passenger)


INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART WITH YC7 LUXURY TOURING PACKAGE WITH ZY1 AND ZY3 PAINT

PLEASE NOTE: Below are the interior trim color and exterior paint combinations recommended by Chevrolet. They are the only available interior and exterior combinations allowed.

TRIM LEVEL			INTERIO	R COLORS		
Seat Type		Decor	Beig e	Grav		
ASTRO LT		YC7	LUU6	6		
EXTERIOR COLORS w/ZY1 PAINT	Cotar Code 1	Cotor Code 2	RECOMMEND TRIM C		ZJ7 WHEEL COLORS	STRIPE COLORS
ÄUTUMNWOOD, LT (Met)	55	55	Х		∃eige	Beige
BLACK, ONYX	41	41		X	Silver	Silver
BLACK, ONYX	41	41	х	ł	Beige	geide
BLUE, MED QUASAR (Met)	80	80		x	Silver	Silver
BLUE, TEAL(Met)	36	36	X		3eige	Teal
BLUE, TEAL(Met)	36	36		x	Silver	Teal
GRAY, FIELDSTONE (Met)	16	16		X	Silver	Silver
RED. BURNT (Met)	76	76		x	Silver	Silver
RED, BURNT (Met)	76	76	X		Beige	Beige
WHITE, IVORY	10	10	X		Beige	Beige
WHITE, IVORY	10	10		x	Silver	Silver
w/ZY3 PAINT						
AUTUMNWOOD, LT (Met)/Autumnweod Ok (Met)	55	56	Х		∃eige	Beige
AUTUMNWOOD, DK (Met)/Autumnwood et (Met)	56	55	x	_	Bei ce	Beige
GRAY, FIELDSTONE (Met)/Sterling, Silver (Met)	16	15			Silver	Silver
SILVER, STERLING (Meth/Gray, Fieldstone (Meth.)	15	16		x	Silver	Silver
TEAL, LT (Met)/Blue, Teal (Met)	34	36		X	Silver	Teal
BLUE, TEAL (Met)/Blue, Teat (Met)	36	34		x x	Silver	Teal

PAINT APPLICATIONS





REVISED: 1-10-94

1994 ORDER GUIDE

ASTRO PASSENGER



Astro Cargo Van

ORDERING INFORMATION

Focus/Feature Vehicle—Astro Extended-Body Cargo Van with rear-wheel drive. Astro is popular for its practical mid-size combined with an impressive cargo-hauling capability. When equipped with PEG 2 (AVA2), this model represents an excellent opportunity for Astro Cargo Van sales at your dealership.

erformance

■ 4.3 Liter EFI V6 Engine with Balance Shaft—ennanced engine smoothness, provides 165 hb.235 lb.-ft. of torque, towing capacity up to 5.500 lbs, when properly equipped (rear-wheel drive) ■ Fast-Ratio Power Steering System—quick, responsive steering control with low effort ■ Hydraulic Transmission Mount—helps to isolate powertrain vibrations, increasing interior comfort

ptions

■ Rear-Wheel and All-Wheel Drive—offers choice of conventional rear-wheel drive or AWD system for maximum tire-to-road traction in any kind of weather ■ 4.3 Liter EFI and CPI V6 Engines—choice of two powerplants allows for balance of economy and performance (CPI V6 on AWD only) ■ Body Glass—choice of several configurations to meet different business needs, including side door, complete body, fixed rear door and swing-out rear door

ork Credentials

■ High Carrying Capacity—payload up to 2.135 lbs. (higher payloads require optional equipment) ■ Big Load Space—200.1 cu. ft. without optional front passenger seat ■ Rear Door Opening—over 4.5 ft. wide for easy loading of standard-size construction/building materials, over 4 ft. between wheel wells

a siy

—TO OWN ■ Scotchgard™ Fabric Protector—on cloth seats, resists stains for easy cleanup ■ Solar-Ray Tinted Glass—screens out much of the sun's ultraviolet and infrared rays to help keep interior cool, helps reduce fading and deterioration of interior fabrics/trim ■ Base Coat/Clear Coat Paint—high gloss shine. long-lasting exterior finish resists fading

—ON THE MIND ■ Driver-Side Facial Air Bag—in conjunction with seat belts, helps protect against facial and head injuries in certain frontal collisions ■ Four-Wheel Anti-Lock Brake System—reduces chance of wheel lockup helping driver maintain control during severe braking, even on slippery surfaces ■ Center High-Mounted Stop Lamp—highly visible signal helps prevent rear end collisions ■ Roadside Assistance—24-hour service assistance via Chevrolet's toll-free "800" number. Fast response for towing, repairs, and other services

■ Underhood-Underbody Corrosion Protection—protective coatings on body, frame, powertrain, fasteners, steering components, and fuel tank improve service life ■ Galvanized Steel—outer body panels (except roof) resist corrosion


■ Electronic Fuel Injection System—stable fuel delivery, proven reliability for better cold weather starts, smoother idling, high fuel efficiency ■ Bumper-to-Bumper Plus Warranty—3-year/36.000-mile, no-deductible limited warranty, includes parts, labor. 6-year/100.000-mile body sheet metal rust-through protection. 5-year/50.000-mile emissions control system coverage. (Tires covered by their manufacturer.)

FEATURE VEHICLE: ASTRO EXTENDED-BODY CARGO VAN



FOCUS
VEHICLE:
ASTRO
EXTENDEDBODY CARGO

RED ■ : New Feature BLACK ■ : Focus Vehicle Feature







4sto Cargo Van

Trim Color/Seat Style Availability

Custom Vinyl available in Beige, Blue, Garnet and Gray




High-Back Bucket Seat driver seat is standard passenger seat is optional




Custom Cloth

available in Beige, Blue, Garnet and Gray

High-Back Bucket Seats





Four Most Popular Exterior Colors By Percentage —

Below are the anticipated four most popular Astro Cargo Van colors for 1994 based on national sales volume. They are listed for refer-



Analysis (RSA). Ivory White54% Onyx Black7% Sterling Silver Metallic6% Light Teal Metallic......6%

your area, by model, use the Retail Sales

Four Most Popular Exterior Colors with Corresponding Interior Color Availability ————

		1	N	Т	Ε	R	ı	0	R
			Beige		Blue	Garr	net	Gray	ŀ
O R	Ivory White								
TERI(Onyx Black		=				ı		
	Sterling Silver Metallic						ı		
Ж	Light Teal Metallic								

*IOTE: New Astro Cargo Van exterior colors are Light Autumnwood Metallic and Dark àutumnwood Metailic.

Wheels



15" x 6" Standard Steel - painted Argent



15" x 6.5" Optional Rally Wheels color - coordinated in Light Autumnwood or Silver



Astro Cargo Van

'94 Product Positioning

The Astro Cargo Van is a practical commercial vehicle for many businesses. Its best-in-class towing capacity is up to 5.500 lbs. when properly equipped (rear-wneel drive), and its roomy cargo area is over 4 ft. between the wheel wells for easy accommodation of wide items such as plywood sheets. Astro Cargo Van's powerful engine and high payload rating combine with outstanding maneuverability and garageable size for a truly capable and versatile commercial vehicle.

Feature Vehicle: Astro Extended-Body Cargo Van with Rear-Wheel Drive

The Feature Vehicle is the base Astro Extended-Body Cargo Van with rear-wheel drive. Perfect for commercial fleets. Astro also appeals to recreational buyers as an excellent conversion platform. The popular extended-body model offers added load space and comfort, with performance for a variety of uses.

Some popular options include:

- Convenience Group: Power Windows, Power Door Locks, Tilt Steering and Cruise Control
- Electronic Instrumentation
- 15" Rally Wheels
- Seat Back Recliner and Dual Armrests

	Notes	
		

Focus Vehicle: Astro Extended-Body Cargo Van with Rear-Wheel Drive Ordering Recommendations

The recommended Astro Extended-Body Cargo Van with rear-wheel drive content, based on national sales volume, is listed below to assist your dealership in ordering.

Astro Extended-Body Cargo Van with Rear-Wheel Drive and Preferred Equipment Group 2 (AVA2)

Includes:

- Air Conditioning
- Below Eye-Line Exterior
- Mirrors
- 2-Person Seating
- Rear Heavy Duty Springs

NOTE: Model, PEG and optional content may vary in your locality. Use the Retail Sales Analysis (RSA) to verify or select your dealership's Astro Cargo Van Focus Vehicle content.



Astro Cargo Van

Forecasted Percent of Mix

Series

2WD Regular-Body Cargo Van	34%
2WD Extended-Body Cargo Van	60%
AWD Regular-Body Cargo Van	1%
AWD Extended-Body Cargo Van	5%
Total	100%
Engines	
4.3L V6 EFI	90%
4.3L V6 CPI	10%
Total	100%
Transmissions	
4-Speed Electronically Controlled Automatic with Overdrive	100%
Total	100%

Additional Information on Significant Features

- The 4-Speed Electronically Controlled Transmission is standard on the Astro Cargo Van. Electronic controls provide consistent and smooth shifts in all weather conditions, regardless of the load. The overdrive gear reduces engine speed when cruising, contributing to higher fuel efficiency and reduced engine wear.
- The Astro Cargo Van offers standard 4-Wheel Anti-Lock Brakes, which reduce the chance of wheel lockup helping driver maintain control during severe braking. When wheel sensors detect an impending lockup, the control unit modulates brake pressure to the appropriate brake lines, helping to improve steering control even on slippery surfaces.
- The standard 4.3 Liter EFI V6 Engine has several enhancements. A counter-rotating balance shaft substantially improves smoothness under all operating conditions. Emissions have been improved with a new close-coupled monolith catalytic converter. And the Vortec induction system, combined with a fast-burn combustion chamber, provides excellent driveability and improved fuel economy (CPI available on All-Wheel Drive only).

Deletions

- The Light Duty Trailering Package [Z72] is eliminated for 1994.
- Two exterior colors have been dropped for this year: Indigo Blue Metallic and Sand Beige Metallic.
 They are replaced by Light Autumnwood Metallic and Dark Autumnwood Metallic.

	<u>MODELS</u>
ig)	Astro Cargo

PASSENGERS

Astro Cargo Van RWD (CM10905)		1
Astro Extended Cargo Van RWD (CM11005)	'	1

DIMENSIONS/SPECIFICATIONS

Wheelbase (inches)	111.0
Length (overall-inches)	
Cargo Van	176.8
Extended Van	186.8
Width (overall-inches)	
Side Load Door	
Opening Height (inches)	. 43.7
Opening Width (inches)	. 34.5
Rear Load Door	
Opening Height (inches)	. 44.7
Opening Width (inches)	. 57.0
Payload Maximum (pounds)	
Cargo Van RWD	. 1795
Extended Cargo Van RWD	
Fuel Tank Capacity 2	

POWER TEAMS

Standard Engine

RPO LB4 4.3 Liter (262 Cu In) V6 with Electronic Fuel Injection (EFI)

Standard Transmission

RPO MX0 4-speed Electronically Controlled Automatic with Overdrive

STANDARD EQUIPMENT SUMMARY

EXTERIOR

Alternator: 100 Amp

Brakes: Power assisted front disc. rear drum, four-wheel

anti-lock

Brake/Transmission Shift Interlock

Bumpers: Front bumper w/bumper guards and rear

bumpers painted lower body color

Doors: Driver and passenger front side doors, sliding RH

side door, RH and LH rear load doors Glass: Tinted Solar-Ray all windows Grille: Molded plastic grille painted black

Headlamps: Halogen

Jack: Tools include screw-operated scissor-type jack with ratchet handle, extension and two wheel blocks

License Plate Bracket: Front

Mirrors: RH and LH painted black with pivoting arm and adjustable head. Mirror head size is 4 3/4" x 7"

Spare Tire Carrier: Winch-type spare tire carrier mounted under the floor at the rear

Spare Tire/Wheel: Compact spare tire and wheel mounted under floor

Springs: Rear, heavy-duty capacity 1450 ea.

(CM10905 Only)

Stop Light, Center High-Mounted

Tires: Four all-season steel belted radial

Underbody corrosion protection

Wheels: (4) 15" x 6" steel painted argent Wheel Trim: Bright metal with black trim

Windshield Wipers: Intermittent

INTERIOR

Air Bag: Driver's Facial

Armrest: LH Assist Handle: RH

Cigarette Lighter and ashtray light

Coat Hook: LH

Dome Lamp: Two dome lamps with front door actuated

switches

Floor Covering: Embossed front black rubber mat Gages: Coolant temperature, fuel level, odometer, oil pressure, speedometer, trip odometer and voltmeter Glove Box: Beverage holders on top of engine cover

extension

Headlamp warning tone

Heater: Deluxe heater with windshield and side window

defoggers

Radio: Electronically tuned AM radio with fixed mast

antenna

Scotchgard Fabric Protector on cloth trims

Seat: Front high back bucket driver's seat with all vinyl

Side Door Guard Beams: Driver, passenger and sliding side door

Steering Wheel: 4-spoke and anti-theft locking feature Sunshades: Color-keyed vinyl RH and LH padded

REVISED: 1-10-94

1994 ORDER GUIDE

ASTRO CARGO

Page 1

MODEL AND BODY

	Description	Model No	Body	
*16.206.00 *16.609.00	Astro Van Extended Astro Van		ZW9 ZW9	`
101000.00	Extended Astro Van		2119	

^{*}Includes Destination and Handling Charges

EMISSIONS (Must Specify One) (Refer Emission Requirements Section)

FE9 Federal Emission Requirements
NG1 New York State Emission Requirements
YF5 California Emission Requirements
NB8 California or New York State Emission Override (Reqs FE9 Federal Altitude Emissions)
NC7 Federal or High Altitude Emission Override (Reqs NG1 New York State or YF5 California Emissions)

*GVWR SELECTOR

CMM		Minimum Equipment Required For GVW Rating
GVW Rating (lbs)	*GAWR (lbs) Front Rear	Restrictions
5400	2800 2900	CM10905 Only
5600	2800 3150	CM11005 Only

^{*} GAWR's shown are the minimum for each axle with equipment listed. Other GAWRs are available and they are determined as the minimum capacity of either axle or springs or tires.

CAPACITIES

CM10905					
SPRING: Front	S: 2800	Base	AXLES: Front	2800	Base
Rear			Rear		
	3150	Base		3150	Base
CM11005					
SPRING Front	S:		AXLES: Front		
	2800	Base		2800	Base
Rear			Rear		
	3150	Base	(, car	3150	Base

POWER TEAMS (Must Specify Engine, Transmission and Rear Axle)

Consult GVWR Selector for Minimum Equipment Required)

ENGINE	TRANSMISSION		AXLES		GVWR
-	AUTO	3.23	3.42	3.73	
CM10905					
LB4 V6 4.3 Liter	MXO	GU5	GU6	(a) GT4	5400
(262 Cu In)-EFI					
CM11005					
LB4 V6 4.3 Liter	MXO	GU5	GU6	(a) GT4	5600
(262 Cu In)-EFI					

⁽a) Regs Z82 Trailering

ASTRO CARGO Page 2

1994 ORDER GUIDE

PREFERRED VEHICLE

No Deletions Allowed. Additional Options/Substitutions (Where indicated)
May Be Ordered From The Additional Options Listing.

MUST SPECIFY: EMISSION, ENGINE, TRANSMISSION, AXLE AND TIRES

			A V A 1	A V A 2
N.C.	Preferred Equipment Group 1 Standard Body	ZW9	×	x
1.00	Preferred Equipment Group 2			
	Air Conditioning: Front			×
	Mirrors: Exterior, Below-Eye-Line (A)	D44		X
	Seating: Two-person	ZX2		X

[&]quot;The Preferred Equipment Group MSRPs reflect the Basic Group Equipment Prices. For any Option Additions, Upgrades or Substitutions, refer to the Vehicle Price Schedule for any Price Differential.

Allowable Substitution (Where Available): (A) D44: May substitute D48 Mirror

	INCL w/PEG	OPTION	
			ACKNOWLEDGEMENTS:
N.C.		R8S	Multiple Order Numbers
N.C.		R8T	Preliminary Invoice
	2	C60	AIR CONDITIONING: Front
N.C. 845.00			W/PEG AVA2
545.00			w/PEG AVA1 AXLE. REAR: (Refer Power Teams Chart for Availability)
N.C.		GU5	3.23 Ratio
N.C.		GU6	3.42 Ratio
N.C.		GT4	3.73 Ratio
252.00		G80	Locking Differential
N.C. 52.00	1.2	ZW9 VE6	BODY CODE: Standard Body Equipment BUMPERS: Front and Rear Color-Keyed w/Rub Strip
126.00		V54	CARRIER, LUGGAGE: Black
46.00		V10	COLD CLIMATE PACKAGE: (Incls Eng Block Heater and Coolant Protection)
83.00		DK6	CONSOLE, ROOF: (Reqs TR9 Aux Lignting) CONVENIENCE GROUP:
434.00		ZQ2	Power Windows and AU3 Power Door Locks
383.00		ZQ3	Tilt Wheel and Speed Control
N.C.		V08	COOLING SYSTEM: Heavy-Duty (Incls Eng and Trans Oil Cooler) w/Z62
198.00			W/O Z82
		AU3	DOOR LOCK SYSTEM, POWER: (Incl w/ZQ2 Conv Pkg)
N.C.			w/ZQ2
223.00			w/o ZQ2 EMISSIONS:
N.C.		FE9	Federal Emission Requirements
100.00		NG1	New York State Emission Requirements
100.00		YF5	California Emission Requirements
N.C.		NB8	California or New York State Emission Override (Regs FE9 Federal Altitude Emissions)
N.C. N.C.		NC7	Federal or High Altitude Emission Override (Reqs NG1 New York State or YF5 California Emissions) ENGINE: 4.3 Liter (262 Cu In)-EFI V6
N.C.		LB4	GLASS ARRANGEMENTS:
		ZW6	Complete Body (N/A ZW2 or ZW3 Glass)
368.00			W/O AJ1
630.00			W/AJ1
87.00		ZW2	Rear Panei Doors (N/A ZW3 or ZW6 Glass) w/o AJ1
141.00			w/AJ1
		ZW3	Sliding Door and Rear Panel Doors (N/A ZW2 or ZW6 Glass)
155.00			w/o AJ1
262.00		440	W/AJ1
136.00 N.C.		A18 AJ1	GLASS SWING-OUT: Rear Doors and Side Door (Reqs ZW3 or ZW6 Glass) GLASS: Deep Tinted (Reqs ZW2, ZW3 or ZW6 Glass)
27.00		TL1	GRILLE: Deluxe Black w/Argent Highlights
205.00		C36	HEATER: Rear
195.00		U52	INSTRUMENTATION, ELECTRONIC
		TR9	LIGHTING, AUXILIARY: (Regs ZX2 Seating) (Incls Front and Rear Dome and Reading Lamps, Courtesy
94.00			Light Switches on all Doors, Front and Rear Stepwell Lights and Glove Box Light) w/DK6
127.00			w/o DK6
			MIRRORS: Below-Eye-Line
	2	D44	Extenor, Black
N.C.			w/PEG AVA2
52.00		D48	w/PEG AVA1 Extenor, Electric Remote, Black
98,00		5.0	w/PEG AVA2
150.00			w/PEG AVA1
N.C.		ZY1	PAINT, EXTERIOR: Solid (Refer Color/Trim Chart for Availability) RADIO EQUIPMENT: (Electronically Tuned AM Radio w/Digita: Clock Standard)
96.00		UM7	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan and Digital Clock
218.00 (-95.00)		UM6 UL5	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Casette Tape and Digital Clock Radio Delete
(55.00)		JLJ	SEATING ARRANGEMENTS: (Must Specify One)
N.C.		ZX1	1-Person Seating, High-Back Bucket Driver Only (Reqs XDD4 or XUU4 Trim)
• •	2	ZX2	2-Person Seating, High-Back Bucket Seats
N.C. 214.00			w/PEG AVA2 w/PEG AVA1
245.00		A78	SEAT BACK RECLINER AND DUAL ARMRESTS: (Regs ZX2 Seating)
_ 3.22			SEAT TRIM: (Refer Color/Trim Chart for Availability)

ASTRO CARGO Page 4

1994 ORDER GUIDE

ASTRO (CARGO VAN)


ADDITIONAL OPTIONS


	INCL		
	w/PEG	OPTION	
N.C.		X**4	Custom Vinyi High Back Bucket
N.C.		K**4	Custom Cloth High Back Bucket
54.00		NP5	STEERING WHEEL: Leatner Wrapped
30.00		BA8	STOWAGE COMPARTMENT: Drawer-Type Non-Locking Compartment Located Under Front
			Passenger Seat (Regs ZX2 Seating)
			TIRES: Tubeless, All Seasons Steel Belteo Radial (Incls Front, Rear and Compact Spare)
			(B/W=Blackwall, W/S=White Stripe, W L=White Lettered)
N.C.		OCE	P205/75R15 B/W (CM10905 Octy)
88.00		QCM	P215/75R15 W/L (CM11005 Oc.y)
N.C.		QCU	P215/75R15 B/W (CM11005 Osy)
60.00		QCV	P215/75R15 W/S (CM11005 O∽ V)
507.00		Z82	TRAILERING SPECIAL EQUIPMENT: Heavy-Duty (Incls Platform Trailer Hitch, 7-Wire Wiring Harness)
			(N/A GLIS Avie), /Indis V/08 Conjuga
N.C.		MX0	TRANSMISSION: 4-Speed Electron:ca:y Controlled Automatic w/Overdrive (Refer Power Teams Chart)
92.00		ZJ7	WHEELS, RALLY: (Color Coordinated)

ASTRO (Cargo)

AVAILABLE WINDOW ARRANGEMENTS

(See Option Section For Restrictions)







STANDARD








w/ZW2 (Includes Rear Door Windows)









w/ZW3 (Includes Rear Door Windows and Side Cargo Door Window)








w/ZW6 (Includes Rear Door Windows, Side Cargo Door Window, RH Rear Quarter Window and LH Front and Rear Quarter Windows)









w/E54 (Includes Wiper/Washer and Electric Release)

AVAILABLE SEATING ARRANGEMENTS

(One Seating Arrangement Option Must Be Specified) (See Interior and Exterior Chart for Restrictions)



STANDARD (w/ZX1)



w/ZX2

ASTRO (Cargo)

INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART WITH ZY1 PAINT


PLEASE NOTE: Below are the interior tim color and exterior paint combinations *recommended* by Chevrolet. The only available color code 1/color code 2 exterior color combinations are those shown in the chart below; nowever, any available interior trim color may be ordered with one of these exterior color combinations in mat particular combination is desired by the customer.

TRIM LEVEL		INTERIOR COLORS						
Seat Type	Decor	Berge	Blue Garnet		Gray			
STANDARD	Std	1						
Custom Vinyl High Back Bucket Seat				1				
(Drivers Seat Only) (Regs ZX1)	i	XUU4	XDD4	į				
Custom Vinyt High Back Bucket Seats	1							
(Regs ZX2)	ļ	XUU4	XDD4	XRR4	XTT4			
Custom Cloth High Back Bucket Seats	1							
(Regs ZX2)	1	KUU4	KDD4	KRR4	KTT4			

(**************************************			1	1 11554	.,,,,,,	1	
EXTERIOR COLORS w/ZY1 Paint Application	Color Code 1	Cotor Code 2			DED INTERIOR	WHEEL COLORS ZJ7	
AUTUMNWOOD, LT (Metallic)	55	55	x				Beige
AUTUMNWOOD, DK (Metailic)	56	56	ж	i i			Beige
BLACK, ONYX	41	41	x				Berge
BLACK, ONYX	41	41			x	×	Silver
BLUE, LT.QUASAR (Metallic)	20	20		x		×	Silver
BLUE, MED.QUASAR (Metallic)	80	80		x		x	Silver
BLUE, TEAL (Metallic)	36	36	x				Beige
BLUE, TEAL (Metallic)	36	36				×	Silver
GRAY, FIELDSTONE (Metallic)	16	16			x	x	Silver
RED. BURNT (Metallic)	76	76	I				Beig e
RED. BURNT (Metallic)	76	76			x	x	Silver
RED, DEEP (Metallic)	75	75	x				Beige
RED. DEEP (Metallic)	75	75		1	X	x	Silver
SILVER. STERLING (Metallic)	15	15		x	x	×	Silver
TEAL, LIGHT (Metallic)	34	34		1		×	Silver
WHITE, IVORY	10	10	x				Beige
WHITE, IVORY	10	10		x	X	x	Silver

PAINT APPLICATION

SOLID PAINT - ZY1



REVISED: 1-10-94

1994 ORDER GUIDE

ASTRO CARGO

Page 7

Prices Shown Are Manutacturer's Suggested Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory Management Since MSRP Figures Change Periodically. The Vehicle Price Schedule is The Official Pricing Documentation Of Chevrolet Motor Division And Should Be Used In Discussing Vehicle Prices With Potential Buyers. The Model Prices Shown in Time Order Guide Include The Destination Freight Charges.

YF7 UPFITTER PKG ASTRO (CARGO VAN)

MODEL AND BODY

ZW9 Must Be Specified

	Description	Model No Body			Description	Model No	Body
*16,206.00 *16,609.00	REAR-WHEEL DRIVE MODELS Astro Van		ZW9 ZW9	*18,445.00 *18,928.00	ALL-WHEEL DRIVE MODELS Astro Van Extended Astro Van		ZW9 ZW9

[&]quot;Includes Destination and Handling Charges

EMISSIONS (Must Specify One) (Refer Emission Requirements Section)

FE9 Federal Emission Requirements
NG1 New York State Emission Requirements
YF5 California Emission Requirements

NB8 California Emission or New York State Emission Override (Reqs FE9 Federal Emissions)

NC7 Federal or High Altitude Emission Override (Regs NG1 New York State or YF5 California Emissions)

GVWR SELECTOR

GVW		Minimum Equipment Required For GVW Ratin				
Rating (lbs)	(a) GAWR (lbs) Front Rear	Restrictions				
5700	2800 2900	CM10905 Only				
5 95 0	2800 3150	CM11005 Only				
5950	3050 2900	CL10905 Only				
6100	3050 3150	CL11005 Only				

(a) GAWR's shown are the minimum for each axle with equipment listed. Other GAWRs are available and they are determined as the minimum capacity of either axle or springs or tires.

CAPACITIES

CAPACITIES												
CM10905	CM10905						CL10905					
SPRING	S:		AXLES:	_		SPRING	S:		AXLES:			
Front	2800	Base	Front	2800	Base	Front	3050	Base	Front	3050	Base	
Rear	2900	Sase	Rear	3150	Base	Rear	2900	Base	Rear	3150	Base	
CM11005						CL11005						
SPRING	S:		AXLES:			SPRING	S:		AXLES:			
Front	2800	Base	Front	2800	Base	Front	3050	Base	Front	3050	Base	
Rear	3150	Base	Rear	3150	Base	Rear	3150	Base	Rear	3150	Base	

REVISED: 1-10-94

1994 ORDER GUIDE

ASTRO CARGO



POWER TEAMS (Must Specify Engine, Transmission and Rear Axle)

(Consult GVWR Selector for Minimum Equipment Required)

ENGINE TRANSMISSION			AXLES		
	AUTO	3.23	3.42	3.73	
CM10905					
LB4 V6 4.3 Liter	МХО	GU5	GU6	GT4 (a)	5700
(262 Cu In)-EFI					
L35 V6 4.3 Liter	мхо		GU6	GT4	5700
(262 Cu In)-CPI					
CL10905					<u> </u>
L35 V6 4.3 Liter	мхо		GU6	GT4	5950
(262 Cu In)-CPI					
CM11005					
LB4 V6 4.3 Liter	мхо	GU5	GU6	GT4 (a)	5950
(262 Cu in)-EFI					
L35 V6 4.3 Liter	MXO		GU6	GT4	5950
(262 Cu In)-CP1					
CL11005					
L35 V6 4.3 Liter	MXO		GU6	GT4	6100
(262 Cu in)-CPI	INDO		200	417	0100

(a) Reqs Z82 Trailering

ASTRO CARGO 1994 ORDER GUIDE REVISED: 1-10-94

YF7 UPFITTER PACKAGE ASTRO (CARGO VAN)

YF7 UPFITTER PACKAGE INCLUDES: MUST SPECIFY YF7

C60 Air Conditioning

ZQ3 Convenience Package: Tilt-Wheel and Speed Control

D44 Mirrors: Black (May substitute D48)

UM6 Radio: AM/FM Stereo Radio/Cassette Tape with Seek-Scan and Clock

(May substitute UX1 or U1C)

--- Accoustical Insulators

--- Rear Shoulder Belt Anchors

Temporary Driver's Seat with LH and RH Beits and Risers

Incomplete Vehicle Certification

NO DELETIONS ALLOWED. Additional Optional/Upgrades (Where indicated) May Be Ordered From The Additional Options Listing in the Astro Cargo Van Order Guide Section

YF7 MUST SPECIFY ONE OF THE FOLLOWING TRIMS:

N.C. N.C.	VUU7 - Beige Temporary Seating VDD7 - Blue Temporary Seating				
N.C.	VRR7 - Garnet Temporary Seating			/F7 PE	Ge .
N.C.	VTT7 - Gray Temporary Seating			TET PE	43
			R V A 1	R V A 2	R V A 3
2401.00 2508.00 2471.00 2578.00	Upfitter Preferred Equipment Group 1 C*11005/CM10905 w/o AJ1 C*11005/CM10905 w/AJ1 CL10905 w/o AJ1 CL10905 w/AJ1				
2010.00	Body, Standard (May Substitute E54 Dutch Doors)	ZW9	x	x	x
	Convenience Group, Windows and Locks		x	x	ı x
	Glass, Sliding Door (A)		x	×	x
2679.00 2877.00 2749.00 2947.00	Upfitter Preferred Equipment Group 2 C*11005 /CM10905 w/Z82 C*11005/CM10905 w/o Z82 CL10905 w/o Z82 CL10905 w/o Z82 Bumper, Front and Rear w/Rub Strip (B) Cooling System (N/A L35 Engine) Glass, Deep Tint Grille, Deluxe Wheels, Raily (C)	. V08 . AJ1 . TL1		x x x x	x x x x N/I
3485.00 3683.00 3555.00 3753.00	Upfitter Preferred Equipment Group 3 C*11005/CM10905 w/Z82 C*11005/CM10905 w/o Z82 CL10905 w/Z82 CL10905 w/O Z82 Air Dam/Fog Lamps				x
	Instrumentation, Electronic				X
	Mirrors, Electric				X
	Wheels, Aluminum				X X
		=			^

⁽A) ZW3: May substitute A18 or ZW6 Glass

NOTE: FOR INFORMATION PURPOSES ONLY YF7 UFITTER PACKAGE AVAILABLE FOR ORDERING THROUGH AUTHORIZED C.Q.A.C.P. MANUFACTURERS ONLY

REVISED: 1-10-94

1994 ORDER GUIDE

ASTRO CARGO

Page 3

Prices Shown Are Manufacturer's Suggested Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory Management Since MSRP Figures Change Periodically. The Vehicle Price Schedule is The Official Pricing Documentation Of Chevrolet Motor Division And Should Be Used in Discussing Vehicle Prices With Potential Buyers. The Model Prices Shown in The Order Guide Include The Destination Freight Charges.

⁽B) VE6: May substitute VE5 Bumper

⁽C) ZJ7: May substitute PF3 Wheels

⁽D) UX1: May substitute U1C Radio

YF7 UPFITTER PACKAGE **ASTRO (CARGO VAN)**

ADDITIONAL OPTIONS

	INCL w/PEG	OPTION	
			ACKNOWLEDGMENTS:
N.C.		R8S	Multiple Order Numbers
N.C.		R8T	Preliminary Invoice
	3	ANL	AIR DAM: (Inds Fog Lamps:
N.C.			w/RVA3
115.00			w/RVA1 or RVA2
			AXLE, REAR: (Refer Power Teams Chart for Availability)
N.C.		GU5	3.23 Ratio
N.C.		GU6	3.42 Ratio
N.C.		GT4	3.73 Ratio
252.00		G80	Locking Differential
N.C.	1,2,3	ZW9	BODY CODE: Standard Body Equipment
364.00	1,2,3	E54	Dutch Doors (Incis Wiper/Washer and Electric Release) (N/A with ZW2 Glass)
52.00		LJY	BUMPERS:
02.00	2,3	VE6	Front and Rear Color-Keyed w/Rub Strip
N.C.	-,-		W/RVA2 or RVA3
52.00			w/RVA1
		VE5	Deluxe Front and Rear Chromed w/Rub Strip
76.00			w/RVA2 or RVA3
128.00			w/RVA1
126.00		V54	CARRIER, LUGGAGE: Black
46.00		V10	COLD CLIMATE PACKAGE: (Incls Eng Block Heater and Coolant Protection)
83.00		DK6	CONSOLE, ROOF: (Regs TR9 Aux Lighting)
N.C.	1,2, 3	ZQ2	CONVENIENCE GROUP: Power Windows and AU3 Power Door Locks
N.C.	2,3	V08	COOLING SYSTEM: Heavy-Duty (Incls Eng and Trans Oil Cooler) (N/A L35 Eng)
154.00		C49	DEFOGGER: Rear Window Electric (Reqs E54 Body) EMISSIONS:
N.C.		FE9	Federal Emission Requirements
		NG1	New York State Emission Requirements
N.C.			W/CL11005
100.00		\ <i>r</i>	w/CL10905, CM11005 or CM10905 California Emission Requirements
100.00		YF5	California Emission Requirements California or New York State Emission Override (Regs FE9 Federal Emissions)
N.C.		NB8 NC7	Federal Emission Override (Reqs NG1 New York State or YF5 California Emissions)
N.C.		NC	ENGINES: (Refer Power Teams Chart for Availability)
N.C.		LB4	4.3 Liter (262 Cu In)-EFI V6
500.00		L35	4.3 Liter (262 Cu In)-CPI V6 (Incls Eng Oil, H.D. Radiator and Trans Oil Coolers)
555.55			GLASS ARRANGEMENTS:
		ZW6	Complete Body (N/A ZW2 or ZW3 Glass)
213.00			w/o AJ1
368.00			W/AJ1
		ZW2	Rear Panel Doors (N/A ZW3 or ZW6 Glass) (N/A with E54 Dutch Doors)
87.00			w/o AJ1
141.00			W/AJ1
N.C.	1,2,3	ZW3	Sliding Door and Rear Panel Doors (NA ZW2 or ZW6 Glass) GLASS SWING-OUT: G
136.00		A18	Rear Doors and Side Door (Regs ZW3 or ZW6 Glass) (N/A E54 Dutch Doors)
N.C.		A19	Side Door (w/E54 Body Reos ZW3, ZW4 or ZW6 Glass)
N.C.	2,3	AJ1	GLASS: Deep Tinted (Reas ZW2, ZW3 or ZW6 Glass)
N.C.	2,3	TL1	GRILLE: Deluxe Black w/Argent Highlights
205.00	^	C36 U52	HEATER: Rear INSTRUMENTATION, ELECTRONIC
N.C.	3 3	D48	MIRRORS: Exterior Below-Eye-Line, Electric Remote, Black
NC	3	1,40	W/RVA3
N.C. 98.00			w/RVA1 or RVA2
N.C.		ZY1	CAINT EVTERIOR: Solid (Refer Color/Trim Chart for Availability)
14.0.			PADIO FOLIDMENT: /Flectropically Tuned AM/FM Stereo Radio w/Cassette and Digital Clock Standard)
		UX1	Electronically Tuned AM StereorFM Stereo Radio w/Seek-Scan Stereo Cassette Tape w/Search and Repeat, Graphic Equalizer and Digital Clock
N.C.			w/RVA3
150.00			W/RVA1 or RVA2
		U1C	Electronically Tuned AM Stereo/FM Stereo Radio w/Seek-Scan, Compact Disc Player and Digital Clock
169.00			W/RVA3
319.00			w/RVA1 or RVA2 Radio Delete
(-95.00)		UL5 AC3	SEAT, POWER: 6-Way
240.00		ACO	CERTIFICATION OF THE PROPERTY

ASTRO CARGO

1994 ORDER GUIDE

REVISED: 1-10-94

Page 4

Prices Shown Are Manufacturer's Suggested Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory Management Since MSRP Figures Change Periodically. The Vehicle Price Schedule is The Official Pricing Occurrentation Of Chevrolet Motor Division And Should Be Used In Discussing Vehicle Prices With Potential Buyers. The Model Prices Shown in The Order Guide Include The Destination Preight Charges.

YF7 UPFITTER PACKAGE ASTRO (CARGO VAN)

	INCL		
	w/PEG	OPTION	
			SEAT TRIM: (Refer Color/Trim Chart for Availability)
N.C.		V**7	Temporary Seating
54.00		NP5	STEERING WHEEL: Leather Wrapped
30.00		BA8	STOWAGE COMPARTMENT: Drawer-Type Non-Locking Compartment Located Under Front
			Passenger Seat (Regs ZX2 Seating)
			TIRES: Tubeless, All Seasons Steel Belted Radial (Incls Front, Rear and Compact Spare)
			(BW=Blackwall, W/S=White Stripe, W/L=White Lettered)
N.C.		QCE	P205/75R15 B/W (CM10905 Only)
96.00		QCF	P205/75R15 W/L (CM10905 Only)
72.00		QCG	P205/75R15 W/W (CM10905 Only)
88.00		QÇM	P215/75R15 W/L (N/A CM10905)
N.C.		QCU	P215/75F115 B/W (N/A CM10905)
60.00		QCV	P215/75R15 W/S (N/A CM10905)
			TRAILERING SPECIAL EQUIPMENT:
		Z82	Heavy-Duty (Incls Platform Trailer Hitch, 7-Wire Wiring Harness) (Regs GU6 or GT4
			Rear Axle w/LB4 Eng) (Reqs GT4 Rear Axle w/L35 Eng) (N/A GU5 Axle) (Incls V08 Cooling w/LB4 Eng)
507.00			w/. B4
309.00			w/.35
N.C.		MXO	TRANSMISSION: 4-Speed Electronically Controlled Automatic w/Overdrive (Refer Power Teams Chart)
			WHEELS:
N.C.		ZJ7	Raily
	3	PF3	Aluminum
N.C.	-		W/AVA3
248.00			w/RVA2
340.00			w/RVA1

YF0 COMMERCIAL UPFITTER PKG ASTRO (CARGO VAN)

Astro Cargo Van AWD (CL10905) 1 Astro Extended Cargo Van AWD (CL11005) 1 DIMENSIONS/SPECIFICATIONS Wheelbase (inches) 111.0 Length (overall-inches) 176.8 Extended Van 186.8 Width (overall-inches) 77.0 Side Load Door Opening Height (inches) 43.7 Opening Width (inches) 34.5 Rear Load Door

POWER TEAMS

Payload Maximum (pounds)

Standard Engine

RPO L35 4.3 Liter (262 Cu In) V6 with Central Port Fuel Injection (CPI)

Opening Height (inches) 44.7

Opening Width (inches) 57.0

Cargo Van AWD 1874

Extended Cargo Van AWD 1869

Standard Transmission

RPO MX0 4-speed Electronically Controlled Automatic with Overdrive

STANDARD EQUIPMENT SUMMARY

EXTERIOR

Alternator: 100 amp

Brakes: Power assisted front disc, rear drum, four-wheel

anti-lock

Brake/Transmission shift interlock

Bumpers: Front bumper w/bumper guards and rear

bumpers painted lower body color

Doors: Driver and passenger front side doors, sliding RH

side door, RH and LH rear load doors Glass, Tinted: Solar-Ray, all windows Grille: Molded plastic grille painted black

Headlamps: Halogen

Jack: Tools include screw-operated scissor-type jack with ratchet handle, extension and two wheel blocks

License Plate Bracket: Front

Mirrors: RH and LH painted black with pivoting arm and adjustable head. Mirror head size is 4 3/4" x 7"

Spare Tire Carrier: Winch-type spare tire carrier mounted

under the floor at the rear

Spare Tire/Wheel: Compact spare tire and wheel

mounted under floor

Stop Light, Center High-Mounted

Tires: Four all-season steel belted radial

Underbody corrosion protection

Wheels: (4) 15" x 6" steel painted argent Wheel Trim: Bright metal with black trim

Windshield Wipers: Intermittent

INTERIOR

Air Bag, Driver's Facial

Armrest: LH Assist Handle: RH

Cigarette Lighter and ashtray light

Coat Hook: LH

Dome Lamp: Two dome lamps with front door actuated

switches

Floor Covering: Embossed front black rubber mat Gages: Coolant temperature, fuel level, odometer, oil pressure, speedometer, trip odometer and voltmeter

Glove Box: With beverage holders on top of

engine cover extension Headlamp warning tone

Heater: Deluxe heater with windshield and side window

defoggers

Radio: Electronically tuned AM radio with fixed mast

antenna

Remote release for fuel filler door

Scotchgard Fabric Protector on cloth trims

Seat: Front high back bucket driver's seat with all vinyl

Side Door Guard Beams: Driver, passenger and sliding side door

Steering Wheel: 4-spoke steering wheel and anti-theft locking feature

Sunshades: Color-keyed vinyl RH and LH padded

REVISED: 1-10-94 1994 ORDER GUIDE ASTRO CARGO

MODEL AND BODY

Description ALL-WHEEL DRIVE MODELS		Model No.	Body
	ALL-WHEEL DRIVE MODELS Astro Van Extended Astro Van	CL10905 CL11005	ZW9 ZW9

^{*} Includes Destination and Handling Charges

EMISSIONS (Must Specify One) (Refer Emission Requirements Section)

FE9 Federal Emission Requirements NG1 New York State Emission Requirements YF5 California Emission Requirements

NB8 California or New York State Emission Override (Reqs FE9 Federal Emissions)

NC7 Federal Emission Override (Reqs NG1 New York State or YF5 California Emissions)

*GVWR SELECTOR

		Minimum Equipment Required For GVW Rating		
GVW Rating	*GAWR (lbs)			
(lbs)	Front Rear	Restrictions		
5800	3050 2900	CL10905 Only		
5850	3050 3150	CL11005 Only		

^{*} GAWR's shown are the minimum for each axle with equipment listed. Other GAWRs are available and they are determined as the minimum capacity of either axle or springs or tires.

CAPACITIES

CL10905		· · · · · · · · · · · · · · · · · · ·			
SPRINGS Front	:		AXLES: Front		
	3050	Base	, , , , ,	3050	Base
Rear			Rear		
	3150	Base		3150	Base
CL11005					
SPRINGS Front	:		AXLES: Front		
	3050	Base		3050	Base
Rear			Rear		
	3150	8220		3150	Base

POWER TEAMS (Must Specify Engine, Transmission and Rear Axle)

Consult CVMID Colonton for Minimum Equipment Postuired)

ENGINE	TRANSMISSION	AXL	ES	
vwr				
CL10905	OTUA	3.42	3.73	
L35 V6 4.3 Liter	MXO	GU6	GT4	5800
(262 Cu In)-CPI				
CL11005				
L35 V6 4.3 Liter	MXO	GU6	GT4	5850

PREFERRED VEHICLE

No Deletions Allowed. Additional Options/Substitutions (Where indicated) May Be Ordered From The Additional Options Listing.

YFO COMMERCIAL UPFITTER PKG INCLUDES:

--- Incomplete Vehicle Certification

MUST SPECIFY: EMISSION, ENGINE, TRANSMISSION, **AXLE AND TIRES**

			YF0 PEGS	
			А	Α
			С	С
			V	V
			1	2
N.C.	Preferred Equipment Group 1			
	Standard Body	ZW9	×	X
	Commercial Upfitter Package	170		^ .
1111.00	Preferred Equipment Group 2			
	Air Conditioning: Front	C60		x
	Mirrors: Exterior, Below- Eye-Line (A)	D44		X :
	Seating: Two-person	ZX2		X

^{*} The Preferred Equipment Group MSRPs reflect the Basic Group Equipment Prices. For any Option Additions, Upgrades or Substitutions, Refer to the Vehicle Price Schedule for any Price Differential.

Allowable Substitution (Where Available): (A) D44: May substitute D48 Mirror

NOTE:

To comply with FMVSS 208 Regulations, all Astro AWD Cargo Vans must be ordered to pass through a Chevrolet Quality Approved Converter Program Upfitter or an Upfitter with a "Ship To" (59-xxx) Code. The Upfitter must perform modifications to ensure that the vehicle curb weight is greater than 4,114 pounds. The Upfitter will affix a "Simplified Final Stage Vehicle Certification Label" to the driver's door jamb in accordance with FMVSS Regulations, certifying compliance to all Federal Safety Regulations. Dealers should ensure that this label is in place prior to delivery to end user.

YFO COMMERCIAL UPFITTER PKG ASTRO (CARGO VAN)

ADDITIONAL OPTIONS

	INCL W/PEG	OPTION	
N.C.		R8S	ACKNOWLEDGEMENTS:
N.C.		ReT	Multiple Order Numbers Preliminary Invoice
	2	C60	AIR CONDITIONING: Front
845.00			w/PEG ACV1
N.C.			W/PEG ACV2
		0110	AXLE, REAR: (Refer Power Teams Chart for Availability)
N.C. N.C.		GU6 GT4	3.42 Ratio 3.73 Ratio
252.00		G80	Locking Differential
	1,2		BODY CODE:
N.C.		ZW9	Standard Body Equipment
52.00		VE6	BUMPERS: Front and Rear Color-Keyed w/Rub Strip
46.00 83.00		V10 DK6	COLD CLIMATE PACKAGE: (Inc.s Eng Block Heater and Coolant Protection)
03.00		DNO	CONSOLE, ROOF: (Reqs TR9 Aux Lighting) CONVENIENCE GROUP:
434.00		ZQ2	Power Windows and AU3 Power Door Locks
383.00		ZQ3	Tilt Wheel and Speed Control
154.00		C49	DEFOGGER: Rear Window Electric
000.00		AU3	DOOR LOCK SYSTEM, POWER: (Incl w/ZQ2 Conv Pkg)
223.00 N.C.			w/o ZQ2 w/ZQ2
14.0.			EMISSIONS: (Refer Emission Requirement Tab Section)
N.C.		FE9	Federal Emission Requirements
100.00		NG1	New York State Emission Requirements
100.00		YF5	California Emission Requirements
N.C. N.C.		NB8	California or New York State Emission Override (Regs FE9 Federal Emissions)
N.C.		NC7 L35	Federat Emission Override (Regs NG1 New York State or YF5 California Emissions) ENGINE: 4.3 Liter (262 Cu In)-CPI V6 (Incls Eng Oil, H.D. Radiator and Trans Oil Coolers)
		200	GLASS ARRANGEMENTS:
		ZW6	Complete Body (N/A ZW2 or ZW3 Glass)
368.00			w/o AJ1
630.00		7140	W/AJ1
87.00		ZW2	Rear Panel Doors (N/A ZW3 or ZW6 Glass) w/o AJ1
141.00			w/AJ1
		ZW3	Sliding Door and Rear Panel Doors (N/A ZW2 or ZW6 Glass)
155.00			w/o AJ1
262.00 136.00		840	W/AJ1
N.C.		A18 AJ1	GLASS SWING-OUT: Rear Doors and Side Door (Reqs ZW3 or ZW6 Glass) GLASS: Deep Tinted (Reqs ZW2, ZW3 or ZW6 Glass)
27.00		TLi	GRILLE: Deluxe Black w/Argent Highlights
205.00		C36	HEATER: Rear
195.00		U52	INSTRUMENTATION, ELECTRONIC
		TR9	LIGHTING, AUXILIARY: (Regs ZX2 Seating) (Inds Front and Rear Dome and Reading Lamps, Courtesy
127.00			Light Switches on all Doors, Front and Rear Stepwell Lights and Glove Box Light) w/o DK6
94.00			w/DK6
			MIRRORS: Below-Eye-Line
50.00	2	D44	Extenor, Black
52.00 N.C.			W/PEG ACV1
11.0.		D48	w/PEG ACV2 Exterior, Electric Remote, Black
150.00		D-10	w/PEG ACV1
98.00			w/PEG ACV2
N.C.		ZY1	PAINT, EXTERIOR: Solid (Refer Color/Trim Chart for Availability)
96.00		UM7	RADIO EQUIPMENT: (Electronically Tuned AM Radio w/Digital Clock Standard)
218.00		UM6	Electronically Tuned AMFM Stereo Radio w/Seek-Scan and Digital Clock Electronically Tuned AMFM Stereo Radio w/Seek-Scan, Casette Tape and Digital Clock
(-95.00)		UL5	Radio Delete
			SEATING ARRANGEMENTS: (Must Specify One)
N.C.	_	ZX1	1-Person Seating, High-Back Bucket Driver Only (Reqs XDD4 or XUU4 Trim)
214.00	2	ZX2	2-Person Seating, High-Back Bucket Seats
N.C.			w/PEG ACV1 w/PEG ACV2
245.00		A78	SEAT BACK RECLINER AND DUAL ARMRESTS: (Regs ZX2 Seating)
			SEAT TRIM: (Refer Color/Trim Chart for Availability)
N.C. N.C.		X**4	Custom Vinyl High Back Bucket
14.0.		K**4	Custom Cloth High Back Bucket

REVISED: 1-10-94

ASTRO CARGO
Page 4
Prices Shown Are Manufacturer's Suggested Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory Management Since MSRP Figures Change Periodically. The Vehicle Price Schedule is The Official Pricing Documentation Of Chevrolet Motor Division And Should Be Used In Discussing Vehicle Prices With Potential Buyers. The Model Prices Shown In The Order Guide Include The Destination Freight Charges.

YFO COMMERCIAL UPFITTER PKG ASTRO (CARGO VAN)

ADDITIONAL OPTIONS

	INCL W/PEG	OPTION	
54.00		NP5	STEERING WHEEL: Leather Wrapped
30.00		BA8	STOWAGE COMPARTMENT: Drawer-Type Non-Locking Compartment Located Under Front Passenger Seat (Regs ZX2 Seating)
			TIRES: Tubeless, All Seasons Steel Belted Radial (Incls Front, Rear and Compact Spare) (BW=Biackwall, W/S=White Stripe, W/L=White Lettered)
88.00		QCM	P215/75R15 W/L
N.C.		QCU	P215/75R15 B/W
60.00		QCV	P215/75R15 W/S
309.00		Z82	TRAILERING SPECIAL EQUIPMENT: Heavy-Duty (Incls Platform Trailer Hitch, 7-Wire Wiring Harness)
N.C.		MXO	TRANSMISSION: 4-Speed Ejectronically Controlled Automatic w/Overdrive
92.00		ZJ7	WHEELS, RALLY: (Color Coordinated)

YFO COMMERCIAL UPFITTER PKG **ASTRO (CARGO VAN)**

INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART **WITH ZY1 PAINT**


PLEASE NOTE: Below are the interior ram color and exterior paint combinations recommended by Chevrolet. The only available color code 1/color code 2 exterior color combinations are those shown in the chart below; however, any available interior trim color may be ordered with one or these exterior color combinations at that particular combination is desired by the customer.

TRIM LEVEL			INTERIOR	COLORS	
Seat Type	Decor	Beige	Biue	Garnet	Gray
STANDARD	Std				
Custom Vinyl High Back Bucket Seat (Driver's Seat Only) (Reds ZX1)		XUU4	XDD4		
Custom Vinyl High Back Bucket Seats (Regs ZX2)		XUU4	XDD4	XRR4	X⊺ T 4
Custom Cloth High Back Bucket Seats		KUUA	KDD4	KBR4	KT¶4

(Lieda Eve)			1,004	1			
EXTERIOR COLORS w/ZY1 Paint Application	Calor Code 1	Color Code 2			DED INTERIOR COLORS		WHEEL COLORS ZJ7
AUTUMNWOOD, LT (Metallic)	55	55	x				Beig e
AUTUMNWOOD, DK (Metallic)	56	56	×				Beiga
BLACK, ONYX	41	41	×				Beige
BLACK, CNYX	41	41			X	x	Silver
BLUE, LT.QUASAR (Metallic)	20	20		x		x	Silver
BLUE, MED,QUASAR (Metallic)	80	80		×		x	Silver
BLUE, TEAL (Metallic)	36	36	×				Beige
BLUE, TEAL (Metallic)	36	36				х	Silver
GRAY, FIELDSTONE (Metailic)	16	16			x	x	Silver
RED. BURNT (Metallic)	76	76	×				Beige
RED, BURNT (Metallic)	76	76			¥	x	Silver
RED, DEEP (Metallic)	75	. 75	×				Beige
RED, DEEP (Metallic)	75	75			x	x	Silver
SILVER, STERLING (Metallic)	15	15		x	х	x	Silver
TEAL, LIGHT (Metallic)	_ 34	34		<u> </u>		х	Silver
WHITE, IVORY	10	10	X			<u> </u>	Beige
WHITE, IVORY	10	10		×	x	x	Silver

PAINT APPLICATION

SOLID PAINT - ZY1



M/L ASTRO PASSENGER VAN INTRODUCTION

M/L ASTRO PASSENGER VAN

The M/L Astro Passenger Van is offered in three trim levels. "CS" (standard), "CL" (midlevel) and "LT" (uplevel).

Changes on the Astro Passenger Van for 1994 include:

- 4.3L V6 Engine Enhancements (LB4/L35)
- 4.3L V6 LB4 Engine Balance Shaft for Smoother Performance
- Driver's Facial Air Bag, Standard
- Underbody Corrosion Improvements
- Body Panel Corrosion Improvements
- Solar-Ray^s Tinted Glass
- Improved Sliding Side Door Hardware
- Center High-Mounted Stop Lamp to meet FMVSS 108
- Improved Roof Crush Resistance to comply with FMVSS 216
- Improved Instrument Cluster Graphics

- Light-Duty Trailering Package eliminated
- Optional Leather-Wrapped Steering Wheel
- · Reclining Seat Levers
- · Chassis Enhancements for improved ride
- R134a Refrigerant replaces the current R12 for an environmentally safe air conditioner
- Improved Air Cleaner with 4.3L V6 LB4 Engine
- Improved Alternator
- Front Side Doors and Sliding Side Door Guard Beams to Comply with FMVSS 214
- Improved Air Conditioning Compressor
- New Exterior Colors
- Scotchgard® Protected Carpeting



M/L ASTRO PASSENGER VAN MODEL SELECTION SUMMARY

Use the chart below to choose the model that fits your customer's needs. Note that the Maximum Payload is based on curb weight. Also, the Maximum Gross Trailer Weight is based on vehicles that are properly equipped. See your 1994 Chevrolet Truck Order Guide for specific details.

SERIES	MODEL NUMBER/ BODY CODE/ OPTION CODE	PASSENGER CAPACITY	STANDARD ENGINE/ TRANS.		GVWR (LBS.)	GAWR (LBS.) FRONT/ REAR	MAXIMUM PAYLOAD (LBS.) BASED ON CURB WT.	MAX. GROSS TRAILER WT./ TONGUE LOAD (LBS.) PROPERLY EQUIPPED
		REAF	-WHEEL D	RIVE MODI	ELS			
ASTRO PASSENGER VAN	CM10906/ZW9	5/7/8	4.3L V6/A4	4.3LV6/L35VA4	5700 + 2	800/2900	·807	5500/711
ASTRO EXTENDED PASSENGER VAN	CM11006/ZW9	5/7/8	4.3LV6/A4	4.3LV6(L35)/A4	5950 2	800/3150	. 389	5500/7]]
		ALL	-WHEEL DE	RIVE MODE	LS		-	
ASTRO ALL-WHEEL DRIVE PASSENGER VAN	CL10906/ZW9	5/7/8	4.3LV6(L35)/A4		5950 3	050/3150	1747	5000/600
ASTRO ALL-WHEEL DRIVE EXTENDED PASSENGER VAN	CL11006/ZW9	5/7/8	4.3LV6(L35)/A4	_	6100 ! 3	050/3150	1937	5000/600

POWERTRAINS

Chevrolet offers a variety of engines and rear axle ratios for the M/L Astro Passenger Van. The following charts detail basic engine, transmission and axle specifications. See your 1994 Chevrolet Truck Order Guide for specific details.

	ENGINES	
	4.3L V6 EF1	4.3L V6 CPI
Engine Order Code	LB4	L35
Availability	M(RWD) Models Only	All Models
SAE Net Horsepower @ rpm	165 @ 4000	200 @ 4400
SAE Net Torque lbsft. @ rpm	235 @ 2000	260 @ 3600
Fuel System	EFI	CPI
Standard Battery Cold Cranking Amps @ 0° F	600	600
Standard Alternator Maximum Capacity (Amps)	100	100

	TRANSMISSIONS
	ELECTRONIC AUTOMATIC 4-SPEED WITH OVERDRIVE AND TORQUE CONVERTER CLUTCH (4L60-E)(M30)
Transmission Order Code	MXO
Engine Application (Order Code)	4.3L V6 EFI/4.3L V6 CPI /LB4)/(L35)
Gear Ratios First Second Third Fourth Reverse	3.06 1.63 1.00 0.70 2.29
Power Take-Off	No

		AXLES			
		REAR AXLE			T AXLE VE MODELS ONLY)
Make			3M		
Capacity (lbs.)	3150 3050				
Pinion and Ring Gear Type	Hypoid Hypoid			Hypoid	
Engine Availability	LB4	LB4/L35	LB4/L35	·	_35
Axle Ratio Code	GU5	GU6	GT4	GU6	GT4
Ratio Pinion Teeth Ring Gear Teeth Ring Gear Diameter (in.)	3.23 13 42 7.5	3.42 12 41 7.5	3.73 11 41 7.5	3.42 12 41 7.25	3.73 11 41 7.25

Note: Axie ratio depends on model, powertrain and emissions selected. See your 1994 Chevrolet Truck Order Guide for specific details.

TRIM LEVELS

Chevrolet offers M/L Astro Passenger Van in three trim levels: "CS." "CL" and "LT." See your 1994 Chevrolet Truck Order Guide for details.

	CHASSIS EQUIPMENT			
KEY: E = STANDARD, — =	NOTINCLUDED	CS (STANDARD)	(YC6)	LT (YC7)
BRAKES	Power-assisted, front disc, rear drum: with four-wheel anti-lock system. Includes brake/transmission shift interlock.			
EXHAUST	Single.			-
FRAME	Integral body design with boxed section front stub frame.		<u> </u>	
FUEL TANK	27 gallon (approx.) capacity.			<u>i</u> –
REAR AXLE	Hypoid, semi-floating.			
SHOCK ABSORBERS	Front: 32 mm; Rear: 32 mm.		a	
STABILIZER BAR	4x2: Front 1.26 inch. All-wheel drive: 1.18 inch.			<u> </u>
STEERING	Variable integral power. Ratio: 16/13:1.		=	
SUSPENSION, FRONT	4x2: independent w/coil springs. All-wheel drive: independent w/torsion bars.		=	
SUSPENSION, REAR	Composite leaf springs.			

	EXTERIOR EQUIPMENT			
AIR DAM	Black. Black with fog lamps.	<u> </u>	_	_
BUMPER	Front and rear painted lower body color. Includes front bumper guards. Front and rear painted lower body color with matching color-keyed end caps, black rub strips and rear black combination top step surface. Includes front bumper guards.	• 	_	-
CORROSION PROTECTION	Underbody and underhood areas sprayed with improved anti-corrosion/sound deadening material. Body panel anti-corrosion treatment also improved.	•		
DOORS	Driver and passenger front side, sliding RH side door and RH and LH rear load doors.	=	=	•
GRILLE	Moided plastic painted black. Molded plastic painted black with argent paint on feature surfaces.			<u> </u>
HEADLAMPS	Single halogen.			<u> </u>
HORN	Dual high-note and low-note.			
LAMP	Center high-mounted stop lamp located on the roof at center rear of vehicle.			
LICENSE PLATE BRACKET	Front and rear.		_	•
MIRRORS	Black RH and LH fixed type with pivoting arm and adjustable heads. Head size 4.75" x 7.0".		_	
MOLDINGS	Black body-side with bright inserts and wheel opening moldings.			
SPARE TIRE/WHEEL	Compact, mounted under cargo area floor.			<u> </u>
STRIPING	Wide, color-keyed at beitline.			
TIRES	Four, all-season steel-belted radial blackwall. P205/75R15 on CM10906 and P215/75R15 on CM11006 and All-Wheel Drive models.			•
WHEELS	Four, 15.0" x 6.0" argent steel wheels. Bright metal nuocaps with black trim. Four, 15.0" x 6.5" color-keyed steel Rally Wheels. Bright trim rings with black center cap. Four, 15.0" x 6.5" Rally Wheels color-keyed to body color.		-	
WINDOW PILLARS	Black.	8		

	INTERIOR EQUIPMENT			,
ARMRESTS	RH and LH front door.			•
ASSIST HANDLES	Front at RH "A-pillar" and rear passenger at RH "B-pillar".	1		
CIGARETTE LIGHTER	Includes ash tray lamp.			-
COATHOOKS	Two LH and one RH.			_ =
CUPHOLDERS	Two, located on top of engine cover extension.			
DOME LAMP	Two with front door-actuated switches. Two with front, rear and sliding door-actuated switches. Includes door jamb override switch.	=	-	-
DOOR PANELS	Color-keyed expanded vinyl with carpet inserts, insulation and front door map pockets.			•
DOOR SILL PLATE	Black plastic. Color-keyed with black scuff plates.	-		
DOORS	Side door guard beams added to the front side doors and sliding side door for extra protection and strength.			
DRIVER'S FACIAL AIR BAG	Located in steering wheel hub.			•
FLOOR COVERING	Color-keyed carpeting on wheelhousings and entire floor. Carpeting treated with Scotchgard			
FLOOR MATS	Front and rear color-keyed rubber floor mats.		.	<u> </u>

	INTERIOR EQUIPMENT (CONT.)			
KEY: # = STANDARD, - = NO	OT INCLUDED	CS (STANDARD)	CL (YC6)	LT (YC7)
FUEL FILLER DOOR REMOTE RELEASE	Left-hand side.	=		
GAGES	Including coolant temperature, fuel level, odometer, oil pressure, speedometer, trip coometer and voltmeter.	•		
GLASS, DEEP TINT	Complete Body.		_	
HEADLAMP WARNING TONE				
HEADLINER	Full-length, color-keyed, foam backed cloth.			
HEATER	Deluxe with side window defogger.	10		
LAMPS	Step well and storage box.			2
MIRRORS	10-inch rearview.	-		•
RADIO	Electronically-tuned AM radio with digital clock, two six-inch front dash speakers and fixed mast antenna.			8
SEAT, FRONT	Scotchgard ^{1M} : Protection on cloth seats and cloth side panels. Two custom vinyl high-back adjustable bucket seats. Two special velour cloth high-back adjustable bucket seats with reclining seat backs, folding integral armests and adjustable headrests.	-	-	-
SEAT, MIDDLE	3-passenger custom vinyl removable bench. Adjustable fore and aft. Split-back 3-passenger velour cloth center seat (adjustable fore and aft) includes fold-down center console with convenience tray and cup pockets.	-	-	_
STEERING WHEEL	Black 4-spoke. Leather-wrapped.	_		-
STORAGE COMPARTMENT	Molded, color-keyeo piastic in LH rear second seat area. LH side trim panel has storage pouch with a zipper.	_	E	_
STORAGE BOX	Located in front face of engine cover extension.		E	
SUNSHADES	RH and LH padded color-keyed cloth with RH visor mirror. RH and LH padded color-keyed cloth with RH visor mirror with light.	.		
SWING-OUT GLASS	Included on sliding side door. Included on sliding side door, left front guarter panel and rear door.			_
TOOLS	Screw-operated scissor-type jack with ratchet handle and extension and two wheel blocks. Located behind side panel at right rear.			_
WINDOWS	Solar-Ray ^s tinted glass. Deep-tinted Solar-Ray class.	<u> </u>	<u> </u>	=
WINDSHIELD WIPERS	Intermittent.	•		<u>-</u>

PREFERRED EQUIPMENT GROUPS

Preferred Equipment Groups (PEGs) are convenient option packages that can save your customers money. They would pay appreciably more by buying all the options in a Preferred Equipment Group as individual options. (Savings based on a comparison of Manufacturer's Suggested Retail Price of option packages versus MSRP of individual options purchased separately). See your 1994 Chevrolet Truck Order Guide and Vehicle Price Schedule for specific information and prices.

OPTIONS

These options can be ordered individually in addition to the Preferred Equipment Groups if not already included. See your 1994 Chevrolet Truck Order Guide for specific availability and restrictions. The Option Code is listed in **bold type**.

Air Conditioning (front only) C60
Air Conditioning (front and rear includes 105 amp alternator)
Axles, Rear.
3.23 GU5
3.42 GU6
3.73 GT4
Axle. Rear Locking Differential G80
Body Code:
Standard Body Equipment ZW9 Dutch Doors (includes Electric
Release and Wiper Washer) E54
Bumpers, Deluxe Front and Rear
Chromea w/rub strip VE5
Carner. Luggage (black) V54
Cold Climate Package uncludes Engine Block Heater, coolant protection to -32° F)
Console. Roof DK6

Convenience Package, Operating	
(includes Power Door Locks and Power Windows)	ZQ2
Convenience Package, Driver's (include Tilt-Wheer™ Steering and Electronic Speed Control)	
Cooling System, Heavy-Duty (includes Engine Oil Cooler and Transmission Oil Cooler)	80V
CS Valve Package (includes Deluxe Body-side Molding, Deluxe Color- keyed Front and Rear Bumpers, Deluxe Grille, Rally Wheels and	
Color-keyea Floor Mats)	. ZL7
Defroster, Rear Window (Requires E54 Dutch Doors)	C49
Door Locking System, Power	AU3
Emissions: Federal	FE9

New York State California Cal, IN, Y. Emissions Overnde Federal/High Autuae Emissions Overnae	
Engines: 4.3L V6 EFI	LB4
4.3L V6 CPI	
Glass, Deep-Tinted Solar-Ray'	
information only): 5700 lbs	DA3
5950 lbs	C5M C36
Instrumentation, Electronic	

OPTIONS (CONT.)



ETR AM/FM Stereo Radio w/Seek-Scan.
Digital Clock and six speakers UM7
ETR AM/FM Stereo Radio w/Seek-
Scan, Digital Clock, Cassette and
six speakersUM6
ETR AM/FM Stereo Radio w/Seek-
Scan, Cassette w/Searcn/Repeat.
Graphic Equalizer, Digital Clock and
six speakers UX1
ETR AM/FM Stereo Radio w/Seek-
Scan, CD Player, Digital Clock and
six speakers
Seats, Seven-passenger Seating (2 front
high-back rectining buckets, with dual
armrests, 2 middle high-back reclining
buckets with dual armrests, and one
3-passenger rear bench) ZP7

Seats. Eight-Passenger Seating (2 front nigh-back buckets, one 3-passenger middle bench, and one 3-passenger rear bench. LTYC7 trim includes reclini seat backs and split bench seats) 21	ng P8
••••••	.78 C3
	A8
Wheels. Aluminum	:82 :F3 :J7

	TI	RES
KEY: ALS = ALL-SEAS(HWY = HIGHWAY	ON SBR = STEEL-BELTED RADIAL PLY BW BL = BLACK LETTERED OOR = ON-OFF RO	= BLACKWALL WW = WHITEWALL WL = WHITE LETTERED AD WOL = WHITE OUTLINE LETTERED
TIRE DES	CRIPTION	ORDERING CODE
P205/75R15	ALS/SBR/BW	QCE
P205/75R15	ALS/SBR/WL	QCF
P205/75R15	ALS/SBR/WS	QCG
P215/75R15	ALS/SBR/BW	QCU
P215/75R15	ALS/SBR/WS	QCV
P215/75R15	ALS/SBR/WL	QCM


DIMENSIONS

MODEL	ASTRO PASSENGER VAN	ASTRO EXTENDED PASSENGER VAN	ASTRO ALL-WHEEL DRIVE PASSENGER VAN	ASTRO ALL-WHEEL DRIVE EXTENDED PASSENGER VAN
MODEL NUMBER	TM10906	TM11006	TL10906	TL11006
	EXTERIOR	DIMENSIONS		
BODY Wheelbase (in.)	111.0	111.0	111.0	111.0
Overall Length (in.) w/o Rear Bumper	176.8	186.8	176.8	186.8
Overall Height (in.) Nominal	76.2	76.2	76.2	76.2
Maximum Width (in.)	77.5	77.5	77.5	77.5
Bumper to Axle (in.) Front Rear	30.9 35.2	30.9 45.2	30.9 35.2	30.9 45.2
Ground to Top of Rear Load Floor (in.)	26.0	26.0	26.0	26.0
Ground Clearance (in.) Front/Rear	7.8/7.3	7.8/7.3	7.6/7.3	7.6/7.3
Step-Up Height (in.)* Front Door Side Load Door	16.3 17.4	16.3 17.4	16.3 17.4	16.3 17.4
Side Load Door Opening Height (in.) Opening Width (in.)	43.7 34.5	43.7 34.5	43.7 34.5	43.7 34.5
Rear Load Door Opening Height (in.) Opening Width (in.)	44.7 57.0	44.7 57.0	44.7 57.0	44.7 57.0
Turning Diameter Curb-to-curb (ft.)	39.5	39.5	40.5	40.5
SIGN PANEL AREA (in.) Side Panel (in.) Front Door (in.)	18 x 80.5 18 x 40	18 x 90.5 18 x 40	18 x 80.5 18 x 40	18 x 90.5 18 x 40

^{&#}x27; Height from ground level to the surface of the step well.

	INTERIOR	DIMENSIONS		
Headroom (in.) Front/Middle/Rear	39.2/37.9/38.7	39.2/37.9/38.7	39.2/37.9/38.7	39.2/37.9/38,7
Legroom (in.) Front/Middle/Rear	41.6/36.5/38.5	41.6/36.5/38.5	41.6/36.5/38.5	i 41.6/36.5/38.5
Shoulder Room (in.) Front/Middle/Rear	64.0/67.1/67.1	64.0/67.1/67.1	64.0/67.1/67.1	64.0/67,1/67.1
Hip Room (in.) Front/Middle/Rear	64.9/50.9/50.9	64.9/50.9/50.9	64.9/50.9/50.9	64.9/50.9/50.9
Load Floor Length (in.) To Console w/Front/Middle w/Rear Seat	116.6 88.9/51.4 24.1	126.6 98.9/61.4 34.1	116.6 88.9/51.4 24.1	126.6 98.9/61.4 34.1
Intenor Height (in.)	47.6	47.6	47.6	47.6
Intenor Width (in.) between Wheelhousings	51.6	51.6	51.6	51.6
Cargo Volume (cu. ft.) Std. w/Front/Middle w/Rear Seat	151.8/85.8 22.7	170.4/104.4 41.3	151.8/85.8 22.7	170.4/104.4 41.3

LETTER DESIGNATOR DEFINITIONS



FRAME HEIGHTS AND LENGTHS


ANGLE(S)

A Ramp breakover

ANGLE(S) (APPROACH)

R

Air dam



Note: All weights are in pounds and all dimensions are in inches.

L Models

L10905 111.0" Wheelbase					eights are Base Model Welght	Frame Heights and Angular Dimensions are shown a Maximum GAWR Front and Rear							
GVW/Tire	L	Base Model Curb Weight	GAWR	HF	HE	HF 20.4	HE	A	В	С	D	E	F
5800 P215/75R15		2372 1602 3974	6724 6393	22.0	26.2		23.3	25	22	24	25	16	24
5950 P215/75R15		2672 1682 4354	6724 6393	22.3	25.5	23.0	21.6	26	27	20	21	13	20

L10906 111.0" Wheelbase					Frame He shown at B Curb V	ase Modei	Frame Heights and Angular Dimensions are shown at Maximum GAWR Front and Rear								
GVW/Tire	L	Base Model Curb Weight				HF HE	HF	HE	A	В	С	D	E	F	
5950 P215/75R15		2492 1799	4291	6724	6393	22.4	25.5	23.0	21.5	26	27	20	21	13	20

L11005 111.0" Wheelbase					1005 111.0" Wheelbase Frame Heights are shown at Base Mode Curb Weight				Frame Heights and Angular Dimensions are shown at Maximum GAWR Front and Rear									
GVW/Tire	L	L	L	1	se Mod rb Wei		GA	WR	HF	HE	HF	HE	A	В	С	D	E	F
		Frt	Rr	Ttl	Frt	Rr					<u> </u>	_		<u> </u>		<u> </u>		
5850 P215/75R15		2355	1675	4030	6724	6944	22.4	25.9	20.7	21.5	24	22	14	15	12	16		
6100 P215/75R15		2650	1761	4411	6724	6944	22.3	25.7	21.9	21.2	25	24	13	15	11	15		

L110	06	111.0" Wheelk	ase	Frame He shown at E Curb \		Frame Heights and Angular Dimensions are shown a Maximum GAWR Front and Rear						vn at	
GVW/Tire L	Base Model Curb Weight	GAWR	HF	HE	HF	HE	A	В	Ç	D	E	F	
		Frt Rr Ttl	Frt Rr	<u> </u>				 		<u> </u>	<u> </u>	<u> </u>	
6100 P215/75R16		2451 1893 4344	6724 6944	22.5	25.3	20.9	21.5	24	23	14	15	12	16

M Models

M10905 111.0" Wheelbase							shown at E	elghts are Base Model Velght	Frame Heights and Angular Dimensions are shown at Maximum GAWR Front and Rear									
GVW/Tire	L	Base Model Curb Weight			GAWR		HF	HE	HF	HE	! A	В	1 C	D	ı E	F		
	i	Frt	Rr	Tti	Frt	Rr	j				ì							
5400 P205/75R15	i	2123	1550	3673	6173	6393	22.5	25.9	21.1	22.9	26	1 23	1 23	24	15	23		
5700 P205/75R15	į	2431	1639	4070	6173	6393	21,1	25.6	20.8	21.6	24	22	20	21	14	21		

M109	111.	0" W	heeil	oase		Frame He shown at B Curb V	Base Model	Frame Heights and Angular Dimensions are shown at Maximum GAWR Front and Rear								
GVW/Tire	L		se Mo rb Wei		GA	WR	HF	HE	HF	HE	A	В	С	D	E	F
		Frt	Rr	Ttl	Frt	Rr						!		1	<u> </u>	
5700 P205/75R15	ŀ	2251	1748	3999	6173	6393	22.6	24.9	21.4	21.5	25	24	1 20	21	13	20

M110	05	111.0	0" W	heell	ase		shown at E	elghts are Base Model Weight	Frame Heights and Angular Dimensions are shown at Maximum GAWR Front and Rear								
QVW/Tire	L		Base Model Curb Weight		GAWR		HF	HE	HF	HE	A	В	С	D	E	F	
		Frt	Rr	Ttl	Frt	Rr	7										
5600 P215/75R15		2107	1635	3742	6173	6944	23.7	25.9	22.3	22.5	27	25	16	17	13	17	
5950 P215/75R15		2413	1719	4132	6173	6944	22.9	25.6	22.5	21.2	25	26	13	15	11	15	

M11006 111.0" Wheelbase							shown at B	ights are lase Model Velght	Frame Heights and Angular Dimensions are shown at Maximum GAWR Front and Rear								
GVW/Tire L		Base Model Curb Weight			GAWR		HF	HE	HF	HE	A	В	С	D	E	F	
5950 P215/75R15		2217	1847	4064	6173	6944	22.3	25.3	21.1	21.5	24	23	14	15	12	16	