1996 ASTRO VAN



M/L ASTRO PASSENGER VAN INTRODUCTION

M/L ASTRO PASSENGER VAN

The M/L Astro Passenger Van is offered in three trim levels. "Astro" (standard), "LS" (midlevel) and "LT" (uplevel).

Changes on the Astro Passenger Van for 1996 include:

- Standard Driver's and Front Seat Passenger Air Bags
- New Instrument Panel design, including new switches, radios and knee bolsters
- Standard Map Net and Two Covered Electrical Accessory Outlets, located on engine cover
- New 4-Spoke Steering Wheel
- New Electronic Overhead Console, including four map reading lamps, dome lamp, electronic compass, exterior temperature readout, garage door opener compartment and two stowage compartments. Included with LT Trim, optional with Astro and LS trim levels
- Rear Compartment Convenience Net, included with LS and LT trim levels, optional with Astro Trim
- New Standard Sunshades, including map band, extenders and dual vanity mirrors
- New Sunshade with LT Trim, including map band, extenders, auxiliary visors and dual illuminated vanity mirrors with dimming feature
- Two-Sided Key for simplified entry
- Standard Child Safety Lock on Sliding Side Door
- New Door Trim Panels, including armrests, restyled map pockets, cloth window sills, lower carpet inserts, radio speakers and reflectors. On LTTrim, reflectors include lights
- New Seats, including reclining feature on front bucket seats
- Cloth Seats now standard on LS trim level
- Manual Adjustable Lumbar feature standard on Cloth Seats
- New Driver's Power Seat option
- Optional Front Passenger Power Seat
- Optional Child Safety Seats (Interim availability)
- New Front Underseat Heat Ducts

- Restyled Interior Side Panels, including stowage bins, storage compartments and cupholders
- Rear Covered Power Accessory Outlet
- Optional ETR AM/FM Stereo Radio with Seek-Scan, automatic tone control. digital clock, cassette deck, theft lock and speed-compensated volume
- Optional ETR AM/FM Stereo Radio with Seek-Scan, automatic tone control, digital clock, compact disc, theft lock and speed-compensated volume
- Optional ETR AM/FM Stereo Radio with Seek-Scan, automatic tone control, digital clock, cassette deck, compact disc, theft lock, and speed-compensated volume
- Optional Intermediate Seat Radio Control and Headphone Jacks
- Restyled Reading Lamps
- Standard On Board Diagnostics (OBD II)
- Improved Air Conditioning operation
- Automatic Transmission enhancements
- New Vehicle Control Module (VCM)
- Vortec 4300 Engine, including Sequential Fuel Injection
- New Painted Styled Steel Wheels on LS Trim
- Optional Chrome Appearance Styled Steel Wheels
- Dutch Door Models with Intermittent Rear Wiper
- Seat Belt Warning enhancement
- Standard DEX-COOL™ Extended-Life Fluorescent Orange Colored Engine Coolant. Change interval is now 5 years/100,000 miles
- · Four new Interior Colors
- Three new Exterior Colors

MODEL SELECTION SUMMARY

Use the chart below to choose the model that fits your customer's needs. Please note that the Base Payloads snown reflect the maximum allowable weight of cargo that can be carried in a standard model, including occupants. (They are calculated by subtracting curb weight from GVWR.) To calculate payloads for models with optional equipment, please refer to the WEIGHTS section in the back of this book or consuit your 1996 GM PROSPEC. Also, the Maximum Trailer Weights shown below are based on vehicles that are properly equipped. See your Chevrolet Truck Order Guide for specific details.

SERIES	MODEL NUMBER/ BODY CODE/ OPTION CODE	PASSENGER CAPACITY (STD./OPT.)	STANDARD ENGINE/ TRANS.	OPTIONAL ENGINE/ TRANS.	GVWR (LB)	GAWR (LB) FRONT/ REAR	BASE PAYLOAD (LB)	MAXIMUM TRAILER WT./ TONGUE LOAD (LB) PROPERLY EQUIPPED
		REA	R-WHEEL-I	DRIVE MOD	DEL			•
ASTRO PASSENGER VAN	CM11006/ZW9	5/7/8	4300 V6/A4	-	5950	2800/3150	1830	5500/650
		ALL	-WHEEL-D	RIVE MOD	ΞL			L. <u>-</u>
ASTRO ALL-WHEEL-DRIVE PASSENGER VAN	CL11006/ZW9	5/7/8	4300 V6/A4		6100	3050/3150	1703	5000/600

POWERTRAINS

Chevrolet offers a variety of rear axle ratios for the M/L Astro Passenger Van. The following charts detail basic engine, transmission and axle specifications. See your 1996 Chevrolet Truck Order Guide for details.

ENGINES				
	VORTEC 4300 V6			
Engine Order Code	L35			
SAE Net Horsepower @ rpm	190 @ 4400			
SAE Net Torque Ib-ft @ rpm	250 @ 2800			
Fuel System	\$FI			
Standard Battery Cold Cranking Amps @ 0° F	600			
Standard Alternator Maximum Capacity (Amps)	100			

TRANSMISSIONS			
	ELECTRONIC AUTOMATIC 4-SPEED W/OVERDRIVE AND TORQUE CONVERTER CLUTCH (4L60-E)		
Order Code	M30		
Gear Ratios			
First	3.06		
Second	1.63		
Third	1.00		
Fourth	0.70		
Reverse	2.29		

		Α	XLES		
		REAR AXLE			TAXLE VE MODEL ONLY)
Make	GM		G	M	
Capacity (lb)	3150		3050		
Pinion and Ring Gear Type	Hypoid			. Hypoid	
Axle Ratio Code	GU5	GU6	GT4	GU6	· GT4
Ratio Pinion Teeth Ring Gear Teeth Ring Gear Diameter (in.)	3.23 13 42 7.625	3.42 12 41 7.625	3.73 11 41 7.625	3.42 12 41 7.25	3.73 11 41 7.25

Note: Axie ratio depends on model, powertrain and emissions selected.

TRIM LEVELS


Chevrolet offers M/L Astro Passenger Van in three trim levels: "Astro," "LS" and "LT." See your 1996 Chevrolet Truck Order Guide for more details.

CHASSIS EQUIPMENT					
KEY: B = STANDARD, —	NOT INCLUDED	ASTRO (STANDARD)	LS (YC6)	LT (YC7)	
BRAKES	Power-assisted, front disc, rear drum; with four-wheel anti-lock system. Includes brake/transmission shift interlock,				
EXHAUST	Single with aluminized stainless steel tail pipe and muffler.		•		
FRAME	Integral body design with boxed section front stub frame.				
FUEL TANK	27 gallon (approx.) capacity.				
REAR AXLE	Hypoid, semi-floating.				
SHOCK ABSORBERS	Front: 32mm; Rear: 32mm,	- - 			
STABILIZER BAR	4x2: Front 1.26 inch. All-wheel drive: 1.18 inch.				
STEERING	Integral power, Ratio: 14:1.				
SUSPENSION, FRONT	4x2: independent w/coil springs. All-wheel drive: independent w/torsion bars.				
SUSPENSION, REAR	Steel leaf springs.				

	EXTERIOR EQUIPMENT			
BUMPERS	Front and rear painted body color with rear combination top step surface.			
DOORS	Driver and passenger front side, sliding RH side door and RH and LH rear load doors.	<u> </u>	_	
GRILLE	Molded gray composite. Deluxe front appearance with bright highlights.			
HEADLAMPS	Single halogen sealed beam, Composite halogen,	=		
HORN	Dual high-note and low-note.			
LAMP	Center high-mounted stop lamp.			
LICENSE PLATE MOUNTING	Molded in fascia.		=	
MIRRORS	Below-eye-line type, black. Head size LH: 5.0* x 8.5*, RH: 5.25* x 9.0* Dual electric below-eye-line type, black. Head size LH: 5.0* x 8.5*, RH: 5.25* x 9.0*.	<u> </u>		
SPARE TIRE CARRIER	Winch-type mounted under floor at rear.			
SPARE TIRE/WHEEL	Compact, mounted under floor at rear.			
STRIPING	Color-keyed at beltline.		<u>=</u>	
TIRES	Four. P215/75R15 all-season steel-belted radial blackwall.		=	
WHEELS	Four, 15.0° x 6.0" argent steel wheels. Bright metal hubcaps with black trim. Four, 15.0° x 6.5" styled steel wheels painted sparkle silver with bright hub caps. Four, 15.0° x 6.5° brushed aluminum wheels.	• 	<u> </u>	-
WINDOW PILLARS	Black.			

	INTERIOR EQUIPMENT		·	
AIR CONDITIONING	Front.			
ARMRESTS	RH and LH front door.			
ASSIST HANDLES	Front at RH "A-pillar" and rear passenger at RH "B-pillar".			
CIGARETTE LIGHTER	Includes ashtray lamp.			-
COATHOOKS	Three LH and two RH.			
CONSOLE, OVERHEAD	Includes dome lamp, four map reading lamps, outside temperature gage. electronic compass and storage compartments.			
CONVENIENCE NET	Removable black net located in rear compartment.			
DOOR LOCK SYSTEM	Power. Keyless remote. Includes two key fobs.	_	-	-
DOOR STEPWELL	Black.			
DOORS	Side door guard beams for front side doors and stiding side door. Sliding door includes child safety lock.			
DOOR TRIM	Color-keyed expanded vinyl on driver's and passenger doors with cloth window sills, lower carpet inserts, map pockets, armrests, radio speakers and door reflectors. Door reflectors include lights.	•		
FLOOR COVERING	Color-keyed carpeting on wheelhousings and entire floor. Carpeting treated with Scotchgard "Protector.			
FLOOR MATS	Color-keyed rubber floor mats at all seating positions.	 _+		

KEV. B - CTANDARD	INTERIOR EQUIPMENT (CONT.)			_
KEY: ■=STANDARD, —= N	(STANDARD)	LS (YC6)	LT (YC7)	
GAGES	Coolant temperature, fuel level, odometer, oil pressure, speedometer, trip odometer and voltmeter.			
GLASS, FULL BODY	Solar-Ray [®] tint, all windows. Solar-Ray [®] deep-tint, all windows except windshield, driver's window and front passenger window.	_	-	_
GLOVE BOX	Lockable, located in front face of engine cover extension. Includes two beverage holders on top of engine cover extension.		•	
HEADLAMP WARNING TONE	Headlamps on.		•	
HEADLINER	Full-length, two piece, color-keyed, foam-backed cloth.			_ ;
HEATER	Includes front heater with windshield and side window defoggers. Also includes heat ducts located under the driver's and front passenger bucket seats that provide heat to intermediate passengers.	_	•	
LAMPS	Stepwell, storage compartment and three dome lamps (front, middle, rear) with front, rear and sliding door-activated switches. Includes door jamb override switch. Front and middle dome lamps include adjustable reading lamps.	<u> </u>		
MAPNET	Storage pouch located on passenger side of engine cover extension.			
MIRROR	10-inch rearview.			
POWER OUTLETS	Two covered electrical accessory outlets located on the passenger side of engine cover extension. One covered electrical accessory outlet located near the floor in the left-hand rear quarter panel.		-	
RADIO	Electronically tuned AM/FM stereo radio with Seek-Scan, digital clock, six speakers and fixed mast antenna.			
Speed Control	5-passenger seating with two custom vinyl high-back adjustable reclining front bucket seats and one, 3-passenger custom vinyl middle bench seat. Bench seat is removable, adjusts fore and aft and includes head restraints. 8-passenger seating with two custom cloth high-back adjustable reclining front bucket seats that include dual armrests, map pockets and adjustable manual lumbar support and two, 3-passenger custom cloth folding middle and rear bench seats. Bench seats are removable, adjust fore and aft and include head restraints. 8-passenger seating with two special cloth high-back adjustable front bucket seats with reclining seat-backs, folding integral armrests and adjustable headrests and two, 3-passenger special cloth folding middle and rear bench seats. Bench seats include fold-down center consoles with convenience trays and beverage holders. Bench seats are also removable and adjust fore and aft. Scotchgard Fabric Protector on cloth seats and cloth side panels.	-		-
SPEED CONTROL	Electronic.			
STEERING COLUMN	Tilt.	_		
STEERING WHEEL	Black 4-spoke with anti-theft locking feature. Black leather-wrapped with anti-theft locking feature.	-	_	
STORAGE COMPARTMENTS	Left-Hand Second Seat Area – Includes an ashtray, upper storage bin and beverage holder. Also includes full length lower storage bin. Left-Hand Third Seat Area – Includes an upper storage bin, storage compartment and beverage holder. Also includes a storage compartment in the lower comer. Right-Hand Third Seat Area – Includes an upper storage bin, storage compartment and beverage holder.	•	•	•
SUNSHADES	RH and LH padded color-keyed cloth with dual visor mirrors, map bands and extenders. RH and LH padded color-keyed cloth with dual adjustable lighted visor mirrors (including dimmer feature) map bands, auxiliary visors and extenders.	•	•	
SUPPLEMENTAL NFLATABLE RESTRAINT SYSTEM (AIR BAGS)	Two, included for both driver and front passenger.			
SWING-OUT GLASS	Included on sliding side door and left front quarter panel.			-
TOOLS	Swing-out glass also included on rear cargo door. Screw-operated scissor-type jack with ratchet handle and extension			•
VINDOWS	and two wheel blocks. Located behind side panel at right rear. Power.	-	_	
			_	-



PREFERRED EQUIPMENT GROUPS

Preferred Equipment Groups (PEGs) are convenient option packages that can save your customers money. They would pay appreciably more by buying all the options in a Preferred Equipment Group as individual options. (Savings based on a comparison of Manufacturer's Suggested Retail Price of option packages versus MSRP of individual options purchased separately.) See your 1996 Chevrolet Truck Order Guide and Vehicle Price Schedule for specific information and prices.

OPTIONS

These options can be ordered individually in addition to the Preferred Equipment Groups if not already included. See your 1996 Chevrolet Truck Order Guide for specific availability and restrictions. The Option Code is listed in **bold type**.

Air Conditioning (front and rear include	:S
105 amp alternator)	C69
Axles, Rear:	
3.23 (CM 11006 only)	GU5
3.42	GU6
3.73	GT4
Locking Differential	G80
Body Code:	
Standard Body Equipment	7110
Dutch Doors (includes Electric	2449
Release and intermittent	
Wiper/Washer)	
Carrier, Luggage (black)	V54
Cladding, Body Side	
(available with YC6/YC7)	
Cold Climate Package (includes Engine	,
Block Heater, coolant protection)	V10
Marketing Packages: (For his mation	
Purposes only, Included :: 1-2EGS.	
not available as free flow cottons.)	
Marketing Package linc'upes	
Convenience Net. Tilt Wree and	
Speed Control)	17F
Marketing Package iincludes Deep-	
Tinted Glass, Convenience Let. Tilt	
Wheel™ and Speed Control Power	
Windows and Door Locks, Courtesy	
and Dual Reading Lamps	1TG
Marketing Package linciuses Deen-	
Tinted Glass and Power naows)	1TJ
Marketing Package lincilices Deen-	
Tinted Glass, Exterior Painted Electric	:
Remote Mirrors, Frant Seat Passenge	7
Storage Compartment, Power	
.Vindows. Roof Cansole ±=±	
numinated LH and RH Sunshage	
:: tirror)	1TK
Marketing Package (includes 6-way	
Power Seat Driver Side:	1TM
Console, Overhead (included with YC7,	
Requires Dual Illuminated Sunshades	
	DK6
Convenience Net (included with YC6/	
VOT	AP9
Defogger, Rear Window Electric	
(Requires E54 Dutch Doors)	C40
Door Locking System, Power	A112
Emissions:	403
Federal	
, 000100	rE9

Massachusetts/New York California	VEG
Cal./Mass./N.Y. Emissions Override Federal Emissions Override	. NB8
Engines: Vortec 4300 V6 SFI	L35
Floor Mats, Color-keyed Rubber at all Seating Positions	
(included with YC6/YC7)	B3 7
Deep-Tinted Solar-Ray® (Included with YC7)	AJ1
GVWR Ratings: 5950 lbs (CM11006 only)	C6M
6100 lbs (CL11006 only)	C5M
Heater, Auxiliary Rear Lock, Keyless Remote	
Mirrors, Exterior Electric Remote, Blac	
(Mirror head LH: 5.0" x 8.5", RH: 5.25" x 9.0")	DAS
Molding, Bodyside	
Paint, Exterior: Solid	724
Two-Tone Appearance	
(available with YC6 and YC7)	ZY2
Special Two Tone Appearance	ZY3
Radio Equipment: ETR AM/FM Stereo Radio w/Seek-	
Scan, Digital Clock, Cassette and	
eight speakers ETR AM/FM Stereo Radio w/Seek	UM6
Scan Automatic Tone Control.	•
Cassette Tape, Digital Clock,	•
Theft Lock™, Speed-Compensate	d
Volume and eight speakers	ULO
ETR AM/FM Stereo Radio w/Seek-	•
Scan, Automatic Tone Control,	
Compact Disc Player, Digital Clock Theft Lock™, Speed-Compensate	¢,
Volume and eight speakers	() LINIO
ETR AM/FM Stereo Radio w/Seek-	ONO
Scan, Automatic Tone Control.	
Cassette Tape, Compact Disc	
Player, Digital Clock, Theft Lock™,	
Speed-Compensated Volume and	
eight speakers	UPO
(requires UL0 radio; not available o	
YC5 Base Decor)	
,	J

Seating Arrangements:
7-Person Seating, 4 High-Back
reclining Bucket Seats and
3-Passenger Bench ZP7
8-Person Seating, 2 Front High-Back
reclining Bucket Seats and Two
3-Passenger Bench Seats (included
with YC6 and YC7)ZP8
Seat, Six-Way Power Driver's AG1
Seat, Six-Way Power Passenger
(requires Power Driver's Seat AG1;
not available with underseat storage
compartment) AG2
Seat, Dual Integral Child Safety
(interim, not available with YC7) AN5
Seat Package (includes inboard and
outboard armrests, map pockets
and manual lumbar support. Available
on YC5 base decor with cloth seat
only)ANO
Steering Wheel,
Black Leather-Wrapped
(included with YC7)NP5
Suspension System, Ride and Handling
(includes front and rear gas shock absorbers, rear stabilizer shaft and
P235/65 R15 tires. Available on
CM11006 only)FE2
Trailering Package Heavy-Duty
(includes hitch platform.
and seven-wire harness) Z82
Transmission, 4-speed Electronically
Controlled Automatic w/Overdrive M30
Wheels:
Brushed Aluminum
(included with YC7) PF3
Styled, Steel
(painted sparkle silver, included with
YC6) PA6
Styled, Steel
(Chrome Appearance) PC2

		TIRES
KEY: ALS = ALL-SEASC	ON SBR = STEEL-BELTED RADIAL P	LY BW = BLACKWALL WS = WHITE STRIPE WOL = WHITE OUTLINED LETTER
TIRE DES	CRIPTION	ORDERING CODE
P215/75R15	ALS/SBR/BW	QCU
P215/75R15	ALS/SBR/WS	QCV
P215/75R15	ALS/SBR/WOL	QCM
P235/65R15	ALS/SBR/WOL	QPZ¹

Not merchandised. Included with FE2 Suspension Package only.

DIMENSIONS

MODEL		ASTRO PASSENGER VAN	ASTRO ALL-WHEEL-DRIVE PASSENGER VAN
MODEL NUMBER	۹	CM11006	CL11006
		EXTERIOR DIMENSIONS	
BODY Wheelbase (in.)	L101	111.0	111.0
Overall Length (in.)	L103	189.8	189.8
Overall Height (in.) Nominal	H431	76.2	76.2
Maximum Width (in.)	W103	77.5	77.5
Bumper to Axle (in.) Front Rear	L104 L105	32.5 46.0	32.5 46.0
Ground to Top of Rear Load Floor (in.)	H502	26.0	26.0
Ground Clearance (in.) Front/Rear	H148 H153	7.8/7.3	7.6/7.3
Step-Up Height (in.)* Front Door Side Load Door	H505 L508	16.3 17.4	16.3 17.4
Side Load Door Opening Height (in.) Opening Width (in.)	H202 \V204	44.5 34.5	44.5 34.5
Rear Load Door Opening Height (in.) Opening Width (in.)	H130 H131	42.0 57.0	2.0 57.0
Turning Diameter Curb-to-Curb (ft)		39.5	40.5
SIGN PANEL AREA (in.) Side Panel (in.) Front Door (in.)		18 x 90.5 18 x 40	18 x 90.5 18 x 40

^{*} Height from ground level to the surface of the stepwell.

		INTERIOR DIMENSIONS	
Headroom (in.) Front/Middle/Rear	~61/H63/H86	39.2/37.9/38.7	39.2/37.9/38.7
Legroom (in.) Front/Middle/Rear	_34 L51 L86	41.6/36.5/38.5	41.6/36.5/38.5
Shoulder Room (in.) Front/Middle/Rear	.∵3 <i>*</i> W4.W85	64.0/67.1/67.1	64.0/67.1/67.1
Hip Room (in.) Front/Middle/Rear	5.W6/W86	64.9/50.9/50.9	64.9/50.9/50.9
Load Floor Length (in.) to Console w/Front/Middle w/Rear Seat	L512 L202/L203 L509	126.6 98.9/61.4 28.4	126.6 98.9/61.4 28.4
Interior Height (in.)	H201	47.6	47.6
Interior Width (in.) between Wheelhousings	W201	51.6	51.6
Cargo Volume (cu ft) Std. w/Front/Middle w/Rear Seat		170.4/104.4 41.3	170.4/104.4 41.3

Note: 1995 interior dimensions shown. 1996 data will be added when available.

M/L ASTRO CARGO VAN INTRODUCTION


M/L ASTRO CARGO VAN

The M/L Astro Cargo Van is offered only in the standard trim level. The all-wheel-drive model is available only as an incomplete vehicle when ordering Commercial Vehicle Upfitter Package YF0.

Changes on the Astro Cargo Van for 1996 include:

- Standard Driver's and Front Seat Passenger Air Bags
- New Instrument Panel design, including new switches, radios and knee bolsters
- Standard Map Net and Two Covered Electrical Accessory Outlets, located on engine cover
- New 4-Spoke Steering Wheel
- New Sunshades, including map bands
- Two-Sided Key for simplified entry
- Standard Child Safety Lock on Sliding Side Door
- · Front Bucket Seats with reclining feature
- Optional ETR AM/FM Stereo Radio with Seek-Scan, automatic tone control, digital clock, cassette deck, theft lock and speed-compensated volume
- Optional ETR AM/FM Stereo Radio with Seek-Scan, automatic tone control, digital clock, compact disc, theft lock and speed-compensated volume
- Optional ETR AM/FM Stereo Radio with Seek-Scan, automatic tone control, digital clock, cassette deck, compact disc, theft lock and speed-compensated volume

- Restyled Reading Lamps
- Standard On Board Diagnostics (OBD II)
- Improved Air Conditioning operation
- Automatic Transmission enhancements
- New Vehicle Control Module (VCM)
- Vortec 4300 Engine, including Sequential Fuel Injection
- Optional Painted Styled Steel Wheels
- Optional Chrome Appearance Styled Steel Wheels
- Dutch Door Models with Intermittent Rear Wiper
- Seat Belt Warning enhancement
- Standard DEX-COOL™ Extended-Life Fluorescent Orange Colored Engine Coolant. Change interval is now 5 years/100,000 miles
- Four new Interior Colors
- Three new Exterior Colors



MODEL SELECTION SUMMARY

Use the chart below to choose the model that fits your customer's needs. Please note that the Base Payloads shown reflect the maximum allowable weight of cargo that can be carried in a standard model, including occupants. (They are calculated by subtracting curb weight from GVWR.) To calculate payloads for models with optional equipment, please refer to the WEIGHTS section in the back of this book or consult your 1996 GM PROSPEC. Also, the Maximum Trailer Weights shown below are based on vehicles that are properly equipped. See your Chevrolet Truck Order Guide for specific details.

SERIES	MODEL NUMBER/ BODY CODE/ OPTION CODE	PASSENGER CAPACITY (STD./OPT.)	STANDARD ENGINE/ TRANS.	OPTIONAL ENGINE/ TRANS.	GVWR (LB)	GAWR (LB) FRONT/ REAR	BASE PAYLOAD (LB)	MAXIMUM TRAILER WT./ TONGUE LOAD (LB) PROPERLY EQUIPPED
		REA	R-WHEEL	DRIVE MO	DEL			_
ASTRO CARGO VAN	CM11005/ZW9	2/	4300 V6/A4	_	5600	2800/3150	1716	5500/650
		ALI	L-WHEEL-I	DRIVE MOI	DEL			
ASTRO ALL-WHEEL DRIVE CARGO VAN'	CL11005/ZW9/ YF0	2/-	4300 V6/A4	_	5850	3050/3150	1678	5000/600

Available only as an incomplete vehicle when ordering YFO.

POWERTRAINS

Chevrolet offers a variety of rear axle ratios for the M/L Astro Cargo Van. The following charts detail basic engine, transmission and axle specifications. See your 1996 Chevrolet Truck Order Guide for specific details.

	ENGINES	
	VORTEC 4300 V6	·
Order Code	L35	
SAE Net Horsepower @ rpm	190 @ 4400	
SAE Net Torque lb-ft @ rpm	250 @ 2800	
Fuel System	SFI	
Standard Battery Cold Cranking Amps @ 0° F	600	
Standard Alternator Maximum Capacity (Amps)	100	

	TRANSMISSIONS
	ELECTRONIC AUTOMATIC 4-SPEED W/OVERDRIVE AND TORQUE CONVERTER CLUTCH (4L60-E)
Order Code	M30
Gear Ratios	
First	3.06
Second	1.63
Third	1.00
Fourth	0.70
Reverse	2.29

			AXLES		
		REAR AXLE		FRONT (ALL-WHEEL-DRI	
Make		GM		GI	
Capacity (lb)	3150		3050		
Pinion and Ring Gear Type	Hypoid		Нур	·	
Axle Ratio Code	GU5	GU6	GT4	GU6	GT4
Ratio Pinion Teeth Ring Gear Teeth Ring Gear Diameter (in.)	3.23 13 42 7.625	3.42 12 41 7.625	3.73 11 41 7.625	3.42 12 41 7.25	3.73 11 41 7.25

Note: Axle Ratio depends on model, powertrain and emissions selected.

TRIM LEVELS

Chevrolet offers the M/L Astro Cargo Van in one trim level: "Standard." The following chart details major features. See your 1996 Chevrolet Truck Order Guide for details.

CHASSIS EQUIPMENT			
KEY: # = STANDARD, — =	NOT INCLUDED	STANDARD (ZW9)	
BRAKES	Power-assisted; front disc. rear drum; with four-wheel anti-lock system. Includes brake/transmission shift interlock.		
EXHAUST	Single with aluminized stainless steel tail pipe and muffler.		
FRAME	Integral body design with boxed section front stub frame.		
FUEL TANK	27 gallon (approx.) capacity.		
REAR AXLE	Hypoid, semi-floating.		
SHOCK ABSORBERS	: Front: 32mm; Rear: 32mm.		
STABILIZER BAR	Front: M Vans 1.10 inch; L Vans 1.18 inch.		
STEERING	Integral power, Ratio: 14:1.		
SUSPENSION, FRONT	4x2: Independent w/coil springs. All-wheel drive: Independent w/ torsion bars.	•	
SUSPENSION, REAR	' Steel leaf springs.		

	EXTERIOR EQUIPMENT	
BUMPERS	Front molded gray. Rear painted gray with gray step pad.	
DOORS	Driver and passenger front side, sliding RH side door and RH and LH rear load doors.	
GRILLE	Molded gray composite.	•
HEADLAMPS	Single sealed-beam halogen.	R
HORN	Dual high-note and low-note.	
LAMP	Center high-mounted stop lamp.	=
LICENSE PLATE MOUNTING	Molded in fascia.	
MIRRORS	Below-eye-line type, black. LH: 5.0"x8.5", RH: 5.25"x9.0".	
SPARE TIRE CARRIER	Winch-type mounted under floor at rear.	
SPARE TIRE/WHEEL	Compact, mounted under floor at rear.	
TIRES	Four P215/75R15, all-season steel-betted radial blackwall.	
WHEELS	Four, 15.0" x 6.0" argent steel wheels. Bright metal center caps.	

	INTERIOR EQUIPMENT	
AIR CONDITIONING	! Front.	
ARMRESTS	RH and LH front door.	
ASSIST HANDLES	Front at RH "A-pillar."	
CIGARETTE LIGHTER	Includes ashtray lamp.	
COAT HOOK	· L.H.	•
DOOR STEPWELL	Black.	
DOORS	Side door guard beams for front side doors and sliding side door. Sliding door includes child safety lock.	
DOOR TRIM	Color-keyed expanded vinyl on driver's and passenger door with armrests, map pockets, radio speakers and door reflectors.	
FLOOR COVERING	Embossed front black rubber mat.	
GAGES	Coolant temperature, fuel level, odometer, oil pressure, speedometer, trip odometer and voltmeter.	•
GLOVE BOX	Lockable, located in front face of engine cover extension. Includes two beverage holders on top of engine cover extension.	•
HEADLAMP WARNING TONE	Headlamps on.	
HEADLINER	Front compartment, color-keyed, foarn-backed cloth.	
HEATER	Includes windshield and side-window defoggers.	
LAMPS	Stepwell lamps, storage compartment lamp and three dome lamps with front, rear and sliding door-activated switches. Includes door jamb override switch.	
MAP NET	Storage pouch located on passenger side of engine cover extension.	8
MIRROR	10-inch rearview.	
POWER OUTLETS	Two covered electrical accessory outlets located on the passenger side of the engine cover extension.	
RADIO	Electronically tuned AM/FM stereo radio with Seek-Scan, digital clock, two front-door speakers and fixed-mast antenna.	

INTERIOR EQUIPMENT (CONT.)			
KEY: = STANDARD, — =	NOT INCLUDED	STANDARD (ZW9)	
SEATS, FRONT	Two high-back vinyl reclining bucket seats. Adjust fore and aft.		
STEERING WHEEL	Black vinyl 4-spoke with anti-theft locking feature.		
SUNSHADES	Color-keyed vinyl RH and LH padded sunshades with map bands.		
SUPPLEMENTAL INFLATABLE RESTRAINT SYSTEM (AIR BAGS)	Two, included for both driver and front passenger.	•	
TOOLS	Screw-operated scissor-type jack with ratchet handle and extension and two wheel blocks. Located at right rear.		
WINDOWS	Solar-Ray [®] tinted glass.		
WINDSHIELD WIPERS	Intermittent.		

PREFERRED EQUIPMENT GROUPS

Preferred Equipment Groups (PEGs) are convenient option packages that can save your customers money. They would pay appreciably more by buying all the options in a Preferred Equipment Group as individual options. (Savings based on a comparison of Manufacturer's Suggested Retail Price of option packages versus MSRP of individual options purchased separately). See your 1996 Chevrolet Truck Order Guide and Vehicle Price Schedule for specific information and prices.

OPTIONS

These options can be ordered individually in addition to the Preferred Equipment Groups if not already included. See your 1996 Chevrolet Truck Order Guide for specific availability and restrictions. The Option Code is listed in **bold type**.

Air Conditioning (not desired)	YG6
Axles, Rear	
3.23	GU5
3.42	GU6
3.73	GT4
Locking Differential	G80
Body Code:	77400
Standard Body Equipment Dutch Doors (Includes Electric	ZW9
Release and intermittent	
Wiper/Washer)	E54
Cold Climate Package (includes Engin	
Block Heater, coolant protection)	
Commercial Sales Package, Vehicle	*
Upfitter	YF0
Convenience Groups,	
Power Door Locks and	
Power Windows	ZQ2
Tilt-Wheel™ Steering and	
Electronic Speed Control	ZQ3
Defroster, Rear Window (Requires	
E54 Dutch Doors)	C49
Door Locking System, Power	AU3
Emissions:	
Federal	FE9
California	YF5
Massachusetts/New York	NG1
Cal./Mass./N.Y. Emissions Override .	NB8
Federal Emissions Override	NÇ7
Engine:	
Vortec 4300 V6 SFI	L35
Glass Arrangement	
Complete Body	ZW6

Rear Panel Doors Solar-Ray®	ZW2
Sliding Door and Rear Panel Doors Solar-Ray	ZW3
Swing-Out Rear Doors and Side Door Solar-Ray" (Except with	
Side Door Solar-Hay" (Except with £64 ∴ n'on includes swingout	
side door glass only)	A19
Deep-Tinted Solar-Ray®	AJ1
Grille, Deluxe apearance with bright inserts; includes composite	
headlamps and body color	
bumpers	TL1
GWR BATINGS:	
5600 lbs	C5G
5850 lbs (requires YF0)	C7X
Heater. Rear	C36
Lamps, Dual Reading	. C95
Lock, Keyless Remote	
(Requires AU3 Power Door Locks	
or ZQ2 Convenience Group)	AUO
Molding, Bodyside	B74
Paint Exterior, Solid	ZY1
Radio Equipment:	
Radio Delete	UL5
ETR AM/FM Stereo Radio w/Seek-	
Scan. Digital Clock, Stereo Cassette	
and two front door speakers ETR AM/FM Stereo Radio w/Seek-	UM6
Scan, Automatic Tone Control,	
Cassette Tape, Digital Clock,	
Theft Lock™, Speed-Compensated	
Volume and two front-door speakers	
with rear speaker wiring	ULO

ETR AM/FM Stereo Radio w/Seek-	
Scan, Automatic Tone Control,	
Compact Disc Player, Digital Clock,	
Theft Lock™, Speed-Compensated	
Volume and two front-door speakers	
with rear speaker wiring	UN0
ETR AM/FM Stereo Radio w/Seek-	
Scan, Automatic Tone Control,	
Cassette Tape, Compact Disc Player,	
Digital Clock, Theft Lock™, Speed-	
Compensated Volume and two	
front door-speakers with rear	
speaker wiring	UP0
Recreational Sales Package,	
Vehicle Upfitter (For information	
purposes only. YF7 is available for	
ordering through authorized COACP	
manufacturers only.)	YF7
Seat Package (includes inboard and	
outboard armrests and map pockets.	
Manual lumbar support is also included	1
when cloth seats are ordered)	AN0
Trailering Package, Heavy-Duty	
(includes, hitch platform, and	
seven-wire harness)	Z82
Transmission, 4-Speed Electronically	
controlled Automatic w/Overdrive 1	M30
Wheels:	
Styled Steel (painted sparkle silver)	PA6
Styled Steel (Chrome Appearance)	PC2

		TIRES		
KEY: ALS = ALL-SEASO	N SBR = STEEL-BELTED RAD	DIAL PLY BW = BLACKWALL	WOL = WHITE OUTLINED LETTERED	WS = WHITE STRIPE
TIRE D	ESCRIPTION		ORDERING CODE	
P215/75R15	ALS/SBR/BW		QCU	
P215/75R15	ALS/SBR/WS		QCV	
P215/75R15	ALS/SBR/WOL		QCM	

DIMENSIONS

MODEL	ASTRO CARGO VAN	ASTRO ALL-WHEEL-DRIVE CARGO VAN
MODEL NUMBER	CM11005/ZW9	CL11005/ZW9/YF0
	EXTERIOR DIMENS	IONS
BODY Wheelbase (in.)	111.0	111.0
Overall Length (in.) _103	189.8	189.8
Overall Height (in.) Nominal	76.1	76.1
Maximum Width (in.) 11103	77.5	77.5
Bumper to Axle (in.) Front L104 Rear L105	32.5 46.0	32.5 46.0
Ground to Top of Rear Load Floor (in.) H502	26.0	26.0
Ground Clearance (in.) Front/Rear H148/H153	7.8/7.3	7.6/7.3
Side Load Door Opening Height (in.) H505 Opening Width (in.) L508	44.5 34.5	44.5 34.5
Rear Load Door Opening Height (in.) H202 Opening Width (in.) V/204	42 0 57.0	42.0 57.0
Step-Up Height (in.)* Front Door H130 Side Load Door H131	16.3 17.4	16.3 17.4
Turning Diameter Curb-to-Curb (ft)	39.5	40.5
SIGN PANEL AREA (in.) Side Panel (in.) Front Door (in.)	46 x 88 18 x 40	46 x 88 18 x 40

^{*} Height from ground level to the surface of the stepwell.

		INTERIOR DIMENSIO	NS
Headroom (in.)	H61	39.2	39.2
Legroom (in.)	L34	41.6	41.6
Shoulder Room (in.)	VV3	64.0	64.0
Hip Room (in.)	VV5	65.0	65.0
Load Floor Length (in.) to Console w/Front Seat	L512 L202	126.6 98.9	126.6 98.9
Interior Height (in.)	H201	46.9	46.9
Interior Width (in.) between Wheelhousin	W201 gs	51.6	51.6
Cargo Volume (cu ft)		170.4	170.4

Note: 1995 intenor dimensions shown. 1996 data will be added when available.

ASTRO PASSENGER VAN EQUIPMENT SUMMARY

STANDARD	INTERIOR FEATURES

	AIR BAGS:	DRIVER AND PASSENGER (FFSIR)	BASE S	LS S	LT S
	AIR CONDITIONING:	FRONT	Š	S	S
	<u>COAT HOOKS:</u>	THREE LH AND TWO RH	š	Š	Š
	DOOR BEAMS:	DRIVER, PASSENGER AND SLIDING SIDE DOOR	S	S	S
	GAGES:	COOLANT TEMPERATURE. FUEL LEVEL. ODOMETER, OIL PRESSURE. SPEEDOMETER, TRIP ODOMETER AND VOLTMETER	J		_
	GLASS:	DEEP-TINTED; SOLAR-RAY ALL WINDOWS, COMPLETE BODY GLASS	S	S	S
		TINTED: SOLAR-RAY ALL WINDOWS, COMPLETE BODY GLASS	-	~	S
	GLOVE BOX:	LOCKABLE, INCLUDES BEVERAGE HOLDERS ON TOP OF ENGINE COVER EXTENSION	s	S	-
	JACK:	SCREW OPERATED SCISSOR-TYPE JACK W/RATCHET HANDLE, EXTENSION AND TWO WHEEL BLOCKS	S	S	S
	LAMPS:	STEPWELL LAMPS, STORAGE COMPARTMENT LAMP, THREE DOME LAMPS WITH FRONT, REAR AND SLIDING DOOR ACTUATED SWITCHES. ALSO INCLUDED IS A DOOR	s	S	S
		JAMB DEFEAT SWITCH STEPWELL, READING, STORAGE COMPARTMENT AND THREE DOME LAMPS WITH FRONT, REAR AND SLIDING DOOR-ACTUATED SWITCHES. INCLUDES DOOR.	S	-	
		JAMB DEFEAT SWITCH.	_	S	s
	LOCKS:	SINGLE, TWO-SIDED KEY	S	S	S
		KEYLESS REMOTE	_	_	S
	RADIO:	ELECTRONICALLY TUNED AM/FM STEREO W/SEEK-SCAN			
	SCOTCHGARD:	AND DIGITAL CLOCK FABRIC PROTECTOR ON CARPETING AND OPTIONAL	S	s	S
	WARNING TONE:	CLOTH TRIMS HEADLAMP-ON	s s	s s	s s
STAN	IDARD EXTERIOR	REATURES			
	DOORS: SPARE	SLIDING RH SIDE DOOR, RH AND LH REAR LOAD DOORS	s	s	s
	TIRE/WHEEL:	COMPACT SPARE TIRE AND WHEEL MOUNTED UNDER			
		FLOOR AT REAR	s	S	S
	WIPERS: WINDOWS:	INTERMITTENT WINDSHIELD SWING-OUT GLASS ON SLIDING DOOR, LEFT FRONT	S	S	S
		QUARTER PANEL	S	S	s
		SWING -OUT REAR DOOR	-	S	s
STAN	IDARD CHASSIS	FEATURES			
	ALTERNATOR:	100 AMP	s	s	s
	BRAKES:	POWER ASSISTED FRONT DISC, REAR DRUM,			
		4-WHEEL ANTI-LOCK	S	S	S
	BRAKE/TRANS:	BRAKE/TRANSMISSION SHIFT INTERLOCK	S	s	s
	FUEL TANK:	27 GALLON	S	S	S

BOLD. ITALICS AND UNDERLINED INDICATES NEW FOR '96

REVISED: 1-29-96

1996 ORDER GUIDE

ASTRO PASSENGER

ASTRO PASSENGER VAN EQUIPMENT SUMMARY

INTERIOR TRIM				
		BASE	LS	LT
ARMRESTS: <u>CARGO CONVENIENCE:</u>	RH AND LH MOLDED IN DOOR NET	s o	S S	S S
CONSOLE:	OVERHEAD. (INCLS COMPASS AND OUTSIDE TEMPERATURE)		_	Š
CONVENIENCE GP:	TILT WHEEL AND SPEED CONTROL	0	S	s
	POWER DOOR LOCKS	0	S	S
	POWER WINDOWS	0	0	S
<u>DOOR TRIM:</u>	(DRIVER AND PASSENGER DOORS) COLOR-KEYED			
	EXPANDED CLOTH DOOR TRIM WITH CARPET INSERTS AND INSULATION	s	s	s
	LIGHTED REFLECTORS	_	-	s
	REFLECTORS	S	s	_
	SLIDING DOOR. INCLUDES CHILD SAFETY LOCK	s	s	s
FLOOR COVERING:	COLOR-KEYED CARPETING ON WHEEL HOUSING AND			
	ENTIRE LOAD FLOOR	S	S	S
	COLOR-KEYED FLOOR MATS FOR ALL SEATING AREAS	o s	S S	S S
HEADLINER:	FULL LENGTH, 2-PIECE COLOR-KEYED, FOAM BACKED CLOTH	S	S	S
FLOOR DUCTS: MAP POCKETS:	UNDER FRONT SEATS FRONT DOORS-SIDE AND ON NEW ENGINE COVER	S	S	S
POWER POINTS:	THREE FRONT, ONE LH REAR	Š	Š	Š
SEATING:	5-PASSENGER SEATING ARRANGEMENT (N/A RUBY INTERIOR)	S		_
	8-PASSENGER SEATING ARRANGEMENT	0	Ş	S
<u>SEATS:</u>	FRONT HIGH BACK RECLINING ADJUSTABLE BUCKETS WITH			
	ALL VINYL TRIM. NO ARMRESTS. INCLUDES CENTER			
	REMOVABLE, ADJUSTABLE 3-PASSENGER BENCH SEAT			
	WITH HEAD RESTRAINTS FRONT HIGH BACK RECLINING ADJUSTABLE BUCKETS WITH	S	_	_
	ALL CLOTH TRIM. INCLUDES DUAL ARMRESTS, MAP POCKET			
	AND ADJUSTABLE LUMBAR SUPPORT. PLUS TWO			
	REMOVABLE ADJUSTABLE 3-PASSENGER BENCH SEATS			
	W/HEAD RESTRAINTS	0	Ş	-
	SPECIAL FRONT BUCKET SEATS W/RECLINING BACKS.			
	FOLDING INTEGRAL ARMRESTS AND ADJUSTABLE			
	HEAD RESTRAINTS, SPLITBACK CENTER SEAT INCLS FOLD-DOWN			
	CENTER CONSOLE W/CONVENIENCE TRAY AND BEVERAGE	_	_	s
STEERING WHEEL:	HOLDERS BLACK 4-SPOKE WITH ANTI-THEFT LOCKING FEATURE	s	s	Š
OTELIMO WILLE.	BLACK LEATHER WRAPPED	_	0	S
STORAGE COMP:	MOLDED, COLOR-KEYED IN LH REAR AND 2ND SEAT AREA	S	-	-
	MOLDED, COLOR-KEYED IN LH REAR QUARTER AND		_	_
	3RD SEAT AREA	-	Ş	s
<u>SUNSHADES:</u>	LH AND RH COLOR-KEYED CLOTH WITH VISOR MIRRORS.	s	s	_
	MAP BANDS AND EXTENDERS LH AND RH COLOR-KEYED CLOTH WITH ADJUSTABLE	3		
	LIGHTED VISOR MIRRORS (INCLS DIMMER), MAP BANDS,			
	AUXILIARY VISORS AND EXTENDERS	_	-	s
EVTERIOR TRIM				
EXTERIOR TRIM				
BUMPERS:	FRONT AND REAR PAINTED BODY COLOR AND			
	COMBINATION TOP STEP SURFACE	S	S	S
GRILLE:	MOLDED, COMPOSITE PAINTED GRAY	S	-	-
	UPLEVEL WITH CHROME ACCENTS	s	s -	s -
HEADLAMPS:	HALOGEN SEALED BEAMS	- -	s	s
MIRRORS:	COMPOSITE BELOW-EYE-LINE, FOLD AWAY, PAINTED BLACK	s	Š	_
WILDOMS.	EXT BELOW-EYE LINE, DUAL ELECTRIC REMOTE. PAINTED	õ	0	s
NAMEPLATE:	SPECIAL NAMEPLATES ON FRONT SIDE DOOR "B" PILLARS	_	S	s
WHEELS:	15 X 6 STEEL, PAINTED ARGENT	S	_	-
	15 X 6.5 Styled, Steel, Painted Silver	0	S	- S
	15 X 6.5 BRUSHED ALUMINUM	Ų	U	3

BOLD. ITALICS AND UNDERLINED INDICATES NEW FOR '96

ASTRO PASSENGER

1996 ORDER GUIDE

REVISED: 1-29-96

MODEL AND BODY

Description	Model No	Body	Wheelbase	Description	Model No	Body	Wheelbase
REAR-WHEEL DRIVE MO	DEL			ALL-WHEEL DRIVE	MODEL		
Astro Van	M11006	ZW9	111.0"	Astro Van		ZW9	111.0"

^{*}Includes Destination and Handling Charges

EMISSIONS (Must Specify One) (Refer Emission Requirements Section)

FE9 Federal Emission Requirements

NG1 New York/Massachusetts State Emission Requirements

YF5 California Emission Requirements

NB8 California Emission or New York/Massachusetts State Emission Override (Reqs FE9 Federal Emissions)

NC7 Federal Emission Override (Reqs YF5 California or NG1 New York/Massachusetts State Emissions)

GVWR SELECTOR (MUST SPECIFY ONE)

GVW		Minimum Equipment Required For GVW Rating
Rating (lbs)	(a) GAWR (lbs) Front Rear	Restrictions
C6M 5950	2800 3150	CM11006 Only
C5M 6100	3050 3150	CL11006 Only

⁽a) GAWR's shown are the minimum for each axie with equipment listed. Other GAWRs are available and they are determined as the minimum capacity of either axie or springs or tires.

CAPACITIES

11006						CL11006					
SPRING	S:		AXLES:	-	-	SPRING	S:		AXLES:		
Front	2800	Base	Front	2800	Sase	Front	3050	Base	Front	3050	9ase
Rear	3150	Base	Rear	3150	Base	Rear	3150	Base	Rear	3150	Base

POWER TEAMS (Must Specify Engine, Transmission and Rear Axle)

(Consult GVWR Selector for Minimum Equipment Required)

ENGINE	TRANSMISSION		AXLES		
	AUTO	3.23	3.42	3.73	
CM11006					· · ·
L35 Vortec 4300 V6	M30	GU5	GU6	GT4	5950
(262 Cu in)-SFI					
CL11006			_		
L35 Vortec 4300 V6	M30		GU6	GT4	6100
(262 Cu in)-SFI .					2.22

REVISED: 1-29-96

1996 ORDER GUIDE

ASTRO PASSENGER

ASTRO (PASSENGER VAN)

PREFERRED VEHICLE

No Deletions Allowed. Additional Options/Substitutions (Where Indicated) May Be Ordered From The Additional Options Listing.

MUST SPECIFY: AXLE, EMISSION, ENGINE, GVWR, PEG,		BASE DECO				
TIRES AND TRANSMISSION		1 S	1 S	1 5		
BASE DECOR		A	В	C		
Preferred Equipment Group BASE DECOR Standard Body (May Substitute E54)	YC5 ZW9	x x	x x	x x		
Preferred Equipment Group Preferred Equipment Group Savings Marketing Package (Incls Convenience Net, Tilt Wheel and Speed Control)	1TF		x	_		
Preferred Equipment Group Preferred Equipment Group Savings Marketing Package (Incis Deep Tinted Glass, Convenience Net, Tilt Wheel and Speed Control, Power Windows and Door Locks, Courtesy and Dual Reading Lamps) Body-Side Molding Floor Mats	B74			X X X		
Seat Package: Inboard/Outpoard Armrests, Map Pocket, Manual Adjustable Lumbar Support (Available w:Cloth Only) Seating Arrangement: 8-Passenger (May Substitute ZP7) Wheels Styled (May Substitute PC2 or PF3 Wheels)	ZP8			X X		

			S DEC	OR
LS DECOR		1 S	1 S	1 S
		F	G	Н
Preferred Equipment Group				
Preferred Equipment Group Savings LS DECOR	YC6	¥	x	x
Standard Body (May Substitute E54)	7W9	Ŷ	, v	x
Marketing Package (Incls Deep Tinted Glass and Power Windows)	:TJ	x		
Seating Arrangement: 8-Passenger (May Substitute ZP7)	ZP8	X	x	x
Wheels Styled (May Substitute PC2 or PF3 Wheels)	PA6	x	x	-
Preferred Equipment Group	_			
Preferred Equipment Group Savings				
Marketing Package (Incls Deep Tinted Glass, Exterior Painted Electric Remote				
Mirrors, Front Seat Passenger Storage Compartment, Power Windows, Roo	f Cansole			l
and Illuminated LH and RH Sunshade Mirror)			x	x
Lock: Keyless Remote	AU0		x	X
Luggage Carrier	V54		x	×
Preferred Equipment Group				•
Preferred Equipment Group Savings				
6-Way Power Seat (Driver's)	AG1			X
Aluminum Wheels, Brushed (May Substitute PC2 Wheels)	PF3			x

	LT DECOR
	1
	s
LT DECOR	ĸ
Preferred Equipment Group Preferred Equipment Group Savings LT DECOR	x ;
Standard Body (May Substitute E54)ZW9	x j
Marketing Package (Incls 6-Way Power Seat Driver's Side)	x j
Luggage CarrierV54	x
Seating Arrangement: 8-Passenger (May Substitute ZP7)	x

ASTRO PASSENGER

1996 ORDER GUIDE

REVISED: 1-29-96

ADDITIONAL OPTIONS

INCL W/PEG	OPTION	
W/FEG	OFTION	
	000	ACKNOWLEDGEMENTS:
	A8S R8T	Multiple Order Numbers
	C69	Preliminary Invoice
	003	AIR CONDITIONING: Front and Rear (105 Amp Alternator) AXLE. REAR:
	GU5	3.23 Ratio (CM11006 Only)
	GU6	3.42 Ratio
	GT4	3.73 Ratio
	G80	Locking Differential
ALL	ZW9	BODY CODE:
ALL	E54	Standard Body Equipment Dutch Doors (Incls Wiper/Washer and Electric Release)
		W/LS or LT Decor
		w/Base Decor
G,H,K	V54	CARRIER, LUGGAGE: Painted
		W/1SG, 1SH or 1SK
	BX2	W/o 1SG, 1SH or 1SK
	V10	CLADDING: Lower Body Side (N/A Base Decor) COLD CLIMATE PACKAGE: (Incls Eng Block Heater and Coolant Protection)
	C49	DEFOGGER: Rear Window Electric (Reas E54 Body)
C,F,G,H,K	AU3	DOOR LOCK SYSTEM, POWER: (Incl w/1SC, LS or LT Decor) (Available w/1SA or 1SB)
		w/LS or LT Decor or 1SC
		w/1SA or 1SB
	FE9	EMISSIONS: (Refer Emission Requirement Tab Section)
	NG1	Federal Emission Requirements New York/Massachusetts State Emission Requirements
	YF5	California Emission Requirements
	NB8	California Emission or New York/Massachusetts State Emission Overnde (Regs FE9 Federal Emissions)
	NC7	Federal Emission Override (Regs YF5 California or NG1 New York/Massachusetts State Emissions)
C,F,G,H,K	L35	ENGINE: Vortec 4300 V6 (262 Cu In)-SFI (Incls Eng Oil Cooler, H.D. Radiator and Trans Oil Cooler)
O,r,G,H,K	B37	FLOOR MATS: Front and Rear Color-Keyed (Included w/1SC, LS and Lt Decor)) w/LS or LT Decor or 1SC
		w/ZP5 and 1SA or 1SB
		W/ZP7 or ZP8 and 1SA or 1SB
C,F,G,H,K	AJ1	GLASS, DEEP TINTED: Solar-Ray (Incl w/1SC, LS or LT Decor)
		w/1SC, LS or LT Decor
		w/1SA or 1SB GVWR RATINGS: (MUST SPECIFY ONE)
	C6M	5950 Lbs (CM11006 Only)
	C5M	6100 Lbs (CL11006 Only)
0.1111	C36	HEATER: Rear
G.H.K	AU0	LOCK: Keyless Remote (Incl w/LT Decor or 1SG or 1SH) (Regs. AU3 Power Door Locks w/1SA or 1SB)
		w/LT Decor or 1SG or 1SH w/Base Decor or 1SF
G,H,K	D48	MIRRORS: Below- Eye-Line Exterior, Electric Remote, Black (Incl w/1SG or 1SH and LT Decor) (Avail w/1SC)
		w/LT Decor or 1SG or 1SH
		w/1SC
C.F.G.H,K	B74	MOLDING: Body-Side (Incl w/1SC, LS or LT Decor) (Reqs Base Decor)
		w/LS or LT Decor or 1SC w/1SA or 1SB
		PAINTS, EXTERIOR: (Refer Color/Trim Chart)
	ZY1	Solid
	ZY2	Two-Tone Appearance (Reqs LS or LT Decor and BX2 Cladding)
	111140	RADIO EQUIPMENT: (Electronically Tuned AM/FM Stereo Radio w/Seek-Scan and Digital Clock) Standard
	UM6 UL0	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Cassette Tape and Digital Clock
	QLU	Electronically Tuned AM /FM Stereo Radio w/Seek-Scan, Digital Clock w/Automatic Tone Control, Cassette Tape, Theft Lock and Speed Compensated Volume (N/A 1SA or 1SB)
	UNO	Electronically Tuned AMFM Stereo Radio w/Automatic Tone Control, Compact Disc Player, Digital Clock.
		Theft Lock and Speed Compensated Volume (N/A 1SA or 1SB)
	UP0	Electrically Tuned AMFM Stereo Radio w/Seek-Scan, Stereo Cassette Tape w/Search and Repeat,
	UK6	Automatic Tone Control, Compact Disc Player and Digital Clock (N/A 1SA or 1SB)
	UND	Rear Seat Radio Controls and Jacks (Reqs UL0 Radio) (N/A Base Decor)

ADDITIONAL OPTIONS

INCL W/PEG	OPTION	
		SEATING ARRANGEMENTS: Adjustable
	ZP 7	7-Person Seating, 4 High Back Bucket Seats (Incls Seat Back Recliner) and 3-Passenger Bench (Incls AN0 Seat Pkg) (N/A w/Vinyl Seats) w/LT Decor w/LS Decor
		w/1SC w/1SA or 1SB
C,F,G,H,K	ZP8	W/13A of 13B 8-Person Seating, 2 Front High Back Reclining Bucket Seats and Two 3-Passenger Bench Seats (Incl w/1SC, LS or LT Decor) (Avail w/Base Decor) w/1SC, LS or LT Decor w/1SA or 13B
		SEAT, POWER:
н,к	AG1	6-Way. Driver's (Included w/1SH or LT Decor) (Available w/YC6 or 1SB/1SC Cloth Trim Only) w/1SH or LT Decor w/1SF or 1SG or Base Decor
	AG2	6-Way . Passenger (Reqs AG1 6-Way Power Driver's Seat) (Deletes Front Underseat Storage Compartment)
	AV5	SEAT: High Back Buckets
C,F,G,H,K	ANO	SEAT PACKAGE: (Incis Inboard/Outboard Armrests, Map Pocket, Manually Adjustable Lumbar Support) (Incl w/1SC, LS/LT Decor or ZP7 and YC5) (Avail w/1SB and ZP5/ZP8) (Reqs Cloth Trim) w/1SC, LS/LT Decor or YC5 & ZP7 w/1SB & ZP5/ZP8
K	NP5	STEERING WHEEL: Black Leather Wrapped (Ind w/LT Decor) (Avail w/LS Decor) w/LT Decor
	FE2	w/LS Decor SUSPENSION PACKAGE: Touring (CM11006 Only) (Incls Front and Rear Gas Shock Absorbers, Rear Stabilizer Shaft and P235/65 R-15 Touring WOL Tires) (Reqs PF3 w/LT Decor) TIRES: Tubeless, All Seasons Steel Belted Radial (Incls Front, Rear and Compact Spare) (B/W-Blackwall, W/S=White Stripe, WOL=White Outlined Lettered)
	QCU	P215/75R15 B/W
	QCM	P215/75R15 WOL
	QCV	P215/75R15 W/S (N/A PF3 Wheels)
	Z82	TRAILERING SPECIAL EQUIPMENT: Heavy-Duty (Incls Platform Trailer Hitch and 7-Wire Wiring Harness)
	M30	TRANSMISSION: 4-Speed Electronically Controlled Automatic w/Overdrive WHEELS:
н,к	PF3	Aluminum, Brushed (Incl w/1SH or LT Decor) w/1SH or LT Decor w/1SC, 1SF or 1SG w/1SA or 1SB
	PC2	Styled, Steel, Chrome Appearance w/1SH or LT Decor w/1SC, 1SF or 1SG w/1SA or 1SB
C,F,G	PA6	Styled, Steel, Painted Silver (Incl w/1SC and LS Decor) (Avail w/Base Decor) w/1SC, 1SF or 1SG w/1SA or 1SB

ASTRO (Passenger)

AVAILABLE WINDOW/DOOR ARRANGEMENTS


(See Option Section For Restrictions)

STANDARD (Includes RH and LH Rear Quarter Windows)


STANDARD (w/ZW9)

OPTIONAL (w/E54 Dutch Doors)












AVAILABLE SEATING ARRANGEMENTS

(One Seating Arrangement Option Must Be Specified)
(See Interior and Exterior Chart for Restrictions)



w/ZP5 Standard 5-Person Seating

Includes High Back Reclining Buckets (2 Front) and Standard 3-Passenger Adjustable Bench Seat.




w/ZP8 8-Person Seating (Std w/LS and LT Decor)

w/Base or LS Decor Includes 2 High Back Reclining Buckets and Two 3-Passenger Adjustable Bench Seats.

w/ LT Decor
Includes 2 Reclining Bucket
Seats and 2 Split Back
Reclining 3-Passenger
Adjustable Bench Seats
with Folding Armrests.

w/ZP7 7-Person Seating

w/Base or LS Decor Includes 4 High Back Reclining Buckets (2 Front and 2 Mid-Ship) and a 3-Passenger Adjustable Bench Seat.




w/ LT Decor Includes 4 Reclining Bucket Seats (2 Front and 2 Mid-Ship) and a Split Back Reclining 3-Passenger Adjustable Seat with Folding Armrests.


ASTRO (Passenger)

PAINT APPLICATIONS WITH ZY1 SOLID PAINT AND ZY2 TWO-TONE APPEARANCE


SOLID PAINT - ZY1 Base Decor



SOLID PAINT WITH CLADDING - ZY1 (LS and LT Decor Only)



TWO-TONE APPEARANCE - ZY2 (LS and LT Decor Only)



ASTRO (Passenger)

INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART

PLEASE NOTE: Below are the interior trim color and exterior paint combinations recommended by Chevrolet. They are the only available interior and exterior combinations allowed.

*BASE/LS DECOR WITH ZY1 PAINT (WITHOUT CLADDING)

TRIM LEVEL	TRIM LEVEL Seat Type		INTERIOR COLORS				
Sent Type			GRAY	NAVY	NEUTRAL	"RUBY	
Custom Vinyl High Back Reclin	ing Bucket Seats	AV5	13W	26W	52W	79W	
Custom Cloth High Back Reclin	ing Bucket Seats	1 ""	13G	26G	52G	79W	
EXTERIOR COLORS Color		Peint	RECOMMENDED INTERIOR				
W/ZY1 PAINT APPLICATION	Code 1	Application	TRIM COLORS				
AUTUMNWOOD, LT (Met)	55U	ZY1			x 1		
BLUE, MEDIUM (Met)	37U	ZY1	x	x	1		
BLUE, TEAL (Met)	36U	ZY1	- x		X		
CHERRY ICE (Met)	59U	ZY1	<u> </u>		 	-	
GREEN, EMERALD (Met)	43U	ZY1	×		1 x		
GREEN, MEDIUM LICHEN (Met)	47U	ZY1	X		Î		
RED, BURNT (Met)	76U	ZY1	- x		1 1	1	
SILVER, STERLING (Met)	15U	ZY1	- - -	1	 	- -	
TEAL, LT (Met)	340	ZY1	<u> </u>				
WHITE, IVORY	100	ZYI	- î -	x	 	х .	

*LS DECOR WITH ZY1 PAINT (AVAILABLE WITH CLADDING***)

EXTERIOR COLORS W/ZY1 PAINT APPLICATION	Color Code 1	Paint Application		RECOMMENDED INTERIOR TRIM COLORS				
AUTUMNWOOD, LT (Met)	55U	ZY1			×	1		
BLUE, MEDIUM (Met)	37U	ZY1	X	×				
BLUE, TEAL (Met)	36U	ZY1	x	1	x	† 		
CHERRY ICE (Met)	591/	ZY1	X		x	×		
SILVER, STERLING (Met)	15U	ZY1	x	x		×		

*LS DECOR WITH ZY2 TWO-TONE APPEARANCE (REQS BX2 CLADDING***)

EXTERIOR COLORS w/ZY2 PAINT APPLICATION	Color Code 1	""Color Code 2	Paint Application	1	RECOMMENT TRIM C	DED INTERIO)R
AUTUMNWOOD, Lt (Met)/Cherry Ice (Met)	55U	59C)	ZY2				x
BLUE, MEDIUM (Met)/Silver, Sterling (Met)	370	15Q	ZY2	x	x		
BLUE, TEAL (Met)/Autumnwood, Lt (Met)	360	55O	ZY2			x	
BLUE, TEAL (Met)/Silver, Sterling (Met)	36U	15Q	ZY2	×			1
CHERRY ICE (Met)/Autumnwood, Lt (Met)	59U	55Q	ZY2			x	×
CHERRY ICE (Met)/Silver, Sterling (Met)	59∪	15Q	ZY2	x			
GREEN, EMERALD (Met)/Autumnwood, Lt	43U	55Q	ZY2			x	
GREEN, EMERALS (Met)/Silver, Sterling (Met)	43U	15Q	ZYZ	x			<u> </u>
GREEN, MED LICHEN (Met)/Silver, Sterling (Met)	47U	15 Q	ZY2	×		_	
RED, BURNT (Met)/Autumnwood, Lt (Met)	76U	55Q	ZY2			х	×
RED, BURNT (Met)/Silver, Sterling (Met)	76U	15Q	ZY2	×			×
SILVER, STERLING (Met)/Blue, Medium (Met)	15U	370	ZY2	X	X		
SILVER, STERLING (Met)/Cherry Ice (Met)	15U	59C)	ZY2				×
TEAL, LT (Met)/Blue, Teal (Met)	34U	36Q	ZY2	х		×	
TEAL, LT (Met)/Silver, Sterling (Met)	34U	1 5 Ω	ZY2	x			
WHITE, IVORY/Autumnwood, Lt (Met)	10U	55Q	ZY2		i	x	
WHITE, IVORY/Silver, Sterling (Met)	:OU	15Q	ZY2	×	x		×

- * Astro LS Decor Regs Cloth Trim
 ** Ruby Interior N/A w/ZP5 5-Passenger Seating
- Option BX2 Must Be Ordered as a (+) Plus Option
- **** Color Code 2 Must Be Ordered as a (+) Plus Option

REVISED: 1-29-96

1996 ORDER GUIDE

ASTRO PASSENGER

ASTRO (Passenger)

INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART

PLEASE NOTE: Below are the interior tim color and exterior paint combinations recommended by Chevrolet. They are the only available interior and exterior combinations allowed.

LT DECOR WITH ZY1 PAINT (AVAILABLE WITHOUT CLADDING)

TRIM LEVEL	Seat	INTERIOR	COLORS
Seat Type	Option	Gray	Neutral
Special Cloth High Back Reclining Front Bucket Seats	AV5	13H	52H

Opacial Claim Flight Cack Flockhillig F	TOTA DOCKER SOULS	1 7.0	3	J.L.I	
EXTERIOR COLORS w/ZY1 PAINT	Color Code1	Paint Application		DED INTERIOR COLORS	STRIPE COLORS
AUTUMNWOOD, LT (Met)	55U	ZY1		x	AUTUMNWOOD
BLUE, MEDIUM (Met)	37U	ZY1	x		GRAY
BLUE, TEAL (Met)	36U	ZY1		x	AUTUMNWOOD
BLUE, TEAL (Met)	36U	ZY1	x		GRAY
CHERRY ICE (Met)	59∪	ZY1		x	AUTUMNWOOD
CHERRY ICE (Mel)	590	ZY1	x		GRAY
GREEN, EMERALD (Met)	43U	ZY1		x	GOOWNMUTUA
GREEN. EMERALD (Met)	43U	ŽY1	x	[]	GRAY
GREEN, MEDIUM LICHEN (Met)	47U	ZY1		x	AUTUMNWOOD
GREEN, MEDIUM LICHEN (Met)	47U	ZY1	x		GRAY
RED, BURNT (Met)	76U	ZY1		x	AUTUMNWOOD
AED, BURNT (Mel)	76U	ZY1	x		GRAY
SILVER, STERLING (Met)	15U	ZY1	x		GRAY
TEAL LT (Met)	34U	ZY1		X	AUTUMNWOOD
TEAL, LT (Met)	34U	ZY1	X		GRAY
WHITE, IVORY	100	ZY1		x	DOOWNMUTUA
WHITE, IVORY	10U	ZY1	×		GRAY

LT DECOR WITH ZY1 PAINT (AVAILABLE WITH CLADDING**)

EXTERIOR COLORS w/ZY1 PAINT	Color Code1	Paint Application	TRIMC	DED INTERIOR COLORS	STRIPE COLORS	
AUTUMNWOOD, LT (Met)	55∪	ZY1	x		AUTUMNWOOD	
BLUE, MEDIUM (Met)	37∪	ZY1	¥		GRAY	
BLUE, TEAL (Met)	36U	ZY1		I.	AUTUMNWOOD	
BLUE. TEAL (Met)	36U	ZY1	x		GRAY	
CHERRY ICE (Met)	59U	ZY1	x		GRAY	
CHERRY ICE (Met)	59U	ZY1		x	AUTUMNWOOD	
S'LVER, STERLING (MET)	15U	ZY1	x	- i	GRAY	

LT DECOR WITH ZY2 TWO-TONE APPEARANCE (REQS BX2 CLADDING**)

EXTERIOR COLORS w/ZY2 PAINT	Color Code 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		STRIPE COLORS		
BLUE, MEDIUM/Silver, Sterling (Met)	37U	15Q	ZY2	2		GRAY
BLUE, TEAL (Met)/Autumnwood, Lt (Met)	36U	55Q	ZY2		x	AUTUMNWOOD
BLUE, TEAL (Met)/Silver, Sterling (Met)	36U	15Q	ZY2	x		GRAY
CHERY ICE (Met)/Autumnwood, Lt (Met)	59U	55Q	ZY2		x	AUTUMNWOOD
CHERRY ICE (Met)/Silver, Sterling (Met)	59U	15Q	ZY2	x		GRAY
GREEN, EMERALD (Met)/Autumnwood, Lt (Met)	43U	55Q	ZY2		x	AUTUMNWOOD
GREEN, EMERALD (Met)/Silver, Sterling (Met)	43U	15Q	ZY2	I		GRAY
GREEN, MED LICHEN (Met)/Silver, Sterling (Met)	47U	15Q	ZY2	R		GRAY
RED. BURNT (Met)/Autumnwood, Lt (Met)	76U	55Q	ZY2	ĸ	K	AUTUMNWOOD
RED. BURNT (Met)/Silver, Sterling (Met)	76U	15O	ZY2	x	¥	GRAY
TEAL, LT (Met)/Blue, Teal (Met)	34U	36Q	ZY2		x	AUTUMNWOOD
TEAL, LT (Met)/Blue, Teal (Met)	34U	36C)	ZY2	x		GRAY
TEAL, LT (Met)/Silver, Sterling (Met)	34U	150	ZY2	x		GRAY
WHITE, IVORY/Autumnwood, Lt (Met)	10U	55Q	ZY2		x	AUTUMNWOOD
WHITE, IVORY/Silver, Sterling (Met)	10U	15Q	ZY2	×		GRAY

^{*} Color Code 2 Must Be Ordered as a (+) Plus Option
** Option BX2 Must Be Ordered as a (+) Plus Option

ASTRO PASSENGER

1996 ORDER GUIDE

REVISED: 1-29-96

Page 10

Prices Shown Are Manufacturer's Suggested Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory Management Since MSRP Figures Change Periodically. The Vehicle Prices Schedule is The Official Pricing Documentation Of Chevrolet Motor Division And Should Be Used In Discussing Vehicle Prices With Potential Buyers. The Model Prices Shown in The Order Guide Include The Destination Freight Charges.