



1997 SUBURBAN




GENUINE CHEVROLET



Suburban

Dealer Order Guides inserts are your first look at Chevy Truck models for 1997. Overall improvements, changes and deletions are highlighted. Use these inserts to assist you in ordering your initial shipments. (NOTE: some information is preliminary and is subject to change.)

Positioning Statement
Suburban
remains
America's truck
wagon.
It is a unique
family utility
vehicle with
distinctly upscale
features. As part
of the Chevrolet
sport utility line-
up, Suburban
is far and away
the most popular
vehicle of its
kind.



FOCUS

The Focus vehicle is the model chosen for its saleability. It is equipped with the product features that customers want most. Generally, it is the "volume" vehicle that comprises the majority of the build. You'll want to be sure you have several of these models in stock. NOTE: model, PEG and optional equipment may vary in your locality.

C1500 Suburban LS with PEG Group 1SB

(image above, top)

The Focus vehicle for 1997 is the C1500 Suburban LS with Preferred Equipment Group 1SB. This vehicle is popular with buyers who want a high-trailer capability and a comfortable, spacious interior.

Ordering Recommendations:

The recommended C1500 Suburban LS content, based on national sales volume, is listed below to assist your dealership in ordering.

C1500 Suburban LS with Preferred Equipment Group 1SB includes:

- Choice of ZW9 Panel Doors or E55 Tailgate with Liftglass
- Air Conditioning: Front and Rear
- Convenience Group: Tilt-Wheel™ Adjustable Steering Column and Electronic Speed Control
- ETR AM/FM Stereo with Automatic Tone Control and Cassette Player
- Cast-Aluminum Wheels
- Rear-Window Defogger (with ZW9 body)
- Rear Wiper/Washer with Defogger (E55 body only)
- Heater: Rear
- Luggage Carrier
- Seat: Rear
- Solar-Ray Deep-Tinted Glass.

FEATURE

The Feature vehicle is the "image" model Chevy Truck will profile most in its advertising. Generally, it does the best job of capturing attention and creating consumer awareness.

K1500 Suburban LT with PEG Group 1SC

(image above, bottom)

K1500 Suburban, with the LT Preferred Equipment Group 1SC is this year's Feature vehicle. It includes the following equipment, in addition to or replacing items in the standard decor:

- Choice of ZW9 Panel Doors or E55 Tailgate with Liftglass/Dropgate
- Air Conditioning: Front and Rear
- Convenience Group: Tilt-Wheel™ Adjustable Steering Column and Electronic Speed Control
- ETR AM/FM Stereo with Automatic Tone Control and Cassette Player
- Cast-Aluminum Wheels
- Rear-Window Defogger (with ZW9 body)
- Rear Wiper/Washer with Defogger (E55 body only)
- Heater: Rear
- Luggage Carrier
- Seat: Rear
- Solar-Ray Deep-Tinted Glass
- 6-Way Power Driver Seat
- Leather Seating Surfaces
- 60/40 Split Front Bench Seat
- Remote Keyless Entry.

Trim Colors



Vinyl available in Neutral, Blue, Gray and Red.







LS Custom Cloth available in Neutral, Blue, Gray and Red.




LT Custom leather seating surfaces available in Neutral, Blue, Gray and Red.

Seat Styles



Wheels



Standard 15" steel, painted argent with black hub ornament.



(RPO P06) Optional 16" Rally Wheel trim with bright trim ring. (Standard on C/K2500 models with LS or LT trim package.)



(RPO N90) 15" 2WD cast-aluminum — C1500 models only (standard on LS/LT).



(RPO PF4) 16" 4WD cast-aluminum — K1500 models only (standard on LS/LT).


Most Popular Exterior Colors with Corresponding Interior Color Availability

INTERIOR MATERIAL COLORS

	Neutral	Blue	Gray	Red
EXTERIOR COLORS				
Emerald Green Metallic	✓		✓	
Indigo Blue Metallic	✓	✓	✓	
Summit White	✓	✓	✓	✓
Medium Beige Mystique Metallic	✓			

NOTE: New Suburban exterior colors are Medium Opal Blue Metallic and Medium Beige Mystique Metallic. Atlantic Blue Metallic and Light Autumnwood Metallic have been deleted.

Most Popular Exterior Colors by Percentage



Clockwise at left are the anticipated four most popular Suburban colors for 1997, based on national sales volume. They are listed for reference only. To identify the top-selling colors in your area, by model, use the Retail Sales Analysis (RSA).

Emerald Green Metallic	18%
Indigo Blue Metallic	12%
Medium Beige Mystique Metallic	10%
Summit White	10%
Other colors	50%

- A. Bench seat — Base.
- B. Bench seat — LS.
- C. Reclining 60/40 split-bench seat.
- D. Reclining 60/40 split-bench seat — LS.
- E. Reclining 60/40 split-bench seat with custom leather seating surfaces — LT.
- F. Reclining high-back bucket seats with custom leather seating surfaces — LT.



P.D.S.E.I. helps explain 1997 models for this brand. Overall improvements, changes and deletions are highlighted. Please review the supplied information, keeping in mind that this material is provided to you before production startup — and may change.

P.D.S.E.I. (New-for-'97 features appear in color.)



PERFORMANCE

• **SHORTER TURNING RADIUS FOR 4WD 1500 SERIES MODELS (EXCEPT DIESEL MODELS)** — provides smaller turning radius for easier maneuvering and parking capability. • **STANDARD VORTEC 5700 V8 ENGINE WITH SEQUENTIAL FUEL INJECTION** — provides impressive power and torque, smooth, quiet performance, and extended maintenance intervals. Generates 255 hp @ 4600 rpm and 330 lb.-ft. of torque @ 2800 rpm. • **OPTIONAL VORTEC 7400 V8 ENGINE WITH SEQUENTIAL FUEL INJECTION** — available on C/K2500 Series. Ideal for applications where extra power is needed for trailer towing. • **AVAILABLE DIESEL POWER** — eager 6.5 Liter Turbo-Diesel V8 is available in all models. An ideal choice for fleets with long idle time or for trailer towing.



DURABILITY

• **100,000-MILE SPARK PLUGS** — for extended service intervals.* • **EXTENDED-LIFE COOLANT** — good for 5 years/100,000 miles.* • **SERPENTINE BELT ACCESSORY DRIVE** — designed to last 100,000 miles. • **NO NEED TO CHECK ENGINE TIMING** — ever. • **TWO-SIDE-GALVANIZED STEEL** — on all exterior body panels (except roof) provides maximum corrosion protection. • **BUMPER TO BUMPER LIMITED WARRANTY** — protection for 3 years or 36,000 miles, with no deductible.

*Maintenance needs vary with different uses and driving conditions.



SAFETY

• **PASSENGER AIR BAG** — added safety for front-seat passengers. • **CHILD SECURITY REAR-DOOR LOCK SYSTEM** — when engaged, prevents the rear doors from being opened from the inside. • **DRIVER AIR BAG** — helps reduce the chance of injury in certain moderate to severe frontal collisions. Always wear safety belts, even with air bags. • **4-WHEEL ANTI-LOCK BRAKE SYSTEM (ABS)** — helps maintain steering control and minimizes wheel lockup on most slippery surfaces. • **STANDARD DAYTIME RUNNING LAMPS** — help make vehicle more visible during daylight hours.



EXTERIOR

• **BASECOAT/CLEARCOAT PAINT** — resists fading and provides a high-gloss shine for long-lasting exterior beauty. • **ANTI-CHIP COATING** — on lower-body surfaces helps prevent damage to finish. • **REAR-DOOR CHOICES** — Suburban offers wide-opening panel doors or liftglass with dropgate and power release. • **TRIM LEVELS** — choice of Base, LS or LT decor.



INTERIOR

• **REAR-DOOR LOCK/UNLOCK SWITCH** — allows all doors to be locked/unlocked from the rear while rear doors are open. • **SECOND-SEAT SAFETY BELT SHOULDER HEIGHT ADJUSTER** — adjustable D-ring makes possible improved comfort of shoulder safety belts. • **SEATING FOR UP TO 9 PASSENGERS** — 3-passenger seating is standard in Base models; 9-passenger in LS and LT (8 with available front bucket seats) with optional third-row-seat delete • **IMPRESSIVE CARGO SPACE** — up to a big 149.5 cu. ft. with the available second-row seat stowed. Accommodates loads up to 97.7 inches long.

Competitive Models

NOTE: Suburban currently has no direct competition. Secondary competitors include:

- Jeep Grand Cherokee
- Ford Explorer (Limited)
- Toyota Land Cruiser.

Additional Information on Significant Features

- An important addition to Suburban this year is the standard front-passenger air bag. Since safety is a major consideration among today's full-size sport utility buyers, the front-passenger air bag helps make Suburban more appealing than ever as America's truck wagon.
- New 4WD improved turning radius. Maneuverability is important to four-wheel-drive aficionados, especially those who are off-road enthusiasts. This new system uses revised components and increased turn angles to make possible a shorter turning radius. Affects all 4WD 1500 Series models except diesel.

Deletions

- Two exterior colors have been deleted for 1997: Atlantic Blue Metallic (#30) and Light Autumnwood Metallic (#55) and have been replaced by two new colors: Medium Opal Blue Metallic (#24) and Medium Beige Mystique Metallic (#65).

Forecasted Percent of Mix

SERIES		
C/K1500		85%
C/K2500		15%
Total		100%
MODELS		
Panel Doors (ZW9)		80%
Tailgate (E55)		20%
Total		100%
TRIM LEVELS		
Base		3%
LS/LT		97%
Total		100%
ENGINES		
	C/K1500	C/K2500
Vortec 5700 V8 with SFI	85%	20%
6.5 Liter HD V8 Turbo-Diesel	15%	35%
Vortec 7400 V8 with SFI	NA	45%
Total	100%	100%
TRANSMISSIONS		
Automatic	100%	100%
Total	100%	100%

1997 NEW PRODUCT HIGHLIGHTS

SUBURBAN

AIR BAG FOR FRONT PASSENGER

SPEED SENSITIVE POWER STEERING

DEALERS WILL BE REQUIRED TO ORDER OPTION YG6 (AIR CONDITIONING NOT DESIRED) IF AIR CONDITIONING IS NOT ORDERED OR IS NOT STANDARD.

NEW COLOR MEDIUM MYSTIQUE BEIGE.

SUBURBAN EQUIPMENT SUMMARY

STANDARD INTERIOR FEATURES

		BASE	LS	LT
AIR BAGS:	DRIVER'S SIDE & <i>PASSENGER</i> (FRONT)	S	S	S
CARGO NET:	REMOVABLE REAR COMPARTMENT SECURITY NET	--	S	S
CUPHOLDERS:	DUAL IN DASH	S	S	S
DOOR BEAMS:	SIDE IMPACT	S	S	S
GAGES:	OIL PRESSURE, TACHOMETER, TRIP ODOMETER AND VOLTMETER	S	S	S
GLASS:	SOLAR RAY TINTED, ALL WINDOWS	S	S	S
HEATING DUCT:	REAR SEAT	S	S	S
JACK:	WITH WHEEL WRENCH	S	S	S
LIGHTING:	DOME W/LH & RH DOOR SWITCH W/DELAYED ENTRY FEATURE, READING, ASHTRAY, GLOVE-BOX, UNDERHOOD & CARGO LAMPS. REAR DOOR LIGHT SWITCH	S	S	S
POWER POINTS:	DUAL COVERED	S	S	S
SCOTCHGARD:	ALL CLOTH AND CARPET SURFACES	S	S	S
SEAT BELTS:	ADJUSTABLE HEIGHT, FRONT & <i>2ND SEAT</i>	S	S	S
WARNING TONE:	KEY-IN-IGNITION BUZZER	S	S	S

STANDARD EXTERIOR FEATURES

		BASE	LS	LT
AIR DAM:	DARK ARGENT (1500 ONLY)	S	S	S
KEY:	SINGLE TWO SIDED	S	S	S
LAMPS:	DAYTIME RUNNING	S	S	S
SPARE TIRE:	FULL SIZE SPARE TIRE & WHEEL	S	S	S
TOW HOOKS:	TWO FRONT ON 4X4 MODELS	S	S	S
WIPERS:	INTERMITTENT WINDSHIELD W/PULSE WASHERS	S	S	S
WIRE HARNESS:	7 LEAD TRAILERING	S	S	S

STANDARD CHASSIS FEATURES

		BASE	LS	LT
BATTERY:	HEAVY-DUTY 600 CCA	S	S	S
BRAKES:	POWER ASSISTED FRONT DISC, REAR DRUM W/4-WHEEL ANTI-LOCK AND TRANSMISSION SHIFT INTERLOCK	S	S	S
ENGINE:	VORTEC 5700 V8 SFI	S	S	S
EXHAUST SYSTEM:	STAINLESS STEEL	S	S	S
FUEL TANK:	42 GAL	S	S	S
GENERATOR:	100 AMP	S	S	S
<i>STEERING:</i>	<i>SPEED SENSITIVE POWER (EVO)</i>	S	S	S
STORAGE BOX:	UNDERHOOD, COVERED	S	S	S
SUSPENSION FRT:	INDEPENDENT COIL W/2WD INDEPENDENT TORSION BAR W/4X4	S	S	S
SUSPENSION RR:	MULTI-LEAF SPRINGS	S	S	S
TRANSMISSION	4-SPEED AUTOMATIC W/OVERDRIVE	S	S	S

BOLD, ITALICS AND UNDERLINED INDICATES NEW FOR '97

REVISED: 8-19-96

1997 ORDER GUIDE

C/K SUBURBAN

Page 1

Prices Shown Are Manufacturer's Suggested Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory Management Since MSRP Figures Change Periodically. The Vehicle Price Schedule Is The Official Pricing Documentation Of Chevrolet Motor Division And Should Be Used In Discussing Vehicle Prices With Potential Buyers. The Model Prices Shown In The Order Guide Include The Destination Freight Charges.

SUBURBAN TRIM DEFINITION & OPTION SUMMARY

INTERIOR TRIM

	BASE	LS	LT
AIR CONDITIONING:	--	S	S
ASSIST HANDLES: RH FRONT SEAT -- LH & RH REAR SEAT	S	S	S
CONVENIENCE GP: POWER WINDOWS, LOCKS			
<i><u>(INCLS CARGO AREA LOCK SWITCH)</u></i>	--	S	S
POWER LOCKS ONLY <i><u>(INCLS CARGO AREA LOCK SWITCH)</u></i>	S	--	--
TILT WHEEL AND CRUISE CONTROL	--	S	S
DOOR TRIM: MOLDED PLASTIC W/ARMREST	S	--	--
COLOR-KEYED CLOTH AND CARPET TRIM	--	S	S
FLOOR COVERING: FULL BLACK RUBBER	S	--	--
COLOR-KEYED CARPET W/RUBBER MATS	--	S	S
GLASS: DEEP TINT	--	S	S
HEADLINER: COLOR-KEYED CLOTH	S	S	S
MAP POCKETS: IN PASSENGER & DRIVER'S DOOR	S	S	S
MIRROR: 10" ELECTROCHROMIC ISRV W/8 POINT COMPASS	--	S	S
RADIO: AM/FM STEREO W/SEEK & SCAN	S	--	--
AM/FM STEREO W/SEEK & SCAN, CLOCK AND CASSETTE TAPE W/AUTO TONE CONTROL	--	S	S
RR QUARTER TRIM: BLACK COMPOSITE FIBER	S	--	--
CLOTH COVERED	--	S	S
SEATING FRT: VINYL BENCH SEAT	S	--	--
CUSTOM CLOTH	--	S	--
LEATHER 60/40 SPLIT BENCH	--	--	S
SEATING RR: 3 PASSENGER FOLDING W/ADJUSTABLE HEIGHT SEAT BELTS	--	S	S
3 PASSENGER THIRD SEAT	--	S	S
SPARE TIRE COVER: COLOR-KEYED, CLOTH COVER	--	S	S
STEERING WHEEL: SIMULATED LEATHER	S	--	--
LEATHER WRAPPED	--	S	S
SUNSHADES: CLOTH W/LH STORAGE STRAP & RH MIRROR	S	--	--
LH STORAGE STRAP & LH/RH LIGHTED MIRRORS AND EXTENDERS	--	S	S

EXTERIOR TRIM

	BASE	LS	LT
BUMPERS FRT: CHROME WITH BLACK RUB STRIPS & BRIGHT TRIM	S	S	S
BUMPER RR: CHROME WITH STEP PAD	S	S	S
CARRIER: ROOF MOUNTED LUGGAGE CARRIER	--	S	S
GRILLE: MOLDED PAINTED ARGENT	S	--	--
CHROME DELUXE	--	S	S
HEADLAMPS: SINGLE RECTANGULAR HALOGEN	S	--	--
DUAL COMPOSITE HALOGEN	--	S	S
HORN: SINGLE NOTE	S	--	--
DUAL NOTE	--	S	S
MIRRORS: BREAK-A-WAY, BLACK	S	--	--
ELECTRIC, REMOTE CONTROL, BLACK	--	S	S
MOLDINGS: BODY SIDE WITH BRIGHT TRIM AND BRIGHT WHEEL OPENING TRIM	S	S	S
NAMEPLATES: LS BADGE ON B-PILLAR	--	S	--
LT BADGE ON B-PILLAR	--	--	S
PAINT: SINGLE TONE	S	S	S
TWO-TONE SUBSTITUTE	--	--	--
WHEELS: ALUMINUM (1500 W/O L65 ENG)	--	S	S
RALLY WHEEL TRIM (STD W/QIZ TIRES OR 2500 LS/LT)	--	S	S
SILVER PAINTED W/BLACK CENTER CAP	S	--	--

BOLD, ITALICS AND UNDERLINED INDICATES NEW FOR '97

MODEL AND BODY 18795.00

Description	Model No	Body	Wheel Base
2-Wheel Drive Model...	CC10906	ZW9	131.5
4-Wheel Drive Model...	CK10906	ZW9	131.5

*Includes Destination & Handling Charges

EMISSIONS (Must Order One) (Refer Emission Requirements Section)

- FEB Federal Emission Requirements
- YF5 California Emission Requirements
- NG1 New York/Massachusetts Emission Requirements
- NB8 California or New York/Massachusetts Emission Override (Reqs FEB Federal Emissions)
- NC7 Federal Emission Override (Reqs YF5 California or NG1 New York/Massachusetts Emissions)

POWER TEAMS (Must Order Engine, Transmission and Rear Axle)

(Consult GVWR Selector For Minimum Equipment Required)

ENGINE	TRANSMISSION	AXLES	GVWR
	AUTO	3.42	3.73
	Lt Duty / H Duty		
CC10906			
L31 Vortec 5700 V8 (350 Cu In) SFI	M30	GU6	GT4 6800
L65 V8 Turbo Diesel 6.5 Liter (400 Cu In)	MT1	(a) GU6	-- 7700
CK10906			
L31 Vortec 5700 V8 (350 Cu In) SFI	M30	GU6	GT4 7300
L65 V8 Turbo Diesel 6.5 Liter (400 Cu In)	MT1	(b) GU6	-- 8050

(a) N/A YF5 California Emissions
(b) N/A YF5 California Emissions. Reqs B71 Molding

*SAME FRAME
HEAVY AXLES
& Lug*

GVWR SELECTOR (MUST SPECIFY GVW OPTION)

GVW Opt Required	GVW Rating (lbs)	GAWR (lbs)	
		Front	Rear
C10906			
C5U	6800	2950	3968
C3F	7700	3600	6084
K10906			
C6A	7300	3600	4000
C5I	8050	3925	4800

GAWR's shown are the minimum for each axle with equipment listed. Other GAWR's are available and they are determined as the minimum capacity of either axle, springs or tires.

CAPACITIES

C10906	
SPRINGS:	AXLES:
Front	Front
2950 Base	3400 Base
Rear	Rear
4000 Base	4000 Base

K10906	
SPRINGS:	AXLES:
Front	Front
3600 Base	3925 Base
Rear	Rear
4000 Base	4000 Base

MUST SPECIFY:

AXLE, BODY, EMISSION, ENGINE, TIRES AND TRANSMISSION

No Deletions Allowed. Additional Options/Upgrades (Where Indicated) May be Ordered from the Custom Ordering Option Listing.

	Base	LS	LT
	1	1	1
	S	S	S
	A	B	C
BASE DECOR	X	--	--
LS DECOR		X	--
w/L65			
w/L31			
Air Conditioning: Front and Rear	C69	X	X
ATC Stereo Cassette (A)	UL0	X	X
Heater, Rear	C36	X	X
Glass: Deep Tinted, Solar-Ray	AJ1	X	X
Rear Wiper/Washer w/Defogger (E55 Body Only)	ZP6	X	X
Rear Window Defogger (ZW9 Only)	C49	X	X
Seat, Rear (B)	AS3	X	X
Tilt and Cruise	ZQ3	X	X
Wheel Trim: Rally (Incl w/L65 Eng)	P06	X	X
Wheels: Aluminum (w/o L65 Eng)	N90/PF4	X	X
LT DECOR			X
w/L65			
w/L31			
Power Seat	AG9		X
Remote Keyless Entry	AU0		X
60/40 Split Bench Seat (C)	AE7		X

- (A) May Upgrade
- (B) YG4 May Be Substituted, With A52 or AE7, Refer Seat Option for Restrictions
- (C) Must Specify Trim Color, May Upgrade To A95 Bucket Seats

ADDITIONAL OPTIONS

INCL W/DECOR			OPTION
Base	LS	LT	
			ACKNOWLEDGEMENTS: R8S Multiple Order Numbers R8T Preliminary Invoice (Refer Vehicle Price Schedule) K47 AIR CLEANER: High Capacity AIR CONDITIONING: (One Of The Following Options Must Be Ordered w/PEG 1SA) YG6 Air Conditioning Not Desired C60 Front (Incls R134A Refrigerant) (Incl w/C69 Front and Rear Air Conditioning) w/1SB or 1SC or Option C69 w/1SA
	x	x	C69 Front and Rear with Dual Controls (Incls C60 Front Air Cond) w/1SB or 1SC w/1SA (Incls Cloth Covered Rear Quarter Trim)
	x	x	AXLES, REAR: (Refer Power Teams Chart for Availability) GU6 3.42 Ratio GT4 3.73 Ratio G80 Locking Differential
			BODY CODE: (Must Specify) ZW9 Panel Doors E55 Tailgate (Lift Glass with Drop Gate and Power Release) V0 COLD CLIMATE PACKAGE: (Incls Eng Block Heater) (N/A L65 Eng)
	x	x	ZQ3 CONVENIENCE GROUPS: Tilt-Wheel and Speed Control w/1SB or 1SC w/1SA
			COOLING: KC4 Engine Oil (Reqs L31 Eng) w/Z82 or GT4 w/o Z82 or GT4
			KNP Transmission, Heavy-Duty, Auxiliary (Incl w/MT1 Trans) w/MT1 or Z82 and M30 w/o MT1 or Z82 and M30
			EMISSIONS: (Refer Emission Requirement Tab Section) FE9 Federal Emission Requirements YF5 California Emission Requirements NG1 New York/Massachusetts Emission Requirements NB8 California or New York/Massachusetts Emission Override (Reqs FE9 Federal Emissions) NC7 Federal or High Altitude Emission Override (Reqs YF5 California or NG1 New York/Massachusetts Emissions)
			ENGINES: (Refer Power Teams Chart for Availability) L31 Vortec 5700 V8 (350 Cu In) - SFI L65 6.5 Liter (400 Cu In) V8 Turbo Diesel (Incls Front Bumper Guards) (Deletes Underhood Storage Box)
	x	x	AJ1 GLASS: Deep Tinted, Solar-Ray w/1SB or 1SC w/1SA
			GVWR: (Must Specify One) (Refer GVWR Selector Chart For Availability) C5U 6800# C6A 7300# C3F 7700# C5I 8050#
	x	x	C36 HEATER: Auxiliary, Rear Passenger w/1SB or 1SC w/1SA (Incls Cloth Covered Rear Quarter Trim)
N/A		x	AU0 KEYLESS ENTRY: Remote w/1SC w/o 1SC
			UD1 LAMP, ROOF MARKER: Five (N/A YF5 California Emissions) VK3 LICENSE PLATE BRACKET: Front DF2 MIRROR, EXTERIOR: Camper Type, Stainless Steel, 7.5" W x 10.5" H w/1SA w/1SB or 1SC
			871 MOLDING: Wheel Flares (K10906 Only) PAINT, EXTERIOR: (Refer Color/Trim Charts for Availability) ZY1 Solid ZY2 Conventional Two-Tone ZY4 Deluxe Two-Tone
N/A			RADIO EQUIPMENT: UM6 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Stereo Cassette Tape and Digital Clock
N/A	x	x	ULO Electronically Tuned AM/FM Stereo Radio w/Seek-Scan w/Automatic Tone Control, Digital Clock Cassette Tape, Theft Lock and Speed Compensated Volume (Incls Enhanced Performance Speaker System)
N/A			UNO Electronically Tuned AM/FM Stereo Radio w/Seek-Scan w/Automatic Tone Control, Compact Disc Player, Digital Clock, Theft Lock and Speed Compensated Volume (Incls an Enhanced Performance Speaker System)
N/A			UPO Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Cassette Tape w/Automatic Tone Control, Compact Disc Player, Digital Clock, Theft Lock and Speed Compensated Volume (Incls Enhanced Performance Speaker System)
	N/A	N/A	UL5 Radio Delete

ADDITIONAL OPTIONS

INCL W/DECOR			OPTION
Base	LS	LT	
	x	x	C49 REAR WINDOW EQUIPMENT: Defogger: Rear Window Electric (w/o ZP6 Wiper/Washer Reqs ZW9 Body and C60 Air) Incl w/ZP6 Wiper/Washer System w/ZP6 or 1SB/1SC w/1SA w/o ZP6
	x	x	ZP6 Wiper/Washer System with Defogger (Reqs E55 Tailgate and C60 Air) (Incls C25 Wiper/Washer System and C49 Defogger) w/1SB or 1SC w/1SA
N/A		x	AG9 SEAT: Power Driver's Seat (N/A A52 Bench Seat) w/1SC w/o 1SC
	x	x	AT5 SEATING: (Must Specify One With Base Decor) Center, Folding (Incl w/AS3 Center and Rear Seat) (Incls Adjustable Shoulder Belt System) w/1SB or 1SC or AS3 w/1SA w/o AS3
	x	x	AS3 Center and Rear (Incls AT5 Center Folding Seat and Shoulder Belt System) w/1SB or 1SC w/1SA (Incls Cloth Covered Rear Quarter Trim)
			YG4 w/Base Decor Center and Rear Seat Not Desired; w/LS/LT Deletes Third Seat (Refer Seat Type for Restrictions) w/1SA w/1SB w/1SC
			SEAT TYPE: (Refer Color/Trim Chart for Availability)
			A52 Bench Seat (Incls Storage Armrest and Power Lumbar w/Custom Cloth Trim) K10906 w/A52 or AE7 and AS3 Seating and L31 Eng the Following Restrictions Apply: w/ZB2 Trailing Pkg Reqs QGA or QGB Tires; N/A NZZ Skid Plate w/NZZ Skid Plate N/A ZB2 Trailing Pkg
			AE7 Reclining Split Bench Seat (Incls Storage Armrest and Power Lumbar w/Custom Cloth or Leather Trim) w/1SC w/o 1SC
			A95 Reclining High Back Bucket Seats (Incls Power Lumbar) w/1SC w/1SB
			NZZ SKID PLATE PACKAGE: (K1500 Only) (Incls Fuel Tank Shield) (Incls Front Differential and Transfer Case Shield)
			F60 SPRINGS: Front, Heavy-Duty (K1500 Only) (Reqs L31 Engine)
			BVE STEP RUNNING BOARD: Side, Black (Support 600 lbs) (Dealer Installed) TIRES: Tubeless (BW - Blackwall; WOL - White Outlined Letters; WL - White Letters) (Front, Rear and Spare)
			C10906 Only
			QHA P235/75R15-X All Seasons Steel Belted Radial Ply B/W (Reqs L31 Eng)
			QHM P235/75R-15 All Seasons Steel Belted Radial Ply WOL (Reqs L31 Eng)
			QIZ LT245/75R16-E All Seasons Radial Ply B/W (Reqs L65 Eng)
			K10906 Only
			QBN LT245/75R16-C On-Off Road Steel Belted Radial Ply B/W (Reqs L31 Eng)
			QBX LT245/75R16-C On-Off Road Steel Belted Radial Ply WOL (Reqs L31 Eng)
			QW LT245/75R16-E On-Off Road Steel Belted Radial Ply B/W (Reqs L65 Eng)
			QIZ LT245/75R16-E All Seasons Steel Belted Radial Ply B/W (Reqs L65 Eng)
			QGA P245/75R16 All Terrain Steel Belted Radial Ply B/W (Reqs L31 Eng)
			QGB P245/75R16 All Terrain Steel Belted Radial Ply WOL (Reqs L31 Eng)
			V76 TOW HOOKS (Std K10906)
			ZB2 TRAILERING SPECIAL EQUIPMENT: Heavy-Duty (Incls Trailer Hitch Platform) (Incls KC4 Eng Oil Cooler and KNP Transmission Oil Cooler Where Available) w/Diesel Eng or GT4 Axle w/o Diesel Eng or GT4 Axle
			NP1 TRANSFER CASE: Electronic Shift Control, 2-Speed (Reqs 4-Wheel Drive) (w/1SA Reqs ZQ3 Conv Group)
			M30 TRANSMISSION: 4-Speed w/Overdrive, Light Duty (Refer Power Teams Chart for Availability)
			MT1 TRANSMISSION: 4-Speed Automatic w/Overdrive, Heavy Duty (Refer Power Teams Chart for Availability)
	N/A	N/A	P06 WHEEL TRIM: Rally (N/A N90 or PF4 Wheels)
	x	x	N90 WHEELS: (Spare is Base Wheel) Aluminum, Cast (K1500 Only) (N/A L65 Eng) (Reqs QHA or QHM Tires) w/1SB or 1SC w/1SA
	x	x	PF4 Aluminum, Cast (K1500 Only) (N/A L65 Eng) w/1SB or 1SC w/1SA

**C/K 2500 SUBURBAN
REFER WEEKLY STOPS/LATEST UPDATE**

MODEL AND BODY

Description	Model No	Body	Wheel Base
2-Wheel Drive Model	CC20906	ZW9	131.5

Description	Model No	Body	Wheel Base
4-Wheel Drive Model	CK20906	ZW9	131.5

*Includes Destination & Handling Charges

EMISSIONS (Must Order One) (Refer Emission Requirements Section)

- FE9 Federal Emission Requirements
- YF5 California Emission Requirements
- NG1 New York/Massachusetts Emission Requirements
- NB8 California or New York/Massachusetts Emission Override (Reqs FE9 Federal Emissions)
- NC7 Federal Emission Override (Reqs YF5 California or NG1 New York/Massachusetts Emissions)

POWER TEAMS (Must Order Engine, Transmission and Rear Axle)

(Consult GVWR Selector For Minimum Equipment Required)

ENGINE	TRANSMISSION	AXLES		GVWR
	AUTO	3.73	4.10	
	H DUTY			
CC20906-CK20906				
L31 Vortec 5700 V8 (350 Cu In) SFI	MT1	(a) GT4	GT5	8600
L29 Vortec 7400 V8 (454 Cu In) SFI	MT1	GT4	GT5	8600
L65 V8 Turbo Diesel H D 6.5 Liter (400 Cu In)	MT1	GT4	GT5	8600

(a) N/A K20906

GVWR SELECTOR (MUST SPECIFY GVW OPTION)

GVW Opt Required	GVW Rating (lbs)	GAWR (lbs)	
		Front	Rear
C20906			
C6P	8600	3600	6084
K20906			
C6P	8600	4250	6000

CAPACITIES

C20906		AXLES:	
SPRINGS:		Front	
Front		3600	Base
Rear		6084	Base
		3800	Base
		6084	Base

K20906		AXLES:	
SPRINGS:		Front	
Front		4250	Base
Rear		6000	Base
		4250	Base
		6000	Base

**C/K 2500 SUBURBAN
REFER WEEKLY STOPS/LATEST UPDATE**

MUST SPECIFY:

AXLE, BODY, EMISSION, ENGINE, TIRES AND TRANSMISSION

**No Deletions Allowed. Additional Options/Upgrades (Where Indicated)
May be Ordered from the Custom Ordering Option Listing.**

	Base	LS	LT
	1	1	1
	S	S	S
	A	B	C
BASE DECOR	X	--	--
LS DECOR		X	--
Air Conditioning: Front and Rear	C69	X	X
ATC Stereo Cassette (A)	UL0	X	X
Glass: Deep Tinted	AJ1	X	X
Heater, Rear	C36	X	X
Rear Wiper/Washer w/Defogger (E55 Body Only)	ZP6	X	X
Rear Window Defogger (ZW9 Body Only)	C49	X	X
Seat, Rear (B)	AS3	X	X
Tilt and Cruise	ZQ3	X	X
LT DECOR			X
Power Seat	AG9		X
Remote Keyless Entry	AU0		X
60/40 Split Bench Seat (C)	AE7		X

- (A) May Upgrade
 (B) YG4 May Be Substituted
 (C) Must Specify Trim Color. May Upgrade To A95 Bucket Seats

ADDITIONAL OPTIONS


INCL W/DECOR			OPTION
Base	LS	LT	
			R8S Multiple Order Numbers
			R8T Preliminary Invoice (Refer Vehicle Price Schedule)
			K47 AIR CLEANER: High Capacity
			AIR CONDITIONING: (One Of The Following Options Must Be Ordered w/PEG 1SA)
			YG6 Air Conditioning Not Desired
	x	x	C60 Front (Incls R134A Refrigerant) (Incl w/C69 Front and Rear Air Conditioning) w/1SB or 1SC or Option C69 w/1SA
	x	x	C69 Front and Rear with Dual Controls (Incls C60 Front Air Cond) w/1SB or 1SC w/1SA (Incls Cloth Covered Rear Quarter Trim)
			AXLES, REAR: (Refer Power Teams Chart for Availability)
			GT4 3.73 Ratio
			GT5 4.10 Ratio
			G80 Locking Differential
			BODY CODE: (Must Specify)
			ZW9 Panel Doors
			E55 Tailgate (Lift Glass with Drop Gate and Power Release)
			V70 COLD CLIMATE PACKAGE: (Incls Eng Block Heater) (N/A L65 Eng)
	x	x	ZQ3 CONVENIENCE GROUP: Comfortilt Steering Wheel and Electronic Speed Control w/1SB or 1SC w/1SA
			EMISSIONS: (Refer Emission Requirement Tab Section)
			FE9 Federal Emission Requirements
			YF5 California Emission Requirements
			NG1 New York/Massachusetts Emission Requirements
			NB8 California or New York/Massachusetts Emission Override (Reqs FE9 Federal Emissions)
			NC7 Federal Emission Override (Reqs YF5 California or NG1 New York/Massachusetts Emissions)
			ENGINES: (Refer Power Teams Chart)
			L31 Vortec 5700 V8 (350 Cu In)-SFI H. D.
			L29 Vortec 7400 V8 (454 Cu In)-SFI
			L65 6.5 Liter (400 Cu In) V8 Turbo Diesel H. D. (Incls Front Bumper Guards) (Deletes Underhood Storage Box)
	x	x	AJ1 GLASS: Deep Tinted w/1SB or 1SC w/1SA
			C6P GVWR: #8600 (Must Specify)
	x	x	C36 HEATER: Auxiliary, Rear Passenger w/1SB or 1SC w/1SA (Incls Cloth Covered Rear Quarter Trim)
N/A		x	AU0 KEYLESS ENTRY: Remote w/1SC w/o 1SC
			U01 LAMPS, ROOF MARKER: Five (N/A YF5 Calif Emissions)
			VK3 LICENSE PLATE BRACKET: Front
			DF2 MIRROR, EXTERIOR: Camper Type, Stainless Steel, 7.5" W x 10.5" H w/1SB or 1SC w/1SA
			PAINT, EXTERIOR: (Refer Color/Trim Charts for Availability)
N/A			ZY1 Solid
N/A			ZY2 Conventional Two-Tone
			ZY4 Deluxe Two-Tone
			RADIO EQUIPMENT:
	N/A	N/A	UM6 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock and Cassette Tape
	x	x	ULO Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control, Cassette Tape, Theft Lock Cassette Tape and Speed Compensated Volume (Incls Enhanced Performance Speaker System)
	N/A		UN0 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control, Compact Disc Player, Theft Lock and Speed Compensated Volume (Incls Enhanced Performance Speaker System)
	N/A		UPO Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control, Stereo Cassette Tape w/Search and Repeat, Compact Disc Player, Theft Lock and Speed Compensated Volume (Incls Enhanced Performance Speaker System)
	N/A	N/A	UL5 Radio Delete

ADDITIONAL OPTIONS


INCL W/DECOR			OPTION
Base	LS	LT	
	x	x	C49 REAR WINDOW EQUIPMENT: Defogger: Rear Window Electric (Reqs ZW9 Body and C60 Air) w/1SB/1SC or ZP6 w/1SA w/o ZP6
	x	x	ZP6 Wiper/Washer System with Defogger (Reqs E55 Tailgate and C60 Air) (Incls C25 Wiper/Washer System and C49 Defogger) w/1SB or 1SC w/1SA
N/A		x	AG9 SEAT: Power Driver's Seat (N/A A52 Bench Seat) w/1SC w/1SB
	x	x	AT5 SEATING: (Must Specify One With Base Decor) Center, Folding (Incl w/AS3 Center and Rear Seat) (Incls Adjustable Shoulder Belt System) w/1SB/1SC or AS3 w/1SA w/o AS3
	x	x	AS3 Center and Rear (Incls AT5 Center Folding Seat and Shoulder Belt System) w/1SB or 1SC w/1SA (Incls Cloth Covered Rear Quarter Trim)
			YG4 w/Base Decor and Rear Seat Not Desired; w/LS/LT Base Decor Deletes Third Seat w/1SA w/1SB w/1SC
			A52 SEAT TYPE: (Refer Color/Trim Chart for Availability) Bench Seat (Incls Storage Armrest and Power Lumbar w/Custom Cloth or Leather Trim)
			AE7 Reclining Split Bench Seat (Incls Storage Armrest and Power Lumbar w/Custom Cloth Trim) w/1SC w/o 1SC
			A95 Reclining High Back Bucket Seats (Incls Power Lumbar) w/1SC w/1SB
			NZZ SKID PLATE PACKAGE: (K2500 Only) (Incls Fuel Tank Shield) (Incls Front Differential and Transfer Case Shield)
			6Y4 SPARE TIRE/WHEEL DELETE (Deletes Spare Tire and Wheel Only)
			F60 SPRINGS: Front, Heavy-Duty (K2500 Only)
			BVE STEP RUNNING BOARD: Side, Black (Support 600 lbs) (Dealer Installed)
			QIZ TIRES: Tubeless (BW - Blackwall) (Front, Rear and Spare) LT245/75R16E All Seasons Steel Belted Radial Ply BW
			QW LT245/75R16E On-Off Road Steel Belted Radial Ply BW (K2500 Only)
			V76 TOW HOOKS (Std K2500)
			ZB2 TRAILERING SPECIAL EQUIPMENT: Heavy-Duty (w/L31 Eng Reqs GT5 Axle) (Incls Trailering Platform Hitch)
			NP1 TRANSFER CASE: Electronic Shift Control, 2-Speed (Reqs 4-Wheel Drive) (Reqs ZQ3 Convenience Pkg or LS/LT Decor)
	x	x	MT1 TRANSMISSION: 4-Speed Automatic w/Overdrive, Heavy Duty
			PO6 WHEEL TRIM: Rally w/1SB or 1SC w/1SA

C/K 1500 AND C/K 2500 SUBURBAN
PAINT APPLICATIONS WITH ZY1, ZY2 AND ZY4 PAINT


SOLID PAINT - ZY1



CONVENTIONAL TWO-TONE PAINT - ZY2



DELUXE TWO-TONE PAINT - ZY4



SUBURBAN INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART ZY1 PAINT

PLEASE NOTE: Below are the interior trim color and exterior paint combinations recommended by Chevrolet. They are the only available interior and exterior combinations allowed.

TRIM LEVEL (Must Specify Seat Option and Interior Color)	SEAT OPT	INTERIOR COLORS			
		Neutral	Blue	Gray	Red
BASE (STD DECOR) Vinyl Reclining Back Bkt Seats	A52	52V	26V	13V	79V
LS PACKAGE Custom Cloth Bench Seat	A52	52D	26D	13D	79D
Custom Cloth Reclining Split Bench Seat	AE7	52D	26D	13D	79D
Custom Cloth Reclining High Back Bucket Seats (Incls Roof/Floor Console)	A95	52D	26D	13D	79D
LT PACKAGE *Custom Leather Reclining Split Bench Seats	AE7	52Z	26Z	13Z	79Z
*Custom Leather Reclining High Back Bucket Seats (Incl Roof/Floor Console)	A95	52Z	26Z	13Z	79Z

EXTERIOR COLORS w/ZY1 PAINT	Color Code 1	Paint Scheme	INTERIOR & EXTERIOR COMBINATIONS SHOWN ARE THE ONLY COMBINATIONS AVAILABLE				WHEEL FLARE COLOR MOLDING
BEIGE, MYSTIQUE MED (Met)	65U	ZY1	x		x		Dk Argent
BLACK, ONYX	41U	ZY1	x		x	x	Black
BLUE, INDIGO (Met)	39U	ZY1	x	x	x		Blue, Indigo
CHERRY ICE (Met)	59U	ZY1	x		x	x	Dk Argent
GREEN, EMERALD (Met)	43U	ZY1	x		x		Dk Argent
QUICKSILVER (Met)	96U	ZY1		x	x	x	Silver
RED, CHERRY (Met)	77U	ZY1	x		x	x	Red, Cherry
RED, VICTORY	74U	ZY1	x		x	x	Dk Argent
WHITE, SUMMIT	50U	ZY1	x	x	x	x	Dk Argent

* Leather on Seating Surface Only

INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART ZY2 PAINT (Reqs LS/LT Decor)

EXTERIOR COLORS w/ZY2 PAINT	Color Code 1	**Color Code 2	Paint Scheme	INTERIOR & EXTERIOR COMBINATIONS SHOWN ARE THE ONLY COMBINATIONS AVAILABLE				WHEEL FLARE COLOR MOLDING
^ BEIGE, MYSTIQUE MED (Met)/Black Onyx (Met)	65U	41L	ZY2	x				Black, Onyx
BEIGE, MYSTIQUE MED (Met)/Red, Cherry (Met)	65U	77L	ZY2	x			x	Red, Cherry
^ BLACK, ONYX/Autumnwood, Lt (Met)	41U	55L	ZY2	x				Autumnwood
+ BLACK, ONYX/Beige, Mystique Med (Met)	41U	65L	ZY2	x				N/A
BLACK, ONYX/Quicksilver (Met)	41U	96L	ZY2			x	x	Silver
+ BLACK, ONYX/Red, Victory	41U	74L	ZY2			x		N/A
BLUE, INDIGO (Met)/Quicksilver (Met)	39U	96L	ZY2		x	x		Silver
^ CHERRY ICE (Met)/Autumnwood, Lt (Met)	59U	55L	ZY2	x			x	Autumnwood
CHERRY ICE (Met)/Quicksilver (Met)	59U	96L	ZY2			x	x	Quicksilver
CHERRY ICE (Met)/Red, Cherry (Met)	59U	77L	ZY2	x		x	x	Red, Cherry
^ GREEN, EMERALD (Met)/Autumnwood, Lt (Met)	43U	55L	ZY2	x				Autumnwood
+ GREEN, EMERALD (Met)/Beige, Mystique Med (Met)	43U	65L	ZY2	x				N/A
GREEN, EMERALD (Met)/Quicksilver (Met)	43U	96L	ZY2			x		Quicksilver
QUICKSILVER (Met)/Black, Onyx	96U	41L	ZY2			x	x	Black
QUICKSILVER (Met)/Blue, Indigo (Met)	96U	39L	ZY2		x	x		Blue, Indigo
+ QUICKSILVER (Met)/Cherry Ice (Met)	96U	59L	ZY2			x	x	N/A
^ QUICKSILVER (Met)/Red, Cherry (Met)	96U	77L	ZY2			x	x	Red, Cherry
+ RED, CHERRY (Met)/Beige, Mystique Med (Met)	77U	65L	ZY2	x			x	N/A
+ RED, CHERRY (Met)/Cherry Ice (Met)	77U	59L	ZY2	x		x	x	N/A
RED, CHERRY (Met)/Quicksilver (Met)	77U	96L	ZY2			x	x	Quicksilver
^ RED, VICTORY/Black, Onyx (Met)	74U	41L	ZY2			x	x	Black, Onyx
^ RED, VICTORY/Quicksilver (Met)	74U	96L	ZY2			x	x	Quicksilver
^ WHITE, SUMMIT/Autumnwood, Lt (Met)	50U	55L	ZY2	x				Autumnwood
+ WHITE, SUMMIT/Beige, Mystique Med (Met)	50U	65L	ZY2	x				N/A
WHITE, SUMMIT/Blue Indigo (Met)	50U	39L	ZY2		x			Blue, Indigo
+ WHITE, SUMMIT/Cherry Ice (Met)	50U	59L	ZY2	x		x	x	N/A
^ WHITE, SUMMIT/Red, Cherry (Met)	50U	77L	ZY2				x	Red, Cherry

+ N/A B71 Molding or K10906 w/L65 Eng or on K20906

* Color Code 2 Must be ordered as a (+) Plus Option

SUBURBAN INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART ZY4 PAINT

PLEASE NOTE: Below are the interior trim color and exterior paint combinations recommended by Chevrolet. They are the only available interior and exterior combinations allowed.

TRIM LEVEL (Must Specify Seat Option and Interior Color)	SEAT OPT	INTERIOR COLORS							
		Neutral	Blue	Gray	Red				
LS PACKAGE									
Custom Cloth Bench Seat	A52	52D	26D	13D	79D				
Custom Cloth Reclining Split Bench Seat	AE7	52D	26D	13D	79D				
Custom Cloth Reclining High Back Bucket Seats (Incls Roof/Floor Console)	A95	52D	26D	13D	79D				
LT PACKAGE									
** Custom Leather Reclining Split Bench Seats	AE7	522	262	132	792				
** Custom Leather Reclining High Back Bkt Seats	A95	522	262	132	792				
EXTERIOR COLORS w/ZY4 PAINT	Color Code 1	*Color Code 2	Paint Scheme	INTERIOR & EXTERIOR COMBINATIONS SHOWN ARE THE ONLY COMBINATIONS AVAILABLE				STRIPE COLORS	WHEEL FLARE COLOR MOLDING
BLACK, ONYX/Quicksilver (Met)	41U	96L	ZY4			x	x	Gunmetal/Silver	Black
BLACK, ONYX/Red, Victory	41U	74L	ZY4	x				Beige/Black	Black
BLACK, ONYX/Red, Victory	41U	74L	ZY4			x	x	Gunmetal/Silver	Black
BLUE, INDIGO (Met)/Quicksilver (Met)	39U	96L	ZY4		x	x		Silver/Indigo	Blue, Indigo
+CHERRY ICE (Met)/Quicksilver (Met)	59U	96L	ZY4			x	x	Silver/Red	N/A
+CHERRY ICE (Met)/Red, Cherry (Met)	59U	77L	ZY4	x		x	x	Silver/Red	N/A
+GREEN, EMERALD (Met)/Quicksilver (Met)	43J	96L	ZY4			x		Silver/Green	N/A
QUICKSILVER (Met)/Black, Onyx	96J	41L	ZY4			x	x	Gunmetal/Silver	Silver
QUICKSILVER (Met)/Blue, Indigo (Met)	96J	39L	ZY4		x	x		Silver/Indigo	Silver
QUICKSILVER (Met)/Red, Cherry	96J	77L	ZY4			x	x	Silver/Red	Silver
RED, CHERRY (Met)/Beige, Mystique Med (Met)	77J	65L	ZY4	x			x	Silver/Red	Red, Cherry
RED, CHERRY (Met)/Quicksilver (Met)	77J	96L	ZY4			x	x	Silver/Red	Red, Cherry
RED, CHERRY (Met)/Cherry Ice (Met)	77J	59L	ZY4	x		x	x	Silver/Red	Red, Cherry
+RED, VICTORY/Black, Onyx	74J	41L	ZY4			x		Gunmetal/Silver	N/A
+RED, VICTORY/Quicksilver (Met)	74J	96L	ZY4			x	x	Gunmetal/Silver	N/A
+RED, VICTORY/White, Summit	74J	50L	ZY4			x		Gunmetal/Silver	N/A

- + N/A B71 Molding or K10906 w/L65 Eng or on K20906
- * Color Code 2 Must be ordered as a (+) Plus option
- * * Leather on Seating Surface Only

NOTES

SUBURBAN INTRODUCTION

SUBURBAN

The 1997 Suburban is available in three trim levels: "Standard" and a choice of two uplevel trims; "LS" and "LT."

Changes on the Suburban for 1997 include:

- New Rear Door Lock switch. Provides a rear door lock/unlock capability that can be operated from the rear while doors are open
 - New Passenger Side Air Bag
 - New Second Seat Shoulder Belt Height Adjuster with *Child Comfort Guides*
 - New Electronic Variable Orifice (E.V.O.) Steering Reduces low speed and static steering effort
 - 4-speed 4L60-E Automatic Transmission Enhancements (M30)
 - 4-speed 4L80-E Automatic Transmission Enhancements (MT1)
 - Revised Keyless Entry System
 - Two New Exterior Colors
 - Improved Turn Radius (4WD models)
 - DEX-COOL™ Extended Life Engine Coolant Change interval upgraded to 5 years/150,000 miles
-

SUBURBAN

MODEL SELECTION SUMMARY

Use the chart below to choose the model that fits your customer's needs. Please note that the Base Payloads shown reflect the maximum allowable weight of cargo that can be carried in a standard model, including occupants. (They are calculated by subtracting curb weight from GVWR.) To calculate payloads for models with optional equipment, please refer to the WEIGHTS section in the back of this book or consult your 1997 GM PROSPEC. Also, the Maximum Trailer Weights shown below are based on vehicles that are properly equipped. See your Chevrolet Truck Order Guide for specific details.

SERIES	MODEL NUMBER/ BODY CODE/ OPTION CODE	PASSENGER CAPACITY (STD./OPT.)	STANDARD ENGINE/ TRANS.	OPTIONAL ENGINE/ TRANS.	GVWR (LB)	GAWR (LB) FRONT/ REAR	BASE PAYLOAD (LB)	MAXIMUM TRAILER WT./ TONGUE LOAD (LB) PROPERLY EQUIPPED
TWO-WHEEL-DRIVE MODELS								
C1500 SUBURBAN	CC10906/ZW9/ E55	3/5/ 6/8/9	5700 V8/A4	— 6.5L V8/A4	6800 7700	2950/3968 3600/6084	1975	6500/800 5500/700
C2500 SUBURBAN	CC20906/ZW9/ E55	3/5/ 6/8/9	5700 V8/A4	— 7400 V8/A4 6.5L V8/A4	8600	3600/6084	3351	7500/900 10000/1000 8000/950
FOUR-WHEEL-DRIVE MODELS								
K1500 SUBURBAN	CK10906/ZW9/ E55	3/5/ 6/8/9	5700 V8/A4	— 6.5L V8/A4	7300 8050	3600/4000 3925/4800	2007	6000/750 5000/600
K2500 SUBURBAN	CK20906/ZW9/ E55	3/5/ 6/8/9	5700 V8/A4	— 7400 V8/A4 6.5L V8/A4	8600	4250/6000	2907	7000/850 10000/1000 7500/900

POWERTRAINS

Chevrolet offers a variety of engines, transmissions and axle ratios for the Suburban. The following charts detail basic engine, transmission, and axle specifications. See your 1997 Chevrolet Truck Order Guide for specific details.

ENGINES			
	VORTEC 5700 V8	VORTEC 7400 V8 HD	6.5L V8 TURBO DIESEL HD
Engine Order Code	L31	L29	L65
SAE Net Horsepower @ rpm	255 @ 4600	290 @ 4000	190 @ 3400
SAE Net Torque lb-ft @ rpm	330 @ 2800	410 @ 3200	385 @ 1800
Fuel System	SFI	SFI	Indirect Fuel Injection
Standard Battery Cold Cranking Amps @ 0° F	600	600	2 @ 600 each
Standard Alternator Max. Cap. (Amps)	100	124	100

TRANSMISSIONS					
	ELECTRONIC AUTOMATIC 4-SPEED W/OVERDRIVE AND TORQUE CONVERTER CLUTCH (4L60-E)		ELECTRONICALLY CONTROLLED AUTOMATIC 4-SPEED W/OVERDRIVE TORQUE CONVERTER CLUTCH, HD (4L80-E)		
Transmission Order Code	M30		MT1		
Engine Application (Order Code)	VORTEC 5700 V8 (L31)		VORTEC 5700 V8 HD (L31)	VORTEC 7400 V8 HD (L29)	6.5L V8 Turbo Diesel HD (L65)
Gear Ratios					
First	3.06				2.48
Second	1.63				1.48
Third	1.00				1.00
Fourth	0.70				0.75
Reverse	2.29				2.08

SUBURBAN

AXLES												
	REAR AXLE						FRONT AXLE (4X4)					
Availability	C10906/K10906 C5U/C6A		C10906/K10906 C3F/C5I		C20906 w/L31		K 20906 w/ L31		C/K 20906 w/ L29 or L65		K 10906 K 20906	
Make	American Axle Manufacturing										AAM	
Load Rating (lb)	Semi-Floating 4000		Semi-Floating 4800/6084		Semi-Floating 6084		Semi-Floating 6000		Full-Floating 7500		3925 4250	
Pinion and Ring Gear Type	Hypoid		Hypoid		Hypoid		Hypoid		Hypoid		Hypoid	
Axle Ratio Code	GU6	GT4	GU6	GT4	GT5	GT5	GT4	GT5	GU6	GT4	GT4	GT5
Ratio	3.42	3.73	3.42	3.73	4.10	4.10	3.73	4.10	3.42	3.73	3.73 ²	4.10
Pinion Teeth	12	11	12	11	10	10	11	10	12	11	11	10
Ring Gear Teeth	41	41	41	41	41	41	41	41	41	41	41	41
Ring Gear Diameter (in.)	8.6	8.6	9.5	9.5	9.5	9.5	10.5	10.5	8.25 ¹	8.25	9.25	9.25

Note: Axle Ratio availability depends on model, powertrain and emissions selected.

AAM—American Axle Manufacturing

¹ 9.25-inch ring gear w/L65.

² Not available with L31 engine.

TRIM LEVELS

Chevrolet offers Suburban in three trim levels: "Standard" and a choice of two uplevel trims "LS" and "LT". The following chart details major standard features. See your 1997 Chevrolet Truck Order Guide for details.

CHASSIS EQUIPMENT		STANDARD	LS/LT (YES)
KEY: ■ = STANDARD, — = NOT INCLUDED			
BRAKES	Power-assisted; front disc, rear drum; four-wheel anti-lock. Includes brake/transmission shift interlock.	■	■
EXHAUST	Single. Aluminized stainless steel.	■	■
FRAME	All-welded ladder-type, channel design and boxed front-end section. Section Modulus: C1500: 2.74 cu in. C2500: 4.11 cu in. K1500/ K2500: 4.15 cu in.	■	■
FUEL TANK	42.0-gallon (approx.) capacity.	■	■
SHOCK ABSORBERS	Front: 32mm; Rear: 32mm.	■	■
STABILIZER BAR, FRONT	4x2: 1.25 inch; 4x4: 1.18 inch.	■	■
STABILIZER BAR, REAR	0.87 inch. <i>ONLY 1500 2wd or 4x4</i>	■	■
STEERING	Integral power. Speed Sensitive (E.V.O.)	■	■
SUSPENSION, FRONT	4x2: Independent w/coil springs. 4x4: Independent w/torsion bars.	■	■
SUSPENSION, REAR	Semi-elliptic two-stage multileaf springs.	■	■
TOW HOOKS	Two front (4x4 only).	■	■

EXTERIOR EQUIPMENT		STANDARD	LS/LT (YES)
AIR DAM	Dark argent (N/A on C/K 2500 models).	■	■
BUMPER, FRONT	Bright appearance with black rub strip with bright trim.	■	■
BUMPER, REAR	Bright appearance with black rub strip and step pad.	■	■
DOORS, REAR	Panel type.	■	■
GLASS	Solar-Ray® tinted. Deep tint included with YES.	■	■
GRILLE	Molded plastic painted argent with argent air intake areas. Deluxe front appearance package with bright grille and trim with bright intake areas.	■	■
HEADLAMPS	Single rectangular halogen. Composite halogen.	■	■
HORN	Single electric note. Dual low- and high-note.	■	■
INSULATION	Hood and cab-to-fender.	■	■
LAMPS	Center high-mounted stop lamp. Under hood. (Fixed)	■	■
LUGGAGE CARRIER	Black, roof mounted.	■	■
MIRRORS	RH and LH below-eyeline type painted black with adjustable heads. Head size: 8.5" x 5.0". RH and LH electric below-eyeline outside rearview, black. Head size: 8.5" x 5.0".	■	■
MOLDINGS	Bodyside, black with bright trim, and bright wheel opening (N/A K20906). K2500 only: Painted wheel opening flare, front and rear.	■	■
RUNNING LAMPS	Daytime.	■	■
TIRES	Five all-season steel-belted radial blackwall. Size varies by model. C10906: P235/75R15X K10906: P245/75R16 C20906: LT245/75R16E K20906: LT245/75R16E	■	■

SUBURBAN

EXTERIOR EQUIPMENT (CONT.)		STANDARD	LS/LT (YE9)
Key: ■ = Standard, — = Not Included			
WHEELS	C1500: Silver painted 15.0" x 7.0" steel with black hub ornament. C1500: 15.0" x 7.0" Cast aluminum. K1500/C2500/K2500: Silver painted 16.0" x 6.5" steel with black hub ornament. K1500: 16.0" x 7.0" Cast aluminum. C2500/K2500: Argent painted 16.0" x 6.5" rally wheel trim.	■ — ■ — —	— ■ — — ■
WIRING	Eight-wire harness for trailering purposes. (Includes CHMSL.)	■	■

INTERIOR EQUIPMENT			
AIR BAG*	Driver's side and passenger side air bag.	■	■
AIR CONDITIONING	Front.	—	■
ARMRESTS	RH and LH padded, integral with door panels.	■	■
ASSIST HANDLES	Right front, left rear, right rear.	■	■
CARGO NET	Removable security net located in rear compartment.	—	■
CIGARETTE LIGHTER	Located on instrument panel inside ashtray bin (includes ashtray light and two covered auxiliary power outlets).	■	■
CUPHOLDER	Two located in the dash.	■	■
DOOR PANELS	Color-keyed molded plastic. Door trim with cloth inserts and carpet trim. Front door trim panels also have map pockets. Coordinated rear door/tailgate and rear sidewall trim panels are included. NOTE: Scotchgard™ Fabric Protector on all cloth seats and door trim panels.	■ —	— ■
DOOR LOCKS	Power, includes rear door lock switch. (LT includes remote keyless entry system.)	■	■
DOORS	Side-door guard beams.	■	■
DRIVER'S CONVENIENCE GROUP	Speed Control, Tilt-Wheel™.	—	■
FLOOR COVERING	Black embossed vinyl mat. Color-keyed carpeting with removable color-keyed, vinyl front and rear floor mats. NOTE: The front and rear carpeting includes Scotchgard™ Fabric Protector.	■ —	— ■
GAGES	Including speedometer, odometer, trip odometer, fuel level, voltmeter, engine temperature, oil pressure gages, additional telltale lights and tachometer.	■	■
GLOVE BOX	Latched door with light.	■	■
HEADLINER	Full length; color-keyed cloth with matching retainer moldings.	■	■
HEADLAMP WARNING TONE	Headlamps on.	■	■
HEATER	Front heater with windshield and front side defoggers. Rear defogger.	■ —	■ ■
HEATER DUCT	Rear seat area. Located on floor under front seats.	■	■
INSULATION	Provided on dash panel, cowl top and sides, headliner and doors.	■	■
LIGHTING	Front and rear dome lamps with switches in RH and LH door jambs. Dome lamps include illuminated entry feature. All door-activated dome lamps, front and rear map lights. Dome lamps include delayed illuminated entry feature.	■ —	— ■
MIRRORS	10-inch rearview. 10-inch electrochromic rearview with 8-point compass.	■ —	— ■
RADIOS	ETR AM/FM stereo with Seek-Scan and digital clock. Includes two 6" diameter door speakers and two 4" x 10" rear speakers mounted in the headliner. (4 speakers in all) ETR AM/FM stereo with Seek-Scan with automatic tone control, digital clock, cassette, TheftLock and speed-compensated volume. Includes two front and rear door 6" diameter speakers, two 6" tweeters located in power switch pad forward of armrest and two rear 4" x 10" speakers mounted in headliner. (8 speakers in all.)	■ —	— ■
REAR QUARTER TRIM PANELS	Black fabric. Color-keyed cloth fabric. NOTE: Scotchgard™ Fabric Protector on all cloth seats and trim panels.	■ —	— ■
RELEASE, ELECTRIC LIFT GATE	Located on instrument panel (w/E55).	■	■
SEATS	Front 3-passenger vinyl bench. Front 3-passenger Custom cloth 60/40 split bench with power lumbar support that includes a center armrest with lift up storage, a coin holder, a map strap on the inside lid and a writing board. Folding 3-passenger 60/40 split second seat with head restraints, center armrest and dual cupholders. 3-passenger folding and removable rear bench seat also included. LT trim features power driver's seat and leather seating surfaces. NOTE: Scotchgard™ Fabric Protector on all cloth seats and trim panels.	■ —	— ■
SEAT BELTS	Adjustable Height for front and second outboard seats with second and third row child comfort guides.	■	■
SPARE TIRE	Located inside vehicle behind left rear wheelhouse. Color-keyed cloth wheel cover.	■ —	■ ■

* Always wear your safety belts.

SUBURBAN

INTERIOR EQUIPMENT (CONT.)		STANDARD	LS/LT (YE9)
Key: ■ = Standard, — = Not Included			
SPARE TIRE, WHEELS	Full-size.	■	■
STEERING WHEEL	Simulated leather. Leather.	■ —	— ■
SUNSHADES	Color-keyed cloth RH and LH padded with storage strap on LH unit and RH vanity mirror. Color-keyed RH and LH padded with cloth covering, extenders and illuminated visor mirrors. LH sunshade has storage strap.	■ —	— ■
TOOLS	Mechanical jack and wheel wrench. (Gloves are included with YE9.)	■	■
WINDOWS	Power.	—	■
WINDSHIELD WIPERS	Intermittent. Rear wiper/washer (with E55).	■ —	■ ■

PREFERRED EQUIPMENT GROUPS

Preferred Equipment Groups (PEGs) are convenient option packages that can save your customers money. They would pay appreciably more by buying all the options in a Preferred Equipment Group as individual options. (Savings based on a comparison of Manufacturer's Suggested Retail Price of option packages versus MSRP of individual options purchased separately). See your 1997 Chevrolet Truck Order Guide and Vehicle Price Schedule for specific information and prices.

OPTIONS

These options can be ordered individually in addition to the Preferred Equipment Groups if not already included. See your 1997 Chevrolet Truck Order Guide for specific availability and restrictions. The Option Code is listed in **bold type**.

<i>Air Cleaner, High Capacity</i>	K47	<i>License Plate Bracket</i>		<i>Seats</i>	
<i>Air Conditioning (Front Only)</i>	C60	<i>Front</i>	VK3	<i>Power Driver's</i>	AG9
<i>Air Conditioning (Front and Rear)</i>	C69	<i>Mirrors, Exterior Camper Type (LH and RH stainless steel. Mirror head 7.5" x 10.5")</i> ..	DF2	<i>Optional center and/or rear seat not desired</i>	YG4
<i>Axles, Rear</i>		<i>Moldings, Wheel Opening Flare (K1500 only, front and rear, standard on K2500)</i>	B71	<i>3-passenger 60/40 folding center bench</i>	AT5
3.42	GU6	<i>Paint, Exterior</i>		<i>3-passenger removable rear bench (includes AT5 Seat)</i>	AS3
3.73	GT4	Solid	ZY1	<i>60/40 reclining split-bench</i>	AE7
4.10	GT5	Conventional Two-Tone (Reqs YE9)	ZY2	<i>Reclining high-back buckets (includes center and roof console)</i>	A95
Locking Differential	G80	Deluxe Two-Tone (Reqs YE9)	ZY4	<i>Skid Plate Package (4x4 only; includes shield plates for front differential, transfer-case and fuel tank)</i>	NZZ
<i>Body, Tailgate (drop gate tailgate with lift glass and electric tailgate release)</i>	E55	<i>Radio Equipment</i>		<i>Springs, Front Heavy-Duty (K1500 only)</i>	F80
<i>Cold Climate Package (includes Engine Block Heater) N/A (L65), Diesel Engine</i>	V10	Radio Delete (N/A YE9)	UL5	<i>Step Running Board, Side (Black, dealer-installed)</i>	BVE
<i>Convenience Group</i>		ETR AM/FM Stereo Radio		<i>Spare Tire/Wheel Delete (C/K 2500 only)</i>	6Y4
Tilt-Wheel™ and Electronic		w/Seek-Scan, Stereo Cassette,		<i>Tow Hooks, Front (4x2 only)</i>	V76
Speed Control	ZQ3	Digital Clock	UM6	<i>Trailer Package, Heavy-Duty (includes hitch platform)</i>	Z82
<i>Cooling: Engine Oil Cooler</i>	KC4	ETR AM/FM Stereo with Seek-Scan		<i>Transfer Case, Electronic Shift Control</i>	NP1
<i>Cooling: Heavy-Duty Transmission</i>	KNP	Automatic Tone Control, Compact Disc		<i>Transmission</i>	
<i>Emissions</i>		Player, Digital Clock, TheftLock™ and		4-speed Electronically Controlled Automatic with Overdrive	M30
Federal	FE9	Speed-Compensated Volume (includes an enhanced performance speaker system) requires YE9	UN0	4-speed Electronically Controlled Automatic with Overdrive, heavy duty	MT1
California	YF5	ETR AM/FM Stereo with Seek-Scan with Automatic Tone Control,		<i>Wheels</i>	
Massachusetts/New York	NG1	Compact Disc Player, Cassette,		Rally Trim	P06
Federal Emissions Override	NC7	Digital Clock, TheftLock™ and		Cast Aluminum (C1500 only) (N/A w/L65)	N90
Cal./Mass./N.Y. Emissions Override	NB8	Speed-Compensated Volume (includes an enhanced performance speaker system) Req. YE9	UP0	Cast Aluminum (K1500 only)	
<i>Engines</i>		<i>Rear Window Equipment</i>		(N/A with L65)	PF4
VORTEC 5700 SFI V8	L31	Defogger, Rear Window Electric			
VORTEC 7400 SFI V8	L29	(requires ZV9 & C 60 A/C)	C49		
6.5L V8 Turbo Diesel	L65	Wiper/Washer System with Defogger			
Glass, Solar Ray® Deep-Tinted	AJ1	(requires E55 tailgate)	ZP6		
<i>GVWR</i>		<i>Recreational Sales Package</i>			
6800 lb	C5U	Vehicle upfitter (For information purposes only. YF7 is available for ordering through authorized CQAPC manufacturers only.)	YF7		
7300 lb	C6A				
7700 lb	C3F				
8050 lb	C5I				
8600 lb	C6P				
<i>Heater, Auxiliary Rear</i>	C36				
<i>Keyless Entry, Remote (YE9 only)</i>	AU0				
<i>Lamps, Roof Marker (N/A YF5)</i>	U01				

SUBURBAN

TIRES

KEY: ALS = ALL-SEASON SBR = STEEL-BELTED RADIAL PLY ALT = ALL TERRAIN BW = BLACKWALL OOR = ON-OFF ROAD WOL = WHITE OUTLINE LETTERED		
TIRE DESCRIPTION		ORDER CODE
P235/75R15X	ALS/SBR/BW	QHA
P235/75R15	ALS/SBR/WOL	QHM
P245/75R16	ALT/SBR/BW	QGA
P245/75R16	ALT/SBR/WOL	QGB
LT245/75R16C	OOR/SBR/BW	QBN
LT245/75R16C	OOR/SBR/WOL	QBX
LT245/75R16E	OOR/SBR/BW	QIW
LT245/75R16E	ALS/SBR/BW	QIZ

DIMENSIONS

MODEL		C1500 SUBURBAN	C2500 SUBURBAN	K1500 SUBURBAN	K2500 SUBURBAN
MODEL NUMBER		CC10906	CC20906	CK10906	CK20906
EXTERIOR DIMENSIONS					
BODY					
Wheelbase (in.)	L101	131.5	131.5	131.5	131.5
Overall Length (in.)	L103	219.5	219.5	219.5	219.5
Overall Height (in.)	H431	71.3	73.6	73.0	74.6
Maximum Width (in.)	W103	76.7	76.7	76.7	76.7
Bumper to Axle (in.)					
Front	L104	35.4	35.4	35.4	35.4
Rear	L105	52.6	52.6	52.6	52.6
Ground to Top of Rear Load Floor (in.)	H502	29.2	31.4	31.3	33.6
Ground Clearance (in.)					
Front/Rear	H148/H153	7.1/6.6	8.6/8.0	9.5/6.9	7.6/6.9
Turning Diameter Curb-to-Curb (ft)		43.7	43.4	44.7	45.0
Track Width (in.) Front/Rear	W101/W102	62.6/63.6	64.1/63.9	63.3/63.1	68.6/63.9
SIGN PANEL AREA (in.)		17 x 85	17 x 85	17 x 85	17 x 85
INTERIOR DIMENSIONS					
Headroom (in.)					
Front/Middle/Rear	H61/H63/H86	39.9/38.9/37.9	39.9/38.9/37.9	39.9/38.9/37.9	39.9/38.9/37.9
Legroom (in.)					
Front/Middle/Rear	L34/L51/L86	41.3/26.2/27.1	41.3/26.2/27.1	41.3/26.2/27.1	41.3/26.2/27.1
Shoulder Room (in.)					
Front/Middle/Rear	W3/W4/W85	65.0/65.0/64.3	65.0/65.0/64.3	65.0/65.0/64.3	65.0/65.0/64.3
Hip Room (in.)					
Front/Middle/Rear	W5/W6/W86	60.5/60.3/48.5	60.5/60.3/48.5	60.5/60.3/48.5	60.5/60.3/48.5
Cargo Volume (cu ft)					
w/ Front Seat		149.5	149.5	149.5	149.5
w/ Front, Middle Seats		96.6	96.6	96.6	96.6
w/ Front, Middle, Rear Seats		47.5	47.5	47.5	47.5
Load Floor Length (in.)					
w/ Front Seat	L202	97.7	97.7	97.7	97.7
w/ Front, Middle Seats	L203	70.9	70.9	70.9	70.9
w/ Front, Middle, Rear Seats	L509	36.0	36.0	36.0	36.0
Cargo Area Height	H201	40.8	40.8	40.8	40.8
Cargo Width (in.)	W200	59.3	59.3	59.3	59.3
Interior Width between Wheelhousings (in.)	W201	49.7	49.7	49.7	49.7

¹Measured floor to roof.

P30 F.C. CHASSIS AND MOTOR HOME CHASSIS INTRODUCTION

P30 F.C. CHASSIS AND MOTOR HOME CHASSIS

Changes on the P30 F.C. Chassis and Motor Home Chassis for 1997 include:

- New Standard Four-Wheel Anti-Lock Brake System on 32 and 42 models
 - New model P32132 featuring a 228-inch Wheelbase at 16,500 GVWR
 - 4-speed 4L80-E Automatic Transmission Enhancements (MT1)
 - Cooling/HVAC Enhancements
-

HEATER, VENTILATION, AND AIR CONDITIONING 1B-7

RELATIVE HUMIDITY	AMBIENT AIR TEMP		MAXIMUM LOW SIDE PRESSURE		ENGINE SPEED	MAXIMUM RIGHT CENTER AIR OUTLET TEMP		MAXIMUM HIGH SIDE PRESSURE	
	(%)	'F	'C	PSIG		kPaG	(rpm)	'F	'C
20	70	21	24	165	2000	44	7	285	1965
	80	27	25	172		45	7	290	2000
	90	32	28	193		49	9	314	2165
	100	38	28	193		50	10	320	2206
30	70	21	25	172	2000	43	6	287	1979
	80	27	26	179		45	7	293	2020
	90	32	28	193		50	9	320	2206
	100	38	31	214		53	12	328	2262
40	70	21	25	172	2000	45	7	290	2000
	80	27	28	193		49	9	315	2172
	90	32	28	193		51	11	325	2241
	100	38	37	255		59	15	361	2489
50	70	21	26	179	2000	45	7	290	2000
	80	27	28	193		50	10	320	2206
	90	32	32	221		54	12	330	2275
	100	38	40	276		64	18	370	2551
60	70	21	27	186	2000	46	8	300	2069
	80	27	28	193		50	10	320	2206
	90	32	36	248		58	14	355	2448
	100	38	45	310		68	20	409	2820
70	70	21	28	193	2000	49	9	315	2172
	80	27	28	193		51	11	325	2241
	90	32	38	262		62	17	363	2503
80	70	21	28	193	2000	50	10	320	2206
	80	27	32	221		54	12	330	2275
	90	32	41	283		65	18	377	2600

T3204

Figure 4—System Performance Test

A/C

EXTERIOR LAMPS

7-WIRE TRAILING HARNESS

NOT AT ALL TIMES

WIRE LEADS ARE TO BE SPLICED TO TRAILER WIRING HARNESS OR ATTACHED TO TRAILER WIRE PLUG.

