

1998 Astro

For Release: September 1, 1997

11732-6/97

Contact: Chevrolet Communications Phone: 1-800-CHEVY-MI or (810) 492-8841

Fax: (810) 492-8853

# VERSATILE CHEVY ASTRO — THE ONLY MIDSIZE VAN OUT THERE IS AN EVEN BETTER CHOICE FOR '98.

**WARREN, Mich.** — For 1998, Chevy Astro continues to offer impressive accommodations and versatility, along with improved features that make it even better. The rear-wheel-drive Astro is a favorite with van buyers who need more room and capability than typical front-wheel-drive minivans offer, but don't want the bulk of a full-size van. In fact, for 1998, Astro is the only midsize van out there.

Offered as both a passenger van and a cargo van, the roomy rear-wheel-drive Astro has more cargo and payload capacity and a greater trailer-towing rating than any typical front-wheel-drive minivan. And now Astro, with new security and operating enhancements for '98, is an even better choice.

A new addition on the security front is the Passlock® theft-deterrent system, standard on every 1998 Astro. This system disables the ignition, preventing further starting attempts for ten minutes if an invalid key (or no key) is used.

Astro owners will also enjoy an improvement in driveability for 1998, thanks to an enhanced automatic transmission. New this year is an electronically controlled torque converter clutch for improved efficiency and a two-piece transmission case for increased stiffness, reduced noise and less vibration than in previous years.

For added exterior protection, Astro features an improved clearcoat paint (interim availability) that helps reduce damage from water-spotting, acid rain and environmental etch. Three new exterior colors are offered for 1998: Medium Cadet Blue Metallic, Dark Copper Metallic and Dark Forest Green Metallic. Dark Copper Metallic and Dark Forest Green Metallic are also new cladding colors.

Astro continues to offer a comprehensive list of standard safety features for 1998, such as dual air bags, a 4-wheel anti-lock brake system (ABS) and Daytime Running Lamps (DRL), which make it easier to see Astro during the day. Impressive Vortec power is found under the hood of all models. A Vortec 4300 V6 with Sequential Fuel Injection (SFI) powers Astro, providing a hardworking 190 horsepower and 250 lb.-ft. of torque,


- MORE -

11732-6/97

multi-purpose van for daily driving and weekend excursions, and Astro Cargo Van providing a perfect solution for commercial users who require dependability and power along with impressive payload and towing capacities. Other "family members" include the full-size Chevy Van, Chevy Express, Chevy Venture and Chevy Venture Cargo Minivan.

Chevy Astro offers rugged performance, more than ample space and an impressive list of standard features. The 1998 Chevy Astro ... midsize versatility at its best.

###



Astro LS Passenger Van



Astro LT All-Wheel-Drive Passenger Van

#### WHAT ASTRO IS

With the recent withdrawal of Ford Aerostar, Astro stands alone as the only midsize van,\* with more cargo capacity, payload capacity and a higher trailer towing rating than any typical front-wheel-drive minivan can provide.

The rear-wheel-drive Astro is a favorite with van buyers who need more room and capability than typical front-wheel-drive vans offer, but don't want the bulk of a full-size van.

Astro is available in either rear- or All-Wheel
Drive, as a passenger van or a cargo van with three
trim levels available for the passenger van. Astro also
demonstrates its versatility through its impressive
cargo hauling and towing capabilities. On the inside,
Astro offers as much as 170.4 cubic feet of cargo room
— enough room to haul a 4' x 8' sheet of plywood
with the rear doors closed.

And, towing is no problem. When properly

equipped, Astro can tow as much as 5,500 pounds. This is due, in part, to its rear-wheel-drive platform, now unique in the midsize van segment.\*

Astro takes safety seriously, with a long list of standard safety features, such as driver and front-passenger air bags, Daytime Running Lamps (DRL) and a 4-wheel anti-lock brake system (ABS).

Under the hood is a powerful standard Vortec 4300 V6 SFI engine that produces 190 horsepower and 250 lb.-ft. of torque, giving Astro the power to perform a variety of tasks. And, with extended service intervals, Astro helps make life a little easier.

In keeping with its rugged, hardworking and versatile reputation, Astro is part of the Chevy Truck sponsorship of the U.S. Ski Team and the Sarah Will Woman's Sport Foundation, a group dedicated to providing athletic challenges to people with physical handicaps.

\*Excludes other GM vehicles.

#### Astro Models

- Passenger Van, rear-wheel drive
- Passenger Van, All-Wheel Drive
- Cargo Van, rear-wheel drive
- · Cargo Van, All-Wheel Drive.

Three trim levels are available for Astro Passenger Van:

- ■ Astro (with standard trim)
- · IS
- LT.

Astro Cargo Van is available only in the standard trim level.



## What's New For 1998:

- Enhanced 4-speed electronically-controlled automatic transmission with Overdrive (see page 9)
- Passlock® theft-deterrent system (see page 4)
- An improved clearcoat paint that helps reduce damage caused by water-spotting, acid rain and environmental
- etch (see page 7)
- Three new exterior colors:
- Medium Cadet Blue Metallic, Dark Copper Metallic and Dark Forest Green Metallic
- Two new exterior cladding colors: Dark Fórest Green Metallic and Dark Copper Metallic (see page 7)
- Medium Gray replaces Gray as an interior color. (see page 6)



#### THE CHEVY FAMILY OF VANS

Chevrolet offers six distinctly styled vans, the broadest combination of any manufacturer in the industry. These vans provide customers broad options in size, power, economy and utility. Chevy Express, Chevy Van, Astro Passenger and Cargo Van, Chevy Venture and the new-for-'98 Venture Cargo Minivan can be equipped to meet the needs of virtually any van customer, whether for personal or commercial use.

Chevy Express — With seating for as many as 15 people, Chevy Express is the ideal people mover and cargo hauler. It serves both commercial or personal applications that require "anything goes" versatility in a full-size van. Chevy Van — Offering full-size van flexibility and rugged truck durability, Chevy Van provides exceptional comfort, impressive safety features, superior towing capabilities and is ideal for conversion upfitting or serious cargo-carrying applications thanks to as much as 316.8 cubic feet of cargo room. Astro Van — Chevy Astro Van (passenger and cargo models) is a versatile workhorse, offering a combination of people-moving (as many as 8 passengers), cargo-carrying (as much as 170.4 cu. ft.) and trailering capabilities (as much as 5,500 lbs., when properly equipped). Venture — Chevy Venture completes the Chevrolet family of vans, offering timechallenged customers optimum flexibility, comfort and convenience, while providing "space on demand," impressive ride and handling and the most standard power of any minivan in its class.

#### SAFETY

With a long history of setting automotive safety milestones, GM is a world leader in automotive safety research, development and testing. The 1998 Astro exemplifies that dedication, providing an outstanding list of safety features. And, with a comprehensive system, emphasizing crash avoidance and occupant protection, Astro owners not only get a versatile van, but additional peace of mind, as well.

#### **Crash Avoidance Features**

- Standard Daytime Running Lamps
   (DRL) turn on automatically when the
   ignition is on to increase Astro
   visibility to other drivers. With DRL, the
   lamps run at a lower intensity than
   regular headlamps to reduce glare to
   oncoming drivers. The DRL system is over ridden when the vehicle's headlamps
   are engaged.
- 4-wheel anti-lock brake system (ABS), standard on Astro, automatically adjusts brake pressure to the front and rear wheels during hard-braking situations, minimizing wheel lockup and helping maintain steering control. All the driver has to do is keep the brake pedal down.
- Brake/transmission shift interlock, a feature of the automatic transmission, requires drivers to depress the brake pedal to shift out of Park.
- Rear-seat safety belt child comfort guides, standard on every Astro model, adjust the angle of safety belt crossover, making safety belts more comfortable for children and smaller sized adults riding in the backseat.

### Safety ... It's in the Bag

There's been a lot of discussion regarding air bag safety. To help Astro owners with air bag safety, Chevrolet developed these guidelines:

- Infants in rear-facing child safety seats should never ride in the front seat of a vehicle with an activated passenger
   fair bag
- Small children should ride in a child safety seat located and properly secured in the center of the vehicle's rear seat. The child safety seat should meet federal requirements for the child's age and size. (Astro offers optional built-in dual child safety seats
- or second row split-bench or modular seats, which eliminate the need to carry individual child safety seats.)
- Children ages 12 and younger should ride buckled up in a rear seat
- Everyone should buckle both lap and shoulder safety belts on every trip
- Driver and front-passenger seats should be moved as far back as practical
- Never place an object in the air bag deployment zone.



The Chevy family of vans includes Chevy Express (left), Chevy Van, Astro Van and Venture



### **INTERIOR FEATURES (contd.)**

- A standard ribbed load floor on Cargo Van models helps make sliding heavy cargo easy
- Tilt-Wheel™ Adjustable Steering
   Column, standard on LS and LT and
   optional with standard trim, tailors the
   wheel to the most comfortable, individual ized steering position
- Rear compartment convenience net, standard on LS and LT and optional with standard trim, helps prevent groceries and other small cargo items from sliding around
- A Remote Keyless Entry system (included with LT models, optional with LS and Astro Cargo Van), transmits a uniquely coded high-frequency radio signal to activate power lock/unlock functions, as well as illuminated entry
- HomeLink 3-channel transmitter, included on all models with available roof console, memorizes the activation codes for as much as three remote-control devices (such as garage door, gate and security lights), reducing clutter in the vehicle.

#### **Audio Systems**

While it's impossible to forecast everyone's musical tastes, Astro offers a sound system with the technology and features designed to complement all varieties of music, from jazz to country and in-between. Uplevel cassette and compact disc player systems feature speed-compensated volume, which automatically compensates for road noise by adjusting the audio volume to the vehicle's speed, as well as automatic tone control, which sets equalizer levels with one touch for talk and a variety of music programs.

Center-row radio controls are available with the uplevel cassette and dual playback cassette/compact disc player systems. This handy feature, which includes dual audio controls and dual headphone jacks, allows center-row passengers to listen to a different

music source (radio and cassette tape or compact disc, depending on sound system selected) at a different volume than front-seat passengers.

#### Available Sound Systems Include:

- Electronically tuned AM/FM stereo with seek-scan, digital clock and six-speaker system is standard on all models
- Electronically tuned AM/FM stereo with cassette player, seek-scan and digital clock is available on all models
- Electronically tuned AM/FM stereo with cassette player, speed-compensated volume, automatic tone control, seek-scan, digital clock, TheftLock security feature and eight-speaker system is optional on all models\*
- Electronically tuned AM/FM stereo
  with compact disc player, seek-scan,
  digital clock, automatic tone control,
  speed-compensated volume, TheftLock and
  eight-speaker system is optional on
  all models\*
- Electronically tuned AM/FM stereo with cassette player, compact disc player, seek-scan, digital clock, automatic tone control, speed-compensated volume, TheftLock and eight-speaker system is optional on all models.\*

\*Cargo Van models offer four front-door speakers and rear speaker wiring.

#### Seats

Astro features a number of seating arrangements designed to accommodate as many as eight passengers, depending upon seating configuration and model chosen. Front passengers are protected by lap and shoulder safety belts and head restraints, while passengers in the intermediate and rear bench seats have lap safety belts for all passengers and shoulder safety belts and head restraints for the outboard seating positions.

Integrated child safety seats are available for the intermediate seat's two outboard positions (optional on LS).

# All-Wheel Drive ... On A Van?

All-weather traction isn't the exclusive domain of 4x4 sport utilities and pickups. The available All-Wheel-Drive is just one of the factors that help make this midsize van so versatile.

Under normal road conditions, the All-Wheel-Drive Astro will operate in a rear-wheel-drive mode until the system senses rear-wheel slip, such as can be experienced in snow, ice or mud. Once rear-wheel slip is sensed, the system automatically transfers just the right amount of torque to the front wheels, giving the driver All-Wheel-Drive control when it's needed most.

## Astro Drivers Aren't, Left In The Dark

As the lights dim, owners have plenty of time to get buckled up, fish their keys from their briefcase or check their hair in the mirror. Astro offers theatre lighting — just another thoughtful feature from the engineers at GM.

Theatre lighting provides a gradual dimming of the van's interior lighting after any door is closed, so owners have about ten seconds to get settled and underway.



## **EXTERIOR FEATURES (contd.)**

- All lower-body panels (except cladded models) receive a urethane anti-chip coating for added protection against stone damage and road debris, and hot wax is sprayed on the underbody.
- An aluminized stainless-steel muffler and tailpipe provide enhanced durability.

#### Other Features Include:

- Astro models with standard trim have a smooth front fascia and rear bumper, painted body-color
- Dramatic styling is provided by body-side cladding (standard on LS and LT; optional on Cargo Van models with YF7 Upfitter Package)
- Standard Solar-Ray tinted glass improves interior comfort and enhances protection against ultraviolet and infrared solar rays (deep tint on LS and LT models)
- The spare tire is mounted under the body to increase interior room and includes a winch-type carrier to help lower or raise the spare easily into its storage position.

#### **Exterior Paint**

Standard basecoat/clearcoat paint on Astro resists fading and provides a high-gloss shine for long-lasting exterior beauty.



 Astro now features etchresistant clearcoat paint that helps reduce damage caused by water-spotting, acid

rain and environmental etch. This clearcoat finish is used with all colors — solids and metallics.



### Exterior Colors

New Paint Colors For '98:

- Medium Cadet Blue Metallic
- Dark Copper Metallic
- Dark Forest Green Metallic.

#### Other Colors:

- Light Autumnwood Metallic
- Ivory White
- · Teal Blue Metallic
- Cherry Ice Metallic
- Dark Purple Metallic
- Silvermist Metallic
- Light Carmine Red Metallic.

#### **DESIGN AND MANUFACTURING**

Astro is manufactured at a General Motors assembly plant in Baltimore, Maryland There, a precise combination of design technology, sophisticated assembly and statistical process control team up to assure Astro quality. Extensive use of robotics in welding, painting and other areas provide a high degree of production consistency. A computerized torque monitoring system, which verifies the correct tightening of critical nuts and bolts in the assembly process, is one of many advanced automated processes. These and other high-tech production methods translate into snug fits throughout the body, strong, seamless welds and a rich, superb-quality paint finish.

#### **BODY STRUCTURE**

- Astro has a unibody (integral frame) structure that incorporates a partial front ladder-type stub-frame with the floor panels, adding rigidity without excessive weight. This design maximizes strength and payload capacity.
- The underbody, right- and left-side panels, roof panel and front end are made from single-piece stampings, for increased structural rigidity.
- Single-piece construction of the frontdoor frames, window frames, side- and rear-door openings protects against corrosion by eliminating vulnerable seams.
- Some parts such as the radiator coolant reservoir, the windshield washer reservoir and the fuel tank shield — are composed primarily of plastic resin and are labeled to facilitate recycling.

# Not Enough Time On Your Hands?

Let Astro help give you some of your time back. The standard Vortec 4300 V6 SFI offers a variety of time-saving (and cost-reducing), extended maintenance features that make owning Astro easy.

- Platinum-tip spark plugs
  give Astro the ability to
  travel up to 100,000 miles
  before the first scheduled
  tune-up.\*
  - Extended-life coolant doesn't need to be changed up to 5 years or 150,000 miles, whichever comes first.\*
  - There is no need to check engine timing.
- A single accessory drive belt helps reduce replacement costs over traditional belt designs.

# Other Astro "Easy-To-Own" Features Include:

- Are aluminized stainlesssteel muffler and tailpipe that provide long-lasting durability
- Long-life automatic transmission fluid will not need to be replaced for at least 100,000 miles under normal operating conditions\*
- Scotchgard™ Protector that helps resist stains on cloth and carpeting to make cleanups quick and easy
- Genuine Customer Care Bumper to Bumper 3-year/ 36,000-mile limited warranty, 24-hour Roadside Assistance and, at participating dealerships, Courtesy Transportation.


\*Maintenance needs vary with different uses and driving conditions. See owner's manual for more information.



# SEQUENTIAL FUEL INJECTION (SFI) (contd.)

- A mass airflow meter constantly measures the engine's air requirements under varying conditions, such as changes in load, altitude and temperature. In an SFI system, the mass airflow meter is essential for accurate fuel delivery.
- The injector nozzle's design and optimum location produce an effective spray pattern that contributes to the engine's smooth idle and impressive fuel efficiency.

## **TRANSMISSION**



# **4L60-E 4-Speed Electronic Automatic Transmission**

GM's 4L60-E 4-speed automatic Overdrive transmission is standard equipment on Astro. The 4L60-E's "intelligent" electronic controls allow the transmission to match the engine's performance, delivering outstanding fuel efficiency.

- New is a two-piece transmission case that reduces vibration and noise.
- A new, electronically controlled torque converter clutch helps improve operating efficiency and driveability.
- A deeper transmission oil pan improves overall transmission durability and fluid life.

- The 4L60-E's wide range of gear ratios enhances both performance and fuel economy. The 3.06:1 first-gear ratio provides high torque multiplication for initial acceleration. The Overdrive 0.70:1 fourth gear lowers engine rpm at highway speeds, providing enhanced fuel economy and minimizing wear.
- The 4L60-E features electronic controls designed to provide precision and flexibility. The Powertrain Control Module (PCM) measures key vehicle input, including throttle position, vehicle speed, gear range, temperature and engine load. Four solenoids that are connected to the PCM control shift points and shift smoothness.
- The PCM acts as an interface between the engine and transmission to provide the feel of a virtually "seamless" powertrain.
- Shift timing is controlled electronically by signals sent to the valve body's shift solenoids, which activate the shift valves and execute the gear changes.
- A brake/transmission shift interlock is standard on Astro. The interlock requires the driver to apply the brake pedal to shift out of Park.
- A second-gear start feature provides an extra measure of control in hazardous driving conditions. The driver can reduce torque to the drive wheels by moving the gear selector to the Drive 2 position, thereby increasing control during initial acceleration on slippery surfaces.
- 4L60-E is factory-filled with long-life automatic transmission fluid will not need to be replaced for at least 100,000 miles under normal operating conditions\*

\*Maintenance needs vary with different uses and driving conditions. See owner's manual for more information.

# ABS — Unlearning Old Habits

Buying a vehicle with anti-lock brakes may require drivers, unfamiliar with this feature, to "unlearn" past braking habits. Drivers, accustomed to traditional brake systems, have been taught to "pump" the brake pedal when braking hard on slippery surfaces to keep the car's wheels from locking up. With ABS, the system was designed to "pump" the brakes faster than is manually possible, automatically adjusting the brake pressure to the wheels independently to avoid wheel lockup. All the driver has to do is keep firm pressure on the brake pedal. To become familiar with the system, drivers should take the vehicle to an unoccupied parking lot (preferably one with slick" pavement) and practice sudden hard-braking maneuvers to get a feel for the system.



#### WHEELS AND TIRES



15" standard steel, painted Argent with bright hubcap.



(RPO PA6) 15" x 6.5" styled-steel, painted (standard with LS, optional with standard trim and on Cargo Van). (RPO PC2)



15" x 6.5" chromecladded styled-steel (optional on all models).



(RPO PF3) 15" x 6.5" brushed aluminum (optional with standard trim, Cargo Van with YF7 Upfitter Package and LS, standard on LT).

#### GENUINE CUSTOMER CARE

Chevrolet owners are covered by Genuine Customer Care, a comprehensive owner protection plan that includes the following:



**Bumper to Bumper** Warranty

36,000-mile (whichever comes first), nodeductible, limited warranty covers repairs for all Chevrolet cars, including labor and parts, to correct any defects in material or workmanship occurring during the warranty period. Warranty features include air conditioning repair, tires, towing, no-cost warranty transfer and 6-year/100,000-mile (whichever comes first) sheet-metal rust-through protection. There also is emissions control system coverage, which varies by geographic location. The only item not covered by the warranty is normal maintenance.

Courtesy Transportation TRANSPORTATION Customers who

purchase or lease a Chevy Astro are eligible for Courtesy Transportation (at no charge) when their vehicles are left at a participating dealership for repairs covered under the 3year/ 36,000-mile Bumper to Bumper Limited Warranty. Courtesy Transportation, at participating dealers only, may include shuttle service, expense reimbursement, or, if the repairs require leaving the vehicle overnight, a vehicle rental. Owners should see their dealer for details.

#### 24-HR ASSISTANCE

24-Hour Roadside Assistance Lost? We'll help you

find your way. Locked out? We'll get you back in your Astro. Out of gas? We'll get you gas. Roadside Assistance is provided via a toll-free number 24 hours a day, 365 days a year. Roadside Assistance is offered in two levels of service, Basic Care and Courtesy Care.

Roadside Basic Care covers you as long as you own your Astro, and provides:

- Free towing for warranty repairs (to closest dealer)
- Over-the-phone basic technical advice
- Available dealer services at reasonable costs (i.e., wrecker services, locksmith/ key service, glass repair, etc.).

Roadside Courtesy care is available to you for a period of three years or 36,000 miles (whichever comes first), and provides:

- Free towing (to closest dealer)
- Free locksmith/key service (when keys are lost on the road or locked inside)
- Free flat tire service, jump start, fuel delivery.

Important — a word about this document: We have tried to make this document as comprehensive and factual as possible. We reserve the right, however, to make changes at any time, without notice, in colors, materials, equipment, specifications, models and availability. Some information may have been updated since the time of printing, June 1997.A note about air bags: Always wear safety belts, even with air bags. General Motors, GM, the GM Emblem, Chevrolet, the Chevrolet Emblem, Astro, Chevy Van, ETR, Solar-Ray, and TheftLock are registered trademarks and Chevy, Chevy Express, Passlock®, Venture and Vortec are trademarks of the General Motors Corporation. Scotchgard is a trademark of the 3M Corp. Homelink is a registered trademark of the Prince Corp. ©1997 General Motors Corporation. All rights reserved. Some artwork contained within this text is for representation purposes only.


#### History (By Model Year) Introduced in 1985 as a "mid-

size" alternative to minivans. 1986 — Throttle-body fuel injection on 4.3 Liter V6.

- 1987 New Touring Package; serpentine belt erraine accessory drive. 2 1988 — Anti-corrosion
- simprovements. 1989 — Rear-wheel anti-lock brakes and electronic speedometer; Goodyear - GT+4 tires available.
- 1990 All-Wheel-Drive Passenger and Conversion Vans; extended wheelbase models debut; four-wheel anti-lock brakes; increased standard equipment for all trim levels.
- 1991 4.3-Liter V6 engine with EFI increased to 170 horsepower.
- 1992 Enhanced 4.3 Liter Voitec V6 engine — optional on 2WD, standard on AWD; optional Dutch doors.
- 1993 Electronicallycontrolled 4L60-E transmission introduced.
- \*1994 Side-door beams: driver air bag; CFC-free R-134a air conditioning refrigerant introduced.
- 1995 New front-end cappearance; standard enhanced Vortec 4.3L-V6 with CPI.
- 1996 New interior; passenger-side air bag added: improved Vortec 4300 V6 engine.
- 1997 Daytime Running Lamps (DRL); Electronic Variable Orifice (EVO) power steering.

# 1998 Astro Specifications





## MODEL AVAILABILITY

Astro Van RWD/AWD		
Passengers	5–8 (Passenger Van), 2 (Cargo Van)	
Class	Midsize Van	
Assembly Plant	Baltimore, Maryland	
Primary Structure	Unibody, Integral Steel Stub Frame	
Body Material	Two-Side Galvanized Steel (except roof)	

## SPECIFICATIONS & CAPACITIES (inches, unless otherwise noted)

	RWD	AWD	
cterior Dimensions			
Wheelbase	111.2	111.2	
Overall Length	189.8	189.8	
Overall Height	76.0	76.0	
Maximum Width	77.5	77.5	
Ground to Rear Load Floor	25.9	25.8	
Ground Clearance Front/Rear	6.8/7.4	6.8/7.4	
nterior Dimensions*			
Headroom (front/mid./rear)	39.2/37.9/38.7	39.2/37.9/38.7	
Legroom (front/mid./rear)	41.6/36.5/38.5	41.6/36.5/38.5	
Shoulder Room (front/mid./rear)	64.0/67.1/67.1	64.0/67.1/67.1	
Hip room (front/mid./rear)	65/50.9/57.1	65/50.9/57.1	
apacities			
Curb Weight (min.) (lbs.)	4197	4427	
Maximum GVWR (lbs.)	5950	6100	
Payload (std.) (lbs.)	1753	1673	
Cargo Capacity (cu. ft.)	170.4	170.4	
Max. Trailer Capacity (lbs.)	5500	5000	
Fuel Tank Capacity (gal.)	25	25	

<sup>\*</sup>Front interior dimensions also apply for Astro Cargo Van models.

#### **STEERING**

	RWD	AWD	
Type	Integral Power w/EVO	Integral Power w/EVO	
Steering Ratio	16/14:1	16/14:1	
Turning Diameter, Curb-to-Curb (ft.)	39.5	40.5	

# 1998 Astro Specifications



#### MILEAGE\*

Type Mileage:	4-Speed Automatic w/Vortec 4300 V6	4-Speed Automatic w/Vortec 4300 V6 AWD	
City	16	15	
Highway	21	19	
Combined	18	17	
st. Cruising Range:			
City	400	375	
Highway	525	475	
Combined	450	425	

<sup>\*</sup>Based on 1997 information.

## TRAILERING INFORMATION

	RWD	AWD	
Trailer Classification	Medium	Medium	
Gross Trailer Weight (lbs., up to)	5500	5000	
Max Tongue Load (lbs.)	650	600	

## WHEELS & TIRES


	RWD & AWD			
Type*	Steel	Styled-Steel	Chrome-Cladded Styled-Steel	Brushed-Aluminum
Size (in.)	15 x 6	15 x 6.5	15 x 6.5	15 x 6.5

<sup>\*15&</sup>quot; x 6.5" Steel Wheels standard with base-level models; 15" x 6.5" Styled-Steel Wheels standard on Astro LS; 15" x 6.5" brushed-aluminum wheels standard on Astro LT. All uplevel wheels are optional on base-level model.


Tire Type	All-Season Steel-Belted Radial Blackwall
Tire Size	P215/75 R-15
Optional Tire	P215/75 R-15 White-outline lettered or P235/65R-15 White-outline lettered Touring (w/FE2 Touring
,	Suspension Package)

All specifications are preliminary and subject to change. Chevrolet Motor Division. June, 1997.


# 1998 Astro Photo Order Page








98-02AST Sarah Will shown with her specially upfitted Astro All-Wheel Drive model



98-03AST Astro LS



98-04AST Astro LT All-Wheel Drive



98-05AST Astro LT All-Wheel Drive




98-06AST Astro Conversion Van

# 1998 Astro Photo Order Page






98-07AST Astro Conversion Van



98-01CVF The Chevrolet Van Family



98-03ENG Vortec 4300 V6 Engine (L35)


## M/L ASTRO CARGO VAN INTRODUCTION

## M/L ASTRO CARGO VAN

The M/L Astro Cargo Van is offered only in the standard trim level.

Changes on the Astro Cargo Van for 1998 include:

- New Location of the Rear Key Cylinder on Dutch Doors. New Location is Upper Liftgate right side of Handle
- Interior Dutch Door Release Hatch Button Located on the Instrument Panel has been removed
- 4L60-E Automatic Transmission Enhancements (M30)
- New PassLock™ Security System
- New Etch Resistant Clearcoat Paint
- Three New Exterior Colors
- One New Interior Color



### **MODEL SELECTION SUMMARY**

Use the chart below to choose the model that fits your customer's needs. Please note that the Base Payloads shown reflect the maximum allowable weight of cargo that can be carried in a standard model, including occupants. (They are calculated by subtracting curb weight from GVWR.) To calculate payloads for models with optional equipment, please refer to the WEIGHTS section in the back of this book or consult your 1998 GM PROSPEC. Also, the Maximum Trailer Weights shown below are based on vehicles that are properly equipped. See your Chevrolet Truck Order Guide for specific details.

SERIES	MODEL NUMBER/ BODY CODE/ OPTION CODE	PASSENGER CAPACITY (STD./OPT.)	STANDARD ENGINE/ TRANS.	OPTIONAL ENGINE/ TRANS.	GVWR (LB)	GAWR (LB) FRONT/ REAR	BASE PAYLOAD (LB)	MAXIMUM TRAILER WT./ TONGUE LOAD (LB) PROPERLY EQUIPPED
		REA	R-WHEEL	-DRIVE MO	DEL			
ASTRO CARGO VAN	CM11005/ZW9	2/	4300 V6/A4	``	5600	2800/3150	1713	*
		AL	L-WHEEL-	DRIVE MO	DEL			
ASTRO ALL-WHEEL DRIVE CARGO VAN	CL11005/ZW9	2/-	4300 V6/A4	_	5850	3050/3150	1710	*

<sup>\*1998</sup> trailering information not available at time of out loation. The Production and Final Issues of the Tech Guide will have a new trailering chart.

## **POWERTRAINS**

Chevrolet offers a variety of rear axle ratios for the M/L Astro Cargo Van. The following charts detail basic engine, transmission and axle specifications. See your 1998 Chevrolet Truck Order Guide for specific details.

ENGINES						
	VORTEC 4300 V6					
Order Code	L35					
SAE Net Horsepower @ rpm	190 @ 4400					
SAE Net Torque lb-ft @ rpm	250 @ 2800					
Fuel System	SFI					
Standard Battery Cold Cranking Amps @ 0° F	600					
Standard Alternator Maximum Capacity (Amps)	100					

TRANSMISSIONS		
	ELECTRONIC AUTOMATIC 4-SPEED W/OVERDRIVE AND TORQUE CONVERTER CLUTCH (4L60-E)	
Order Code	M30	
Gear Ratios		
First	3.06	
Second	1.63	
Third	1.00	
Fourth	0.70	
Reverse	2.29	

		Į.	XLES		
	-	REAR AXLE	FRONT AX REAR AXLE (ALL-WHEEL-DRIVE M		
Make	GM 3150			GM	
Capacity (lb)				3050	
Pinion and Ring Gear Type		Hypoid		Hypoid	
Axle Ratio Code	GU5	GU6	GT4	GU6 GT4	
Ratio Pinion Teeth Ring Gear Teeth Ring Gear Diameter (in.)	3.23 13 42 7.625	3.42 12 41 7.625	3.73 11 41 7.625	3.42 12 41 7.25	3.73 11 41 7.25

Note: Axle Ratio depends on model, powertrain and emissions selected.

## **TRIM LEVELS**

Chevrolet offers the M/L Astro Cargo Van in one trim level: "Standard." The following chart details major features. See your 1998 Chevrolet Truck Order Guide for details.

KEY: == STANDARD,=	NOT INCLUDED	STANDARD
KET: # \$ 5 MIDAGE,		(ZW9)
BRAKES	Power-assisted; front disc, rear drum; with four-wheel anti-lock system. Includes brake/transmission shift interlock.	
EXHAUST	Single with aluminized stainless steel tail pipe and muffler.	
FRAME	Integral body design with boxed section front stub frame.	
FUEL TANK	25 gallon (approx.) capacity.	
REAR AXLE	Hypoid, semi-floating.	
SHOCK ABSORBERS	Front: 32mm; Rear: 32mm.	
STABILIZER BAR	Front: M Vans 1.10 inch; L Vans 1.18 inch.	
STEERING	Integral power, Speed Sensitive (E.V.O.) Ratio: 14:1.	
SUSPENSION, FRONT	4x2: Independent w/coil springs. All-wheel drive: Independent w/ torsion bars.	
SUSPENSION, REAR	Steel leaf springs.	

303/ 2/10/01/7		
	EXTERIOR EQUIPMENT	
BUMPERS	Front molded gray. Rear painted gray with gray step pad.	
DOORS	Driver and passenger front side, sliding RH side door and RH and LH rear load doors.	
GRILLE	Molded, composite painted argent.	
HEADLAMPS	Single sealed-beam halogen.	
HORN	Dual high-note and low-note.	<del></del>
LAMP	Center high-mounted stop lamp.	
LICENSE PLATE MOUNTING (FRONT)	Molded in fascia.	-
MIRRORS	Below-eyeline type, black. LH: 5.0"x8.5", RH: 5.25"x9.0".	
SPARE TIRE CARRIER	Winch-type mounted under floor at rear.	
SPARE TIRE/WHEEL	Compact, mounted under floor at rear.	
TIRES	Four P215/75R15, all-season steel-beited radial blackwall.	
WHEELS	Four, 15.0" x 6.0" argent steel wheels. Bright metal center caps with black trim.	
WIRING	Six-wire harness for trailering purposes. (Includes CHMSL)	

WIRING	INTERIOR EQUIPMENT	
	INTERIOR EQUIPMENT	
AIR CONDITIONING_	Front.	
ARMRESTS	RH and LH front door.	
ASSIST HANDLES	Front at RH "A-pillar."	
CIGARETTE LIGHTER	Includes ashtray lamp.	
COAT HOOK	Left-hand side.	
DOOR STEPWELL	Black.	
DOORS	Side-door guard beams for front side doors and sliding side door. Sliding door includes child safety lock.	
DOOR TRIM	Color-keyed expanded vinyl on driver's and passenger door with armrests, map pockets, radio speakers and door reflectors.	
FLOOR COVERING	Embossed front black rubber mat.	
GAGES	Cociant temperature, fuel level, odometer, oil pressure, speedometer, trip odometer and voltmeter.	
GLOVE BOX	Located in front face of engine cover extension. Includes two beverage holders on top of engine cover extension.	
HEADLAMP WARNING TONE	Headlamps on.	
HEADLINER	Front compartment, color-keyed, foam-backed cloth.	
HEATER	Includes windshield and side-window defoggers.	
LAMPS	Stepwell lamps, storage compartment lamp and three dome lamps with front, rear and sliding door-activated switches (also includes delayed illuminated entry system). Includes door jamb override button.	
MAP NET	Storage pouch located on passenger side of engine cover extension.	<del></del>
MIRROR	10-inch rearview	
POWER OUTLETS	Two covered electrical accessory outlets located on the passenger side of the engine cover extension. (In addition to cigarette lighter)	
RADIO	Electronically tuned AM/FM stereo radio with Seek-Scan, digital clock, two front-door speakers and fixed-mast antenna.	

	INTERIOR EQUIPMENT (CONT.)	-	
KEY: <b>=</b> STANDARD, —=	NOT INCLUDED	STANDARD (ZW9)	
SEATS, FRONT	Two high-back vinyl reclining bucket seats. Adjust fore and aft.		
SECURITY	PassLock "theft deterrent system.		
STEERING WHEEL	Black vinyl 4-spoke with anti-theft locking feature.	<del></del>	
SUNSHADES	Color-keyed vinyl RH and LH padded sunshades with map bands.	<del></del>	
TOOLS	Screw-operated scissor-type jack with ratchet handle and extension and two wheel blocks. Located at right rear.		
WINDOWS	Solar-Ray® tinted glass.	<del></del>	
WINDSHIELD WIPERS	Intermittent.		

AIR BAGS*	Driver and front seat passenger.	
BRAKES	4-wheel anti-lock brakes.	<del></del>
DOOR BEAMS	Side-door guard beams for front side doors and sliding side door. Sliding door includes child safety lock.	
LAMPS	Daytime running lamps/Center high mounted stop lamp (CHMSL).	
SEAT BELTS	Lap and shoulder belts.	
STEERING COLUMN	Energy absorbing steering column (also includes anti-theft locking).	<del></del>

<sup>\*</sup>Always wear your safety belts.

## PREFERRED EQUIPMENT GROUPS

Preferred Equipment Groups (PEGs) are convenient option packages that can save your customers money. They would pay appreciably more by buying all the options in a Preferred Equipment Group as individual options. (Savings based on a comparison of Manufacturer's Suggested Retail Price of option packages versus MSRP of individual options purchased separately). See your 1998 Chevrolet Truck Order Guide and Vehicle Price Schedule for specific information and prices.

## **OPTIONS**

These options can be ordered individually in addition to the Preferred Equipment Groups if not already included. See your 1998 Chevrolet Truck Order Guide for specific availability and restrictions. The Option Code is listed in **bold type**.

Air Conditioning (not desired)
Axles, Rear
3.23 GU5
3.42 GU6
3.73 GT4
Locking Differential
Body Code
Standard Body Equipment ZW9
Dutch Doors (includes electric
release and intermittent
wiper/washer) (regs. power
door locks) E54
Cold Climate Package (includes engine
block heater, coolant protection) V10
Convenience Groups
Power Door Locks and
Power Windows ZQ2
Tilt-Wheel™ Steering and
Electronic Speed Control ZQ3
Defroster, Rear Window (requires
E54 dutch doors) C49
Door Locking System, Power AU3
Emissions
Federal FE9
California YF5
Massachusetts/New York/
Connecticut NG1
Cal./Mass./N.Y./CT Emissions
Override NB8
Federal Emissions Override NC7
Engine
VORTEC 4300 SFI V6 L35
Glass Arrangement
Complete Body ZW6

Rear Panel Doors, Solar-Ray®	ZW2
Sliding Door and Rear Panel	
Doors Solar-Ray®	ZW3
Swing-Out Rear Doors and	
Side Door Solar-Ray® (Except with	
E54 which includes swingout	
side door glass only)	A18
Sliding Side Door Solar-Ray	A19
Deep-Tinted Solar-Ray®	AJ1
Grille, Deluxe Apearance with Bright	
Inserts; Includes Composite	
Headlamps and Body Color	
Bumpers	TL1
GVWR RATINGS	
5600 lbs	C5G
5850 lbs	C7X
Heater, Rear	C36
Lamps, Dual Reading	
Lock, Keyless Remote	
(Requires AU3 Power Door Locks	
or ZQ2 Convenience Group)	AU0
Molding, Bodyside	
Paint Exterior, Solid	
Radio Equipment	
Radio Delete	UL5
ETR AM/FM Stereo Radio w/Seek-	υω
Scan, Digital Clock, Stereo Cassette	
and two front door speakers	UM6
ETR AM/FM Stereo Radio w/Seek-	
Scan, Automatic Tone Control.	
Cassette Tape, Digital Clock,	
Theft Lock™, Speed-Compensated	
Volume and two front-door speakers	
& two tweeters with rear speaker wirir	ng .
(reas ZQ2)	ŬLO

ETR AM/FM Stereo Radio w/Seek-
Scan, Automatic Tone Control,
Compact Disc Player, Digital Clock,
Theft Lock™, Speed-Compensated
Volume and two front-door speakers
& two tweeters with rear speaker
wiring (reas ZQ2)
ETR AM/FM Stereo Radio w/Seek-
Scan, Automatic Tone Control.
Cassette Tape, Compact Disc Player,
Digital Clock, Theft Lock™, Speed-
Compensated Volume and two
front door-speakers & two tweeters
with rear speaker wiring
(regs ZQ2)UP0
Recreational Sales Package.
Vehicle Upfitter (For information
purposes only. YF7 is available for
ordering through authorized COACP
manufacturers only.)
Seat Package (includes inboard and
outboard armrests and map pockets.
Manual lumbar support is also included
when cloth seats are ordered) ANO
Trailering Package, Heavy-Duty
(includes hitch platform and
Transmission, 4-Speed Electronically
controlled Automatic w/Overdrive M30
Wheels
Styled Steel (painted sparkle silver) PA6
Styled Steel (Chrome cladded) PC2

TIRES						
KEY: ALS = ALL-SEASON SBR = STEEL-BELTED RADIAL PLY BW = BLACKWALL WOL = WHITE OUTLINED LETTERED WS = WHITE STRIPE						
	ESCRIPTION	ORDERING CODE				
P215/75R15	ALS/SBR/BW	QCU				
P215/75R15	ALS/SBR/WOL	QCM				

## **DIMENSIONS**

MODEL	ASTRO CARGO VAN	ASTRO ALL-WHEEL-DRIVE CARGO VAN
MODEL NUMBER	CM11005/ZW9	CL11005/ZW9
	<b>EXTERIOR DIMENS</b>	IONS
BODY Wheelbase (in.) L101	111.2	111.2
Overall Length (in.) L103	189.8	189.8
Overall Height (in.) Nominal H431	75.3	75.3
Maximum Width (in.) W103	77.5	77.5
Bumper to Axle (in.) Front L104 Rear L105	32.5 46.0	32.5 46.0
Ground to Top of Rear Load Floor (in.) H502	26.7	26.6
Ground Clearance (in.) Front/Rear H148/H153	6.8/7.4	6.8/7.4
Side Load Door Opening Height (in.) H505 Opening Width (in.) L508	46.8 34.5	46.8 34.5
Rear Load Door Opening Height (In.) H202 Opening Width (in.) W204	42.0 57.2	42.0 57.2
Step-Up Height (in.)* Front Door H130 Side Load Door H131	18.9 20.7	18.8 20.6
Turning Diameter Curb-to-Curb (ft)	39.5	40.5
Track Width (in.) Front/Rear W101/102	65.1/65.1	65.1/65.1
SIGN PANEL AREA (in.) Side Panel (in.) Front Door (in.)	46 x 88 18 x 40	46 x 88 18 x 40

<sup>\*</sup> Height from ground level to the surface of the stepwell.

INTERIOR DIMENSIONS				
Headroom (in.) H6	39.2	39.2		
Legroom (in.) L3	41.6	41.6		
Shoulder Room (in.) W	3 64.0	64.0		
Hip Room (in.) W	65.0	65.0		
Load Floor Length (in.) to Console L51 w/Front Seat L20		126.0 98.6		
Interior Height (in.) H20	1 47.2	47.2		
Interior Width (in.) W20 between Wheelhousings	51.6	51.6		
Cargo Volume (cu ft)	170.4	170.4		

## M/L ASTRO PASSENGER VAN INTRODUCTION

## M/L ASTRO PASSENGER VAN


The M/L Astro Passenger Van is offered in three trim levels: "Astro" (standard), "LS" (mid-level) and "LT" (up-level).

Changes on the Astro Passenger Van for 1998 include:

- New Location of the Rear Key Cylinder on Dutch Doors. New Location is Upper Liftgate Right Side of Handle
- Interior Dutch Door Release Hatch Button Located on the Instrument Panel has been Removed
- 4L60-E Automatic Transmission Enhancements (M30)

The second secon

- New PassLock<sup>™</sup> Theft Deterrent System
- New Etch Resistant Clearcoat Paint
- One New Interior Color
- Three New Exterior Colors
- Two New Exterior Cladding Colors



## **MODEL SELECTION SUMMARY**

Use the chart below to choose the model that fits your customer's needs. Please note that the Base Payloads shown reflect the maximum allowable weight of cargo that can be carried in a standard model, including occupants. (They are calculated by subtracting curb weight from GVWR.) To calculate payloads for models with optional equipment, please refer to the WEIGHTS section in the back of this book or consult your 1998 GM PROSPEC. Also, the Maximum Trailer Weights shown below are based on vehicles that are properly equipped. See your Chevrolet Truck Order Guide for specific details.

SERIES	MODEL NUMBER/ BODY CODE/ OPTION CODE	PASSENGER CAPACITY (STD/OPT.)	STANDARD ENGINE/ TRANS.	OPTIONAL ENGINE/ TRANS.	GVWR (LB)	GAWR (LB) FRONT/ REAR	BASE PAYLOAD (LB)	MAXIMUM TRAILER WT./ TONGUE LOAD (LB) PROPERLY EQUIPPED
		REAL	R-WHEEL-I	DRIVE MOD	DEL			
ASTRO PASSENGER VAN	CM11006/ZW9	5/7/8	4300 V6/A4	_	5950	2800/3150	1765	•
		ALL	-WHEEL-D	RIVE MOD	31			
ASTRO ALL-WHEEL-DRIVE PASSENGER VAN	CL11006/ZW9	5/7/8	4300 V6/A4	_	6100	3050/3150	1668	*

<sup>\*1998</sup> trailening information not available at time of publication. The production and final issues of the Tech Guide will have a new trailening chart.

## **POWERTRAINS**

Chevrolet offers a variety of rear axle ratios for the M/L Astro Passenger Van. The following charts detail basic engine, transmission, and axle specifications. See your 1998 Chevrolet Truck Order Guide for details.

ENGINE			
	VORTEC 4300 V6		
Engine Order Code	L35		
SAE Net Horsepower @ rpm	190 @ 4400		
SAE Net Torque lb-ft @ rpm	250 € 2800		
Fuel System	SFI		
Standard Battery Cold Cranking Amps @ 0° F	600		
Standard Alternator Maximum Capacity (Amps)	100	<del></del>	

TRANSMISSION		
	ELECTRONIC AUTOMATIC 4-SPEED W/OVERDRIVE AND TORQUE CONVERTER CLUTCH (4L60-E)	
Order Code	M30	
Gear Ratios		
First	3.06	
Second	1.63	
Third	1.00	
Fourth	0.70	
Reverse	2.29	

		A	XLES		
		REAR AXLE			AXLE VE MODEL ONLY)
Make	GM		G	м	
Capacity (lb)	3150		30	50	
Pinion and Ring Gear Type	Hypoid		Нур	oold	
Axle Ratio Code	GU5	GU6	GT4	GU6	GT4
Ratio Pinion Teeth Ring Gear Teeth Ring Gear Diarneter (in.)	3.23 13 42 7.625	3.42 12 41 7.625	3.73 11 41 7.625	3.42 12 41 7.25	3.73 11 41 7.25

Note: Ade ratio depends on model, powertrain, and emissions selected.

## **TRIM LEVELS**

Chevrolet offers M/L Astro Passenger Van in three trim levels: "Astro," "LS," and "LT." See your 1998 Chevrolet Truck Order Guide for more details.

	CHASSIS EQUIPMENT			
KEY: E = STANDARD, —=	NOT INCLUDED	ASTRO (STANDARD)	LS (YC6)	LT (YC7)
BRAKES	Power-assisted, front disc/rear drum. (includes brake/transmission shift interlock)			
EXHAUST	Single, with aluminized stainless steel tailpipe and muffler.			
FRAME	Integral body design with boxed section front stub frame.			
FUEL TANK	25 gallon (approx.) capacity.			<u> </u>
REAR AXLE	Hypoid, semi-floating.			
SHOCK ABSORBERS	Front: 32mm; Rear. 32mm.			<del>-</del>
STABILIZER BAR	4x2: Front 1.26 in. All-wheel drive: 1.18 in.			<u> </u>
STEERING	Integral power. Speed Sensitive (E.V.O.) Ratio: 14:1.			
SUSPENSION, FRONT	4x2: independent w/coil springs. All-wheel drive: independent w/torsion bars.			
SUSPENSION, REAR	Steel leaf springs.			

	EXTERIOR FOLURMENT			
	EXTERIOR EQUIPMENT			
BUMPERS	Front and rear painted body color with rear combination top-step surface.	•		<u> </u>
CLADDING	Lower bodyside.			• • • • • • • • • • • • • • • • • • •
DOORS	Driver and passenger front side, sliding RH side door and RH and LH rear load doors.			
GRILLE	Molded, composite painted argent.  Deluxe front appearance with bright highlights.			<b>.</b>
HEADLAMPS	Single halogen sealed beam. Composite halogen.		•	
HORN	Dual high-note and low-note.	=_		■
LICENSE PLATE MOUNTING (FRONT)	Molded in fascia.	<u> </u>	_	
MIRRORS	Below-eyeline type, black. Head size LH: 5.0" x 8.5", RH: 5.25" x 9.0".  Dual electric below-eyeline type, black. Head size LH: 5.0" x 8.5",  RH: 5.25" x 9.0".			
SPARE TIRE CARRIER	Winch-type mounted under floor at rear.			<u> </u>
SPARE TIRE/WHEEL	Compact, mounted under floor at rear.			<u> </u>
STRIPING	Color-keyed at bettline.		<u> </u>	
TIRES	Four P215/75R15 all-season steel-beited radial blackwall.			<del>                                    </del>
WHEELS	Four 15.0" x 6.0" argent steel wheels. Bright metal center caps with black trim.		_	_
	Four 15.0" x 6.5" styled steel wheels painted sparkle silver with bright center caps.  Four 15.0" x 6.5" brushed aluminum wheels.			
WINDOWPILLARS	Black			
WIRING	Six-wire harness for trailering purposes (includes CHMSL).			

	INTERIOR EQUIPMENT			
AIR CONDITIONING	Front,			
ARMRESTS	RH and LH front door.			
ASSIST HANDLES	Front at RH "A" pillar and rear passenger at RH "B" pillar.			
CIGARETTE LIGHTER	Includes ashtray lamp.			
COAT HOOKS	Three LH and two RH.			
CONSOLE, OVERHEAD	Includes dome lamp, four map reading lamps, outside temperature gage, electronic compass and storage compartments.		<del></del>	
CONVENIENCE NET	Removable black net located in rear compartment.			
DOOR LOCK SYSTEM	Power. (Includes a two-sided key) Keyless remote. Includes two key fobs.	'		
DOOR STEPWELL	Black.			
DOOR TRIM	Color-keyed expanded vinyt on driver's and passenger doors with cloth window sills, lower carpet inserts, map pockets, armrests, radio speakers and door reflectors.  Door reflectors include lights.	<b>.</b>		<b>8</b>
FLOOR COVERING	Color-keyed carpeting on wheelhousings and entire floor. Floor carpeting treated with Scotchgard™ Fabric Protector.	•		•
FLOOR MATS	Color-keyed rubber floor mats at all seating positions.	<u> </u>		

<sup>1</sup> Two-sided key standard.

VEV	INTERIOR EQUIPMENT (CONT.)	i i		
KEY: <b>E</b> = STANDARD, — = N	OTINCLUDED	ASTRO (STANDARD)	LS (YC6)	LT (YC7)
GAGES	Coolant temperature, fuel level, odometer, oil pressure, speedometer, trip odometer and voltmeter.			
GLASS, FULL BODY	Solar-Ray® tint, all windows. Solar-Ray® deep-tint, all windows except windshield, driver's window	=		<u> </u>
GLOVE BOX	and front passenger window.  Located in front face of engine cover extension, includes two			
	beverage holders on top of engine cover extension.	. •		
HEADLAMP WARNING TONE	Headlamps on.			-
HEADLINER	Full-length, two-piece, color-keyed, foam-backed cloth.			
HEATER	Includes front heater with windshield and side window defoggers. Also includes heat ducts located under the driver's and front passenger bucket seats that provide heat to intermediate passengers.			
LAMPS	Stepwell, storage compartment and three dome lamps (front, middle, rear) with front, rear and sliding door-activated switches. Includes door jamb override button and delayed illuminated entry.  Front and middle entry lamps also include adjustable reading lamps.	<u> </u>		9
MAP NET	Storage pouch located on passenger side of engine cover extension.	-		
MIRROR	10-inch rearview.			
POWER OUTLETS	Two covered electrical accessory outlets located on the passenger side of engine cover extension (in addition to cigarette lighter).  One covered electrical accessory outlet located near the floor in the left-			
RADIO	hand rear quarter panel.	<b>B</b>		
	Electronically tuned AM/FM stereo with seek-scan, digital clock, six speakers and fixed mast antenna.	•		
SEATS	5-Passenger seating with two custom vinyl high-back adjustable reclining front bucket seats and one 3-passenger custom vinyl middle bench seat. Bench seat is removable, adjusts fore and aft and includes head restraints.  8-passenger seating with two custom cloth high-back adjustable reclining front bucket seats that include dual folding armrests, map pockets and adjustable manual lumbar support and two 3-passenger custom cloth folding middle and rear bench seats. Bench seats are removable, adjust fore and aft and include head restraints.		<del>-</del>	_
	Scotchgard <sup>TM</sup> Fabric Protector on cloth seats.  8-passenger seating with two special cloth high-back adjustable front bucket seats with reclining seatbacks, dual folding armrests and adjustable headrests and two 3-passenger special cloth folding middle and rear bench seats. Bench seats include fold-down center consoles with convenience trays and beverage holders. Bench seats are also removable and adjust fore and aft. Scotchgard <sup>TM</sup> Fabric Protector on cloth seats.	_	•	-
SECURITY	PassLock™ theft deterrent system.			
SPEED CONTROL	Electronic.			
STEERING COLUMN	Tilt-Wheel™.			
STEERING WHEEL	Black 4-spoke with anti-theft locking feature. Black leather-wrapped with anti-theft locking feature.	-	•	
STORAGE COMPARTMENTS	Left-hand second seat area – includes an ashtray, upper storage bin and beverage holder. Also includes full length lower storage bin. Left-hand third seat area – includes an upper storage bin, storage compartment and beverage holder. Also includes a storage	•	#	•
	compartment in the lower corner. Right-hand third seat area – Includes an upper storage bin, storage	-	•	-
SUNSHADES	compartment and beverage holder.  RH and LH padded color-keyed cloth with dual visor mirrors, map bands and extenders.			
	RH and LH padded color-keyed cloth with dual adjustable lighted visor mirrors (including dimmer feature), map bands, auxiliary visors and extenders.	_ )		
SWING-OUT GLASS	Included on stiding side door and left front quarter panel. Swing-out glass also included on rear cargo door.	=	•	•
rools	Screw-operated scissor-type jack with ratchet handle and extension and two wheel blocks. Located behind side panel at right rear.			
WINDOWS	Power.			
WINDSHIELD WIPERS	Intermittent.			
AIR BAGS*	Driver and front seat passenger.		<b>a</b> 1	

AIR BAGS*	Driver and front seat passenger.		
BRAKES	4-wheel anti-lock brakes.		
DOOR BEAMS	Side-door guard beams for front side doors and sliding side door. Sliding door includes child safety lock.		
LAMPS	Daytime running lamps/Center high mounted stop lamp (CHMSL).		
SEAT BELTS			
STEERING COLUMN	Energy absorbing steering column (also includes anti-theft locking).		

\*Always wear your safety belts.

#### PREFERRED EQUIPMENT GROUPS

Preferred Equipment Groups (PEGs) are convenient option packages that can save your customers money. They would pay appreciably more by buying all the options in a Preferred Equipment Group as individual options. (Savings based on a comparison of Manufacturer's Suggested Retail Price of option packages versus MSRP of individual options purchased separately.) See your 1998 Chevrolet Truck Order Guide and Vehicle Price Schedule for specific information and prices.

## **OPTIONS**

These options can be ordered individually in addition to the Preferred Equipment Groups if not already included. See your 1998 Chevrolet Truck Order Guide for specific availability and restrictions. The Option Code is listed in **bold type**.

- ·	
Air Conditioning (front and rear includes 105 amp alternator)	69
Axles, Rear	
3.23 (CM 11006 only) G	U5
3.42 G	iU6
	T4
Locking differential	380
Body Code	
Standard Body Equipment Z	M/O
Dutch Doors (includes electric	***
release, intermittent Wiper/Washer)	
	70 A
reas, power door locks)	
Carrier, Luggage (black) \	/54
Cold Climate Package (includes engine	
block heater, coolant protection) \	<b>/</b> 10
Marketing Packages: (for information	
purposes only, included with PEG;	
not available as free-flow options.)	
Marketing Package (includes Deep-	
Tinted Glass, Convenience Net, Tilt-	
Wheel™ and Speed Control, Power	
Windows and Door Locks, Courtesy	
and Dual Reading Lamps)1	~~
Marketing Package (includes Deep-	70
Tinted Glass. Front Seat Passenger	
Storage Compartment, Power	
Windows, Roof Console and	
Illuminated LH and RH Sunshade	
Mirror) 1	III.
Marketing package (includes 6-way	
Power Seat Driver Side)1	TM
Defogger, Rear Window Electric	
(requires E54 dutch doors)	C49
Door Locking System, Power I	ШЗ
Emissions	
Federal	EEO
Massachusetts/New York/	
Connecticut N	104
California	1 FO
Cal./Mass./N.Y./CT Emissions	NB8
overide	
	10,
Engines:	
VORTEC 4300 SFI V6	L35
Floor Mats, Color-keyed	
Rubber at all Seating Positions	
(included with YC6/YC7)	B37
•	

このようにはいるといると、本本ではないとのと

Glass
Deep-Tinted Solar-Ray®
(Included with YC6/YC7) AJ1
GVWR Ratings
5950 lb (CM11006 only)
6100 lb (CL11006 only) C5M
Heater, Auxiliary Rear
Lock, Keyless Remote
Mirrors, Exterior Electric Remote, Black.
(Mirror head LH: 5.0" x 8.5",
RH: 5.25" x 9.0") <b>D48</b>
Molding, Bodyside B74
Paint, Exterior:
\$olid ZY1
Two-tone appearance
(available with YC6 and YC7) ZY2
Radio Equipment
ETR AM/FM Stereo w/Seek-
Scan, Digital Clock, Cassette and
Eight Speakers UM6
ETR AM/FM Stereo w/Seek-
Scan, Automatic Tone Control,
Cassette Tape, Digital Clock,
Theft- Lock™, Speed-Compensated
Volume and Eight Speakers ULO
ETR AM/FM w/Seek-
Scan, Automatic Tone Control,
Compact disc player, Digital Clock,
Theft- Lock™, Speed-Compensated
Volume and Eight Speakers UN0
ETR AM/FM Stereo w/Seek-
Scan, Automatic Tone Control,
Cassette tape, Compact Disc
Player, Digital Clock, Theft Lock™,
Speed-Compensated Volume and
Eight Speakers UPO
Rear Seat Radio Controls and Jacks
(requires UL0/UPO radio; not
available on YC5 base decor) UK6
Seating Arrangements
7-Person Seating, 4 High-back
Reclining Bucket Seats and
3-Passenger Bench
8-Person Seating, 2 Front High-back
Reclining Bucket Seats and Two
3-Passenger Bench Seats (included
with YC6 and YC7) ZP8
Seat, Six-way Power Driver's AG1

Seat, Six-way Power Passenger (requires Power Driver's seat AG1; not available with underseat storage compartment)	AG2
Seat, Dual Integral Child Safety	
(not available with YC7/ZP7	
or vinyl trim)	AN5
Seat, Leather	
Gray (regs YC7)	922
Neutral (regs YC7)	522
Seat Package (includes inboard and	
outboard armrests, map pockets	
and manual lumbar support. Availabl	6
on YC5 base decor with cloth seat	
only)	AN0
Seat, Lumbar Support lonly on	
intermediate seating w/ ZP7)	
(reqs YC7)	AN6
Steering Wheel	
Black leather-wrapped	
(included with YC7)	
Suspension System, Ride and Handlin	g
(includes front and rear gas shock	
absorbers, rear stabilizer shaft and	
P235/65 R15 tires. Available on	EEO
CM11006 only)	. FE2
Trailering Package, Heavy-Duty	
(includes hitch platform, and eight-wire hamess)	792
	. 202
Transmission, 4-speed Electronically Controlled Automatic w/Overdrive	Man
•••••	MIZO
Transmitter, 3-Channel Garage door opener (reqs. DK6 Roof Console)	UQ1
Wheels	
Brushed Aluminum	
(included with YC7)	. PF3
Styled, Steel	
(painted sparkle silver, included with	
YC6)	PA6
Styled, Steel	PC2
(Chrome Cladded)	FG2

TIRES		
KEY: ALS = ALL-SEASON SBR = STEEL-BELTED RADIAL PLY BW = BLACKWALL WOL = WHITE OUTLINED LETTER		
TIRE DES	CRIPTION	ORDERING CODE
P215/75R15	ALS/SBR/BW	QCU
P215/75R15	ALS/SBR/WOL	QCM
P235/65R15	ALS/SBR/WOL	QPZ'

Not merchandised. Included with FE2 Suspension Package only.

## **DIMENSIONS**

MODEL	ASTRO PASSENGER VAN	ASTRO ALL-WHEEL-DRIVE PASSENGER VAN
MODEL NUMBER	CM11006	CL11006
	<b>EXTERIOR DIMENSIO</b>	NS
BODY Wheelbase (in.) L101	111.2	111,2
Overall Length (in.) L103	189.8	189.8
Overall Height (in.) Nominal H431	74.9	74.8
Maximum Width (in.) W103	77.5	77.5
Bumper to Axle (in.) Front L104 Rear L105	32.5 46.0	32.5 46.0
Ground to Top of Rear Load Floor (in.) H502	26.0	26.0
Ground Clearance (in.) Front/Rear H148/H153	6.8/7,4	6.8/7.4
Step-Up Height (in.)* Front Door H130 Side Load Door H131	18.6 20.2	18.6 20.2
Side Load Door Opening Height (in.) H505 Opening Width (in.) L508	46.8 34.5	46.8 34.5
Rear Load Door Opening Height (in.) H202 Opening Width (in.) W204	42.0 57.2	42.0
Turning Diameter Curb-to-Curb (ft)	39.5	57.2
Track Width (in.) Front/Rear W101/102	65.1/65.1	65.1/65.1
SIGN PANEL AREA Side Panel (in.) Front Door (in.) Height from ground level to the surface of the st	18 x 90.5 18 x 40	18×90.5 18×40

<sup>\*</sup>Height from ground level to the surface of the stepwell.

	INTERIOR DIMENSION	NS
Headroom (in.) H61/H63/H86 Front/Middle/Rear	39.2/37.9/38.7	39.2/37.9/38,7
Legroom (in.) L34/L51/L86 Front/Middle/Rear	41.6/36.5/38.5	41.6/36.5/38.5
Shoulder Room (in.) W3/W4/ Front/Middle/Rear W85	64.0/67.1/67.1	64.0/67.1/67.1
Hip Room (in.) W5/W6/W86 Front/Middle/Rear	64.9/ <b>50.9/57.</b> 1	64.9/50.9/57.1
Load Floor Length (in.) to Console L512 w/Front/Middle L202/L203 w/Rear Seat L509	126.0 98.6/61.7 28.4	126.0 98.6/61.7 28.4
Interior Height (in.) H201	47.2	47.2
Interior Width (in.) W201 between Wheelhousings	51.6	51.6
Cargo Volume (cu ft) w/Front/Middle w/Rear Seat	170.4/104.4 41.3	170.4/104.4 41.3

# Astro Passenger Van

Guide inserts are vour first look at Chevy Truck Models for 1998. Overall improvements. changes and deletions are highlighted. Use these inserts to assist you in ordering your initial shipments. NOTE: This information is preliminary and is subject to change.





Astro Passenger Van at a glance

Astro is ideal for recreationally active families. As the most versatile midsize van, Astro has the most seating, cargo capacity and towing ability.\*

Astro now has a virtual "lock" on the midsize van market.

\*Excludes other GM vehicles.



vehicle is the

model chosen

for its sale-

ability. It is

equipped with

the product

features that

want most.

Generally, it is

the "volume"

vehicle that

comprises the

majority of the

build. You'll

sure you have

several of these

stock. NOTE:

Model, PEG

and optional equipment

may vary in

your locality.

Use the Retail

Sales Analysis

(RSA) to verify

or select your

dealership's

Focus vehicle

want to be

models in

customers

#### Astro LS Passenger Van with Available Rear Dutch Doors and PEG 1SG (image above, top)

The Focus vehicle for 1998 is Astro LS Passenger Van with available rear Dutch doors. This durable midsize van offers some of the best passenger accommodations and trailering capabilities in its class.

Ordering Recommendations:

The recommended Astro LS Passenger Van content, based on national sales volume, is listed below to assist your dealership in ordering.

Astro LS Passenger Van with PEG 1SG includes:

- LS Decor
- Styled-Steel Wheels (may upgrade)
- Solar-Ray Deep-Tinted Glass
- $\bullet$  Convenience Group (includes Tilt-Wheel TM Adjustable Steering Column and electronic speed control with Resume Speed)
- Eight-Passenger Seating\*
- Remote Keyless Entry and Electric Remote Mirrors
- Power Door Locks and Power Windows
- Roof Console
- Stowage Compartment, Underseat
- Luggage Carrier, Black.
- \*May substitute 7-passenger seating.



The Feature vehicle is the "image" model Chevy Truck will

profile most in its advertising. Generally, it does the best job of capturing attention and creating consumer

awareness.

#### Astro LT All-Wheel-Drive Passenger Van with available Dutch Doors and PEG 1SK

(image above, bottom)

The 1998 Feature vehicle is Astro LT All-Wheel-Drive Passenger Van with leather seating surfaces, available Dutch doors and Preferred Equipment Group 1SK. It includes the following equipment, in addition to or replacing items in the standard Base decor:

- LT Decor
- Remote Keyless Entry
- Power Windows and Door Locks
- Convenience Group (includes Tilt-Wheel™ Adjustable Steering Column and electronic speed control with Resume Speed)
- Mirrors: Exterior, Electric Remote
- AM/FM Stereo with Seek-Scan and Digital Clock
- Eight-Passenger Seating\*
- Luggage Carrier: Black
- Leather-Wrapped Steering Wheel
- Roof Console
- Driver Seat: 6-Wav Power
- Wheels: Brushed-Aluminum
- Solar-Ray Deep-Tinted Glass
- Cargo Net.

\*May substitute 7-passenger seating.



Custom Vinyl available in Medium Gray, Navy, Neutral and Ruby.\*



Medium Gray, Navy, Neutral and Ruby. Special Cloth

Custom Cloth



(LT models) avallable in Medium Gray and Neutral.



Special Leather (optional on LT models) available in Medium Gray and Neutral.

Not available on Base models with standard 5-passenger seating.

#### **Most Popular Exterior Colors with Corresponding Interior Color Availability**

INTERIOR MATERIAL COLORS

	Medium Gray	Navy	Neutral	Ruby
EXTERIOR COLORS				
lvory White	V	/	/	1
Dark Forest Green Metallic	<b>V</b>		~	-
Cherry Ice Metallic	~		V	/
Silvermist Metallic	V	1		<b>/</b>

**Most Popular Exterior Colors by Percentage** 



Clockwise, at left, are the anticipated four most popular Astro Passenger Van colors, based on national sales volume. They are listed for reference only. To identify the top-selling colors in your area, by model, use the Retail Sales Analysis (RSA).

Ivory White	22%
Dark Forest Green Metallic	14%
Cherry Ice Metallic	13%
Silvermist Metallic	12%
Other colors	39%

NOTE: New Astro Passenger Van exterior colors are Medium Cadet Blue Metallic, Dark Copper Metallic and Dark Forest Green Metallic, Medium Blue Metallic (#37), Emerald Green Metallic (#43) and Medium Lichen Green Metallic (#47) have been deleted. New exterior cladding colors are Dark Forest Green Metallic and Dark Copper Metallic.

#### **Seat Styles**

C B

**G** ∈


3






Wheels

15" standard steel, painted Argent with bright hubcap.







(RPO PC2) 15" x 6.5" chrome cladded styled-steel (optional on Base, LS, LT).



(RPO PF3). 15" x 6.5" brushed aluminum (optional on Base, LS, standard on LT).

- A. Front high-back reclining Custom Vinyl bucket seats with adjustable 3-passenger center-row bench seat - standard on Base model.
- B. Front high-back reclining Custom Cloth adjustable bucket seats with folding integral armrests and adjustable 3-passenger center- and rear-row bench seats — standard on LS, available with Base model.
- C. Special front reclining high-back bucket seats with folding integral armrests and adjustable headrest. Split-back center- and rear-row seats with folddown center console, convenience tray and cup holders - standard LT Decor.

#### **Alternate Seating Packages**

- ZP7 7-passenger seating includes: 4 high-back reclining bucket seats 3-passenger adjustable rear-row seat.
- ZP8 8-passenger seating\* includes: 2 high-back reclining bucket seats 2 3-passenger adjustable seats.


\*Standard with LS and LT Decors.

# Astro Passenger Van

P.D.S.E.I. helps explain 1998 models for this brand. Overall improvements. changes and deletions are highlighted. Please review the supplied information, keeping in mind that this material is provided to vou before production start-up and is liable to change.

P.D.S.E.I. (New-for-'98 features appear in color.)

#### **PERFORMANCE**



• STANDARD VORTEC 4300 V6 WITH SEQUENTIAL FUEL INJECTION (SFI) — provides smooth, quiet performance and extended service intervals (190 hp @ 4400 rpm and 250 lb.-ft. of torque @ 2800 rpm). • REAR-WHEEL DRIVE helps contribute to an impressive towing capacity up to 5,500 lbs. (when properly equipped).

**DURABILITY** • 100,000-MILE SPARK PLUGS — for extended service intervals.\* • EXTENDED-LIFE COOLANT — good for up to 5 years or 150,000 miles.\* • SERPENTINE BELT ACCESSORY DRIVE — can last up to 100,000 miles. • NO NEED TO CHECK ENGINE TIMING — ever. • BUMPER TO BUMPER LIMITED WARRANTY protection for 3 years or 36,000 miles, with no deductible.

\*Maintenance needs vary with different uses and driving conditions. See owner's manual for more information.

SAFETY

 PassLock THEFT-DETERRENT SYSTEM — disables vehicle from further starting attempts for ten minutes if an invalid key is used. • AUTOMATIC DAYTIME RUNNING LAMPS — make vehicle more visible during daylight hours. • DRIVER AND FRONT-PASSENGER AIR BAGS - help reduce the chance of injury to front-seat passengers in certain moderate to severe frontal collisions. Always wear safety belts, even with air bags. • 4-WHEEL ANTI-LOCK BRAKE SYSTEM (ABS) — helps maintain steering control and minimizes wheel lockup on most slippery surfaces.

**EXTERIOR** • ETCH-RESISTANT CLEARCOAT PAINT — helps reduce damage caused by water-spotting, acid rain and environmental etch. • THREE NEW BODY COLORS — Medium Cadet Blue Metallic, Dark Copper Metallic and Dark Forest Green Metallic. • TWO NEW EXTERIOR CLADDING COLORS — Dark Forest Green Metallic and Dark Copper Metallic. • STANDARD LOWER-BODY CLADDING (LS AND LT MODELS ONLY) — adds a handsome styling touch. • TWO-SIDE-GALVANIZED STEEL -- on all exterior body panels (except roof), it provides maximum corrosion protection.

INTERIOR

• SEATING FOR EIGHT — standard with LS and LT trim levels, optional with Base trim level (which includes standard seating for five). • SCOTCHGARD™ PROTECTOR — helps resist stains on fabrics and makes cleanups quick and easy. • UP TO 170.4 CU. FT. OF CARGO AREA -- with center- and rear-row seats removed. That's enough room to close the rear doors while carrying a 4' x 8' sheet of plywood.

#### Competitive Models

- Ford Windstar
- Mercury Villager
- VW Eurovan
- Mazda MPV
- · Dodge Caravan/Plymouth Voyager
- Nissan Quest
- Toyota Previa.

#### New for 1998

 Transmission enhancements help bring new levels of quietness and efficiency to Astro Passenger Van for 1998. A stiffer, two-piece transmission case reduces vibration and noise, while a new, electronically controlled converter clutch helps improve operating efficiency and driveability. A deeper transmission oil pan improves overall transmission durability and fluid life.

#### **Deletions**

- Three exterior colors have been deleted for 1998: Medium Blue Metallic (#37), Emerald Green Metallic (#43) and Medium Lichen Green Metallic (#47), and have been replaced by three new colors: Medium Cadet Blue Metallic (#25), Dark Copper Metallic (#69) and Dark Forest Green Metallic (#57).
- Two exterior cladding colors have been deleted for 1998: Medium Blue Metallic (#37) and Cherry Ice Metallic (#59), and have been replaced by two new colors: Dark Forest Green Metallic (#57) and Dark Copper Metallic (#69).
- Two exterior stripe colors have been deleted for 1998: Medium Gold (55A) and Medium Gray (90A), and have been replaced by two new colors: Medium Golddust (53A) and Medium Agate (56A).
- One interior color has been deleted for 1998: Gray has been replaced by Medium Gray.

#### Other Information on Significant Features

- Chevy Astro Van now has a virtual "lock" on the midsize van market with the departure of Ford Aerostar.
- Chevy Astro Passenger Van is part of the most complete family of vans in the industry. The Chevy lineup consists of Full-Size Chevy Van and Chevy Express, midsize Astro Passenger Van, Astro Cargo Van, Chevy Venture and Chevy Venture Cargo.

Forecasted Percent of Mix		
SERIES		
2WD	80%	
AWD	20%	
Total	100%	
TRIM LEVELS		
Base	38%	
LS	47%	
LT	15%	
Total	100%	
ENGINES		
Vortec 4300 V6 SFI	100%	
Total	100%	
TRANSMISSIONS		
4-Speed Electronically Controlled		
Automatic with Overdrive	100%	
Total	100%	

# Other Information on Significant Features (contd.)

- Chevy Astro Passenger Van boasts the Vortec 4300 V6 SFI engine for smooth idle and near-instantaneous hot starts.
   Strong torque, high power output and smooth operation make the Vortec V6 an outstanding performer.
- Chevy Astro Van provides excellent conversion van opportunities. Astro Conversion Van goes a long way to enhance the enjoyment of Astro Van owners, especially those who are recreational-minded.

NOTE: Exterior cladding is available on Astro Passenger Van models with YC6 or YC7 trim.

Chevrolet, the Chevrolet Emblem, Solar-Ray, Chevy Van and Astro are registered trademarks and Chevy, Chevy Express, PassLock, Venture and Vortec are trademarks of the General Motors Corporation. Scotchgard is a trademark of the 3M Corp. HomeLink is a registered trademark of the Prince Corporation. © 1997 General Motors Corp. All rights reserved. 8DP. All information correct at time of printing – 3/97.

# ASTRO PASSENGER VAN EQUIPMENT SUMMARY

STANDARD CHASS	SIS FEATURES	BASE	<u>LS</u>	ഥ
ALTERNATOR:	100 AMP	S	S	S
BRAKES:	POWER ASSISTED FRONT DISC, REAR DRUM, 4WHL ANTI-LOCK	S	s	S
BRAKE/TRANS:	BRAKE/TRANSMISSION SHIFT INTERLOCK	s	S	S
ENGINE:	VORTEC 4300 V6 SFI (INCLS ENGINE OIL COOLER, HD RADIATOR AND	s	S	S
	TRANS OIL COOLER)			
FUEL TANK:	25 GALLON	s	\$	s
STEERING:	SPEED SENSITIVE, POWER (E.V.O.)	S	s	S
TRANSMISSION:	4-SPEED ELECTRONICALLY CONTROLLED AUTOMATIC W/OVERDRIVE	S	s	S
STANDARD INTERI	OR FEATURES			
AIR BAGS:	DRIVER AND PASSENGER	s	s	s
AIR CONDITIONING:	FRONT	s	s	s
ARMRESTS:	RH AND LH MOLDED IN DOOR	s	s	s
CARGO CONVENIENCE			s	s
COAT HOOKS:	THREE LH AND TWO RH	s	S	S
CONSOLE:	OVERHEAD (INCLS COMPASS & OUTSIDE TEMPERATURE)	-	-	s
	: TILT WHEEL AND SPEED CONTROL	_	s	s
OUNTENDE ONOU.	POWER DOOR LOCKS		S	S
	POWER WINDOWS		_	s
DOOR BEAMS:	DRIVER, PASSENGER AND SLIDING SIDE DOOR	S	s	s
DOOR TRIM:	(DRIVER & PASSENGER DOORS) COLOR-KEYED EXPANDED CLOTH	Ū	•	Ū
DOOK TRIES.	DOOR TRIM WITH CARPET INSERTS AND INSULATION	s	s	s
		3	3	
	LIGHTED REFLECTORS			S
	REFLECTORS	S	S	-
	SLIDING DOOR, INCLUDES CHILD SAFETY LOCK	S	S	s
FLOOR COVERING:	COLOR-KEYED CARPETING ON WHEEL HOUSING AND			
	ENTIRE LOAD FLOOR	S	S	S
	COLOR-KEYED FLOOR MATS FOR ALL SEATING AREAS	-	S	S
FLOOR DUCTS:	UNDER FRONT SEATS	S	S	s
GAGES:	COOLANT TEMPERATURE, FUEL LEVEL, ODOMETER, OIL PRESSURE, SPEEDOMETER, TRIP ODOMETER AND			
	VOLTMETER	\$	S	S
GLASS:	TINTED; SOLAR-RAY ALL WINDOWS, COMPLETE BODY GLASS.	_	-	S
	DEEP TINTED, SOLAR-RAY ALL WINDOWS, COMPLETE BODY GLASS	S	S	-
GLOVE BOX:	INCLUDES BEVERAGE HOLDERS ON TOP OF ENGINE COVER EXTENSION	S	S	S
HEADLINER:	FULL LENGTH, 2-PIECE COLOR-KEYED, FOAM BACKED CLOTH	s	s	s
JACK:	SCREW OPERATED SCISSORS-TYPE JACK W/RATCHET HANDLE,			
	EXTENSION AND TWO WHEEL BLOCKS	S	S	s
GIASS TIN	red. So larlay oil Windons Bay "5" LS "-" 11-", Deep tinted; Solar Play all Mindons Base	9 1/1	125	
115	" (+"5"			

PUBLISHED: 4-14-97

1998 ORDER GUIDE

ASTRO PASSENGER

# ASTRO PASSENGER VAN EQUIPMENT SUMMARY

		BASE	<u>LS</u>	<u>LT</u>
STANDARD INTER	RIOR FEATURES continued			
LAMPS:	STEPWELL LAMPS, STORAGE COMPARTMENT LAMP, THREE DOME			
	LAMPS WITH FRONT, REAR AND SLIDING DOOR ACTUATED	_		
	SWITCHES, DOME LAMP DEFEAT SWITCH	s		
	STEPWELL LAMPS, STORAGE COMPARTMENT LAMP, FRONT & MIDDLE			
	ENTRY LAMPS INCLUDE ADJUSTABLE READING LAMPS, REAR DOME			
	LAMP AND DOME LAMP DEFEAT SWITCH	_	S S	S S
LIGHTING:	DELAYED ILLUMINATED ENTRY LAMPS	S	_	S
LOCKS:	SINGLE, TWO-SIDED KEY	S	S	S
	KEYLESS REMOTE		s	s S
MAP POCKETS:	FRONT DOORS AND ON ENGINE COVER - PASSENGER SIDE	S	-	_
SECURITY:	PASSLOCK THEFT DETERRENT SYSTEM	S	S	S S
POWER POINTS:	TWO FRONT, ONE LH REAR (IN ADDITION TO CIGARETTE LIGHTER)	S	S	3
RADIO:	ELECTRONICALLY TUNED AM/FM STEREO W/SEEK-SCAN AND	•	s	s
	DIGITAL CLOCK	S	3	3
SCOTCHGARD:	FABRIC PROTECTOR ON FLOOR CARPETING AND OPTIONAL CLOTH	_	s	s
	TRIMS	S	3	
SEATING:	5-PASSENGER SEATING ARRANGEMENT (N/A RUBY INTERIOR)	S	s	s
	8-PASSENGER SEATING ARRANGEMENT	-	3	3
SEATS:	FRONT HIGH BACK RECLINING ADJUSTABLE BUCKETS WITH			
	ALL VINYL TRIM, NO ARMRESTS, INCLUDES CENTER			
	REMOVABLE, ADJUSTABLE 3-PASSENGER BENCH SEAT	s		
	WITH HEAD RESTRAINTS	3	-	-
	FRONT HIGH BACK RECLINING ADJUSTABLE BUCKETS WITH			
	ALL CLOTH TRIM, INCLUDES DUAL ARMRESTS, MAP POCKET			
	AND ADJUSTABLE LUMBAR SUPPORT, PLUS TWO			
	REMOVABLE, ADJUSTABLE 3-PASSENGER BENCH SEATS		s	
	W/HEAD RESTRAINTS	-	J	
	SPECIAL FRONT BUCKET SEATS W/RECLINING BACKS, LUMBAR			
	SUPPORT, DUAL ARMRESTS AND ADJUSTABLE			
	HEAD RESTRAINTS, SPLITBACK CENTER SEAT INCLS FOLD-			
	DOWN CENTER CONSOLE W/CONVENIENCE TRAY AND	_	_	s
	BEVERAGE HOLDERS  BLACK 4-SPOKE WITH ANTI-THEFT LOCKING FEATURE	s	s	s
STEERING WHEEL:	<del></del>	_	_	s
	BLACK LEATHER WRAPPED  MOLDED, COLOR-KEYED IN LH REAR QUARTER AND			
STORAGE COMP:		s	s	s
	3RD SEAT AREA LH AND RH COLOR-KEYED CLOTH WITH VISOR MIRRORS,			
SUNSHADES:	MAP BANDS AND EXTENDERS	s	s	
	LH AND RH COLOR-KEYED CLOTH WITH ADJUSTABLE	-		
	LIGHTED VISOR MIRRORS (INCLS DIMMER), MAP BANDS,			
	AUXILIARY VISORS AND EXTENDERS			s
WADNING TONE:	HEADLAMP-ON	s	s	s
WARNING TONE:	HEDDE IIII -OIY			

ASTRO PASSENGER Page 2 1998 ORDER GUIDE Shading Indicates New for 1998 PUBLISHED: 4-14-97

## **EQUIPMENT SUMMARY**

	BASE	<u>LS</u>	LT	
RIOR FEATURES				
FRONT AND REAR PAINTED BODY COLOR AND				
COMBINATION TOP STEP SURFACE	S	S	S	
LOWER BODY SIDE	-	S	S	
SLIDING RH SIDE DOOR, RH AND LH REAR LOAD DOORS	S	S	S	
MOLDED, COMPOSITE PAINTED ARGENT	S		_	
UPLEVEL WITH CHROME ACCENTS	-	S	S	
HALOGEN SEALED BEAMS	S	-		
COMPOSITE	-	S	S	
U.S. DAYTIME RUNNING LIGHTS	S	S	S	
BELOW-EYE-LINE, FOLD AWAY, PAINTED BLACK	S	S	-	
EXT BELOW-EYE-LINE, DUAL ELECTRIC REMOTE, PAINTED	_	-	S	
SPECIAL NAMEPLATES ON FRONT SIDE DOOR "B" PILLARS		s	s	10-
ETCH RESISTANT OLEANOOAT	5	5		•
COMPACT SPARE TIRE & WHEEL MOUNTED UNDER				
FLOOR AT REAR	S	S	S	
15 X 6 STEEL, PAINTED ARGENT	S	-	-	
15 X 6.5 STYLED, STEEL, PAINTED SILVER	-	S	-	
15 X 6.5 BRUSHED ALUMINUM	••	_	S	
INTERMITTENT WINDSHIELD	S	S	S	
SWING-OUT GLASS ON SLIDING DOOR, LEFT FRONT				
QUARTER PANEL	S	s	S	
SWING-OUT REAR DOORS	-	S	S	
	COMBINATION TOP STEP SURFACE LOWER BODY SIDE SLIDING RH SIDE DOOR, RH AND LH REAR LOAD DOORS MOLDED, COMPOSITE PAINTED ARGENT UPLEVEL WITH CHROME ACCENTS HALOGEN SEALED BEAMS COMPOSITE U.S. DAYTIME RUNNING LIGHTS BELOW-EYE-LINE, FOLD AWAY, PAINTED BLACK EXT BELOW-EYE-LINE, DUAL ELECTRIC REMOTE, PAINTED SPECIAL NAMEPLATES ON FRONT SIDE DOOR "B" PILLARS ETCH RESISTANT OLE ACCOUNTY COMPACT SPARE TIRE & WHEEL MOUNTED UNDER FLOOR AT REAR 15 X 6 STEEL, PAINTED ARGENT 15 X 6.5 STYLED, STEEL, PAINTED SILVER 15 X 6.5 BRUSHED ALUMINUM INTERMITTENT WINDSHIELD SWING-OUT GLASS ON SLIDING DOOR, LEFT FRONT QUARTER PANEL	FRONT AND REAR PAINTED BODY COLOR AND COMBINATION TOP STEP SURFACE SLOWER BODY SIDE SLIDING RH SIDE DOOR, RH AND LH REAR LOAD DOORS MOLDED, COMPOSITE PAINTED ARGENT SUPLEVEL WITH CHROME ACCENTS HALOGEN SEALED BEAMS COMPOSITE U.S. DAYTIME RUNNING LIGHTS SELOW-EYE-LINE, FOLD AWAY, PAINTED BLACK EXT BELOW-EYE-LINE, DUAL ELECTRIC REMOTE, PAINTED SPECIAL NAMEPLATES ON FRONT SIDE DOOR "B" PILLARS ETCH RESISTANT OLE-AROCAT COMPACT SPARE TIRE & WHEEL MOUNTED UNDER FLOOR AT REAR S S S X 6.5 STYLED, STEEL, PAINTED SILVER 15 X 6.5 BRUSHED ALUMINUM INTERMITTENT WINDSHIELD SWING-OUT GLASS ON SLIDING DOOR, LEFT FRONT QUARTER PANEL S S	FRONT AND REAR PAINTED BODY COLOR AND  COMBINATION TOP STEP SURFACE  LOWER BODY SIDE  SLIDING RH SIDE DOOR, RH AND LH REAR LOAD DOORS  MOLDED, COMPOSITE PAINTED ARGENT  UPLEVEL WITH CHROME ACCENTS  HALOGEN SEALED BEAMS  COMPOSITE  U.S. DAYTIME RUNNING LIGHTS  BELOW-EYE-LINE, FOLD AWAY, PAINTED BLACK  EXT BELOW-EYE-LINE, DUAL ELECTRIC REMOTE, PAINTED  SPECIAL NAMEPLATES ON FRONT SIDE DOOR "B" PILLARS  ETCH RESISTANT OLE AND ALL SURFER SIDE SIDE SIDE SIDE SIDE SIDE SIDE SIDE	FRONT AND REAR PAINTED BODY COLOR AND  COMBINATION TOP STEP SURFACE  LOWER BODY SIDE  SLIDING RH SIDE DOOR, RH AND LH REAR LOAD DOORS  MOLDED, COMPOSITE PAINTED ARGENT  UPLEVEL WITH CHROME ACCENTS  HALOGEN SEALED BEAMS  COMPOSITE  U.S. DAYTIME RUNNING LIGHTS  BELOW-EYE-LINE, FOLD AWAY, PAINTED BLACK  EXT BELOW-EYE-LINE, DUAL ELECTRIC REMOTE, PAINTED  FLOR AT REAR  SSETCH RESISTANT OLE ACOAT  COMPACT SPARE TIRE & WHEEL MOUNTED UNDER  FLOOR AT REAR  SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS

#### MODEL AND BODY

Description Model No. Body Wheelbase
Rear-Wheel Drive Model
Astro Van ..... CM11006 ZW9 111.2"

Description Model No. Body Wheelbase

All-Wheel Drive Model

Astro Van .....CL11006 ZW9 111.2"

## GVWR SELECTOR (MUST SPECIFY)

		Minim	um Equipment	Required for GVW Ra	iting
	GVW RATING	(a) GA	WR (LBS.)		
	(LBS.)	Front	Rear	Restrictions	
C6M	5950	2800	3150	CM11006 Only	
C5M	6100	3050	3150	CL11006 Only	
		<del></del>	7	a with anninment listed	Other GAWR's are availab

<sup>(</sup>a) GAWR's shown are the minimum for each axle with equipment listed. Other GAWR's are available and they are determined as the minimum capacity of either axle or springs or tires.

#### CAPACITIES

CM11006	·	CL11006	
SPRINGS:	AXLES:	SPRINGS:	AXLES:
FRONT	FRONT	FRONT	FRONT
2800 Base	2800 Base	3050 Base	3050 Base
REAR	REAR	REAR	REAR
3150 Base	3150 Base	3150 Base	3150 Base

## POWER TEAMS (Must Specify Engine, Transmission and Rear Axle)

(Consult GVWR Selector for Minimum Equipment Required)

(Consult GVWR Selector for MI ENGINE	TRANSMISSION		AXLES		<u>GYW</u> R
	(Auto)	3.23	3.42	3.73	
CM11006 L35 Vortec 4300 SFI V6	M30	GU5	GU6	GT4	5950
CL11006 L35 Vortec 4300 SFI V6	M30		GU6	GT4	6100

ASTRO PASSENGER Page 4 1998 ORDER GUIDE

PUBLISHED: 4-14-97

No Deletions Allowed. Additional Options/Upgrades (where Indicated)

May Be Ordered from Additional Options Listing		1	BASE		LS	
			COR	DEC		DECOR
		1SA	1SB	1SC	1SD	1SE
- 4 4 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				)		j j
Preferred Equipment Group	YC5	X	x	ļ		
BASE DECOR	ZW9	x	x	Ιx	l x	lxl
Standard Body (a)	2005		1 ^	<b>\</b> ^	\ ``	``
Preferred Equipment Group				ļ	1	
Preferred Equipment Group Savings	470		х	1		1 .
Marketing Package	1TG		x	l x	x	x
8-Passenger Seating (b)	ZP8		X	l â	Î	l â l
Deluxe Floor Mats	B37		-	^	^	^
Body-Side Molding	B74		Х			
Styled Wheel (c)	PA6		X	١		,
Seat Package (d)	AN0		<u></u>	] x	×	×
Preferred Equipment Group					1	
Preferred Equipment Group Savings						1
LS DECOR	YC6			Х	X	1
Marketing Package	1TK			Х	X	
Wheel Chrome Cladded (e)	PC2			x	]	İ
Preferred Equipment Group						
Preferred Equipment Group Savings					v	"
Whee! Aluminum (f)	PF3				X	X
Luggage Carrier	V54				X	X
Remote Keyless Entry	AU0				X	X
6-Way Power Seat (Driver's)	AG1				Х	_  ×
Preferred Equipment Group						
Preferred Equipment Group Savings						х
LT DECOR	YC7					
Marketing Package	1TM			0-1.		<u>X</u>

- (a) May Substitute E54 Dutch Doors
- (b) May Substitute ZP7 7-Passenger Seating
- (c) May Upgrade to PC2 or PF3

- (d) Available with Cloth Seats Only
- (e) May Upgrade to PF3
- (f) May Substitute PC2 Wheel

#### 1TG MARKETING PACKAGE INCLUDES:

Tilt Wheel Steering/Speed Control

Cargo Convenience Net

Power Windows/Power Door Locks

Deep Tinted Glass (AJ1)

Reading Lamps

### 1TK MARKETING PACKAGE INCLUDES:

Deep Tinted Glass (AJ1)

Power Mirrors (D48)

Front Seat Passenger Storage Compartment (Unless AG2 is Specified)

Roof Console

Illuminated LH and RH Sunshade Mirror

**Power Windows** 

## 1TM MARKETING PACKAGE INCLUDES:

6-Way Power Seat (Driver's) (AG1)

Front Seat Passenger Storage Compartment (Unless AG2 is Specified)

Page 5

#### **ADDITIONAL OPTIONS**

	ACKNOWLEDGMENTS:
R8S	Multiple Order Numbers
R8T	Preliminary Invoice
C69	AIR CONDITIONING: Front and Rear (105 Amp Alternator)
	AXLE, REAR: (MUST SPECIFY)
GU5	3.23 Ratio (CM11006 Only)
GU6	3.42 Ratio
GT4	3.73 Ratio
G80	Locking Differential
	BODY CODE:
ZW9	Standard Body Equipment
E54	Dutch Doors (Incls Wiper/Washer and Electric Release)(Reqs AU3 Power Door Locks)
V54	CARRIER, LUGGAGE: Painted Black
V10	COLD CLIMATE PACKAGE: (Incls Engine Block Heater and Coolant Protection)
C49	DEFOGGER: Rear Window Electric (Reqs E54 Body)
AU3	DOOR LOCK SYSTEM, POWER: (Incl w/1SB, LS & LT Decor) (Available w/1SA)
	EMISSIONS: (MUST SPECIFY) (Refer Emission Requirements Tab Section)
FE9	Federal Emission Requirements
NG1	New York, Massachusetts or Connecticut Emission Requirements
YF5	California Emission Requirements
NB8	CA, NY, MA, or CT Emission Override (Reqs FE9 Emissions)
NC7	Federal Emission Override (Reqs YF5 or NG1 Emissions)
B37	FLOOR MATS: Front and Rear, Color-Keyed (Included w/1SB, LS and LT Decor)
AJ1	GLASS, DEEP TINTED: Solar-Ray (Incl w/1SB, LS & LT Decor)
TL1	GRILLE: Uplevel Grille and Composite Headlamps (Reqs Base Decor)
	GVWR RATINGS: (MUST SPECIFY)
C6M	5950 Lbs. (CM11006 Only)
C5M	6100 Lbs. (CL11006 Only)
C36	HEATER: Rear
AU0	LOCK: Keyless Remote (Incl w/LT Decor & 1SD) (Reqs AU3 Power Door Locks w/1SA)
	(Available w/1SB & 1SC)
D48	MIRRORS: Below-Eye-Line Exterior, Electric Remote, Black (Incl w/LS & LT Decor)
	(Avail w/1SB) (N/A w/1SA)
B74	MOLDING: Body-Side (Avail w/Base Decor Only) (Incl w/1SB)
	PAINTS, EXTERIOR: (Refer Color/Trim Chart)
ZY1	Solid
ZY2	Two-Tone Appearance (Regs LS or LT Decor)
	RADIO EQUIPMENT: (Electronically Tuned AM/FM Stereo Radio w/Seek-Scan and Digital
	Clock) Standard
UM6	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock and Cassette Tape
UL0	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control, Cassette Tape, Theft Lock and Speed Compensated Volume (N/A 1SA)
	Cassette Tape, Theft Lock and Speed Compensated Volume (IGA 13A)  Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control,
UNO	Compact Disc Player, Theft Lock and Speed Compensated Volume (N/A 1SA)
	Compact Disc Player, Their Lock and Opena Compensation 15 and Compensation

#### **ADDITIONAL OPTIONS**

	RADIO EQUIPMENT: CONTINUED
UP0	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control,
	Stereo Cassette Tape w/Search and Repeat, Compact Disc Player, Theft Lock and Speed Compensated Volume (N/A 1SA)
UK6	Rear Seat Radio Controls and Jacks (Reqs UL0/UP0 Radio) (N/A Base Decor)
	SEATING ARRANGEMENTS: Adjustable
ZP7	7-Person Seating, 4 High Back Bucket Seats (Incls Seat Back Recliner) and 3-Passenger Bench (Incls AN0 Seat Pkg) (N/A Vinyl Trim)
ZP8	8-Person Seating, 2 Front High Back Reclining Bucket Seats and Two 3-Passenger Bench Seats (Incl w/1SB, LS or LT Decor) (Avail w/1SA)
	SEAT, POWER:
AG1	6-Way, Driver's (Included w/1SD and LT Decor) (Available w/1SB or 1SC Cloth Trim Only) (N/A 1SA)
AG2	6-Way, Passenger (Reqs AG1 6-Way Power Driver's Seat) (Deletes Front Underseat Storage Compartment)
AN5	SEATS, DUAL INTEGRAL CHILD: (Reqs Cloth Trim) (N/A LT Decor) (N/A ZP7 7-Pass. Seating)
AV5	SEAT: (MUST SPECIFY) High Back Buckets
AN0	SEAT PACKAGE: (Incis Inboard/Outboard Armrests, Map Pocket, Manually Adjustable Lumbar
	Support) (N/A Vinyl Trim) (Incl w/1SB, LS and LT Decor) (Incl w/ZP7 Seating) (N/A w/1SA) w / ZP5/ ZP3 Seating
AN6	SEAT, LUMBAR SUPPORT: (Only on Mid-Ship Seating w/ZP7) (Reqs LT Decor)
NP5	STEERING WHEEL: Black Leather Wrapped (Incl w/LT Decor) (Avail w/LS Decor)
FE2	SUSPENSION PACKAGE: Touring (CM11006 Only) (Incls Front and Rear Gas Shock Absorbers, Rear Stabilizer Shaft and P235/65R-15 Touring WOL Tires) (Reqs PF3 Wheels w/LT)
	TIRES: Tubeless, All Season Steel Belted Radial (Incls Front, Rear and Compact Spare)
	(B/W=Blackwall, WOL=White Outlined Lettered)
QCU	P215/75R-15 B/W
QCM	P215/75R-15 WOL
Z82	TRAILERING, SPECIAL EQUIPMENT: Heavy-Duty (Incls Platform Trailer Hitch and 8-Lead Wiring Hamess)
UG1	TRANSMITTER, HOMELINK® 3-CHANNEL GARAGE DOOR: (N/A Base Decor) WHEELS:
PF3	Aluminum, Brushed (Incl w/1SD or LT Decor)
PC2	Styled, Steel, Chrome Cladded Reg 5 ) SA
PA6	Styled, Steel, Painted Silver (Incl w/1SB end 188) (Available w/1SA)

# ASTRO (PASSENGER)

#### **AVAILABLE WINDOW/DOOR ARRANGEMENTS**

(See Option Section for Restrictions)


STANDARD (Includes RH and LH Rear Quarter Windows)

STANDARD (W/ZW9)

OPTIONAL (W/E54 DUTCH DOORS)










### **AVAILABLE SEATING ARRANGEMENTS**


(One Seating Arrangement Option Must Be Specified) (See Interior and Exterior Chart for Restrictions)

#### w/ZP5

Standard 5-Person Seating



tncls High Back Reclining Buckets, (2 Front) and Standard 3-Passenger Adjustable Bench Seat



#### w/ZP8

8-Person Seating (Std w/LS & LT Decor)


w/Base or LS Decor Incls 2 High Back Reclining Buckets & Two 3-Passenger Adjustable Bench Seats

w/LT Decor

Incls 2 Reclining Bucket Seats & 2 Split Back Reclining 3-Passenger Adjustable Bench Seats

#### w/ZP7

7-Person Seating



w/Base or LS Decor Incls 4 High Back Reclining Buckets (2 Front & 2 Mid-Ship) and a 3-Passenger Adjustable Bench Seat

#### w/LT Decor

Incls 4 Reclining Bucket Seats (2 Front & 2 Mid-Ship) and a Split Back Reclining 3-Passenger Adjustable Seat w/Folding Armrests

## ASTRO PASSENGER

# PAINT APPLICATION ZY2 TWO-TONE APPEARANCE (LOWER COLOR IS CLADDING)

TWO-TONE APPEARANCE - ZY2 -- (LS AND LT DECOR ONLY)



## ASTRO PASSENGER INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART

**PLEASE NOTE:** Below are the interior trim color and exterior paint combinations *recommended* by Chevrolet. They are the only available interior and exterior combinations allowed

### BASE DECOR WITH ZY1 PAINT (WITHOUT CLADDING)

	SEAT	INTERIOR COLORS			
	OPT	Med Gray	Navy	Neutral	(a)Ruby
	AV5	92W	26W	52W	79W
Custom Vinyt High Back Reclining Bucket Seats Custom Cloth High Back Reclining Bucket Seats		92G	26G	52G	79G
Color	Paint	Interio	ior Combina	binations	
EXTERIOR COLORS Color Code 1		Shown are the only Combinations Available			
55U	ZY1			Х	
25∪	ZY1	X	X	Х	
36U	ZY1	Х		X	
59U	ZY1	Х		X	X
69U	ZY1	X		X	
57U	ZY1	Χ		Х	
05U	ZY1	X		Х	
53U	ZY1	Х		X	
17U	ZY1	X	X		X
10U	ZY1	X	Х	X	Х
	Color Code 1 55U 25U 36U 59U 69U 57U 05U	OPT	SEAT OPT   Med Gray	SEAT   INTERIOR	SEAT OPT   Med Gray   Navy   Neutral

<sup>(</sup>a)Ruby Interior N/A w/ZP5 5-Passenger Seating

### IS DECOR WITH ZY1 PAINT (INCLUDES CLADDING)

TRIM LEVEL		SEAT	INTERIOR COLORS			
		OPT	Med Gray	Navy	Neutral	Ruby
(Must Specify Seat Option and Interior Color)		AV5	92G	26G	52G	79G
Custom Cloth High Back Reclining Bucket Seats						tions
EXTERIOR COLORS	Color	Paint	Interior & Exterior Combinations			
	Code 1	Scheme	Shown a	re the only C	ombinations Av	ailabie
AUTUMNWOOD, LT (Met)	55U	ZY1			X	
COPPER, DK (Met)	69U	ZY1_	Х			
GREEN, DK FOREST (Met)	57U	ZY1	X		×	
RED. LT CARMINE (Met)	53U	ZY1	X		<u> </u>	
SILVERMIST (Met)	17U	ZY1	X	X	<u> </u>	X
WHITE, IVORY	10U	ZY1	X	Х	X	<u> </u>

## LS DECOR WITH ZY2 TWO-TONE APPEARANCE (INCLUDES CLADDING)

LS DECOR WITH ZY2 TWO-TONE APPEARANT TRIM LEVEL			SEAT	INTERIOR COLORS			
			OPT	Med Gray	Navy	Neutral	Ruby
Must Specify Seat Option and Interior Color)			AV5	92G	26G	52G	79G
Custom Cloth High Back Reclining Bucket Seats				J 3			tions
EXTERIOR COLORS	Color	(a)Color	Paint	Interior & Exterior Combination			
	Code 1	Code 2	Scheme	Shown	are the only (	Combinations Av	/allable
BLUE, MED CADET (Met)/Autumnwood. Lt (Met)	25U	55Q_	ZY2		X	X	
BLUE, MED CADET (Met)/Silvermist (Met)	25U	17Q	ZY2	X	X		
BLUE, TEAL (Met)/Autumnwood, Lt (Met)	36U	55Q	ZY2			X	<u> </u>
BLUE, TEAL (Met)/Silvermist (Met)	36U	17Q	ZY2	X			
CHERRY ICE (Met)/Autumnwood, Lt (Met)	59U	55Q	ZY2	<u> </u>			<u> </u>
CHERRY ICE (Met)/Silvermist (Met)	59U	17Q	ZY2	X		<u> </u>	×
COPPER, DK (Met)/Autumnwood, Lt (Met)	69U	55Q	ZY2			X	
GREEN, DK FOREST (Met)/Autumnwood, Lt. (Met)	57U	55Q	ZY2			×	<del> </del>
GREEN, DK FOREST (Met)/Silvermist (Met)	57U	17Q	ZY2	X		<del></del>	<u> </u>
PURPLE, DK (Met)/Autumnwood, Lt (Met)	05U	55Q	ZY2	<u> </u>		×	<u> </u>
PURPLE, DK (Met)/Silvermist (Met)	05U	17Q	ZY2	<u> </u>		<del></del>	<del> </del>
RED, LT CARMINE (Met)/Autumnwood, Lt (Met)	53U	55Q	ZY2			<u> </u>	<b>├</b> ──
RED, LT CARMINE (Met)/Silvermist (Met)	53U	17Q	ZY2	X		<del> </del>	<del>↓        </del>
WHITE, IVORY/Autumnwood, Lt (Met)	10U	55Q	ZY2			×	<del>}</del> _
WHITE, 'VORY/Silvermist (Met)	10U	17Q	ZY2	X	X		<u> </u>

<sup>(</sup>a)Color Code 2 Must Be Ordered as a (+) Option

## ASTRO PASSENGER INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART

PLEASE NOTE: Below are the interior trim color and exterior paint combinations recommended by Chevrolet. They are the only available interior and exterior combinations allowed

LT DECOR WITH ZY1 PAINT (INCLUDES CLADDING)

FI DECOK MILL STILLYIM (INCESSES SELES INC.)						
TRIM LEVEL		SEAT	INTERIOR	COLORS		
(Must Specify Seat Option and Interior Color)			Med Gray	Neutral		
Special Cloth High Back Reclining Front Bucket Seats		AV5	92H	52H		
Special Leather High Back Reclining Front Bucket Seats		AV5	922	522		
EXTERIOR COLORS	Color	Paint	Recommende	d Interior		
C		Scheme	Trim Colors		STRIPE COLORS	
AUTUMNWOOD, LT (Met)	55U	ZY1		Х	AUTUMNWOOD	
AUTUMNWOOD, LT (Met)	55U	ZY1	Х		GRAY	
COPPER, DK (Met)	69U	ZY1		Х	AUTUMNWOOD	
	69U	ZY1	X		GRAY	
COPPER. DK (Met) GREEN, DK FOREST (Met)	57U	ZY1		Х	AUTUMNWOOD	
GREEN, DK FOREST (Met)	57U	ZY1	х		GRAY	
	53U	ZY1		X	AUTUMNWOOD	
RED, LT CARMINE (Met)	53U	ZY1	Х		GRAY	
RED, LT CARMINE (Met)	17U	ZY1	X		GRAY	
SILVERMIST (Met)	100	ZY1	1	X	AUTUMNWOOD	
WHITE, IVORY		ZY1	X	<del>  - ^ -</del> -	GRAY	
WHITE, IVORY	10U			<b>└</b>		

LT DECOR WITH ZY2 TWO-TONE APPEARANCE (INCLUDES CLADDING)

EXTERIOR COLORS	Color	(a)Color	Paint	Recommende	d Interior	
	Code 1	Code 2	Scheme	Trim Co	iors	STRIPE COLORS
BLUE, MED CADET (Met)/Autumnwood, Lt (Met)	25U	55Q	ZY2		Х	AUTUMNWOOD
BLUE, MED CADET (Met)/Silvermist (Met)	25U	17Q	ZY2	Χ		GRAY
BLUE, TEAL (Met)/Autumwood, Lt (Met)	36U	55Q	ZY2		Х	AUTUMNWOOD
BLUE, TEAL (Met)/Silvermist (Met)	36U	17Q	ZY2	Х		GRAY
CHERRY ICE (Met)/Autumnwood, Lt (Met)	59U	55Q	ZY2		Х	AUTUMNWOOD
CHERRY ICE (Met)/Silvermist (Met)	59U	17Q	ZY2	Х		GRAY
COPPER, DK (Met)/Autumnwood. Lt (Met)	69U	55Q	ZY2		X	AUTUMNWOOD
GREEN, DK FOREST (Met)/Autumnwood, Lt (Met)	57U	55Q	ZY2		Х	AUTUMNWOOD
GREEN, DK FOREST (Met)/Silvermist (Met)	57U	17Q	ZY2	X		GRAY
PURPLE, DK (Met)/Autumnwood, Lt (Met)	05U	55Q	ZY2		X	AUTUMNWOOD
PURPLE, DK (Met)/Silvermist (Met)	05U	17Q	ZY2	X		GRAY
RED, LT CARMINE (Met)/Autumnwood, Lt (Met)	53U	55Q	ZY2		X	AUTUMNWOOD
RED, LT CARMINE (Met)/Silvermist (Met)	53U	17Q	ZY2	Х		GRAY
WHITE, IVORY/Autumnwood, Lt (Met)	100	55Q	ZY2		Х	AUTUMNWOOD
WHITE, IVORY/Silvermist (Met)	100	17Q	ZY2	Х		GRAY

(a)Color Code 2 Must Be Ordered as a (+) Plus Option



Chevy Truck Dealer Order Guide

## Astro Cargo Van

Dealer Order Guide inserts are vour first look at Chevy Truck models tor 1998. Overall improvements. changes and deletions are highlighted. L'se these inserts to assist you in ordering vour initial shipments. NOTE: This information is preliminary and is subject to change.





The Feature The Focus vehicle is vehicle is the the "image" model chosen model Chevy for its saleability. It is Truck will equipped with profile most in the product its advertising. features that Generally. it does the customers best job of want most. Generally, it is capturing attention and the "volume" vehicle that creating comprises the consumer majority of the awareness. build, You'll want to be sure vou have several of these models in stock. NOTE: Model, PEG and optional eauipment may vary in vour locality. Use the Retail Sales Analysis (RSA) to verify or select your dealership's

Focus vehicle content.



### Astro Cargo Van with Rear-Wheel Drive (image, above)

The 1998 Focus/Feature vehicle is the Base Astro Cargo Van with rear-wheel drive. Ideal for commercial fleets. Astro also appeals to recreational buyers as an excellent conversion platform. This popular model offers plenty of load space and comfort, with performance for a variety of uses.

#### Ordering Recommendations:

The recommended Astro Cargo Van with rear-wheel-drive content, based on national sales volume, is listed below to assist your dealership in ordering. Major standard equipment includes:

- · Air Conditioning
- Driver and Front-Passenger Air Bags
- 4-Wheel Anti-Lock Brake System (ABS)
- 2-Passenger Seating with High-Back Bucket Seats.

Some popular options include:

- Convenience Groups:
  - Power Windows, Power Door Locks
  - Tilt-Wheel™ Adjustable Steering Column and Electronic Speed Control with Resume Speed
- 15" Painted Styled-Steel Wheels.


### Astro Cargo Van is Loaded with Service Advantages Fleets will Appreciate

Holding down service costs is a major concern for today's cost-conscious fleet operators. Astro Cargo Van abounds in easy-to-service features that can help fleet operators do just that. Included are:

- Bolt-on fenders for improved serviceability
- Quick-removal engine cover latches
- Engine removal from the front
- One-piece inner quarter panels help to protect outer panels from being damaged by shifting cargo.

Point out these cost-saving features to fleet operators — especially those who perform their own maintenance.

Astro Cargo Van at a glance



Astro is part of one of the most complete family of vans in the industry. Included are Full-Size Chevy Van, Chevy Express, midsize Astro Passenger Van, Astro Cargo Van, Chevy Venture and Chevy Venture Cargo.

\*Excludes other GM divisions.





### **Trim Colors**



Custom Vinyl available in Medium Gray, Navy, Neutral and Ruby. Driver and frontpassenger seats are standard.



**Custom Cloth** Medium Gray, Navy, Neutral and Ruby. Driver and frontpassenger seats are standard.

### **Seat Styles**



### Wheels



Standard 15" steel with bright hubcap.





(RPO PC2) 15" x 6.5" chrome

cladded

styled-steel - optional.

(RPO PA6)

steel in argent

- optional.

15" x 6.5" painted styled-



(RPO PF3) 15" x 6.5" brushed aluminum wheel – optional. Requires YF7 Upfitter

Package.

- A. Standard Custom Vinyl high-back reclining bucket seats — includes driver and front-passenger seats.
- B. Optional Custom Cloth high-back reclining bucket seats — includes driver and front-passenger seats.

### **Most Popular Exterior Colors with Corresponding Interior Color Availability**

INTERIOR MATERIAL COLORS

	Medium Gray	Navy	Neutral	Ruby
EXTERIOR COLORS				
lvory White	<b>V</b>	/	<b>V</b>	
Silvermist Metallic	~	1		<b>/</b>
Light Autumnwood Metallic			<b>V</b>	

### **Most Popular Exterior Colors by Percentage**



At left, are the anticipated three most popular Astro Cargo Van colors for 1998, based on national sales volume. They are listed for reference only. To identify the top-selling colors in your area, by model, use the Retail Sales Analysis (RSA).

Ivory White	55%
Silvermist Metallic	7%
Light Autumnwood Metallic	6%
Other colors	32%

NOTE: New Astro Cargo Van exterior colors are Medium Cadet Blue Metallic, Dark Copper Metallic and Dark Forest Green Metallic. Medium Blue Metallic (#37), Emerald Green Metallic (#43) and Medium Lichen Green Metallic #47) have been deleted.

Two new exterior cladding colors are Dark Forest Green Metallic and Dark Copper Metallic.



## 🕶 Astro Cargo Van

P.D.S.E.I. helps explain 1998 models for this brand. Overall improvements. changes and deletions are highlighted. Please review the supplied information, keeping in mind that this material is provided to

you before production

start-up -

and may change.

P.D.S.E.I. (New-for-'98 features appear in color.)

#### **PERFORMANCE**



(when properly equipped).


• AUTOMATIC TRANSMISSION ENHANCEMENTS — feature an electronically controlled converter clutch for improved efficiency and a two-piece transmission case for increased stiffness, reduced noise and vibration, compared to last year's transmission. • ALL-WHEEL-DRIVE MODEL — offers enhanced traction and added security regardless of road conditions. • STANDARD VORTEC 4300 V6 WITH SEQUENTIAL FUEL INJECTION (SFI) — provides smooth, quiet performance and extended service intervals (190 hp @ 4400 rpm and 250 lb.-ft. of torque @ 2800 rpm). • REAR-WHEEL DRIVE — helps contribute to an impressive towing capacity of up to 5,500 lbs.

### DURABILITY

• 100,000-MILE SPARK PLUGS -- can go up to 100,000 miles before replacement.\* • EXTENDED-LIFE COOLANT — good for up to 5 years or 150,000 miles.\* • SERPENTINE BELT ACCESSORY DRIVE — can last up to 100,000 miles.\* • NO NEED TO CHECK ENGINE TIMING — ever. • BUMPER TO BUMPER LIMITED WARRANTY - protection for 3 years or 36,000 miles, with no deductible.

\*Maintenance needs vary with different uses and driving conditions. See owner's manual for more information.

#### SAFETY



## **EXTERIOR**

• THREE NEW EXTERIOR COLORS — Medium Cadet Blue Metallic, Dark Copper Metallic and Dark Forest Green Metallic. • TWO NEW EXTERIOR CLADDING COLORS — Dark Copper Metallic and Dark Forest Green Metallic. • ETCH-RESISTANT CLEARCOAT PAINT - helps reduce damage caused by water-spotting, acid rain and environmental etch. • OPTIONAL LOWER-BODY CLADDING (YF7 UPFITTER PACKAGE ONLY) -- adds a handsome styling touch to upfitted Astro Cargo Vans. • TWO-SIDE-GALVANIZED STEEL — on all exterior body panels (except roof), it provides maximum protection against corrosion.

### INTERIOR

• UP TO 170.4 CU. FT. OF CARGO AREA — that's enough room to close the rear doors while carrying a 4' x 8' sheet of plywood. • HomeLink 3-CHANNEL TRANSMITTER (REQUIRES OPTIONAL ROOF CONSOLE AND YF7 UPFITTER PACKAGE) — memorizes activation code for up to three remote control devices.

### **Competitive Models**

- Dodge Ram Van
- Dodge Caravan C/V.

#### New for 1998

 Transmission enhancements help bring new levels of quietness and efficiency to Astro Cargo Van for 1998. A stiffer, twopiece transmission case reduces vibration and noise, while a new electronically controlled converter clutch helps improve operating efficiency and driveability. A deeper transmission oil pan improves overall transmission durability and fluid life.

### Additional Information on Significant Features

- Chevy Astro Van boasts the Vortec 4300
  V6 SFI engine for smooth idle and nearinstantaneous hot starts. Strong torque,
  high power output and smooth operation
  make this engine an eager worker.
- Astro Van is part of the most complete family of vans in the industry. The Chevy lineup consists of Full-Size Chevy Van and Chevy Express, midsize Astro Passenger Van, Astro Cargo Van, Chevy Venture and Chevy Venture Cargo.

#### **Deletions**

- Three exterior colors have been deleted for 1998: Medium Blue Metallic (#37), Emerald Green Metallic (#43) and Medium Lichen Green Metallic (#47), and have been replaced by three new colors: Medium Cadet Blue Metallic (#25), Dark Copper Metallic (#69) and Dark Forest Green Metallic (#57).
- Two exterior cladding colors have been deleted for 1998: Medium Blue Metallic (#37) and Cherry Ice Metallic (#59), and have been replaced by two new colors: Dark Forest Green Metallic (#57) and Dark Copper Metallic (#69).
- One interior color has been deleted for 1998 — Gray has been replaced by Medium Gray.

NOTE: Exterior cladding is available on Astro Cargo Van models with YF7 Upfitter Package only.

Forecasted Percent of Mix		
SERIES		
RWD	85%	<u></u>
AWD	15%	
Total	100%	
ENGINE		
Vortec 4300 V6 SFI	100%	
Total	100%	
TRANSMISSION		
4-Speed Electronically Controlled		
Automatic with Overdrive	100%	
Total	100%	

## ASTRO CARGO VAN EQUIPMENT SUMMARY

### STANDARD CHASSIS FEATURES

ALTERNATOR:

100 AMP

BRAKES:

POWER ASSISTED FRONT DISC, REAR DRUM, 4WHL ANTI-LOCK

BRAKE/TRANS:

BRAKE/TRANSMISSION SHIFT INTERLOCK

ENGINE:

VORTEC 4300 V6 SFI (INCLS ENGINE OIL COOLER, H.D. RADIATOR AND

TRANS. OIL COOLER)

**FUEL TANK:** 

25 GALLON

STEERING:

SPEED SENSITIVE, POWER (E.V.O.)

TRANSMISSION:

4-SPEED ELECTRONICALLY CONTROLLED AUTOMATIC W/OVERDRIVE

### STANDARD INTERIOR FEATURES

AIR BAGS:

DRIVER AND PASSENGER

AIR CONDITIONING:

**FRONT** 

ARMRESTS:

RH AND LH MOLDED IN DOOR

ASSIST HANDLE: COAT HOOKS: RH

DOOR BEAMS:

DRIVER, PASSENGER AND SLIDING SIDE DOOR

FLOOR COVERING:

EMBOSSED FRONT BLACK RUBBER MAT

GAGES:

COOLANT TEMPERATURE, FUEL LEVEL, ODOMETER, OIL PRESSURE. SPEEDOMETER, TRIP ODOMETER AND

VOLTMETER

GLASS:

TINTED; SOLAR-RAY ALL WINDOWS

**GLOVE BOX:** 

INCLUDES BEVERAGE HOLDERS ON TOP OF ENGINE COVER EXTENSION

JACK:

SCREW OPERATED SCISSORS-TYPE JACK W/RATCHET HANDLE.

EXTENSION AND TWO WHEEL BLOCKS

LAMPS:

STEPWELL LAMPS, STORAGE COMPARTMENT LAMP, THREE DOME

LAMPS WITH FRONT, REAR AND SLIDING DOOR ACTUATED

SWITCHES, DOOR LAMP DEFEAT SWITCH

LIGHTING:

DELAYED ILLUMINATED ENTRY LAMPS

POWER POINTS:

TWO FRONT (IN ADDITION TO CIGARETTE LIGHTER)

RADIO:

ELECTRONICALLY TUNED AM/FM STEREO W/SEEK-SCAN AND

DIGITAL CLOCK

SCOTCHGARD:

FABRIC PROTECTOR ON OPTIONAL CLOTH TRIMS

SEATING:

FRONT HIGH BACK BUCKET DRIVER AND PASSENGER SEATS WIALL VINYL TRIM

SECURITY:

PASSLOCK THEFT DETERRENT SYSTEM

STEERING WHEEL:

BLACK 4-SPOKE WITH ANTI-THEFT LOCKING FEATURE LH AND RH PADDED COLOR-KEYED VINYL W/MAP BANDS

SUNSHADES: WARNING TONE:

**HEADLAMP-ON** 

### **ASTRO CARGO VAN EQUIPMENT SUMMARY**

### STANDARD EXTERIOR FEATURES

BUMPERS:

FRONT, GRAINED AND MOLDED IN COLOR GRAY/REAR PAINTED GRAY W/STEP PAD

DOORS:

SLIDING RH SIDE DOOR RH AND LH REAR LOAD DOORS

GRILLE:

MOLDED, COMPOSITE PAINTED ARGENT

HEADLAMPS:

HALOGEN SEALED BEAMS

LAMPS:

U.S. DAYTIME RUNNING LIGHTS

MIRRORS:

BELOW-EYE-LINE, FOLD-AWAY, PAINTED BLACK

SPARE TIRE/WHEEL: COMPACT SPARE TIRE AND WHEEL MOUNTED UNDER FLOOR AT REAR

WHEELS:

15 X 6 STEEL, PAINTED ARGENT

WIPERS:

INTERMITTENT WINDSHIELD

### **MODEL AND BODY**

<u>Description Model No</u>	. Body	Wheelbase
Rear-Wheel Drive Model		
Astro VanCM11005	ZW9	111.2"

Description Model No. Body Wheelbase

All-Wheel Drive Model

Astro Van .....CL11005 ZW9 111.2"

### **GVWR SELECTOR (MUST SPECIFY)**

		Minim	um Equipment	Required for GVW Rating	
	GVW RATING	(a) GA	WR (LBS.)		
	(LBS.)	Front	Rear	Restrictions	
C5G	5600	2800	3150	CM11005 Only	
C7X	5850	3050	3150	CL11005 Only	

<sup>(</sup>a) GAWR's shown are the minimum for each axle with equipment listed. Other GAWR's are available and they are determined as the minimum capacity of either axle or springs or tires.

#### **CAPACITIES**

**PUBLISHED: 4-14-97** 

CM11005		CL11005	
SPRINGS:	AXLES:	SPRINGS:	AXLES:
FRONT	FRONT	FRONT	FRONT
2800 Base	2800 Base	3050 Base	3050 Base
REAR	REAR	REAR	REAR
3150 Base	3150 Base	3150 Base	3150 Base

### POWER TEAMS (Must Specify Engine, Transmission and Rear Axle)

(Consult GVWR Selector for Minimum Equipment Required) **AXLES GVWR** TRANSMISSION ENGINE 3.42 <u>3.73</u> 3.23 (Auto) CM11005 5600 GU5 GU6 GT4 M30 L35 Vortec 4300 SFI V6 CL11005 5850 GT4 GU6 M30 L35 Vortec 4300 SFI V6

No Deletions Allowed. Additional Options/Upgrades (where Indicated)
May Be Ordered from the Additional Option Listing

### **MUST ORDER 1SL**

		1SL
Preferred Equipment Group		
Body (Standard) (a)	ZW9	X

(a) May Substitute E54)

### **ADDITIONAL OPTIONS**

	ACKNOWLEDGMENTS:
R8S	Multiple Order Numbers
R8T	Preliminary Invoice
YG6	AIR CONDITIONING NOT DESIRED
	AXLE, REAR: (MUST SPECIFY)
GU5	3.23 Ratio (CM11005 Only)
GU6	3.42 Ratio
GT4	3.73 Ratio
G80	Locking Differential
	BODY CODE:
ZW9	Standard Body Equipment
E54	Dutch Doors (Incls Wiper/Washer and Electric Release) (Regs AU3 Power Door Locks)
V10	COLD CLIMATE PACKAGE: (Incls Engine Block Heater and Coolant Protection)
	CONVENIENCE GROUPS:
ZQ2	Power Windows and Power Door Locks
ZQ3	Tilt Wheel and Speed Control
C49	DEFOGGER: Rear Window Electric (Reqs E54 Body)
AU3	DOOR LOCK SYSTEM, POWER: (Incl w/ZQ2 Convenience Group)
	EMISSIONS: (MUST SPECIFY) (Refer Emission Requirements Tab Section)
FE9	Federal Emission Requirements
NG1	New York, Massachusetts or Connecticut Emission Requirements
YF5	California Emission Requirements
NB8	CA, NY, MA or CT Emission Override (Reqs FE9 Emissions)
NC7	Federal Emission Override (Reqs YF5 or NG1 Emissions)
AJ1	GLASS, DEEP TINTED: (Reqs ZW2, ZW3 or ZW6 Glass)
	GLASS ARRANGEMENTS:
ZW2	Rear Panel Doors (N/A w/E54 Dutch Doors, ZW3 or ZW6 Glass)
ZW3	Sliding Door and Rear Doors (N/A ZW2 or ZW6 Glass)
ZW6	Complete Body (N/A ZW2 or ZW3 Glass)
	GLASS, SWING-OUT
A18	Rear Doors and Side Door (Reqs ZW3 or ZW6 Glass) (N/A E54 Dutch Doors)
A19	Side Door (Reqs E54 Dutch Doors)
TL1	GRILLE: Uplevel w/Chrome Accents & Composite Headlamps (Incls Body Colored Painted
	Bumpers)
	GVWR RATINGS: (MUST SPECIFY)
C5G	5600 Lbs. (CM11005 Only)
C7X	5850 Lbs. (CL11005 Only)
C36	HEATER: Rear
C95	LAMPS: Dome and Reading
AU0	LOCK: Keyless Remote (Reqs AU3 Power Door Locks or ZQ2 Convenience Group)
<b>B</b> 74	MOLDING: Body-Side
ZY1	PAINT, EXTERIOR: Solid (Refer Color/Trim Chart)

### **ADDITIONAL OPTIONS**

	RADIO EQUIPMENT: (Electronically Tuned AM/FM Stereo Radio w/Seek-Scan and Digital
	Clock) Standard
UM6	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock and Cassette Tape
ULO	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control,
	Cassette Tape, Theft Lock and Speed Compensated Volume (Reqs ZQ2 Conv. Group)
UNO	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control,
	Compact Disc Player, Theft Lock and Speed Compensated Volume (Reqs ZQ2 Conv. Group)
UP0	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control,
	Stereo Cassette Tape w/Search and Repeat, Compact Disc Player, Theft Lock and Speed
	Compensated Volume (Reqs ZQ2 Conv. Group)
UL5	Radio Delete
AV5	SEAT: (MUST SPECIFY) High Back Buckets
AN0	SEAT PACKAGE: Inboard/Outboard Armrest, Map Pocket, Manually Adjustable Lumbar Support
	(Avail w/Cloth Seats Only)
	TIRES: Tubeless, All Season Steel Belted Radial (Incls Front, Rear and Compact Spare)
	(B/W≕Blackwall, WOL≃White Outlined Lettered)
QCU	P215/75R-15 B/W
QCM	P215/75R-15 WOL
Z82	TRAILERING SPECIAL EQUIPMENT: Heavy-Duty (Incls Platform Trailer Hitch and 8-Lead Wiring
	Hamess)
	WHEELS:
PA6	Styled, Steel, Painted Silver
PC2	Styled, Steel (Chrome-Cladded)

### **ADDITIONAL OPTIONS**

	ACKNOWLEDGMENTS:
R8S	Multiple Order Numbers
R8T	Preliminary Invoice
YG6	AIR CONDITIONING NOT DESIRED
, 55	AXLE, REAR: (MUST SPECIFY)
GU5	3.23 Ratio (CM11005 Only)
GU6	3.42 Ratio
GT4	3,73 Ratio
G80	Locking Differential
	BODY CODE:
ZW9	Standard Body Equipment
E54	Dutch Doors (Incls Wiper/Washer and Electric Release) (Reqs AU3 Power Door Locks)
V10	COLD CLIMATE PACKAGE: (Incls Engine Block Heater and Coolant Protection)
	CONVENIENCE GROUPS:
ZQ2	Power Windows and Power Door Locks
ZQ3	Tilt Wheel and Speed Control
C49	DEFOGGER: Rear Window Electric (Reqs E54 Body)
AU3	DOOR LOCK SYSTEM, POWER: (Incl w/ZQ2 Convenience Group)
	EMISSIONS: (MUST SPECIFY) (Refer Emission Requirements Tab Section)
FE9	Federal Emission Requirements
NG1	New York, Massachusetts or Connecticut Emission Requirements
YF5	California Emission Requirements
NB8	CA, NY, MA or CT Emission Override (Reqs FE9 Emissions)
NC7	Federal Emission Override (Reqs YF5 or NG1 Emissions)
AJ1	GLASS, DEEP TINTED: (Reqs ZW2, ZW3 or ZW6 Glass)
	GLASS ARRANGEMENTS:
ZW2	Rear Panel Doors (N/A w/E54 Dutch Doors, ZW3 or ZW6 Glass)
ZW3	Sliding Door and Rear Doors (N/A ZW2 or ZW6 Glass)
ZW6	Complete Body (N/A ZW2 or ZW3 Glass)
	GLASS, SWING-OUT
A18	Rear Doors and Side Door (Reqs ZW3 or ZW6 Glass) (N/A E54 Dutch Doors)
A19	Side Door (Regs E54 Dutch Doors)
TL1	GRILLE: Uplevel w/Chrome Accents & Composite Headlamps (Incls Body Colored Painted
	Bumpers)
	GVWR RATINGS: (MUST SPECIFY)
C5G	5600 Lbs. (CM11005 Only)
C7X	5850 Lbs. (CL11005 Only)
C36	HEATER: Rear
C95	LAMPS: Dome and Reading  LOCK: Keyless Remote (Reqs AU3 Power Door Locks or ZQ2 Convenience Group)
AU0	MOLDING: Body-Side
874 771	PAINT, EXTERIOR: Solid (Refer Color/Trim Chart)
ZY1	CAMAL EVIEWAY: 2000 (Veie) Color Little Origin


### **ADDITIONAL OPTIONS**

RADIO EQUIPMENT: (Electronically Tuned AM/FM Stereo Radio w/Seek-Scan and Digital
Clock) Standard
Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock and Cassette Tape
Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control,
Cassette Tape, Theft Lock and Speed Compensated Volume (Reqs ZQ2 Conv. Group)
Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control,
Compact Disc Player, Theft Lock and Speed Compensated Volume (Regs ZQ2 Conv. Group)
Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control,
Stereo Cassette Tape w/Search and Repeat, Compact Disc Player, Theft Lock and Speed
Compensated Volume (Reqs ZQ2 Conv. Group)
Radio Delete
SEAT: (MUST SPECIFY) High Back Buckets
SEAT PACKAGE: Inboard/Outboard Armrest, Map Pocket, Manually Adjustable Lumbar Support
(Avail w/Cloth Seats Only)
TIRES: Tubeless, All Season Steel Belted Radial (Incls Front, Rear and Compact Spare)
(B/W=Blackwall, WOL=White Outlined Lettered)
P215/75R-15 B/W
P215/75R-15 WOL
TRAILERING SPECIAL EQUIPMENT: Heavy-Duty (Incls Platform Trailer Hitch and 8-Lead Wiring
Hamess)
WHEELS:
Styled, Steel, Painted Silver
Styled, Steel (Chrome-Cladded)

## **ASTRO CARGO**

## AVAILABLE WINDOW ARRANGEMENTS

(See Option Section for Restrictions)















W/ZW2 (Includes Rear Door Windows)







W/ZW3
(Includes Rear Door Windows and Side Cargo Door Window)








W/ZW6
(Includes Rear Door Window,
Side Cargo Door Window, RH
Rear Quarter Window & LH
Front & Rear Quarter Windows)

## AVAILABLE SEATING ARRANGEMENTS

(See Interior and Exterior Chart for Restrictions)



STANDARD

# ASTRO CARGO INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART WITH ZY1 PAINT

PLEASE NOTE: Below are the interior trim color and extenor paint combinations recommended by Chevrolet. They are the only available interior and exterior combinations allowed

TRIM LEVEL (Must Specify Seat Option and Interior Color)			Interior Colors			
			Med Gray	Navy	Neutrai	Ruby
Custom Vinyl High Back Bucket Seats		AV5	92W	26W	52W	79W
Custom Vinyi High Back Bucket Seats  Custom Cloth High Back Bucket Seats			92G	26G	52G	79G
EXTERIOR COLORS Color			Interior & Exterior Combinations			
EXTENSION SOLUTION	Code 1	Scheme	Shown are the only Combinations Available			
AUTUMNWOOD, LT (Met)	55U	ZY1			Х	
BLUE, MED CADET (Met)	25U	ZY1	X	X	Х	<u> </u>
BLUE, TEAL (Met)	36U	ZY1	X		X	<u> </u>
CHERRY ICE (Met)	59U	ZY1	Х		Х	Х
COPPER, DK (Met)	69U	ZY1	X		X	
GREEN, DK FOREST (Met)	57U	ZY1	Х		X	
PURPLE, DK (Met)	05U	ZY1	Х		Х	
RED. LT CARMINE (Met)	53U	ZY1	Х		Х	
SILVERMIST (Met)	17U	ZY1	Х	Х		X
WHITE, IVORY	10U	ZY1	×	Х	Х	×