


1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100



1999 PRODUCT INFORMATION GUIDE 

---

## TABLE OF CONTENTS

<b>NEW FOR 1999</b>	<b>1</b>
<b>S-10 PICKUP AND THE MARKETPLACE</b>	<b>1</b>
<b>AFFINITY RELATIONSHIPS</b>	<b>15</b>
<b>BRAKES</b>	<b>12</b>
<b>CHEVROLET INTERNATIONAL</b>	<b>14</b>
<b>DESIGN AND MANUFACTURING</b>	<b>7</b>
<b>ENGINES</b>	<b>8</b>
<b>EXTERIOR/STRUCTURAL FEATURES</b>	<b>6</b>
<b>FEATURE AVAILABILITY</b>	<b>17</b>
<b>FOUR WHEEL DRIVE SYSTEM</b>	<b>10</b>
<b>GENUINE CUSTOMER CARE</b>	<b>15</b>
<b>HISTORY</b>	<b>14</b>
<b>INTERIOR FEATURES</b>	<b>5</b>
<b>MODELS AND TRIM LEVELS</b>	<b>2</b>
<b>SAFETY AND SECURITY</b>	<b>3</b>
<b>SPECIFICATIONS</b>	<b>18</b>
<b>STEERING</b>	<b>12</b>
<b>SUSPENSION</b>	<b>10</b>
<b>TRANSMISSIONS</b>	<b>9</b>
<b>WHEELS AND TIRES</b>	<b>13</b>
<b>PHOTO ORDERING</b>	<b>21</b>

**1999 PRODUCT INFORMATION GUIDE**





For Release: August 1, 1998

Contact: Chevrolet Communications  
Chevrolet Media Online: <http://media.gm.com/chevy>  
Phone: 1-800 CHEVY-MI  
Fax: 800-504-5073

## 1999 S-10 PICKUPS APPEAL TO ACTIVE LIFESTYLES NEW S-10 XTREME™ DEBUTS FOR '99

**DETROIT** — With a versatile lineup, rugged good looks and a long list of standard features, Chevy's 1999 S-10 Pickup provides compact pickup owners with more of what they're looking for: The ability to go anywhere, in style.

S-10 Pickup is available in a configuration to suit just about any need: Two- or four-wheel drive, Regular or Extended Cab, Short or Long Box, 4 cylinder or choice of Vortec V6 engines.

"S-10 Pickup is a reliable compact truck that you can tailor in many different ways," said Ron Stanley, S-10 Pickup brand manager. "With the segment's best selection of model, trim and suspension choices, S-10 Pickup can be anything the owner wants it to be."

Refinements for '99 include a new flash-to-pass feature content, theft alarm on vehicles with available Remote Keyless Entry, and larger folding exterior mirrors with optional power/heat features for improved rearward visibility.

S-10 Pickup features segment exclusives, such as standard 4-wheel ABS and an available third door. Also available are the ZR2 Wide Stance Sport Performance Package (an off-road chassis package on 4x4 models), the new S-10 Xtreme and an Electric model for fleets.

### **1999 S-10 XTREME**

The 1999 S-10 Xtreme is one of a long list of Chevrolets that started life as a concept vehicle — a one-of-a-kind creation designed to show off Chevrolet's latest automotive ideas.

"As a concept vehicle, the S-10 'Hugger' Pickup met with such fanfare it made it to the show-room floor as the S-10 Xtreme," said Stanley. "It comes straight from the factory equipped with ride and handling, and styling features many enthusiasts expect."

The Hugger allowed consumers to visualize ways to customize their own S-10 Pickups. It also influenced another concept — the S-10 Xtreme Force, which in turn, influenced the design of the S-10 NHRA Pro Stock Truck series dragster.

— MORE —

The '99 S-10 Xtreme's unique features include:

- Full ground effects, encompassing the front and rear fascia, wheel-opening flares and rocker panels
- Body-color grille and bumpers
- Front air dam with integrated foglamps
- Sixteen-inch unique aluminum wheels and P235/55 R16 blackwall tires
- ZQ8 suspension system that lowers the vehicle, enhancing its ride and handling and giving it a "street rod" look.

According to Stanley, the S-10 Xtreme is the perfect solution for buyers who intend to further customize their S-10 Pickups.

"It's a blank canvas, a starting point," said Stanley. "People can take this truck further if they want. The end result is limited only by the imagination."

Stanley noted that the S-10 Xtreme also helps solve a common problem faced by owners who alter their truck's suspension.

"Xtreme is built on S-10 Pickup's ZQ8 suspension, which is two inches lower than our base suspension," said Stanley. "Before, customers would buy a stock S-10 Pickup and have it lowered. Unfortunately, some have fallen victim to lousy conversions and voided their warranty. The S-10 Xtreme offers a solution. You get a great-looking product, with one sticker and a full factory warranty."

The Xtreme will be available as 2WD in either base or uplevel trim, with a four- or six-cylinder engine, manual or automatic transmission, in Regular or Extended Cab versions, Fleetside or Sportside.

## **S-10 ELECTRIC**


The Chevy S-10 Electric Pickup is a special purpose S-10 pickup designed for companies with predictable daily drive routes, such as electric utility companies, urban delivery services or large industrial complexes with on-site vehicle fleets.

The S-10 Electric Pickup is powered by a Delco Propulsion System 85kW AC Induction Motor and the Delco Valve Regulated Lead Acid battery pack. It utilizes the Delco Electronics Magne-Charge inductive charging system, which was selected because of its safety, efficiency and convenience for customers.


This front-wheel-drive truck is available as a Regular Cab, two-wheel-drive, Short Box version. Depending on driving variables (ambient temperature, terrain, accessory usage, speed, etc.) it has an effective battery range of 40 to 60 miles with a governed top speed of 70 mph. Payload is 850 lbs., including the driver and passenger.

There are currently 26 Chevrolet retailers nationwide (including seven in New York) authorized to sell and service S-10 Electric Pickups.

## 1999 CHEVROLET S-10



S-10 LS Extended Cab Short Box 2WD



S-10 LS Extended-Cab 4x4

### S-10 PICKUP AND THE MARKETPLACE

Chevy S-10 is the compact pickup that appeals to youthful buyers who are looking for rugged, truck-like capabilities. It's a great choice for first-time truck buyers looking for pickup utility. The versatile lineup of the LS Extended Cab Third-Door models, all new Xtreme package and off-road capable ZR2 4x4 adds to the appeal.

#### COMPETITORS:

- Ford Ranger
- Dodge Dakota
- Toyota Tacoma
- Nissan Frontier

#### S-10 PICKUP 1998 AWARDS:

- *Consumers Digest* "Best Buy" recommendation
- *Kiplinger's Personal Finance Magazine* — Worth a Look

#### DEMOGRAPHICS:

- Typical buyers are 26-39 years of age
- Median household income of \$45,000+
- Predominantly single, college graduates

Sales for the 1997 model year were 196,950 units, up 3.4 percent compared to the previous model year.

### NEW FOR 1999

#### MODEL/TRIM

- Xtreme Package (page 2).

#### SAFETY / SECURITY

- Flash-to-pass (page 3)
- Content theft alarm (page 4)
- Larger outside mirrors and optional power heated mirror (page 6)
- Outside folding mirrors (page 4)
- Lockout provision (page 4)
- Larger corporate key head (page 4).

#### EXTERIOR

- Three new exterior colors: Sunset Gold Metallic, Meadow Green Metallic and Victory Red (page 7).

#### TRANSMISSIONS

- Automatic transmission enhancements (page 10).



## MODELS AND TRIM LEVELS

### 2WD MODELS

- 2WD Regular Cab Short Box
- 2WD Regular Cab Long Box
- 2WD Extended Cab Short Box.\*

### 4x4 MODELS

- 4x4 Regular Cab Short Box
- 4x4 Regular Cab Long Box
- 4x4 Extended Cab Short Box.\*

\*Jump seat behind driver is deleted with optional third door.

### S-10 PICKUP (WITH STANDARD TRIM)

Base S-10-Pickup provides these standard features:

#### Interior

- Next Generation driver and right front-passenger air bags\* with deactivation switch for use with rear facing infant restraints. (passenger-side only).
- Passlock® theft-deterrent system
- Custom Vinyl or Custom Cloth bench seat
- Retained accessory power
- Intermittent windshield wipers
- Scotchgard™ protection (with Custom Cloth).

#### Exterior

- Front air dam
- Dual exterior folding rearview mirrors
- Daytime running lamps with Automatic Exterior Lamp Control.

#### Functional

- Vortec 2200 L4 SFI engine (2WD)
- Third Door (Extended-Cab)
- Power-assisted steering
- Battery rundown protection
- 4-wheel antilock brake system (ABS)
- 5-speed manual transmission w/overdrive.

\*Always use safety belts and proper child restraints, even with Next Generation air bags. See the owner's manual for more safety information.

### S-10 PICKUP WITH LS TRIM PACKAGE\*

LS Trim adds:

#### Interior

- Deluxe Cloth 60/40 split-bench seat (2WD)
- Deluxe Cloth high-back bucket seats (4x4)
- AM/FM stereo with digital clock
- Color-keyed molded plastic door trim panels with cloth inserts
- Color-keyed carpeting
- Dual reading lamps on inside rearview mirror.

#### Exterior

- Body-color bumpers
- Argent and chrome grille
- Rear-quarter swing-out windows (Extended Cab only).

\*Some features may differ according to model.

### S-10 PICKUP LS EXTERIOR APPEARANCE PACKAGE

LS Exterior Appearance Package adds:

#### Exterior

- Full chrome grille
- Argent body-side moldings with bright inserts
- Bright wheel opening moldings
- Specific 2WD or 4x4 cast-aluminum wheels
- Chrome bumpers with rub strips.


### **NEW** S-10 PICKUP WITH NEW XTREME PACKAGE

The 2WD S-10 Pickup with the new-for-1999 Xtreme Package is ideal for the owner who wants a factory built-and-backed street rod. Xtreme hugs the ground, thanks to a 2-inch lower appearance and eye-catching wrap-around ground effects. Xtreme is available in Regular or Extended Cab, Fleetside or Sportside with base or LS trim. Xtreme features:

#### Interior

- Air conditioning
- Tachometer
- Leather-wrapped steering wheel.

## 1999 CHEVROLET S-10



### Exterior

- Full ground effects and wheel flares
- Front air dam
- Front integrated fog lamps
- Monochromatic paint scheme in Victory Red, Onyx Black or Summit White
- Unique 16-inch wheels and tires.

### Functional

- Choice of 5-speed manual or 4 speed automatic with O.D.
- ZQ8 Sport suspension, which includes:
  - 46mm de Carbon shock absorbers, 33mm front stabilizer bar, 23mm rear stabilizer bar and two-stage multi-leaf rear springs
  - 2-inch-lower ride height
  - 16" x 8" cast-aluminum wheels
  - P235/55R-16 tires.

### **S-10 4x4 PICKUP WITH ZR2 PACKAGE**

The 4x4 ZR2 S-10 Pickup is created by adding the ZR2 Wide-Stance Sport Performance Package to an S-10 Regular or Extended Cab Pickup with LS trim.

### Exterior

- Unique front fender and pickup box outer panels and extra-wide wheel flares.

### Functional

- Special wide-stance ZR2 chassis
- 190-hp L35 Vortec 4300 V6 SFI engine,
- Choice of 4-speed automatic transmission with overdrive or 5-speed manual transmission,
- Numerous chassis upgrades (see page 10 for a detailed list).

### **S-10 ELECTRIC PICKUP**

S-10 Electric Pickup is for environmentally motivated users who need to carry light or bulky loads on short, predetermined routes.

### Interior

- Next Generation driver-side air bag\*
- AM/FM stereo with digital clock
- Tiltwheel™ adjustable steering column

- Air conditioning
- Heating (diesel fired)
- Electronic speed control.

### Exterior

- Front air dam
- Dual exterior rearview mirrors
- Daytime running lamps with Automatic† Exterior Lamp Control.

\*Always use safety belts and proper child restraints, even with Next Generation air bags. See the owner's manual for more safety information. †Parking brake must be disengaged for the system to operate

### Functional

- 26 lead acid battery modules
- Front wheel drive
- Power steering
- Power brakes
- 4-wheel antilock brakes (ABS)
- Regenerative braking.

## **SAFETY AND SECURITY**

With a long history of setting automotive safety milestones, GM is a world leader in automotive safety research, development and testing. The 1999 S-10 Pickup is a product of these activities, with a comprehensive system emphasizing crash avoidance and occupant protection features.

### **STANDARD CRASH AVOIDANCE FEATURES**

- **NEW!** FLASH-TO-PASS allows driver to flash highbeam headlamps as a passing signal to vehicles up ahead.
- DAYTIME RUNNING LAMPS (DRL) turn on automatically while driving in the daylight to help increase S-10 Pickup's visibility to other drivers. The DRL system runs the headlamps at a reduced intensity compared to regular headlamp operation.
- AUTOMATIC EXTERIOR LAMP CONTROL automatically turns on the headlamps and other exterior lamps when ambient light is not sufficient.





- **4-WHEEL ANTILOCK BRAKE SYSTEM** automatically adjusts brake pressure to the wheels during hard braking situations, to help the driver maintain steering control and reduce wheel lockup (see page 13).
- **BRAKE TRANSMISSION SHIFT INTERLOCK** (on models with an automatic transmission); requires the driver to depress the brake pedal to shift out of park.
- **STARTER SAFETY SWITCH**, (on standard on models equipped with a manual transmission; requires the driver to depress the clutch pedal to start the vehicle.
- **SLOPING HOOD DESIGN**, generous glass area, thin pillar design and low window lines enhance visibility.

### STANDARD OCCUPANT PROTECTION FEATURES

- **NEXT GENERATION DRIVER AND RIGHT FRONT-PASSENGER AIR BAGS\*** inflate with reduced speed and deployment force, helping to reduce the risk of deployment injury. However, even with Next Generation air bags, never place a rear-facing infant restraint in the front seat of any vehicle with an active air bag. The passenger side features a deactivation switch.
- **SIDE DOOR BEAMS** are designed to help prevent intrusion into the passenger compartment during shallow-angle side collisions.
- **REINFORCED SAFETY-CAGE** construction surrounds occupants with a cocoon-like system of structural components. This structure includes reinforced roof rails, door pillars and beams, which are designed to help minimize intrusion into the passenger compartment.
- **STANDARD THREE-POINT SAFETY BELT SYSTEM** helps restrain front seat outboard passengers, and reduce the risk of injury by distributing forces during collisions.
- **FRONT AND REAR CRUSH ZONES** are designed to deform in a controlled manner in the event of a collision to help absorb impact energy and reduce intrusion into the passenger compartment.

- **ENERGY-ABSORBING STEERING COLUMN AND INSTRUMENT PANEL** are designed to help absorb collision impact, to help reduce the risk of injury to the driver.

\*Always use safety belts and proper child restraints, even with Next Generation air bags. See the owner's manual for more safety information.

### SECURITY FEATURES

#### Standard:

- **NEW** **CONTENT THEFT ALARM** (on vehicles with Remote Keyless Entry) triggers horn and interior lighting if unauthorized entry is attempted at any passenger door.
- **NEW** **LOCKOUT PROVISION** prevents doors from locking if keys are inadvertently left in the ignition.
- **NEW** **LARGER CORPORATE KEY HEAD** makes S-10 Pickup's key easier to handle. The new larger shape also lessens the chance of the key being misplaced.
- **PASSLOCK<sup>3</sup> THEFT-DETERRENT SYSTEM**. If an attempt is made to start the vehicle without the proper key, the ignition system is disabled.

#### Optional:

- **NEW** **POWER HEATED FEATURE FOR POWER OUTSIDE LH AND RH MIRRORS** is designed to help improve driver rearward visibility (optional on LS models).
- **REMOTE KEYLESS ENTRY**, optional on LS models, transmits a uniquely coded signal to activate power lock/unlock functions, and illuminate entry.

## 1999 CHEVROLET S-10



### INTERIOR FEATURES

The S-10 Pickup interior was designed "from the inside out," with comfort and convenience in mind. Easy-to-read gauges and contoured seats provide a comfortable feel. Also, extensive noise-reduction techniques help make the S-10 Pickup cab a quiet environment by reducing drivetrain, chassis and wind noise intrusion.

A sliding front-passenger seat allows easy access to the rear cab area in Extended Cab models. Available third-door versatility gives still greater driver convenience and unobstructed access to the rear compartment.

### COMFORT/CONVENIENCE FEATURES

#### Standard:

- **RETAINED ACCESSORY POWER** allows the radio, power windows and other power features to remain operable for up to 20 minutes after the ignition has been turned off or until a door is opened.
- **BATTERY-RUNDOWN PROTECTION** turns off any light left on for longer than 20 minutes with the ignition off.
- **SCOTCHGARD PROTECTION™** helps protect cloth seating surfaces, door panel trim and carpet from stains and makes cleanups easy (on models with cloth seats.)
- **DELAYED INTERIOR LIGHTING** automatically keeps dome lamp on for fifteen seconds after front doors are closed.
- **HEADLAMPS-ON** reminder tone reminds driver to turn off headlamps.
- **TURN SIGNAL REMINDER** lets the driver know if the turn signal has been left on for over 3/4 mile.

#### Extras:

- **TWO FRONT AUXILIARY 12-VOLT ELECTRICAL POWER OUTLETS** accommodate electronic games, television, phone cords, etc.
- **CENTER CONSOLE**, with available front high-back bucket seats, features storage area, coin or CD holder, dual cup holders and optional remote CD player.

#### Optional:

- **POWER DOOR LOCKS**, optional on LS models; also feature lockout prevention (requires Convenience Group, which also includes power windows, power heated remote exterior mirrors and Remote Keyless Entry).
- **AIR CONDITIONING** (included with Xtreme Package) uses CFC-free refrigerant.
- **TILT-WHEEL™ STEERING COLUMN**, optional on all models, allows the driver to tailor the wheel to the most comfortable, individualized steering position (requires Convenience Group, which also includes electronic speed control).

### SOUND SYSTEMS

#### Standard:

- **ELECTRONICALLY TUNED RECEIVER (ETR) AM-FM STEREO** with digital clock (optional on base-level).

#### Optional:

- **ETR AM-FM STEREO WITH CASSETTE PLAYER** and digital clock.
- **ETR AM-FM STEREO WITH CASSETTE PLAYER**, seek-scan, digital clock, automatic tone control, TheftLock, speed-compensated volume and an enhanced-performance speaker system. With TheftLock, once the radio's code is set by the owner, the radio will not operate if stolen.\*
- **ETR AM-FM STEREO WITH CD PLAYER**, seek-scan, digital clock, automatic tone control, TheftLock, speed-compensated volume and an enhanced-performance speaker system.\*
- **ETR AM-FM STEREO WITH CD PLAYER AND CASSETTE PLAYER**, TheftLock, speed-compensated volume and an enhanced-performance speaker system. Requires high-back bucket seats.\*

\*Rear stereo speakers are deleted on Extended Cab models with optional third door.



## SEATS

- **PRESCRIPTION TEMPLATES.** calibrated to actual body configurations, were used to design the universal lumbar supports in S-10 Pickup seats.
- Extended Cab models feature custom folding standard rear jump seats that easily accommodate two passengers (the driver side rear jump seat is deleted when equipped with optional extended cab third door on LS models).
- The LS Extended Cab front-passenger seat slides forward to provide easy access to the rear-cargo area.
- Bench seat — Custom Vinyl (base-level trim).
- Bench seat — Custom Cloth (no-charge option with base-level trim).
- Reclining Deluxe Cloth 60/40 split-bench seat (standard on LS 2WD models; optional on LS 4x4 models. Not available with manual transmission.)
- Reclining Deluxe Cloth high-back bucket seats (optional on LS 2WD models, standard on LS 4x4 models).

### Interior Colors (vinyl and cloth):

- Beige
- Graphite
- Medium Gray.

## EXTERIOR/ STRUCTURAL FEATURES

S-10 Pickup has extensive corrosion protection that includes the use of two-side galvanized steel for all exterior body panels (except the roof and cargo box front panel). The galvanized zinc coating helps prevent surface rust due to minor chips, scratches and holes that start from the inside.


### EXTERIOR FEATURES

**NEW** LARGER OUTSIDE MIRROR is designed to help increase driver rearward visibility. New bi-folding feature allows folding forward or backward in the event the driver accidentally contacts a stationary object.

**NEW** EXTREME MODEL boasts 16" wheels and tires and special ground effects. It is available as a 2WD Regular or Extended Cab model with Short Box.

- **SHORT OR LONG BOX MODELS** are available in both Regular Cab and Extended Cab configurations. The welded Fleetside Short Box provides cargo lengths of 6 feet, while the Long Box provides 7.5 feet.
- **AVAILABLE SPORTSIDE BOX** on S-10 Pickup Regular Cab LS and Extended Cab LS models (LS only; not available with ZR2 Performance Package) boasts a sporty appearance.
- **AVAILABLE THIRD DOOR** brings a greater level of convenience to S-10 Pickup Extended Cab LS models. The third door provides direct driver-side access to the rear compartment. The door swings out for easy loading and unloading of cargo. And, it's a convenient way for people with disabilities to store wheelchairs or other aids. (The driver-side jump seat and rear LH audio speakers are deleted when the third door is ordered.

## 1999 CHEVROLET S-10



### STRUCTURAL FEATURES

#### Standard features:

- **STIFF, LADDER-TYPE FRAME** with bolted and riveted cross members provides a solid foundation. The front box section has tremendous strength to support the engine and front suspension.
- **DROP-CENTER FRAME DESIGN** makes entry and exit easy with a low step-in height. It also provides maximum ground clearance for off-roading, while maintaining a low center of gravity for responsive handling on pavement.
- **DOUBLE-WALL CONSTRUCTION** prevents dents on the inside of the cargo box and tailgate showing on the outside.
- **TWO-TIER LOADING** provides pockets in upper cargo-box walls on Fleetside Box, for a second loading level above the wheelwells.
- **WELDED CARGO BOX** eliminates bolts that can damage cargo or cause rust.
- **TIE-DOWN LOOPS** in all four corners secure loads.
- **REMOVABLE TAILGATE** doesn't require tools. Rubber stops and wedges guide the tailgate into its closed position, helping to prevent squeaks and rattles.
- **REAR STEP BUMPER** and low cargo-bed height make loading easy.
- **SEMI-FLUSH DOOR GLASS AND DOUBLE-SEALED DOORS** help reduce wind noise while contributing to a sleek appearance.
- **SOLAR-RAY TINTED GLASS** is standard and reduces interior heat buildup and helps protect interior fabrics and materials from damaging UV rays.

#### Optional features:

- **FULL SIZE SPARE TIRE** mounted under the cargo box.
- **CLOSE-OUT PANEL** provides a finished appearance when the rear bumper is deleted on base-level models. (The bumper delete option is not available in states which require a rear bumper.)

### EXTERIOR PAINT/COLORS

Standard basecoat/clearcoat paint on S-10 Pickup resists fading and provides a high gloss shine for long-lasting exterior beauty.

#### **NEW** Paint Colors For '99:

- Sunset Gold Metallic
- Meadow Green Metallic
- Victory Red.

#### Other Colors:


- Medium Beige Mystique Metallic
- Onyx Black
- Summit White
- Dark Cherry Red Metallic
- Light Pewter Metallic
- Indigo Blue Metallic
- Dark Copper Metallic.

## DESIGN AND MANUFACTURING

S-10 Pickup is manufactured at General Motors assembly plants in Linden, New Jersey; and Shreveport, Louisiana.



## ENGINES



### VORTEC 2200 L4 SFI ENGINE (LN2)

A Vortec 2200 L4 engine with Sequential Fuel Injection (SFI) is standard on S-10 Pickup 2WD models.

Power ratings for the 2200 L4 engine:

- 120 HORSEPOWER at 5000 rpm
- 140 LB.-FT. OF TORQUE at 3600 rpm.


2200 engine technical features:

- CAST ROLLER ROCKER ARMS help to reduce friction.
- COMPOSITE INTAKE MANIFOLD helps reduce overall noise and weight.
- MULTIEC 1 FUEL INJECTORS provide smooth engine operation and contribute to fuel economy.
- CAST-ALUMINUM CYLINDER HEADS help maintain even engine temperatures and minimize weight.
- TWO RESONATORS help reduce induction system noise for a quiet ride.
- LARGE-VOLUME AIR CLEANER enhances overall performance, and is readily accessible for easy serviceability.
- HYDRAULIC ROLLER LIFTERS help reduce valvetrain friction, maintenance cost and noise.
- "ASSEMBLED" STEEL CAMSHAFT is made up of individual lobes and journals permanently locked onto a hollow tube for reduced valvetrain inertia and outstanding durability.

Extended-life service items include:

- PLATINUM-TIP SPARK PLUGS help Vortec engines travel up to 100,000 miles before their first scheduled tune-up.\*
- ENGINE TIMING — designed to never need checking.
- EXTENDED-LIFE ENGINE COOLANT is good for up to 5 years or 150,000 miles, whichever comes first.\*
- SINGLE ACCESSORY DRIVE BELT helps reduce replacement costs compared to traditional belt designs.
- SEQUENTIAL FUEL INJECTION, standard on all 1999 S-10 Pickup models, optimizes fuel economy, power output and meets today's stringent emissions control requirements.

\*Maintenance needs vary with different uses and driving conditions. See owner's manual for more information.



### VORTEC 4300 V6 ENGINE (LF6/L35)

After years of continuous development, the small block V6 has earned a reputation as a powerful, dependable and economical truck engine. The Vortec 4300 V6 engine with Sequential Fuel Injection (SFI) is standard on 4x4 S-10 Pickup and optional on 2WD models. The Vortec 4300 V6 is also available as a more powerful L35 version.

Power ratings for the Vortec LF6 4300 V6 engine:

- 175 HORSEPOWER at 4400 rpm (2WD)
- 180 HORSEPOWER at 4400 rpm (4x4)
- 240 LB.-FT. OF TORQUE at 2800 rpm (2WD and 4x4).

## 1999 CHEVROLET S-10



### Standard features include:

- 130 HORSEPOWER at 4400 rpm (2WD)
- 245 LB.-FT. OF TORQUE at 2800 rpm
- 190 HORSEPOWER at 4400 rpm (4x4)
- 250 LB.-FT. TORQUE at 2800 rpm (4x4).
- SEQUENTIAL FUEL INJECTION, standard on all 1999 S-10 Pickup models, optimizes fuel economy and power output and meets today's stringent emissions control requirements.

### Other SFI advantages:

- High precision fuel control, which uses one injector and nozzle per cylinder for optimum cylinder-to-cylinder fuel distribution.
- Each injector is fired sequentially and timed to the intake cycle for accuracy and metering control. (With non-SFI engines, fuel is injected once per engine revolution through all injectors at the same time. With SFI, timing is much more precise, thus making performance improvements across the board.)
- A mass airflow meter constantly measures the engine's air requirement under varying conditions, such as changes in load, altitude and temperature. In an SFI system, the mass airflow meter is essential for accurate fuel delivery.
- The injector nozzle's design and optimum location produce an effective spray pattern that contributes to the engine's smooth idle and outstanding fuel-efficiency.

### Extended-life service items include:

- PLATINUM-TIP SPARK PLUGS help Vortec engines travel up to 100,000 miles before their first scheduled tune-up.\*
- ENGINE TIMING — designed to never need checking.
- EXTENDED-LIFE ENGINE COOLANT is good for up to 5 years or 150,000 miles, whichever comes first.\*
- SINGLE ACCESSORY DRIVE BELT helps reduce replacement costs compared to traditional belt designs.

\*Maintenance needs vary with different uses and driving conditions. See owner's manual for more information.


## TRANSMISSIONS

### **5-SPEED MANUAL OVERDRIVE TRANSMISSION**

A five-speed manual transmission is standard in S-10 Pickup. Two versions are used, depending on the engine specified (Vortec 2200 L4 or Vortec 4300 V6). Both have fifth-gear overdrive to reduce engine speed during highway cruising for increased fuel-efficiency and reduced engine wear.

### Standard features:

- WIDE RANGE OF GEAR RATIOS allows drivers to select the best gear for any driving situation.
- SYNCHRONIZED REVERSE GEAR makes shifting easy by synchronizing the gear's speed to the speed of the transmission's output shaft.
- SHORT-THROW SHIFTER has an ergonomically designed knob for a light shifting effort.
- 3.94:1 FIRST-GEAR RATIO provides high torque multiplication, for brisk acceleration (with Vortec 2200 L4 engine).
- Close-ratio transmissions on V6-equipped models have a 3.49:1 first-gear ratio which allows optimum acceleration; the fifth-gear ratio is 0.78:1. A short-throw shifter is designed for an "in control" shift feel.



### **4L60-E 4-SPEED ELECTRONIC AUTOMATIC TRANSMISSION**

GM's 4L60-E 4-speed automatic overdrive transmission is standard equipment on Blazer. The 4L60-E's "intelligent" electronic controls allow the transmission to match the engine's performance, delivering outstanding fuel-efficiency.



#### 4L60-E features:

- **NEW** AMAC PUMP COVER SEALS make better sealing possible.
- **NEW** CLUTCH PLATE MATERIAL is designed to improve durability and performance.
- **WIDE RANGE OF GEAR RATIOS** in the 4L60-E enhances both performance and fuel economy. The 3.06:1 first-gear ratio provides high torque multiplication for initial acceleration. The overdrive 0.70:1 fourth gear lowers engine rpm at highway speeds, providing enhanced fuel economy and minimizing wear.
- **POWERTRAIN CONTROL MODULE (PCM)** in the 4L60-E provides precision and flexibility. It measures key vehicle input, including throttle position, vehicle speed, gear range, temperature and engine load. Four solenoids connected to the PCM control shift points and help promote shift smoothness.
- **VIRTUALLY SEAMLESS OPERATION** is made possible, since the PCM acts as an interface between the engine and transmission.
- **SHIFT-TIMING** is controlled electronically by signals sent to the valve body's shift solenoids, which activate the shift valves and execute the gear changes.
- **BRAKE TRANSMISSION SHIFT INTERLOCK** is standard. The interlock requires the driver to apply the brake pedal to shift out of Park.
- **SECOND-GEAR-START FEATURE** provides an extra measure of control in hazardous driving conditions. The driver can reduce torque to the drive wheels by moving the gear selector to the Drive 2 position, thereby increasing control during initial acceleration on slippery surfaces.
- **AUTOMATIC TRANSMISSION FLUID** in the 4L60-E has a fluid change interval of 50,000 miles\* under normal operating conditions.

\*Maintenance needs vary with different uses and driving conditions. See owner's manual for more information.

## FOUR-WHEEL DRIVE SYSTEM

### INSTA-TRAC 4-WHEEL DRIVE

The patented Insta-Trac system is standard on four-wheel-drive S-10 Pickup models. The Insta-Trac system makes it easy to shift into and out of four-wheel drive without leaving the cab.

- **"ON-THE-FLY" SHIFTING** from 2WD to 4WD High and back at any speed is possible with the Insta-Trac system. The system also includes a 4WD Low gear for more demanding 4WD maneuvers, such as climbing steep grades or driving through deep snow or mud. (NOTE: The vehicle cannot be shifted directly into 4WD Low "on-the-fly". Also, the transfer case does not have Neutral and therefore does not accommodate dinghy towing.)
- **ELECTRONIC SHIFT TRANSFER CASE** on 4x4 models lets you easily shift on the fly from 2WD to 4WD High and back at any road speed at the push of a button located on the instrument panel.

## SUSPENSION

### FRONT

- **INDEPENDENT FRONT SUSPENSION** is standard on S-10 Pickup. The suspension has upper and lower control arms and a stabilizer bar.
- **FRICTION-FREE COIL SPRINGS** on 2-wheel-drive models.
- **TORSION BARS** on 4-wheel-drive models for efficient packaging. The torsion bars also are computer-selected to optimize ride and handling.

### REAR

- **TWO-STAGE, VARIABLE-RATE, MULTI-LEAF SPRING REAR SUSPENSION** is standard on S-10 Pickup. The longer set of leaves provides a smooth ride when the vehicle is unloaded. As additional passengers and cargo are loaded, the longer leaves flatten out and the shorter, stiffer leaves deliver additional support without sacrificing a comfortable ride.

## 1999 CHEVROLET S-10



### SUSPENSION CHOICES

Seven chassis packages — three for 2-wheel drive and four for 4-wheel drive — are available on S-10 Pickup. They are as follows:

- 2WD — ZQ8, Z83, Z85
- 4x4 — Z83, Z85, ZM6, ZR2.

These coordinated packages allow customers to select the suspension components that suit their particular needs without having to order springs, shock absorbers, a stabilizer bar or tires separately.

This innovative approach to truck suspensions ensures that S-10 Pickup owners will have the right combination of equipment for a wide range of driving conditions.

#### 2WD chassis packages include:

- **ZQ8 SPORT SUSPENSION**, standard on the new Xtreme Package and available on 2WD Regular Cab Short Box and 2WD Extended Cab S-10 Pickup models, includes the following:
  - Two-inch lower ride height
  - 46mm de Carbon front shock absorbers
  - 36mm de Carbon rear shock absorbers
  - 33mm front stabilizer bar
  - Two-stage multi-leaf rear springs
  - 23mm rear stabilizer bar
  - 16" x 8" cast-aluminum wheels
  - P235/55R-16 tires
  - Available with the Vortec 2200 4-cylinder SFI engine or the Vortec 4300 V6 SFI engine for 1999.
- **Z83 SOLID, SMOOTH RIDE PACKAGE** (Regular Cab Short Box) is primarily used on paved roads, providing a comfortable ride while offering control for light-duty hauling and trailering. The package includes:
  - 4200-lb. GVWR
  - 32mm Twin Tube Delphi shock absorbers
  - 25mm front stabilizer bar
  - P205/75R-15 tires.

- **Z85 INCREASED CAPACITY FIRM RIDE PACKAGE** is optional on Regular Cab Short Box and standard on Extended Cab and Regular Cab Long Box models. Designed for heavy-duty hauling and trailering, the firm but comfortable ride characteristics of this package contribute to its primary use on pavement or gravel. The package includes:

- 4600-lb. or 4900-lb. GVWR
- 32mm Twin Tube Delphi shock absorbers
- 29mm front stabilizer bar
- P205/75R-15 tires.

#### 4x4 chassis packages include:

- **Z83 SMOOTH RIDE** (standard Regular Cab Short Box and Extended Cab) is primarily used on paved/gravel roads. It balances off-road capability with on-road comfort and a quiet ride. Recommended for light-duty hauling and trailering, the package includes:
  - 4650-lb. GVWR
  - 32mm Twin Tube Delphi shock absorbers
  - 25mm front stabilizer bar
  - P205/75R-15 tires.
- **Z85 INCREASED CAPACITY FIRM RIDE PACKAGE** (optional on Regular Cab Short Box and standard on Extended Cab and Regular Cab Long Box) is primarily used on paved/gravel roads. Recommended for heavy-duty hauling and trailering, this package provides firm but comfortable ride characteristics and includes:
  - 5150-lb. GVWR
  - 32mm Twin Tube Delphi shock absorbers
  - 28mm front stabilizer bar
  - P235/70R-15 ALS or P235/75R-15 on-/off-road tires.
- **ZM6 OFF-ROAD FIRM RIDE PACKAGE** (optional on 4WD Pickups except ZR2) is primarily used on gravel/dirt roads. This package delivers a very firm ride, tuned to take a pounding and includes:
  - 5150-lb. GVWR
  - 46mm Bilstein monotube gas charged shock absorbers
  - 25mm front stabilizer bar
  - P235/75R-15 on-/off-road tires.





#### • ZR2™ WIDE STANCE PERFORMANCE PACKAGE

The track is 100mm wider and the ride height is 75mm higher than the standard 4x4 model. This package provides very firm ride characteristics and is recommended for serious recreational off-road driving. The package includes:

- 4650-lb. (Regular Cab) and 4900-lb. (Extended Cab) GVWR
- 46mm Bilstein high pressure gas shock absorbers
- 28mm front stabilizer bar
- Unique rear suspension and revised rear springs
- Rear-axle track bar
- Enhanced front-drive axle with 7 1/4" ring gear, heat-treated driver gears and special axles
- Enhanced 3.73:1 rear-axle ratio with 8 1/2" ring gear, larger wheel bearings and axle shafts
- Choice of 15" x 7" cast-aluminum wheels
- 31 x 10.5R-15 tires
- Special frame for wider track
- 190 hp L35 Vortec 4300 V6 engine
- 4-speed automatic transmission with overdrive or heavy-duty 5-speed manual transmission
- Special spare tire winch and jack to accommodate added height

#### • STANDARD EQUIPMENT (SEE LIST)

- Tilt wheel™ with electronic speed control
- Power windows (power door locks, power heated remote exterior mirrors, Remote Keyless Entry)
- Air conditioning
- Stereo systems (see page 5 for a list of available sound systems).

## STEERING

S-10 Pickup is equipped with variable-ratio, power-assisted steering as standard equipment for precise driver response. This system provides:

- **FAST RATIO (ON CENTER) FOR QUICK STEERING RESPONSE** on 2WD models
- **FAST RATIO (ON CENTER) FOR QUICK STEERING RESPONSE** on 4x4 models.

## BRAKES

- **4-WHEEL DISC BRAKES** are standard on all S-10 Pickup 4x4 models for impressive braking action, even under wet conditions. This system helps dissipate heat effectively, helping reduce brake fade. Benefits include impressive brake pedal feel, pedal force, response time, high altitude performance and brake-wear life. The brake system is split diagonally into two separate circuits so that one circuit continues to assist in the event the other circuit fails.
- **FRONT DISC REAR DRUM BRAKES** are standard on 2WD S-10 Pickup. Like four-wheel disc brakes above, the brake system is split diagonally into two separate circuits so that one circuit continues to provide braking in the event the other circuit fails.
- **4-WHEEL ANTILOCK BRAKE SYSTEM (ABS)** is standard. Some things to keep in mind about antilock brakes:
  - ABS helps maintain steering control during severe braking situations by reducing wheel lockup on most slippery surfaces. All the driver has to do is maintain pressure on the brake pedal and steer the vehicle.
  - ABS adjusts brake pressure by modulating the brakes several times per second, a rate even most skilled professional drivers cannot attain physically.
  - The system modulates the brake-line pressure at the wheels. Drivers should not "pump" the brakes in emergency braking situations. Rather, they should maintain constant pressure on the brake pedal, allowing the system to work effectively.
- **AUDIBLE DISC BRAKE PAD-WEAR SENSORS** alert the driver when brake pad maintenance is needed.




## WHEELS AND TIRES

### 2WD WHEELS




- STANDARD 2WD 15" ARGENT-PAINTED STEEL WHEEL with black center cap. Includes bright trim ring (as shown) with LS trim.



- 2WD 15" ALUMINUM TORQUED 5-SPOKE WHEEL with bright machined-face and argentine-painted ports. Included with YC5 Exterior Appearance Package.



- 2WD 16" ALUMINUM WHEEL included with ZQ8 Sport Suspension (chrome center cap with Gold bowtie).



- NEW** 2WD XTREME 16" aluminum wheel.

### 4x4 WHEELS



- STANDARD 4x4 15" ARGENT-PAINTED STEEL WHEEL with black center cap. Includes bright trim ring (as shown) with LS trim.



- 4x4 15" FLAT 5-SPOKE ALUMINUM WHEEL with bright machined-face and medium gray accents. Optional on LS 4x4 models. Not available with LS Exterior Appearance Package or on base-level models.



- 4x4 15" 5-SPOKE ALUMINUM WHEEL included with Exterior Appearance Package (YC5). Optional on all 4x4 models with LS trim.

### TIRES

- P205 75R-15 all-seasons steel-belted radial blackwall tires (Z83 Suspension or 2WD models with Z85 Suspension)
- P205 75R-15 all-seasons steel-belted radial white-lettered tires (Z83 Suspension or 2WD models with Z85 Suspension)
- P235 70R-15 all-seasons steel-belted radial blackwall tires (4x4 models with Z85 Suspension only)
- P235 73R-15 on-/off-road steel-belted radial white outline-lettered tire (4x4 models only with Z85 or ZM6 Suspension only)
- 31" X 10.5" R-15 LTC on-/off-road steel-belted radial blackwall tires (ZR2 models only)
- P235 55R-16 all-seasons steel-belted radial blackwall tires (included with Xtreme Package and ZQ8 Suspension)
- FULL-SIZE SPARE standard on ZR2 equipped models and available on all others except Xtreme or ZQ8 equipped.



## HISTORY

### (BY MODEL YEAR)


- 1982 — Introduced as a compact pickup.
- 1983 — Extended Cab model and Insta-Trac 4x4 system introduced.
- 1984 — Heavy-duty springs, gas shocks; Off-Road Package.
- 1985 — 2.5 Liter L4 with EFI replaces 2.0 Liter engine.
- 1986 — Electronic Fuel Injection introduced on 2.8 Liter V6 engine.
- 1987 — New 3-speed automatic transmission and new quiet transfer case introduced.
- 1988 — Optional 4.3 Liter V6 engine with EFI and serpentine-drive belt introduced; factory installed sunroof.
- 1989 — Rear-wheel antilock brakes, electronic instrument cluster, speedometer and new transfer case introduced.
- 1990 — 5-speed manual transmission and 2.5 Liter engine improvements; fixed Gross Vehicle Weight Rating (GVWR); increase in standard equipment content.
- 1991 — Improved 2.5 Liter L4 engine.
- 1992 — 4-wheel-drive EL model; optional electronic shift transfer case for 4x4 models (except EL).
- 1993 — 4-speed electronic transmission introduced; balance shaft added to 4.3 Liter V6.
- 1994 — All-new family of S-10 Pickups introduced; new exterior and interior styling, ZQ8 Sport Suspension, ZR2 and SS Packages debut.

- 1995 — Driver air bag, Daytime Running Lamps and ZR2 Extended Cab introduced.
- 1996 — Optional third door introduced on Extended Cab models; Sportside Box and Vortec engine improvements.
- 1997 — Improved 4-speed automatic transmission, frame enhancements.
- 1998 — New front bumper, fascia and grille; new instrument panel, seat designs and full-length floor console. Battery-rundown protection, 4-wheel disc brakes, Passlock® theft deterrent, Automatic Exterior Lamp Control and Next Generation driver and right front-passenger air bags introduced.

## CHEVROLET INTERNATIONAL

The S-10 is sold in other countries besides the U.S. In many cases, changes are made in the vehicle's specifications to meet the unique demands of those markets and/or comply with local regulations. Additionally, these products sometimes fill a very different role in non-U.S. markets. If you need to know what the differences are, in specifications or marketing strategies, in any given country, please look in the Chevrolet International section of this publication to identify the right GM person to contact for that kind of information. Chevrolet Communications (U.S.) does not have those details.

## 1999 CHEVROLET S-10



### AFFINITY RELATIONSHIPS

Because Chevrolet offers the most comprehensive lineup of cars and trucks of any automotive manufacturer, it goes without saying that there is a product for virtually everyone, whatever their needs. From the bass fisherman who needs a reliable truck to tow his fishing boat, to the soccer mom who needs a dependable van to get the team to the field, Chevrolet can offer a vehicle to fit anyone's lifestyle.

With this in mind, Chevrolet created what has come to be known as "Affinity Marketing." Through it, Chevrolet has developed relationships with over eighty lifestyle organizations, sporting groups and spokespeople that represent the image of Chevrolet cars, trucks and the people who drive them. These relationships help Chevrolet market its products and services while offering marketing support to groups like the United States Figure Skating Association and Ducks Unlimited. Affinity Marketing also builds relationships with individuals. These people reflect the Chevrolet vision of excellence, like 1998 Olympic Gold Medalist Tara Lipinski and country music star George Strait.

S-10 Pickup has affinity relationships with:

- Barrier Breakers-Mark Williams
- Bass Pro Shops
- Big Cedar Lodge
- Deer Valley Resort
- East Coast Fisherman
- FLW Tour
- Operation Bass
- Outdoor Connection
- Ranger Boats
- Team Chevy ZR2 Trebron (Mountain Bike Team)
- TNN Outdoors
- USA Cycling (NORBA — National Off Road Bicycle Association)
- U.S. Snowboard Team
- X-Games (summer)
- S-10 is also the predominant brand competing in the recently sanctioned National Hot Rod Association Pro Stock Truck series.

For more information, call 1-800-CHEVY-MI.

### GENUINE CUSTOMER CARE

Chevrolet owners are covered by Genuine Customer Care, a comprehensive owner protection plan that includes the following:

#### **NEW VEHICLE LIMITED WARRANTY**

This warranty is for GM vehicles in the United States. Owners should see their Chevrolet dealer for complete terms and conditions of this New Vehicle Limited Warranty. Items covered for 3 years or 36,000 miles\* for manufacturer's defects include:

- The complete vehicle
- Tires
- Towing to the nearest Chevrolet dealership
- Sheet-metal coverage:
  - Corrosion coverage
  - Rust-through coverage†
- Repairs made to correct any vehicle defect
- No charge for most warranty repairs.


\* Whichever comes first. † 6 years or 100,000 miles, whichever comes first.

#### **COURTESY TRANSPORTATION**

Retail customers who purchase or lease a 1999 Chevy S-10 Pickup are eligible for Courtesy Transportation when their vehicles are left at a participating dealership for repairs covered under the 3-year/36,000-mile Bumper to Bumper Limited Warranty. Courtesy Transportation, at participating dealerships only, may include shuttle service, expense reimbursement or, if the repairs require leaving your vehicle overnight, alternate transportation. Owners should see a dealer for details.

#### **ROADSIDE ASSISTANCE\***

Roadside Assistance service is provided through a toll-free 800 number, 24 hours a day, 365 days a year. Roadside Assistance advisors can assist with minor mechanical concerns over the phone or coordinate a variety of services through professional service providers.



## 1999 CHEVROLET S-10



### Basic Care provides:

- Toll-free access — 1-800-CHEV-USA
- Free towing to closest dealer for warranty repairs
- Basic over-the-phone technical advice
- Dealer services at reasonable costs (i.e., wrecker services, locksmith/key service, glass repair, etc.).

### Courtesy Care, which applies for 3 years/36,000 miles, provides:

- Basic Care services
- Free locksmith/key service (when keys are lost on the road or locked inside)
- Free flat tire change service
- Free fuel delivery
- Free non-warranty towing
- Free jump start.


\* Roadside Assistance membership is free. Some services may incur costs. Courtesy Care is available to retail, retail lease and corporate lease customers operating 1994 and newer Chevrolet vehicles for a period of 3 years/36,000 miles, whichever comes first. All Courtesy Care services and associated costs must be prearranged by Chevrolet Roadside Assistance or dealer service management and must be driver-initiated. Basic Care and Courtesy Care are not part of or included in the coverage provided by the New Vehicle Limited Warranty. Chevrolet reserves the right to modify or discontinue Basic Care and Courtesy Care at any time. Owners should see their dealer for complete details of the Chevrolet Roadside Assistance Program.

Important — a word about this document: We have tried to make this document as comprehensive and factual as possible. We reserve the right, however, to make changes at any time, without notice, in colors, materials, equipment, specifications, models and availability. Some information may have been updated since the time of printing in June, 1998.

A note about air bags: Always wear safety belts, even with Next Generation air bags. See owner's manual for more safety information.

Some artwork contained within this text is for representation purposes only.


# 1999 S-10 PICKUP FEATURE AVAILABILITY



	Base	LS	Xtreme w/LS Trim*	ZR2
<b>INTERIOR</b>				
Air Bag - Driver and Right Front-Passenger Side with Passenger-Side Deactivation Switch	S	S	S	S
Air Conditioning - With CFC-Free Refrigerant	O	O	O	O
Console - Full-Length, Seat Separator <sup>1</sup>	NA	O	O	S
Headliner - Full Coverage, Foam-Backed w/Color-Keyed Cloth Cover	S	S	S	S
Gauges - Fuel level, Odometer, Oil Pressure, Speedometer, Temperature Gauge, Trip Odometer, Voltmeter	S	S	S	S
Lights, Interior - Delayed Entry	S	S	S	S
Passlock <sup>2</sup> Theft-Deterrent System	S	S	S	S
Retained Accessory Power	S	S	S	S
Scotchgard <sup>TM</sup> Protection	S	S	S	S
Seats - Custom Vinyl Bench w/Folding Back <sup>1</sup>	S	NA	NA	NA
- Regular-Cab 60/40 Custom Cloth, Split-Bench w/Recliners (includes armrest w/storage)	NA	S	S	NA
- Extended-Cab 60/40 Custom Cloth, Split-Bench w/Recliners (includes armrest w/storage)	NA	S	S	NA
- Includes Custom Vinyl Folding Rear Jump Seats	NA	S	S	S
- Reclining High-Back Bucket Seats (includes console and adjustable manual lumbar support)	NA	O	O	S
Steering Wheel - Deluxe 4-Spoke	S	S	NA	S
- Leather Wrapped	NA	O	O	O
Stereo - ETR AM/FM with Digital Clock	O	S	S	S
Sunshades - Padded, Color-Keyed Cloth	S	S	S	S
Warning Tone - Headlamps-On	S	S	S	S
Windows - Rear Quarter Swing-Out (Extended Cab only)	NA	S	S	S
Wipers - Intermittent Variable	S	S	S	S
<b>EXTERIOR</b>				
Air Dam	S	S	S	S
Daytime Running Lamps w/Automatic Exterior Headlamp Control	S	S	S	S
Foglamps	NA	O	O	NA
Mirrors - Outside Rearview w/LH & RH, Below Eyeline, Black	S	S	S	S
Tires - P205/75-R-15	S	S	NA	NA
- P235/55-R-16	O <sup>2</sup>	O <sup>2</sup>	S	NA
- P235/70-R-15 <sup>3</sup>	O	O	NA	NA
- P235/75-R-15	O	O	NA	NA
- 31 x 10.5 R-15	NA	NA	NA	S
Wheels - 15" x 7" Steel, Painted Argent w/Black Center Cap	S	S	NA	NA
- 15" x 7" Steel, Argent w/Trim Ring w/Black Center Cap	O	O	NA	S
- 15" x 7" Cast-Aluminum	NA	O	S	O
- 16" x 8" Cast-Aluminum	NA	O	O	NA
- Xtreme Complete Ground Effects w/wheel flares	NA	NA	S	NA
Brakes - 4-Wheel AntiLock	S	S	S	S
- Power, Front Disc/Rear Drum (2WD)	S	S	S	NA
- Power, 4-Wheel Disc (4x4)	S	S	NA	S
Engine - Vortec 2200 L4 SFI	S	S	S	NA
- Vortec 4300 V6 SFI (L35)	NA	O	O	S
- Vortec 4300 V6 SFI (2WD) (LF6)	O	O	NA	NA
- Vortec 4300 V6 SFI (4WD) (LF6)	S	S	NA	NA
Third Door - (Extended-Cab)	NA	O	O	O
Transmission - 5-Speed Manual w/Overdrive	S	S	S	S
- 4-Speed Electronically Controlled Automatic	O	O	O	O

S — Standard. O — Optional (some options may be available only as part of a Preferred Equipment Group.) NA — Not available. <sup>1</sup> Requires bucket seats. <sup>2</sup> Requires Z08 Suspension. <sup>3</sup> Requires Z85 Suspension. \*Equipment varies for Xtreme with Base trim. <sup>†</sup>No cost cloth option available.

# 1999 S-10 PICKUP SPECIFICATIONS



## MODELS

2WD & 4X4

Passengers (Reg.-Cab/Ext.-Cab)	2-3/4-5
Class	Compact Pickup
Assembly Plant	Linden, New Jersey, and Shreveport, Louisiana
Primary Structure	Welded Steel Frame
Body Material	Steel, Two-Side Galvanized*

\*Except roof and pickup box front panel, which are one-side galvanized steel.

## DIMENSIONS & CAPACITIES (inches/millimeters, unless otherwise noted)

	2WD Reg. Cab Short-Box	2WD Reg. Cab Long-Box	2WD Ext.-Cab	4x4 Reg. Cab Short-Box	4x4 Reg. Cab Long-Box	4x4 Ext.-Cab
<b>Exterior Dimensions</b>						
Wheelbase	108.3/2751	117.9/2995	122.9/3122	108.3/2750	117.9/2995	122.9/3121
Overall Length	190.1/4829	206.1/5235	204.7/5202	190.1/4829	206.1/5235	204.7/5202
Overall Height	62.0/1575	62.9/1596	62.7/1593	63.4*/1610	64.4/1636	63.4/1610
Maximum Width	67.9/1725	67.9/1725	67.9/1725	67.9/1725	67.9/1725	67.9/1725
Ground to Rear Load Floor	25.9/683	28.1/714	27.7/704	27.4/696	29.7/754	27.2/691
Ground Clearance (front)	9.1/231	8.7/221	9.1/232	8.6/218	10.6/269	8.5/216
Ground Clearance (rear)	7.2/183	6.7/170	7.2/183	7.5/191	7.9/201	7.5/191
<b>Cab Dimensions</b>						
Headroom	39.5/1003	39.5/1003	39.6/1006	39.5/1003	39.5/1003	39.6/1006
Legroom**	42.4/1077	42.4/1077	42.4/1077	42.4/1077	42.4/1077	42.4/1077
Shoulder Room	56.9/1443	56.9/1443	56.9/1443	56.9/1443	56.9/1443	56.9/1443
Cargo Volume (max. cu. ft.) (cu. ft./cu. cm) (in-cab storage area)	-/-	-/-	17.3/492	-/-	-/-	17.3/491
<b>Capacities</b>						
Curb Weight (lbs./kg)	3031/1363	3102/1379	3240/1462	3564/1588	3653/1662	3757/1697
Maximum GVWR (lbs./kg)	4600/2087	4900/2223	4600/2087	5150/2337	5150/2337	5150/2337
Base Payload (std.) (lbs./kg) (based on curb wt.)	1169/532	1160/527	1086/493	1497/407	897/TC	896.4/407
Max. Trailer Capacity (lbs./kg)	5500/2495	5500/2495	5500/2495	5500/2495	5500/2495	5000/2495
Fuel Tank Capacity (gal./liters)	19/72	19/72	19/72	19/72	19/72	19/72

\*ZR2 — Overall height = 64.3 (1633mm). †ZR2 — Overall width = 71.9 (1828mm). \*\*43.2 (1097mm) in rearmost position.

# 1999 S-10 PICKUP SPECIFICATIONS



## STEERING

Type	Variable Integral Power Recirculating Ball
Steering Ratio — 2WD	15:1 (on center)
Steering Ratio — 4WD	16:1 (on center)
Turning Diameter, Curb-to-Curb (ft./m)	36.9-41.6/10.6-12.7

## BRAKES

	2WD and 4x4	
Type	4-Wheel ABS, Vacuum Power, Front Disc/Rear Drum (2WD); 4-Wheel Disc (4x4)	
	U.S. STANDARD	METRIC
Front Disc Size	10.05 x 1.03 in.	255 x 26mm
Rear Drum Size 2WD	9.5 x 2.0 in.	241 x 51mm
Rear Disc Size 4x4	11.6 x .787 in.	295 x 20mm
Booster Diameter	9.4, Tandem in.	239mm
Parking Brake	Cable to Rear Wheels	


## ENGINES

	LN2	LF6	L35
Type	Vortec 2200 (OHV) L4	Vortec 4300 (OHV) V6	Vortec 4300 (OHV) V6
Block Material	Cast Iron	Cast Iron	Cast Iron
Cylinder Head Material	Cast Aluminum	Cast Iron	Cast Iron
Bore & Stroke (in./mm)	3.50 x 3.46/ 89 x 88	4.00 x 3.48/ 101.6 x 88.4	4.00 x 3.48/ 101.6 x 88.4
Displacement (cu. in./cc)	134/2189	262/4300	262/4300
Compression Ratio	9.0:1	9.2:1	9.2:1
Induction System	SFI	SFI	SFI
Valves/Cylinder	2	2	2
Lifters	Hydraulic Roller	Hydraulic Roller	Hydraulic Roller
Cam Drive	Chain	Chain	Chain
Horsepower/Kw @ rpm (SAE net)	120 @ 5000/89 Kw @ 5000	175 @ 4400/131 Kw @ 4400(2WD) 180 @ 4400/134 Kw @ 4400 (4x4)	180 @ 4400/134 Kw @ 4400 (2WD) 190 @ 4400/142 Kw @ 4400 (4x4)
Torque/N-m @ rpm (SAE net)	140 @ 3600/190 N-m @ 3600	240 @ 2800/325 N-m @ 2800 (2WD) 240 @ 2800/325 N-m @ 2800 (4x4)	245 @ 2800/332 N-m @ 2800 (2WD) 250 @ 2800/339 N-m @ 2800 (4x4)
Redline (rpm)	6000	5600	5600
Recommended Fuel (min.)	87 Octane	87 Octane	87 Octane

## TRANSMISSIONS

Gear Ratios	Vortec 2200 L4		Vortec 4300 OHV V6 (LF6 and L35)	
	Standard Manual 5-Speed w/Overdrive (MW2)	Optional Auto. 4-Speed w/Overdrive (M30)	Manual 5-Speed w/Overdrive (M50)	Auto. 4-Speed w/Overdrive (M30)
1st	3.94	3.06	3.49	3.06
2nd	2.37	1.63	2.16	1.63
3rd	1.49	1.00	1.40	1.00
4th	1.00	0.70	1.00	0.70
5th	0.83	—	0.78	—
Reverse	3.65	2.29	3.55	2.29





# 1999 S-10 PICKUP SPECIFICATIONS



## SUSPENSION

	2WD and 4x4
Frame	All-Welded, Ladder-Type Channel-Design w/Boxed Front Section
Front Type	Independent w/Computer Selected Coil Springs (2WD) or Torsion Bars (4x4)
Rear Type	Semi-Floating Axle, 2-Stage Semi-Elliptic Multi-Leaf Spring
Shocks* (Front/Rear) (mm)	32/32 (46/46 included with optional suspensions on 4x4)
Anti-Roll Bar* (Front) (mm)	25

\*See Chassis Packages for additional details.

## MILEAGE (2WD/4X4)\*

Powertrain	4-Speed Automatic w/ Vortec 2200 L4		5-speed Manual w/ Vortec 2200 L4		4-Speed Automatic w/ Vortec 4300 V6		5-speed Manual w/ Vortec 4300 V6	
	MPG	liters/100 km	MPG	liters/100 km	MPG	liters/100 km	MPG	liters/100 km
Mileage:								
City	19	11.8	22	10.2	17/16	13.8/14.7	17/17	13.1/13.8
Highway	26	8.7	28	7.8	22/21	10.2/11.2	23/22	9.4/10.7
Combined	22	10.2	25	9	19/18	12.4/13.1	20/19	11.2/12.4
Est. Cruising Range:	mi.	km	mi.	km	mi.	km	mi.	km
City	361	581	418	673	323/304	520/489	323/323	520/520
Highway	494	795	532	856	418/399	673/642	437/418	703/673
Combined	418	673	475	764	361/342	581/550	380/298	611/479

\*Based on 1998 information. 1999 figures not available at time of publication.

## TRAILERING INFORMATION\*

	2WD/Vortec 2200 L4	2WD/Vortec 4300 V6	4x4/Vortec 4300 V6
Trailer classification	Medium	Medium	Medium
Maximum trailer weight (lbs./kg, up to)	2000/908	5500/2495	5500/2495 - 5000/2268 (Extended-Cab)
Gross Combination Weight Ratings (lbs./kg)	6500 <sup>†</sup> /2949	9000 <sup>†</sup> /4083	9000 <sup>†</sup> -4083
Maximum tongue load (lbs./kg)	200/91	750/341	650-95

\*Xtreme Package not recommended for towing/trailering. <sup>†</sup>With manual transmission.

## WHEELS & TIRES

	2WD and 4x4
Wheel type/size (in.)	Steel/15-inch x 7-inch
Tire type	All-Season Steel-Belted Radials
Tire size	P205/7R-15

All specifications are preliminary and subject to change.

# S-10 Pickup



S-10 Pickup

## Focus

**S-10 2WD LS Extended Cab Pickup** (shown with optional wheels)

The Focus vehicle for 1999 is the S-10 2WD LS Extended Cab Pickup. This model represents the best opportunity for high volume S-10 Pickup sales at your dealership.

### Ordering recommendations:

Recommended S-10 Pickup content, based on anticipated national sales volume, is listed below to assist your dealership in ordering.

### S-10 LS standard features include:

- Deluxe Cloth 60/40 Split-Bench Seat with Center Armrest and Storage Compartment (2WD models)
- Deluxe Cloth High-Back Bucket Seats with Lumbar Support and Floor Console (4x4 models)
- Rear-Quarter Swing-Out Windows (Extended Cab only)
- Body-Color Rear Step-Bumper
- Color-Keyed Carpeting
- Dual, Covered Power Points

**Popular colors:** Summit White, Meadow Green Metallic, Light Pewter Metallic, Indigo Blue Metallic and Victory Red

## S-10 Pickup Owners ... a Closer Look

With rugged, truck-like capabilities, S-10 Pickup attracts a youthful buyer, typically between 26 and 39 years old. Predominately single, these buyers tend to be do-it-yourselfers and have active lifestyles.

## About Dealer Order Guide inserts

The Dealer Order Guide inserts are your first look at Chevy Truck models for 1999. This information is preliminary and subject to change. Use these inserts to assist in ordering your initial shipments. Most of your volume should come from the Focus vehicle, which is the model chosen for its saleability. It is equipped with the product features that customers want most. (Model, PEG and optional equipment vary by region.) Refer to the Retail Sales Analysis (RSA) to verify or select your dealership's Focus vehicle content. There is also the Feature vehicle, which is the "image" model Chevrolet will profile most in its advertising. This vehicle is meant to capture attention and create consumer awareness.

## Feature

**S-10 Xtreme Base Regular Cab Pickup** (image below) and **S-10 LS Extended Cab Pickup with ZR2 Package**



There are two Feature vehicles for 1999: S-10 Xtreme Base Regular Cab Pickup and the S-10 LS Extended Cab Pickup with ZR2 Package. Direct from the factory, the 2WD S-10 Xtreme delivers the performance appearance of a customized sport truck. The ZR2 model is an off-roader 4x4 with suspension upgrades and a wider track than S-10 Pickup street trucks.

### S-10 Xtreme features include:

- Complete ground effects package with wheel flares
- Body-color grille and front and rear bumpers
- Unique fascia with integral foglamps
- Unique 16" x 8" aluminum wheels
- Xtreme exterior emblems (front doors and tailgate)
- ZQ8 Sport Suspension
- P235/55R-16 tires
- Air conditioning
- Leather-wrapped steering wheel
- Tachometer.

**Trim Colors**



Custom Vinyl available in Medium Gray — standard on Base.



Custom Cloth available in Beige, Graphite and Medium Gray — no cost option on Base.




Deluxe Cloth available in Beige, Graphite and Medium Gray — standard on LS.

**Most Popular Exterior Colors with Corresponding Interior Color Availability**

Interior Material Colors			
	Beige	Graphite	Medium Gray
<b>Exterior Colors</b>			
Summit White	✓	✓	✓
Meadow Green Metallic	✓	✓	✓
Light Pewter Metallic	✓	✓	✓
Indigo Blue Metallic	✓	✓	✓
Victory Red	✓	✓	✓

See order guide for color availability by model.

**Most Popular Exterior Colors by Percentage**





Clockwise, at left, are the four colors anticipated to be the most popular S-10 Pickup choices for 1999, based on national sales volume. They are listed for reference only. To identify the top-selling colors in your area by model, use the Retail Sales Analysis (RSA).

Summit White (#50)	17%
Meadow Green Metallic (#68)	14%
Light Pewter Metallic (#11)	12%
Indigo Blue Metallic (#39)	11%
Victory Red (#74)	11%
Other colors	35%


NOTE: New S-10 Pickup exterior colors are Sunset Gold Metallic (#60), Meadow Green Metallic (#68) and Victory Red (#74). Emerald Green Metallic (#43) and Apple Red (#72) have been cancelled.

**Seat Styles**




- A. Custom Vinyl bench seat — standard on Base (Regular Cab).
- B. Custom Cloth bench seat — available on Base (Regular Cab).
- C. Deluxe Cloth reclining 60/40 split-bench seat — standard on LS 2WD, available on LS 4x4 with automatic transmission.
- D. Deluxe Cloth reclining high-back bucket seats — standard on LS 4x4, available on LS 2WD.

**Wheels**



2WD argente-painted steel wheel with black center cap — standard on 2WD Base and LS. Includes bright trim ring (as shown) with LS.




(RPO N60) 2WD LS torqued 5-spoke bright machined-face aluminum wheel — optional on 2WD LS, included with YC5 Exterior Appearance Package.




2WD aluminum sport wheel (16" x 8") — included with Z08 Sport Suspension Package. Center cap bowtie is painted gold.




2WD Xtreme aluminum wheel (16" x 8") — included with 2WD Xtreme Sport Appearance Package.



4x4 argente-painted steel wheel with black center caps — standard on 4x4 Base and LS. Includes bright trim ring (as shown) with LS.



(RPO PA3) 4x4 LS bright aluminum wheel — optional on 4x4 LS. Not available with YC5 Exterior Appearance Package.



(RPO N90) 4x4 LS 5-spoke cast-aluminum wheel — optional on 4x4 LS. Included with YC5 Exterior Appearance Package.

# S-10 Pickup

*P.D.S.E.I. is a term used to help organize and explain key features and benefits in five major categories a customer needs and wants. Overall improvements, changes and deletions are highlighted. Please review the supplied information, keeping in mind that this material is provided to you before production start-up — and may change.*



**P.D.S.E.I.** (New-for-'99 features appear in green.)

## PERFORMANCE



• **AUTOMATIC TRANSMISSION ENHANCEMENTS** — Vamac pump cover seals provide better sealing. A new clutch plate material is used, which is designed for improved durability and performance. • **A CHOICE OF TWO VORTEC 4300 V6 SFI ENGINES** — matched to either a 5-speed manual overdrive transmission or an electronically controlled 4-speed automatic transmission is available. • **STANDARD VORTEC 2200 L4 SFI ENGINE (2WD MODELS)** — delivers smooth spirited performance.

## DURABILITY



• **BATTERY-RUNDOWN PROTECTION** — helps prevent a dead battery. • **SERPENTINE-DRIVE BELT SYSTEM** — can last up to 100,000 miles before replacement.\* • **BASECOAT/CLEARCOAT PAINT** — not only provides a durable, lustrous finish, but also reduces the severity of water-spotting and etching from acid rain. • **TWO-SIDED GALVANIZED STEEL** — on major exterior body panels (except roof and pickup box front panel) makes additional rustproofing unnecessary. • **PLATINUM-TIP SPARK PLUGS** — can last up to 100,000 miles before they need replacing.\* • **EXTENDED-LIFE ENGINE COOLANT** — is scheduled for first replacement at 5 years/150,000 miles, whichever comes first.\* • **BUMPER TO BUMPER WARRANTY** — a 3-year/36,000-mile, no deductible, limited warranty; 24-Hour Roadside Assistance via a toll-free hot line and Courtesy Transportation,<sup>1</sup> if the vehicle ever needs warranty work.

## SAFETY



• **FLASH TO PASS** — allows driver to flash high beam headlamps as a passing signal to vehicle in front. • **CONTENT THEFT ALARM (ON VEHICLES WITH POWER CONVENIENCE GROUP)** — unauthorized entry at any passenger door automatically triggers lights and horn. • **LARGER OUTSIDE MIRROR SHAPE** — offers increased glass area for rearward visibility. • **NEXT GENERATION DRIVER AND RIGHT FRONT-PASSENGER AIR BAGS\*\* WITH DEACTIVATION SWITCH (passenger side only)** — designed to help protect against injury in certain moderate to severe frontal collisions. • **4-WHEEL ANTILOCK BRAKE SYSTEM (ABS)** — standard on all models, reduces wheel lockup while braking hard on most slippery surfaces.

## EXTERIOR



• **XTREME SPORT APPEARANCE PACKAGE** — boasts unique 16" wheels, tires, color-keyed grille and ground effects. • **HEATED FEATURE ADDED TO ALL POWER MIRRORS** — helps clear ice and fog from mirrors for added convenience. • **NEW EXTERIOR COLORS** — Sunset Gold Metallic, Meadow Green Metallic and Victory Red. • **OPTIONAL EXTENDED CAB THIRD DOOR\*\*** — provides easy access to cargo located behind the front seat.

## INTERIOR



• **SCOTCHGARD™ PROTECTION** — on cloth seats, door trim panels and carpet. Resists stains for easy cleanup. • **CUSTOM FOLDING, STANDARD REAR JUMP SEATS** — in Extended Cab models. Easily accommodate two rear-seat passengers.<sup>††</sup> • **SPLIT-BENCH ARMREST CONSOLE (with LS trim)** — includes convenient storage and dual cup holders. • **RETAINED ACCESSORY POWER** — lets owner operate radio, power windows and other power features up to 20 minutes after ignition is turned off. • **ERGONOMIC DESIGN** — built from the inside out for customer needs/lifestyle.

<sup>1</sup>Maintenance needs vary with different uses and driving conditions. See owner's manual for details. <sup>†</sup>At participating dealerships. <sup>††</sup>Always use safety belts and proper child restraints, even with Next Generation air bags. See owner's manual for more safety information. <sup>\*\*</sup>Driver-side rear jump seat is eliminated when optional third door is ordered.

### Competitive Models

- Ford Ranger
- Dodge Dakota
- Toyota Tacoma
- Nissan Frontier
- Mazda B-Series

### New for 1999

- Automatic transmission enhancements include a revised check ball pocket designed to reduce uneven load characteristics and minimize wear. Vamac pump cover seals replace the current polyacrylic material for improved overall sealing. New clutch plate material is formulated to improve durability and performance.
- Flash-to-pass feature allows drivers to flash their high beams as a passing signal. This feature operates in both Daytime Running Lamp and low-beam mode, but does not function when high beams are on.
- Content theft alarm (models with Power Convenience Group) triggers an alarm system which activates headlamps and horn when unauthorized entry is attempted.

### Deletions

- Two exterior colors have been deleted for 1999. Emerald Green Metallic and Apple Red and have been replaced by three new colors: Sunset Gold Metallic, Meadow Green Metallic and Victory Red.
- Underhood light.
- Two-piece sunvisor with lighted vanity mirror replaced with one piece sun shade (LS trim).

### Forecasted Percent of Mix

SERIES	
S-10 2WD Pickup	80%
S-10 4x4 Pickup	20%
<b>Total</b>	<b>100%</b>
MODELS	
Regular Cab Short Box	45%
Regular Cab Long Box	7%
Extended Cab Short Box	48%
<b>Total</b>	<b>100%</b>
TRIM LEVELS	
Base	15%
YC3 LS Decor	40%
YC5 LS Decor with Exterior Appearance Package	29%
YC3 LS with Sportside Box	16%
<b>Total</b>	<b>100%</b>
ENGINES	
Vortec 2200 L4 SFI (LN2)	62%
Vortec 4300 V6 SFI (LF6)	27%
Vortec 4300 V6 SFI (L35)	11%
<b>Total</b>	<b>100%</b>
TRANSMISSIONS	
5-Speed Manual with Overdrive	60%
4-Speed Electronically Controlled	
Automatic with Overdrive	40%
<b>Total</b>	<b>100%</b>

1999 S-10 PICKUP  
"WHAT'S NEW"

- 1999 MY PRODUCT UPDATES
  - XTREME SPORT APPEARANCE PACKAGE, OPTION V4A (SEE ATTACHED)
  - STANDARD FEATURES
    - NEW, LARGER O.S.R.V. MIRRORS
    - FLASH-TO-PASS
    - LARGER, CORPORATE COMMON KEY HEADS
    - SMALLER HORN PAD FOR IMPROVED VISIBILITY
    - THREE NEW COLORS
      - VICTORY RED (74U)
      - MEADOW GREEN MIST (68U)
      - GOLD METALLIC (60U)
  - REVISED OPTIONS
    - CONTENT THEFT ALARM (INCLUDED WITH POWER CONVENIENCE GROUP, OPTION ZQ6)
    - NEW, LARGER, HEATED POWER O.S.R.V. MIRRORS (INCLUDED WITH POWER CONVENIENCE GROUP, OPTION ZQ6)
  - FEATURE REVISIONS
    - SPORTSIDE PICKUP BOX (E62) WILL BE PRICED AS AN OPTION, NOT A MODEL
    - LS TRIM SUN VISORS REPLACED WITH ONE PIECE SUN SHADES; ILLUMINATED VANITY MIRRORS DELETED
    - UNDERHOOD LIGHT DELETED
    - SKID PLATES (OPTION ZM5) NOW COMPOSITE MATERIAL
    - DAYTIME RUNNING LAMPS (DRL's) ON MODELS EQUIPPED WITH ZR2 (WIDE STANCE PERFORMANCE SUSPENSION) WILL NOT BE AVAILABLE AT START OF PRODUCTION
    - 'SS' SPORT PACKAGE (OPTION B4U) CANCELED
  - PEG CODES HAVE BEEN REVISED TO BE COMMON WITH OTHER TRUCK BRANDS
    - 1SA = BASE TRIM
    - 1SB = LS TRIM
  - THE FOLLOWING PACKAGES HAVE BEEN CREATED TO SIMPLIFY THE ORDERING OF S-10 FEATURE VEHICLES , THE ZR2 AND XTREME
    - 1SC = ZR2
    - 1SD = XTREME SPORT APPEARANCE PACKAGE (BASE TRIM)
    - 1SE = XTREME SPORT APPEARANCE PACKAGE (LS TRIM)

1999 S-10 PICKUP  
"WHAT'S NEW"

- **ORDERING INFORMATION**
  - THIS DEALER ORDER GUIDE IS IN AN ABBREVIATED FORM DUE TO THE NEAR TERM TRANSITION TO THE NEW VEHICLE ORDER MANAGEMENT (V.O.M.) SYSTEM
  - MODEL AND OPTION AVAILABILITY FOR OCTOBER PRODUCTION IS LIMITED, AND INITIAL OFFERINGS ARE BASED ON MOST COMMONLY ORDERED, HIGHEST TURNOVER MODEL/OPTION COMBINATIONS
  - FULL-LINE OFFERINGS WILL BE AVAILABLE UPON TRANSITION TO V.O.M.
  - SOUTHERN STATES AND CMI/GM BUYPOWER PACKAGES HAVE BEEN ELIMINATED IN FAVOR OF NATIONAL ORDERING PACKAGES
    - ALL ORDERING PACKAGES, WITH THE EXCEPTION OF THOSE AVAILABLE ON C\*10803 MODELS, HAVE DISCOUNTS
      - PACKAGE DISCOUNTS ARE DRIVELINE SPECIFIC (ENGINE & TRANSMISSION) AND WILL BE CODED AS "BOWTIE BONUS SAVINGS" ON INVOICES AND VEHICLE WINDOW LABELS
      - "BOWTIE BONUS SAVINGS" WILL REFLECT AND SUPPORT CORE VOLUME, FOCUS MODELS ESPECIALLY 4 CYLINDER ENGINES
      - ALL PRICING AND PACKAGE DISCOUNTS ARE NATIONAL
- **FOCUS MODELS**
  - 1998 MY 4 CYLINDER ENGINE PEG'S 1SH OR 1SF NOW EQUATE TO PACKAGE 1SB REGARDLESS OF CAB TYPE
    - PEG INCLUDES LS TRIM, AIR CONDITIONING, AM/FM STEREO W/CASSETTE, ALUMINUM WHEELS AND FLOOR MATS (NEW FOR '99)
    - IF GMAC SMARTLEASE PROGRAMS ARE RELEASED IN 1999, PACKAGE 1SB (WITHOUT ADDITIONAL OPTIONS) WILL BE THE BASIS FOR THE ADVERTISED PAYMENT CALCULATION
  - 1998 GM BUYPOWER PEG'S (1ST, 1SW) HAVE NO DIRECT EQUIVALENT IN 1999
    - RECOMMEND THE USE OF 1999 PACKAGE 1SB WITH 4 CYLINDER ENGINE
  - ADDITIONAL OPTIONS ARE AVAILABLE TO ADDRESS REGIONAL REQUIREMENTS AND SOLD ORDERS
- **PRODUCTION INFORMATION**
  - ENGINE MIX = 65% 4 CYLINDER, 35% V6
  - 4 CYLINDER WITH AUTOMATIC TRANSMISSION = 33%
  - BASE TRIM, INCLUDING XTREME SPORT APPEARANCE PKG = 20%
  - MODEL MIX = 55% REGULAR CAB, 45% EXTENDED CAB
  - NO LIMITATIONS ON 4X4 BUILD
  - XTREME = 7% OF TOTAL BUILD
  - 3RD DOOR = NO AVAILABILITY RESTRICTIONS\*
  - SPORTSIDE PICKUP BOX = NO AVAILABILITY RESTRICTIONS\*

\* REFER DEALER ORDER GUIDE FOR COMPATIBILITY GUIDELINES

**XTREME SPORT APPEARANCE PACKAGE  
(OPTION V4A)**

- THE XTREME SPORT APPEARANCE PACKAGE (V4A) ALLOWS DEALERS TO OFFER A FACTORY LOWERED COMPACT PICKUP AT AN AFFORDABLE PRICE TO CONSUMERS. XTREME IS COVERED BY GM'S LIMITED 3 YEAR/36,000 MILE WARRANTY AND WILL BE PRODUCED IN SHREVEPORT, LA. PRODUCTION EXPECTED TO BE AT FULL LINE RATE IN 1ST QUARTER, 1999.
- XTREME IS DESIGNED TO OFFER COMPACT PICKUP TRUCK ENTHUSIASTS A PRODUCT WITH EXCEPTIONAL RIDE, HANDLING AND STYLING CUES. IT IS INTENDED TO ENHANCE S-10'S IMAGE IN THE MARKETPLACE AND OFFERS DEALERS THE ABILITY TO RESPOND TO A VARIETY OF CUSTOMER NEEDS, INCLUDING AFFORDABILITY.
- XTREME IS A NICHE PRODUCT WITH MODEST VOLUME POTENTIAL. IT IS NOT DESIGNED AS A SUBSTITUTE FOR CORE VOLUME, FOCUS VEHICLES SUCH AS 1999 MY PACKAGE 1SB. IT IS A COMPLIMENT TO THE ALREADY VAST SELECTION OF S-10 MODELS AND OPTIONS.
- XTREME COMMANDS ATTENTION, RESULTING IN HEIGHTENED CONSUMER INTEREST IN S-10 PICKUP. IT IS AN EXCELLENT DEMONSTRATOR, TRAFFIC BUILDER, AD CAR OR SHOWROOM VEHICLE.
- XTREMES BUILT IN THE REGULAR CAB CONFIGURATION AND WITH A 4 CYLINDER ENGINE ARE INTENDED TO REACH A YOUNGER DEMOGRAPHIC TARGET AND MORE FEMALES. BUILT WITH PACKAGE 1SD (BASE TRIM) IT IS A NICELY EQUIPPED "LOOKER" ANYONE CAN AFFORD AND WOULD BE PROUD TO OWN. THE LS TRIM, REGULAR CAB VERSION (PACKAGE 1SE) OFFERS THE CONSUMER A CHOICE OF TRANSMISSIONS AND A HIGHER LEVEL OF OPTIONAL EQUIPMENT NOT FOUND ON THE BASE TRIM VERSION. L4 EXTENDED CAB VERSIONS ARE AVAILABLE TO MEET A CONSUMER'S NEED FOR MORE INTERIOR SPACE.

L35 V6 EQUIPPED XTREMES ARE FORECAST TO BE "LOADED" EXTENDED CABS OR REGULAR CABS APPEALING TO A HIGHER THAN USUAL S-10 PICKUP DEMOGRAPHIC TARGET. YOUR PREVIOUS EXPERIENCE WITH THE S-10 'SS' MODEL (CANCELED OPTION B4U) SHOULD GUIDE YOU WHEN YOU ORDER THE V6 VERSION OF XTREME. V6 EQUIPPED XTREMES ARE ONLY AVAILABLE WITH LS TRIM (PACKAGE 1SE).

- XTREMES ARE NOT DESIGNED, NOR INTENDED, TO BE USED FOR TOWING.



**XTREME SPORT APPEARANCE PACKAGE  
(OPTION V4A)**

- **XTREME (V4A) INCLUDES:**
  - **ZQ8 SPORT SUSPENSION, INCLUDING QCB P235/55R-16 B/W TIRES AND A 2" LOWER SUSPENSION**
  - **UNIQUE 16"X8" ALUMINUM WHEELS\***
  - **MONOCHROMATIC FRONT GRILLE AND 270° GROUND EFFECTS WITH INTEGRAL FOG LAMPS\***
  - **SPECIAL XTREME BADGING\***
  - **NP5 LEATHER WRAPPED STEERING WHEEL**
  - **U16 TACHOMETER**
  - **C60 AIR CONDITIONING**
  - **VF6 REAR BUMPER**

\* INCLUDED WITH V4A (NO RPO)

- **XTREME IS AVAILABLE AS FOLLOWS:**
  - **PACKAGE 1SD (BASE TRIM) OR 1SE (LS TRIM)**
  - **BASE (REGULAR CAB ONLY) OR LS TRIM**
  - **REGULAR OR EXTENDED CAB**
  - **LN2 4 CYLINDER OR L35 V6 ENGINE**
  - **MANUAL OR AUTOMATIC TRANSMISSION**
  - **FLEETSIDE OR SPORTSIDE PICKUP BOX (N/A BASE TRIM)**
  - **THREE EXTERIOR COLORS:**
    - **VICTORY RED (74U)**
    - **SUMMIT WHITE (50U)**
    - **ONYX BLACK (41U)**
  - **SELECT ADDITIONAL OPTIONS AVAILABLE**
- **XTREME PRICING WILL BE ANNOUNCED WITH 1999 MY S-10 PICKUP PRICING LATER THIS SUMMER**
- **A 4-COLOR XTREME HIGHLIGHT SHEET, INCLUDING PHOTOGRAPHS, WILL BE FORWARDED UNDER SEPARATE COVER**

## STANDARD EQUIPMENT SUMMARY

<b><u>CHASSIS</u></b>		<b>BASE</b>	<b>LS</b>
<b>ALTERNATOR:</b>	100 AMPS	S	S
<b>BATTERY:</b>	HEAVY-DUTY 525 CCA AMPS RUNDOWN PROTECTION	S	S
<b>BRAKES:</b>	ALL: 4-WHEEL ANTILOCK	S	S
	2WD: FRONT DISC/REAR DRUM	S	S
	4WD: 4-WHEEL DISC	S	S
<b>ENGINE:</b>	2WD: VORTEC 2200 L4 SFI	S	S
	4WD: VORTEC 4300 V6 SFI	S	S
<b>FUEL TANK:</b>	19 GALLON CAPACITY	S	S
<b>SUSP FRONT:</b>	2WD: INDEPENDENT COIL SPRINGS	S	S
	4WD: INDEPENDENT TORSION BAR	S	S
<b>SUSP REAR:</b>	SEMI FLOATING AXLE, 2-STAGE MULTI-LEAF SPRINGS	S	S
<b>TRANSMISSION:</b>	5-SPEED MANUAL OVERDRIVE	S	S
<b><u>INTERIOR</u></b>			
<b>AIR BAGS:</b>	DRIVER AND FRONT PASSENGER (W/PASS SIDE SUPPRESSION SWITCH)	S	S
<b>ASSIST HANDLE:</b>	PASSENGER SIDE	S	S
<b>COVERING:</b>	BACK PANEL, CARPET	S	S
<b>DOOR BEAMS:</b>	SIDE-IMPACT	S	S
<b>DOOR TRIM:</b>	W/LH&RH MAP POCKETS, ONE PIECE MOLDED PLASTIC		
	W/INTEGRAL PADDED ARMRESTS	S	--
	W/SOFT CLOTH UPPER INSERT	--	S
<b>FLOOR COVERING:</b>	VINYL, DARK GRAY, FULL FLOOR	S	--
	CARPETING, COLOR-KEYED FULL FLOOR	--	S
<b>GAGES:</b>	ENGINE TEMPERATURE, OIL PRESSURE, TRIP ODOMETER, VOLTMETER AND FUEL LEVEL	S	S
<b>GLASS:</b>	SOLAR-RAY, TINTED	S	S
<b>LIGHTING:</b>	W/DELAY ENTRY	S	S
<b>LOCK SYSTEM:</b>	SINGLE TWO-SIDED KEY W/PASSLOCK THEFT PROTECTION	S	S
<b>MIRROR:</b>	REARVIEW DAY/NIGHT INSIDE	S	S
<b>RADIO:</b>	ETR AM/FM STEREO, W/DIGITAL CLOCK	S	S
<b>POWER POINTS:</b>	DUAL COVERED	--	S
<b>SCOTCHGARD:</b>	FABRIC PROTECTOR ON CUSTOM CLOTH TRIM	S	--
	FABRIC PROTECTOR ON DELUXE CLOTH SEAT TRIM, DOOR PANEL INSERTS AND CARPETING	--	S

**S-10 PICKUP**

**STANDARD EQUIPMENT SUMMARY**

		BASE	LS
<b>SEATS:</b>	2WD: CUSTOM VINYL BENCH W/FOLDING BACK, DUAL CUPHOLDERS, AND INTEGRAL HEADRESTS	S	-
	60/40 CUSTOM CLOTH SPLIT BENCH W/MANUAL DRIVER AND PASSENGER RECLINER, INTEGRAL HEADRESTS, ARMRESTS WITH INTEGRAL STORAGE AND DUAL CUPHOLDERS	-	S
	(CS**53 MODELS) ALSO INCLUDE PASSENGER SIDE EASY ENTRY FEATURE AND CUSTOM VINYL FOLDING REAR JUMP SEATS	-	S
	4WD: CUSTOM VINYL BENCH W/FOLDING BACK, INTEGRAL HEADRESTS AND DUAL CUPHOLDERS	S	-
	HIGH BACK BUCKET SEATS W/MANUAL DRIVER AND PASSENGER RECLINERS, INTEGRAL HEADRESTS, MANUAL 2-WAY LUMBAR AND FLOOR CONSOLE	-	S
	(CT**53 MODELS) ALSO INCLUDE PASSENGER SIDE EASY ENTRY FEATURE AND CUSTOM VINYL FOLDING REAR JUMP SEATS	-	S
<b>STEERING WHEEL:</b>	DELUXE 4-SPOKE, BLACK	S	S
<b>SUNSHADES:</b>	PADDED, COLOR-KEYED	S	S
<b>WARNING TONES:</b>	HEADLAMP-ON, WARNING BUZZER, TURN SIGNAL REMINDER	S	S
<b>WINDOWS:</b>	SWING OUT, REAR QUARTER (EXT CAB ONLY)	-	S

**EXTERIOR**

<b>AIR DAM:</b>	DARK GRAY	S	-
	MATCHES BODY COLOR	-	S
<b>BUMPERS:</b>	FRONT & REAR STEP: DARK GRAY	S	-
	FRONT & REAR STEP: BODY COLOR (ZR2 IS DARK GRAY)	-	S
<b>GRILLE:</b>	GRAY & CHROME W/COMPOSITE HEADLAMPS	S	S
<b>LIGHTING:</b>	DAYTIME RUNNING W/AUTO HEADLAMP CONTROL (ZR2 INTERIM 1999)	S	S
<b>MIRRORS:</b>	O/S REARVIEW, RH & LH, BELOW EYELINE, BLACK	S	S
<b>SPARE TIRE:</b>	COMPACT, MOUNTED UNDER BED	S	S
<b>STEERING:</b>	POWER	S	S
<b>TIE DOWN:</b>	LOAD, ANCHORS (4)	S	S
<b>TOW HOOKS:</b>	FRONT, 4WD ONLY (2)	S	S
<b>WHEELS:</b>	15 X 7 STEEL, PAINTED ARGENT W/BLACK CENTER CAPS	S	-
	15 X 7 STEEL, PAINTED ARGENT W/TRIM RING & BLACK CENTER CAPS	-	S
<b>WIPERS:</b>	INTERMITTENT (ADJUSTABLE)	S	S

**MODEL AND BODY**

Description	Model No.	Body
<b>2-WHEEL DRIVE MODELS</b>		
Fleetside	CS10603	E83
Fleetside	CS10803	E83
<b>LS 2-WHEEL DRIVE MODELS</b>		
Fleetside	CS10603	E83
Fleetside	CS10803	E83
Fleetside, Extended	CS10853	E83

**GVWR, POWER TEAMS AND TIRE CHART (MUST SPECIFY)**

MODELS	CS10603	CS10603 CS10853 CS10803	CS10803	CS10803	CS10853
SUSPENSIONS	Z83 Smooth	Z85 Increased Capacity		ZQ8 Sport	
RIDE ROAD USE TRAILERING GVWR RATING GAWF/GAWR	Solid/Smooth Paved Light-Duty 4200 2500/2300	Firm Paved/Gravel H-Duty/L-Duty 4600 2500/2700	4900 2500/2700	Performance Paved Light-Duty 4200 2500/2300	4400 2500/2300
GVWR TIRES	C5T QCA/QCE	C5D QCA/QCE	C5A QCA/QCE	C5T QCB	C3A QCB
ENGINE TRANSM/AXLE	LN2 (a) MW2 GT4 M30 GT5	LN2 (a) MW2 GT4 (d) GT5 (c) M30 GT5		LN2 (a) MW2 GT4 M30 GT5	LN2 (a) MW2 GT5 M30 GT5
ENGINE TRANSM/AXLE	LF6 M50 GU4 M30 GU4(a) GU6	LF6 (b) M50 GU4 M30 GU4(a) GU6	LF6 M50 GU4 M30 GU4(a) GU6	LF6 M50 GU4 M30 GU4(a) GU6	LF6 M50 GU4 M30 GU4(a) GU6
ENGINE TRANSM/AXLE	L35 M50 GU4(e) M30 GU4(a) GU6	L35(b) M50 GU4(b,e) M30 GU4(a) GU6	L35 M50 GU4(e) M30 GU4(a) GU6	L35 M50 GU4(e) M30 GU4(a) GU6	L35 M50 GU4(e) M30 GU4(a) GU6

(a) N/A G80 Locking Differential  
 (b) N/A CS10803 w/C5D GVWR  
 (c) N/A CS10603

(d) N/A CS10853  
 (e) Reqs G80

**AXLE/RATIOS**  
 GU4 3.08 GU6 3.42  
 GT4 3.73 GT5 4.10

THE LOWEST NUMERICAL AXLE RATIO HAS BEEN ENGINEERED TO COVER THE WIDEST RANGE OF APPLICATIONS AND OFFER THE BEST FUEL ECONOMY.

**S-10 PICKUP**

**MODEL AND BODY**

Description	Model No.	Body
<b>4-WHEEL DRIVE MODELS</b>		
Fleetside	CT10603	E63
Fleetside	CT10803	E63
<b>LS 4-WHEEL DRIVE MODELS</b>		
Fleetside	CT10603	E63
Fleetside	CT10803	E63
Fleetside Ext Cab	CT10653	E63

**GVWR, POWER TEAMS AND TIRE CHART (MUST SPECIFY)**

MODELS	CT10603 CT10653	CT10603 CT10653 CT10803	CT10603 CT10653	CT10603	CT10653
SUSPENSIONS	Z83 Smooth	Z85 Increased Capacity	ZM6 (Off-Road)	ZR2 (Wide Stance)(c)	
RIDE	Solid	Firm	Very Firm	Performance	
ROAD USE	Paved/Gravel	Paved/Gravel	Paved/Gravel	Paved	
TRAILERING	Light-Duty	H-Duty/L-Duty	H-Duty/L-Duty	Light-Duty	
GVWR RATING	4650	5150	5150	4650	4900
GAWF/GAWR	2800/2300	2800/2800	2800/2800	2800/2300	2800/2800
GVWR	C5X	C6F	C6F	C5X	C5A
TIRES	QCA/QCE	QBF/QEB	QEB	QJJ	QJJ
ENGINE	LF6	LF6	LF6	L35	L35
TRANSM/AXLE	M50 GU4(a) GU6 M30 GU4(a) GU6	M50 GU6 M30 GU6 GT4(b)	M50 GU6 M30 GU6 GT4(b)	M50 GT4 M30 GT4	M50 GT4 M30 GT4
ENGINE	L35	L35	L35		
TRANSM/AXLE	M50 GU6(b) M30 GU4(a) GU6	M50 GU6(b) M30 GU6 GT4(b)	M50 GU6(b) M30 GU6 GT4(b)		

- (a) N/A G80 Locking Differential
- (b) Reqs G80 Locking Differential
- (c) Reqs E63 Fleetside

**AXLE/RATIOS**

GU4	3.08	GU6	3.42
GT4	3.73		

THE LOWEST NUMERICAL AXLE RATIO HAS BEEN ENGINEERED TO COVER THE WIDEST RANGE OF APPLICATIONS AND OFFER THE BEST FUEL ECONOMY.

CS10603 BASE

No Deletions Allowed. Additional Options/Upgrades (Where Indicated)  
 May be Ordered from the Additional Option Listing.

Preferred Equipment Group		CS10603
		1SA
Base Trim		x
Engine: VORTEC 2200 L4 SF1	LN2	x
Transmission: 5-Speed Manual	MW2	x
Axle: 3.73 Rear Axle Ratio	GT4	x
Suspension: Solid Smooth Ride (a)	Z83	x
GVW Rating: 4200 Lbs (b)	C5T	x
Tires: P205/75R-15 B/W	QCE	x
Fleetside Box	E63	x
Radio: AM/FM Stereo (c)	UM7	x
Seat: Cloth Bench	A52	x
Air Conditioning Not Desired (d)	R6G	x
Bumper: Rear Step	VF6	x
Paint: Solid	ZY1	x

- (a) May Substitute Z85 Suspension: Increased Capacity (Refer to GVWR, Power Teams and Tire Chart for Availability)
- (b) May Substitute C5D GVW Rating: 4600 Lbs (Refer to GVWR, Power Teams and Tire Chart for Availability)
- (c) May Substitute UM6 Radio: AM/FM Stereo w/Seek-Scan Cassette Tape and Clock
- (d) May Substitute C60 Air Conditioning

**OPTIONS      ADDITIONAL OPTIONS:**

**ACKNOWLEDGEMENTS:**

- R8S Multiple Order Numbers
- R8T Preliminary Invoice
- C60 **AIR CONDITIONING**
- V10 **COLD CLIMATE PACKAGE**
- ZQ3 **COMFORT CONVENIENCE GROUP:** Tiltwheel and Cruise Control
- EMISSIONS: (MUST SPECIFY) Refer To Emission Requirement Tab Section**
- FE9 Federal Emission Requirements
- NG1 CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Requirement
- YF5 California Emission Requirement
- NB8 CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Override (Requires FE9 Emissions)
- NC7 Federal Emission Override (Requires YF5 or NG1 Emissions)
- AJ1 **GLASS:** Deep Tinted
- C5D **GVW RATING:** 4600 Lbs (Refer to GVWR, Power Teams and Tire Chart)
- RADIO EQUIPMENT:**
- UM6 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Stereo Cassette Tape and Digital Clock
- SUSPENSION:** (Refer to GVWR, Power Teams and Tire Chart for Availability)
- Z85 Increased Capacity
- A28 **WINDOW:** Sliding Rear

**S-10 PICKUP**

**CS10603 LS**

No Deletions Allowed. Additional Options/Upgrades (Where Indicated)  
 May be Ordered from the Additional Option Listing.

		CS10603
<b>Preferred Equipment Group</b>		<b>1SB</b>
Decor, LS	YC3	x
Engine, VORTEC 2200 L4 SFI	LN2	x
Transmission: 5-Speed Manual (a)	MW2	x
Axle: 3.73 Rear Axle Ratio (b)	GT4	x
Suspension: Solid Smooth Ride (c) (d)	Z83	x
GVW Rating: 4200 Lbs (e)	C5T	x
Tires: P205/75R-15 B/W (f)	QCE	x
Fleetside Box (g)	E63	x
Radio, AM/FM Stereo w/Seek-Scan Cassette Tape and Clock (h)	UM6	x
Seat, Deluxe Reclining Split Bench (i)	AM6	x
Air Conditioning	C60	x
Floor Mats	B32	x
Wheels, Aluminum	N60	x
Paint, Solid (j)	ZY1	x

- (a) May Substitute M30 Transmission (Refer to GVWR, Power Teams and Tire Chart for Availability)
- (b) May Substitute GT5 Axle: 4.10 Rear Axle Ratio (Refer to GVWR, Power Teams and Tire Chart for Availability)
- (c) May Substitute Z85 Suspension: Increased Capacity (Refer to GVWR, Power Teams and Tire Chart for Availability)
- (d) May Substitute ZQ8 Suspension: Sport (Refer to GVWR, Power Teams and Tire Chart for Availability)
- (e) May Substitute C5D GVW Rating: 4600 Lbs (Refer to GVWR, Power Teams and Tire Chart for Availability)
- (f) May Substitute QCA Tires: P205/75R-15 W/L (Refer to GVWR, Power Teams and Tire Chart for Availability)
- (g) May Substitute E62 Body: Sportside
- (h) May Substitute Radios: UL0, UN0 or UP0
- (i) May Substitute AV5 Seat: Deluxe High Back Bucket
- (j) May Substitute ZY7 Paint: Custom Two-Tone

**OPTIONS**

**ADDITIONAL OPTIONS**

- ACKNOWLEDGEMENTS:**
- R8S Multiple Order Numbers
  - R8T Preliminary Invoice
- AXLE:** Rear Axle Ratio
- GT5 4.10 Ratio (Refer to GVWR, Power Teams and Tire Chart)
- BODY:** Sportside
- V10 **COLD CLIMATE PACKAGE:**
- ZQ3 **COMFORT CONVENIENCE GROUP:** TiltWheel and Cruise Control
  - ZQ6 **POWER CONVENIENCE GROUP:** Power Door Locks, Windows, Exterior Heated Electric Remote Mirrors and Remote Keyless Entry
- EXTERIOR APPEARANCE PACKAGE:** Includes Full Chrome Grille, Front and Rear Chrome Bumpers w/ Rub Strips, Body Side Moldings w/Bright Inserts, Bright Wheel House Moldings. Includes N60 Aluminum Wheel. (N/A E62 Sportside)
- EMISSIONS: (MUST SPECIFY)** Refer To Emission Requirement Tab Section
- FE9 Federal Emission Requirements
  - NG1 CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Requirement
  - YF5 California Emission Requirement
  - NB8 CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Override (Requires FE9 Emissions)
  - NC7 Federal Emission Override (Requires YF5 or NG1 Emissions)
- FOG LAMPS**
- ANL
  - AJ1 **GLASS:** Deep Tinted
  - C5D **GVW RATING:** 4600 Lbs (Refer to GVWR, Power Teams and Tire Chart)
- (ADDITIONAL OPTIONS CONTINUED ON NEXT PAGE)

**OPTIONS      ADDITIONAL OPTIONS**

**RADIO EQUIPMENT:** (Includes Enhanced Performance Speakers)

- UL0 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Stereo Cassette Tape, Theft Lock and Speed Compensated Volume
- UN0 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Compact Disc Player, Theft Lock and Speed Compensated Volume
- UP0 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Compact Disc Player Stereo Cassette Tape, Theft Lock and Speed Compensated Volume

**ZY7 PAINT:** Custom Two-Tone

**AV5 SEAT:** Deluxe Redining High Back Bucket

**NP5 STEERING WHEEL:** Leather Wrapped

**SUSPENSION:** (Refer to GVWR, Power Teams and Tire Chart for Availability)

**Z85** Increased Capacity

**ZQ8 Sport:** (Includes N96 Aluminum Wheels and P235/55R-16 B/W Tires) (Includes Compact Spare)  
(w/LN2 Requires C60 Air Conditioning)

**U16 TACHOMETER**

**TIRES: (MUST SPECIFY IF DESIRED)**

(B/W: Blackwall, W/L: White Lettered)

(Includes Front, Rear and Compact Spare) All Seasons Steel Belted Radial Ply

(Refer to GVWR, Power Teams and Tire Chart for Availability)

**QCA** P205/75R-15 W/L

**QCB** P235/55R-16 B/W

**TIRE, FULL SIZE SPARE: (ON STEEL WHEEL) (MUST SPECIFY IF DESIRED)**

**ZCE** P205/75R-15 B/W

**ZCA** P205/75R-15 W/L

**TRANSMISSION: (MUST SPECIFY IF DESIRED)**

(Refer to GVWR, Power Teams and Tire Chart for Availability)

**M30** 4-Speed Automatic, Electronic

**A28 WINDOW:** Sliding Rear



**S-10 PICKUP**

**CS10653 LS**

**No Deletions Allowed. Additional Options/Upgrades (Where Indicated)  
May be Ordered from the Additional Option Listing.**

		<b>CS10653</b>
<b>Preferred Equipment Group</b>		<b>1SB</b>
Decor, LS	YC3	x
Engine, VORTEC 2200 L4 SFI (a)	LN2	x
Transmission: 5-Speed Manual (b)	MW2	x
Axle: 4.10 Rear Axle Ratio (c)	GT5	x
Suspension: Increased Capacity (d)	Z85	x
GVW Rating: 4600 Lbs	C5D	x
Tires: P205/75R-15 B/W (e)	QCE	x
Fleetside Box (f)	E63	x
Radio: AM/FM Stereo Cas./Tape and Clock (g)	UM6	x
Seat, Deluxe Reclining Split Bench (h)	AM6	x
Air Conditioning	C60	x
Floor Mats	B32	x
Wheels, Aluminum	N60	x
Paint, Solid (i)	ZY1	x

- (a) May Substitute LF6 Engine: VORTECH 4300 V6 SFI (Refer to Power Teams and Tire Chart for Availability)
- (b) May Substitute M30 Transmission (Refer to GVWR, Power Teams and Tire Chart for Availability)
- (c) May Substitute GU4 Axle: 3.08 Rear Axle Ratio or GU6 Axle: 3.42 Rear Axle Ratio (Refer to GVWR, Power Teams and Tire Chart for Availability)
- (d) May Substitute ZQ8 Suspension: Sport (Refer to GVWR, Power Teams and Tire Chart for Availability)
- (e) May Substitute QCA Tires: P205/75R-15 W/L (Refer to GVWR, Power Teams and Tire Chart for Availability)
- (f) May Substitute E62 Body: Sportside
- (g) May Substitute Radios: UL0, UN0 or UP0
- (h) May Substitute AV5 Seat: Deluxe High Back Bucket
- (i) May Substitute ZY7 Paint: Custom Two-Tone

**OPTIONS                      ADDITIONAL OPTIONS**

**ACKNOWLEDGEMENTS:**

- R8S Multiple Order Numbers
- R8T Preliminary Invoice

**AXLE: Rear Axle Ratio**

- GU4 3.08 Ratio (Refer to GVWR, Power Teams and Tire Chart for Availability)
- GU6 3.42 Ratio (Refer to GVWR, Power Teams and Tire Chart for Availability)

**G80 LOCKING DIFFERENTIAL**

E62 **BODY:** Sportside

**E24 THIRD DOOR**

**V10 COLD CLIMATE PACKAGE**

ZQ3 **COMFORT CONVENIENCE GROUP:** TilWheel and Cruise Control

ZQ6 **POWER CONVENIENCE GROUP:** Power Door Locks, Windows, Exterior Heated Electric Remote Mirrors and Remote Keyless Entry

**(ADDITIONAL OPTIONS CONTINUED ON NEXT PAGE)**

## OPTIONS

## ADDITIONAL OPTIONS

- EMISSIONS: (MUST SPECIFY)** Refer To Emission Requirement Tab Section
- FE9 Federal Emission Requirements
- NG1 CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Requirement
- YF5 California Emission Requirement
- NB8 CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Override (Reqs FE9 Emissions)
- NC7 Federal Emission Override (Reqs YF5 or NG1 Emissions)
- ENGINE: (MUST SPECIFY IF DESIRED)** (Refer GVWR, Power Teams and Tire Chart for Availability)
- LF6 VORTEC 4300 SFI V6 (Includes Engine and Transmission Oil Coolers)
- YC5 **EXTERIOR APPEARANCE PACKAGE:** Includes Full Chrome Grille, Front and Rear Chrome Bumpers w/ Rub Strips, Body Side Moldings w/Bright Inserts, Bright Wheel House Moldings. Includes N90 Aluminum Wheel. (N/A E62 Sportside)
- ANL **FOG LAMPS**
- AJ1 **GLASS:** Deep Tinted
- RADIO EQUIPMENT:** (Includes Enhanced Performance Speakers)
- UL0 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Stereo Cassette Tape, Theft Lock and Speed Compensated Volume
- UN0 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Compact Disc Player, Theft Lock and Speed Compensated Volume
- UP0 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Compact Disc Player Stereo Cassette Tape, Theft Lock and Speed Compensated Volume
- ZY7 **PAINT:** Custom Two\_Tone
- AV5 **SEAT:** Deluxe Reclining High Back Bucket
- NP5 **STEERING WHEEL:** Leather Wrapped
- SUSPENSION:** (Refer to GVWR, Power Teams and Tire Chart for Availability)
- ZQ8 Sport: (Includes N96 Aluminum Wheels and P235/55R-16 B/W Tires) (Includes Compact Spare)
- U16 **TACHOMETER**
- TIRES: (MUST SPECIFY IF DESIRED)**  
(B/W: Blackwall, W/L: White Lettered)  
(Includes Front, Rear and Compact Spare) All Seasons Steel Belted Radial Ply  
(Refer to GVWR, Power Teams and Tire Chart for Availability)
- QCA P205/75R-15 W/L
- QCB P235/55R16 B/W
- TIRE, FULL SIZE SPARE: (ON STEEL WHEEL) (MUST SPECIFY IF DESIRED)**
- ZCE P205/75R-15 B/W
- ZCA P205/75R-15 W/L
- TRANSMISSION: (MUST SPECIFY IF DESIRED)**  
(Refer to GVWR, Power Teams and Tire Chart for Availability)
- M30 4-Speed Automatic, Electronic
- M50 5-Speed Manual w/Overdrive
- A28 **WINDOW:** Sliding Rear

# S-10 PICKUP

## CS10803 BASE

No Deletions Allowed. Additional Options/Upgrades (Where Indicated)  
May be Ordered from the Additional Option Listing.

Preferred Equipment Group		CS10803
		1SA
Base Trim		x
Engine: VORTEC 4300 SFI V6 (Includes Engine and		
Transmission Oil Coolers)	LF6	x
Transmission: 5-Speed Manual w/Overdrive (a)	M50	x
Axle: 3.08 Rear Axle Ratio (b)	GU4	x
Suspension: Increased Capacity	Z85	x
GVW Rating: 4900 Lbs	C5A	x
Tires: P205/75R-15 B/W	QCE	x
Fleetside Box	E63	x
Radio: AM/FM Stereo (c)	UM7	x
Seat: Cloth Bench	A52	x
Air Conditioning	C60	x
Bumper: Rear Step	VF6	x
Paint: Solid	ZY1	x

(a) May Substitute M30 Transmission (Refer to GVWR, Power Teams and Tire Chart for Availability)

(b) May Substitute GU6 Axle: 3.42 Rear Axle Ratio (Refer to GVWR, Power Teams and Tire Chart for Availability)

(c) May Substitute UM6 Radio: AM/FM Stereo w/Seek-Scan Cassette Tape and Clock

### OPTIONS

### ADDITIONAL OPTIONS:

#### ACKNOWLEDGEMENTS:

R8S Multiple Order Numbers

R8T Preliminary Invoice

#### AXLE: REAR AXLE RATIO

GU6 3.42 Ratio (Refer to GVWR, Power Teams and Tire Chart for Availability)

#### V10 COLD CLIMATE PACKAGE

ZQ3 COMFORT CONVENIENCE GROUP: Tiltwheel and Cruise Control

#### EMISSIONS: (MUST SPECIFY) Refer Emission To Requirement Tab Section

FE9 Federal Emission Requirements

NG1 CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Requirement

YF5 California Emission Requirement

NB8 CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Override (Requires FE9 Emissions)

NC7 Federal Emission Override (Requires YF5 or NG1 Emissions)

AJ1 GLASS: Deep Tinted

#### RADIO EQUIPMENT:

UM6 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Stereo Cassette Tape and Digital Clock

#### TRANSMISSION: (MUST SPECIFY IF DESIRED)

(Refer to GVWR, Power Teams and Tire Chart for Availability)

M30 4-Speed Automatic, Electronic

A28 WINDOW: Sliding Rear

CS10803 LS

No Deletions Allowed. Additional Options/Upgrades (Where Indicated)  
May be Ordered from the Additional Option Listing.

Preferred Equipment Group		CS10803
		1SB
Decor, LS	YC3	x
Engine: VORTEC 4300 SFI V6 (Includes Engine and Transmission Oil Coolers) (a)	LF6	x
Transmission: 5-Speed Manual w/Overdrive (b)	M50	x
Axle: 3.08 Rear Axle Ratio (c)	GU4	x
Suspension: Increased Capacity	Z85	x
GVW Rating: 4900 Lbs	C5A	x
Tires: P205/75R-15 B/W (d)	QCE	x
Fleetside Box	E63	x
Radio: AM/FM Stereo (e)	UM7	x
Seat: Deluxe Reclining High Back Bucket (f)	AV5	x
Air Conditioning	C80	x
Floor Mats	B32	x
Paint: Solid	ZY1	x

- (a) May Substitute L35 Engine: (Refer to GVWR, Power Teams and Tire Chart for Availability)
- (b) May Substitute M30 Transmission (Refer to GVWR, Power Teams and Tire Chart for Availability)
- (c) May Substitute GU6 Axle: 3.42 Rear Axle Ratio (Refer to GVWR, Power Teams and Tire Chart for Availability)
- (d) May Substitute QCA Tires: P205/75R-15 W/L (Refer to GVWR, Power Teams and Tire Chart for Availability)
- (e) May Substitute Radios: UM6, UL0, UN0 or UP0
- (f) May Substitute AM6 Seat: Deluxe Reclining Split Bench

OPTIONS

ADDITIONAL OPTIONS:

ACKNOWLEDGEMENTS:

- R8S Multiple Order Numbers
- R8T Preliminary Invoice
- AXLE: Rear Axle Ratio
- GU6 3.42 Ratio (Refer to GVWR, Power Teams and Tire Chart for Availability)
- G80 LOCKING DIFFERENTIAL
- V10 COLD CLIMATE PACKAGE
- ZQ3 COMFORT CONVENIENCE GROUP: Tiltwheel and Cruise Control
- ZQ6 POWER CONVENIENCE GROUP: Power Door Locks, Windows, Exterior Heated Electric Remote Mirrors and Remote Keyless Entry
- EMISSIONS: (MUST SPECIFY) Refer To Emission Requirement Tab Section
- FE9 Federal Emission Requirements
- NG1 CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Requirement
- YF5 California Emission Requirement
- N88 CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Override (Requires FE9 Emissions)
- NC7 Federal Emission Override (Requires YF5 or NG1 Emissions)

(ADDITIONAL OPTIONS CONTINUED ON NEXT PAGE)

## S-10 PICKUP

### OPTIONS

### ADDITIONAL OPTIONS

- ENGINE: (MUST SPECIFY IF DESIRED)**  
(Refer GVWR, Power Teams and Tire Chart for Availability)
- L35 4300 VORTEC V6 SFI (Refer to GVWR, Power Teams and Tire Chart for Availability)
- AJ1 **GLASS:** Deep Tinted
- ZY7 **PAINT:** Custom Two-Tone
- RADIO EQUIPMENT:** (Includes Enhanced Performance Speakers on UL0, UN0 and UP0 Radio)
- UM6 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Stereo Cassette Tape and Digital Clock
- UL0 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Stereo Cassette Tape, Theft Lock and Speed Compensated Volume
- UN0 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Compact Disc Player, Theft Lock and Speed Compensated Volume
- UP0 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Compact Disc Player Stereo Cassette Tape, Theft Lock and Speed Compensated Volume
- SUSPENSION:** (Refer to GVWR, Power Teams and Tire Chart for Availability)
- AM6 **SEAT:** Deluxe Reclining Split Bench
- U16 **TACHOMETER**
- M30 4-Speed Automatic, Electronic
- TIRES: (MUST SPECIFY IF DESIRED)**  
(B/W: Blackwall, W/L: White Lettered, WOL: White Outline Lettered)  
(Includes Front, Rear and Compact Spare) All Seasons Steel Belted Radial Ply  
(Refer to GVWR, Power Teams and Tire Chart for Availability)
- QCA P205/75R-15 W/L
- TIRE, FULL SIZE SPARE: (ON STEEL WHEEL) (MUST SPECIFY IF DESIRED)**
- ZCE P205/75R-15 B/W
- ZCA P205/75R-15 W/L
- TRANSMISSION: (MUST SPECIFY IF DESIRED)**  
(Refer to GVWR, Power Teams and Tire Chart for Availability)
- M30 4-Speed Automatic, Electronic
- A28 **WINDOW:** Sliding Rear
- N60 **WHEELS:** Aluminum

CS10603 XTREME (1SD)

**XTREME SPORT APPEARANCE PACKAGE (V4A):** Includes (ZQ8) Sport Suspension Package Consisting of a 2" Lowered Ride Height and Monotube Shocks, Unique 16"x8" Aluminum Wheels with P235/55R-16 Eagle GA Tires (QCB), Body Colored Grille with Gold BowTie as well as Body Colored Front and Rear Bumpers (VF6). In Addition, Xtreme Includes a Body Colored Facia with Removable License Plate Pocket and Integral Fog Lamps, Wheel Flares, 270 Degree Ground Effects, Unique Xtreme Badging and Staples such as Air Conditioning (C60), Tachometer (U16) and Leather Wrapped Steering Wheel (NP5).

No Deletions Allowed. Additional Options/Upgrades (Where Indicated)  
May be Ordered from the Additional Option Listing.

		CS10603
Preferred Equipment Group		1SD
Base Trim		x
XTREME Package	V4A	x
Engine: VORTEC 2200 L4 SFI	LN2	x
Transmission: 5-Speed Manual	MW2	x
Axle: 3.73 Rear Axle Ratio	GT4	x
GVW Rating: 4200 Lbs	C5T	x
Fleetside Box	E63	x
Radio: AM/FM Stereo (a)	UM7	x
Seat: Cloth Bench	A52	x
Paint: Solid	ZY1	x

(d) May Substitute Radio: UM6 or UN0

**OPTIONS**

**ADDITIONAL OPTIONS:**

- ACKNOWLEDGEMENTS:**
- R8S Multiple Order Numbers
  - R8T Preliminary Invoice
- V10 COLD CLIMATE PACKAGE**
- ZQ3 COMFORT CONVENIENCE COMFORT:** Tiltwheel and Cruise Control
- EMISSIONS: (MUST SPECIFY) Refer Emission Requirement Tab Section**
- FE9 Federal Emission Requirements
  - NG1 CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Requirement
  - YF5 California Emission Requirement
  - NB8 CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Override (Requires FE9 Emissions)
  - NC7 Federal Emission Override (Requires YF5 or NG1 Emissions)
- RADIO EQUIPMENT:** (Includes Enhanced Performance Speakers on UN0 Radio)
- UM6 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Stereo Cassette Tape and Digital Clock
  - UN0 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Compact Disc Player, Theft Lock and Speed Compensated Volume
- PAINT COLORS APPLICABLE:**
- 41U Black
  - 74U Victory Red
  - 50U Summit White

**S-10 PICKUP**

Notes

**CS10603 XTREME (1SE)**

**XTREME SPORT APPEARANCE PACKAGE (V4A):** Includes (ZQ8) Sport Suspension Package Consisting of a 2" Lowered Ride Height and Monotube Shocks, Unique 16"x8" Aluminum Wheels with P235/55R-16 Eagle GA Tires (QCB), Body Colored Grille with Gold BowTie as well as Body Colored Front and Rear Bumpers (VF6). In Addition, Xtreme Includes a Body Colored Facia with Removable License Plate Pocket and Integral Fog Lamps, Wheel Flares, 270 Degree Ground Effects, Unique Xtreme Badging and Staples such as Air Conditioning (C60), Tachometer (U16) and Leather Wrapped Steering Wheel (NP5).

No Deletions Allowed. Additional Options/Upgrades (Where Indicated) May be Ordered from the Additional Option Listing.

		<b>CS10603</b>
<b>Preferred Equipment Group</b>		<b>1SE</b>
Decor, LS	YC3	x
XTREME Package	V4A	x
Engine: VORTEC 2200 L4 SFI (a)	LN2	x
Transmission: 5-Speed Manual (b)	MW2	x
Axle: 3.73 Rear Axle Ratio (c)	GT4	x
GVW Rating: 4200 Lbs	C5T	x
Fleetside Box (d)	E63	x
Radio: AM/FM Stereo w/Cassette Tape (e)	UM6	x
Seat: Deluxe Reclining Split Bench Seat (f)	AM6	x
Floor Mats	B32	x
Paint: Solid (i)	ZY1	x

- (a) May Substitute L35 Engine (Refer to GVWR, Power Teams and Tire Chart for Availability)
- (b) May Substitute M30 or M50 Transmission (Refer to GVWR, Power Teams and Tire Chart for Availability)
- (c) May Substitute GU4, GU6 or GT5 Axle(Refer to GVWR, Power Teams and Tire Chart for Availability)
- (d) May Substitute E62 Body: Sportside
- (e) May Substitute Radios: UL0, UN0 or UP0
- (f) May Substitute AV5 Seat: Deluxe High Back Bucket
- (i) May Substitute ZY7 Paint: Custom Two-Tone

(ADDITIONAL OPTIONS CONTINUED ON NEXT PAGE)



## S-10 PICKUP

### OPTIONS

### ADDITIONAL OPTIONS:

OPTIONS	ADDITIONAL OPTIONS:
	<b>ACKNOWLEDGEMENTS:</b>
R8S	Multiple Order Numbers
R8T	Preliminary Invoice
	<b>AXLE: REAR AXLE RATIO</b>
GU4	3.08 Ratio (Refer to GVWR, Power Teams and Tire Chart for Availability)
GU6	3.42 Ratio (Refer to GVWR, Power Teams and Tire Chart for Availability)
GT5	4.10 Ratio (Refer to GVWR, Power Teams and Tire Chart for Availability)
G80	<b>LOCKING DIFFERENTIAL</b>
E62	<b>BODY:</b> Sportside
V10	<b>COLD CLIMATE PACKAGE</b>
ZQ3	<b>COMFORT CONVENIENCE GROUP:</b> Tiltwheel and Cruise Control
ZQ6	<b>POWER CONVENIENCE GROUP:</b> Power Door Locks, Windows, Exterior Heated Electric Remote Mirrors and Remote Keyless Entry
	<b>EMISSIONS: (MUST SPECIFY)</b> Refer To Emission Requirement Tab Section
FE9	Federal Emission Requirements
NG1	CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Requirement
YF5	California Emission Requirement
NB8	CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Override (Requires FE9 Emissions)
NC7	Federal Emission Override (Requires YF5 or NG1 Emissions)
	<b>ENGINE: (MUST SPECIFY IF DESIRED)</b> (Refer to GVWR, Power Teams and Tire Chart for Availability)
L35	VORTEC 4300 V6 SFI (Includes Engine and Transmission Oil Coolers)
AJ1	<b>GLASS:</b> Deep Tinted
	<b>RADIO EQUIPMENT:</b> (Includes Enhanced Performance Speakers)
UL0	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Stereo Cassette Tape, Theft Lock and Speed Compensated Volume
UN0	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Compact Disc Player, Theft Lock and Speed Compensated Volume
UP0	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Compact Disc Player Stereo Cassette Tape, Theft Lock and Speed Compensated Volume
A28	<b>WINDOW:</b> Sliding Rear
	<b>TRANSMISSION: (MUST SPECIFY IF DESIRED)</b> (Refer to GVWR, Power Teams and Tire Chart for Availability)
M30	4-Speed Automatic, Electronic
M50	5-Speed Manual w/ Overdrive
	<b>PAINT COLORS APPLICABLE:</b>
41U	Black
74U	Victory Red
50U	Summit White

**CS10653 XTREME (1SE)**

**XTREME SPORT APPEARANCE PACKAGE (V4A):** Includes (ZQ8) Sport Suspension Package Consisting of a 2" Lowered Ride Height and Monotube Shocks, Unique 16"x8" Aluminum Wheels with P235/55R-16 Eagle GA Tires (QCB), Body Colored Grille with Gold BowTie as well as Body Colored Front and Rear Bumpers (VF6). In Addition, Xtreme Includes a Body Colored Facia with Removable License Plate Pocket and Integral Fog Lamps, Wheel Flares, 270 Degree Ground Effects, Unique Xtreme Badging and Staples such as Air Conditioning (C60), Tachometer (U16) and Leather Wrapped Steering Wheel (NP5).

No Deletions Allowed. Additional Options/Upgrades (Where Indicated)  
May be Ordered from the Additional Option Listing.

Preferred Equipment Group		<b>CS10653</b>
		<b>1SE</b>
Decor. LS	YC3	x
XTREME Package	V4A	x
Engine: VORTEC 2200 L4 SFI (a)	LN2	x
Transmission: 5-Speed Manual (b)	MW2	x
Axle: 4.10 Rear Axle Ratio (c)	GT5	x
GVW Rating: 4400 Lbs	C3A	x
Fleetside Box (d)	E63	x
Radio: AM/FM Stereo w/Cassette Tape (e)	UM6	x
Seat: Deluxe Reclining Split Bench Seat (f)	AM6	x
Floor Mats	B32	x
Paint: Solid	ZY1	x

- (a) May Substitute L35 Engine (Refer to GVWR, Power Teams and Tire Chart for Availability)
- (b) May Substitute M30 or M50 Transmission (Refer to GVWR, Power Teams and Tire Chart for Availability)
- (c) May Substitute GU4 or GU6 Axle(Refer to GVWR, Power Teams and Tire Chart for Availability)
- (d) May Substitute E62 Body: Sportside
- (e) May Substitute Radios: UL0,UN0 or UP0
- (f) May Substitute AV5 Seat: Deluxe High Back Bucket

**ACKNOWLEDGEMENTS:**

- R6S Multiple Order Numbers
- R8T Preliminary Invoice

**AXLE: REAR AXLE RATIO**

- GU4 3.08 Ratio (Refer to GVWR, Power Teams and Tire Chart for Availability)
- GU6 3.42 Ratio (Refer to GVWR, Power Teams and Tire Chart for Availability)

**G60 LOCKING DIFFERENTIAL**

- E62 BODY: Sportside

(ADDITIONAL OPTIONS CONTINUED ON NEXT PAGE)

## S-10 PICKUP

OPTIONS	ADDITIONAL OPTIONS:
V10	<b>COLD CLIMATE PACKAGE</b>
ZQ3	<b>COMFORT CONVENIENCE GROUP:</b> Tiltwheel and Cruise Control
ZQ6	<b>POWER CONVENIENCE GROUP:</b> Power Door Locks, Windows, Exterior Heated Electric Remote Mirrors and Remote Keyless Entry
E24	<b>Third Door</b>
	<b>EMISSIONS: (MUST SPECIFY) Refer To Emission Requirement Tab Section</b>
FE9	Federal Emission Requirements
NG1	CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Requirement
YF5	California Emission Requirement
NB8	CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Override (Requires FE9 Emissions)
NC7	Federal Emission Override (Requires YF5 or NG1 Emissions)
	<b>ENGINE: (MUST SPECIFY IF DESIRED)</b> (Refer GVWR, Power Teams and Tire Chart for Availability)
L35	VORTEC 4300 V6 SFI (Includes Engine and Transmission Oil Coolers)
AJ1	<b>GLASS:</b> Deep Tinted
	<b>RADIO EQUIPMENT:</b> (Includes Enhanced Performance Speakers)
UL0	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Stereo Cassette Tape, Theft Lock and Speed Compensated Volume
UN0	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Compact Disc Player, Theft Lock and Speed Compensated Volume
UP0	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Compact Disc Player Stereo Cassette Tape, Theft Lock and Speed Compensated Volume
A28	<b>WINDOW:</b> Sliding Rear
	<b>TRANSMISSION: (MUST SPECIFY IF DESIRED)</b> (Refer to GVWR, Power Teams and Tire Chart for Availability)
M30	4-Speed Automatic, Electronic
M50	5-Speed Manual w/ Overdrive
	<b>PAINT COLORS APPLICABLE:</b>
41U	Black
74U	Victory Red
50U	Summit White

CT10603 BASE

No Deletions Allowed. Additional Options/Upgrades (Where Indicated)  
May be Ordered from the Additional Option Listing.

		CT10603
Preferred Equipment Group		1SA
Base Trim		x
Engine: VORTEC 4300 SFI V6 (Includes Engine and Transmission Oil Coolers)	LF6	x
Transmission: 5-Speed Manual w/Overdrive (a)	M50	x
Axle: 3.08 Rear Axle Ratio (b)	GU4	x
Suspension: Solid Smooth Ride (c)	Z83	x
GVW Rating: 4650 Lbs (d)	C5X	x
Tires: P205/75R-15 B/W (e)	QCE	x
Fleetside Box	E83	x
Radio: AM/FM Stereo (f)	UM7	x
Seat: Cloth Bench	A52	x
Air Conditioning Not Required (g)	R6G	x
Bumper: Rear Step	VF6	x
Paint: Solid	ZY1	x

- (a) May Substitute M30 Transmission (Refer to GVWR, Power Teams and Tire Chart for Availability)
- (b) May Substitute GU6 Axle: 3.42 Rear Axle Ratio (Refer to GVWR, Power Teams and Tire Chart for Availability)
- (c) May Substitute Z85 Suspension: Increased Capacity (Refer to GVWR, Power Teams and Tire Chart For Availability)
- (d) May Substitute C6F GVW Rating: 5150 Lbs
- (e) May Substitute QBF or QEB Tire (Refer to GVWR, Power Teams and Tire Chart for Availability)
- (f) May Substitute Radio: UM6,UN0
- (g) May substitute C60 Air Conditioning

**OPTIONS**

**ADDITIONAL OPTIONS:**

**ACKNOWLEDGEMENTS:**

- R8S Multiple Order Numbers
- R8T Preliminary Invoice
- C60 **AIR CONDITIONING**
- AXLE: REAR AXLE RATIO**
- GU6 3.42 Ratio (Refer to GVWR, Power Teams and Tire Chart for Availability)
- G80 **LOCKING DIFFERENTIAL**
- V10 **COLD CLIMATE PACKAGE**
- ZQ3 **COMFORT CONVENIENCE GROUP:** Tiltwheel and Cruise Control
- EMISSIONS: (MUST SPECIFY) Refer To Emission Requirement Tab Section**
- FE9 Federal Emission Requirements
- NG1 CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Requirement
- YF5 California Emission Requirement
- NB8 CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Override (Requires FE9 Emissions)
- NC7 Federal Emission Override (Requires YF5 or NG1 Emissions)
- AJ1 **GLASS:** Deep Tinted

(ADDITIONAL OPTIONS CONTINUED ON NEXT PAGE)

## S-10 PICKUP

### OPTIONS

### ADDITIONAL OPTIONS

- C6F **GVW RATING:** 5150 Lbs (Refer to GVWR, Power Teams and Tire Chart)  
**RADIO EQUIPMENT:** (Includes Enhanced Performance Speakers on UN0 Radio)
- UM6 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Stereo Cassette Tape and Digital Clock
- UN0 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Compact Disc Player, Theft Lock and Speed Compensated Volume
- ZM5 **SHIELD PACKAGE**  
**SUSPENSION:** (Refer to GVWR, Power Teams and Tire Chart)
- Z85 Increased Capacity  
**TIRES: (MUST SPECIFY IF DESIRED)**  
(B/W: Blackwall, W/L: White Lettered, WOL: White Outline Lettered)  
(Includes Front, Rear and Compact Spare) All Seasons Steel Belted Radial Ply  
(Refer to GVWR, Power Teams and Tire Chart for Availability)
- QCA P205/75R-15 W/L
- QBF P235/75R-15 B/W
- QEB P235/75R-15 W/L  
**TIRE, FULL SIZE SPARE: (ON STEEL WHEEL) (MUST SPECIFY IF DESIRED)**
- ZCE P205/75R-15 B/W
- ZCA P205/75R-15 W/L
- ZBF P235/75R-15 B/W
- ZEB P235/75R-15 WOL  
**TRANSMISSION: (MUST SPECIFY IF DESIRED)**  
(Refer to GVWR, Power Teams and Tire Chart)
- M30 4-Speed Automatic, Electronic
- A28 **WINDOW:** Sliding Rear

CT10603 LS

No Deletions Allowed. Additional Options/Upgrades (Where Indicated)  
May be Ordered from the Additional Option Listing.

Preferred Equipment Group		CT10603
		1SB
Decor. LS Trim	YC3	x
Engine: VORTEC 4300 SFI V8 (Includes Engine and Transmission Oil Coolers)	LF8	x
Transmission: 5-Speed Manual w/Overdrive (a)	M50	x
Axle: 3.42 Rear Axle Ratio (b)	GU8	x
Suspension: Increased Capacity (c)	Z85	x
GVW Rating: 5150 Lbs	C6F	x
Tires: P235/75R-15 WOL (d)	QEB	x
Fleetside Box (e)	E63	x
Radio: AM/FM Stereo w/Seek-Scan Cassette Tape (f)	UM8	x
Seat: Deluxe Reclining High Back Bucket (g)	AV5	x
Floor Mats	B32	x
Tinted Glass	AJ1	x
Tachometer	U16	x
Comfort Convenience Group: Tiltwheel and Cruise Control	ZQ3	x
Air Conditioning	C60	x
Aluminum Wheels (h)	PA3	x
Paint: Solid	ZY1	x

(a) May Substitute M30 Transmission (Refer to GVWR, Power Teams and Tire Chart for Availability)

(b) May Substitute GT4 Axle: 3.73 Rear Axle Ratio (Refer to GVWR, Power Teams and Tire Chart for Availability)  
(Requires G80 Locking Differential)

(c) May Substitute ZM6 On/Off Road Suspension (Refer to GVWR, Power Teams and Tire Chart For Availability)

(d) May Substitute QBF Tire (Refer to GVWR, Power Teams and Tire Chart for Availability)

(e) May Substitute E62 Body: Sportside

(f) May Substitute Radio: UL0, UN0, UP0

(g) May Substitute AM6 Seat: Deluxe Reclining Split Bench

(h) May Substitute N90 Aluminum Wheels

**OPTIONS                      ADDITIONAL OPTIONS:**

**ACKNOWLEDGEMENTS:**

R8S Multiple Order Numbers

R8T Preliminary Invoice

**AXLE:** Rear Axle Ratio

GT4 3.73 Ratio (Refer to GVWR, Power Teams and Tire Chart for Availability)  
(Requires G80 Locking Differential)

G80 **LOCKING DIFFERENTIAL**

E62 **BODY:** Sportside

V10 **COLD CLIMATE PACKAGE**

(ADDITIONAL OPTIONS CONTINUED ON NEXT PAGE)

## S-10 PICKUP

### OPTIONS

### ADDITIONAL OPTIONS

- ZQ3 **COMFORT CONVENIENCE GROUP:** Tiltwheel and Cruise Control
- ZQ6 **POWER CONVENIENCE GROUP:** Power Door Locks, Windows, Exterior Heated Electric Remote Mirrors and Remote Keyless Entry  
**EMISSIONS: (MUST SPECIFY)** Refer To Emission Requirement Tab Section
- FE9 Federal Emission Requirements
- NG1 CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Requirement
- YF5 California Emission Requirement
- NB8 CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Override (Requires FE9 Emissions)
- NC7 Federal Emission Override (Requires YF5 or NG1 Emissions)
- YC5 **EXTERIOR APPEARANCE PACKAGE:** Includes Full Chrome Grille, Front and Rear Chrome Bumpers w/ Rub Strips, Body Side Moldings w/Bright Inserts, Bright Wheel House Moldings. Includes N90 Aluminum Wheel. (N/A E62 Sportside)
- ANL **FOG LAMPS**
- AJ1 **GLASS:** Deep Tinted
- C6F **GVW RATING:** 5150 Lbs (Refer to GVWR, Power Teams and Tire Chart)
- ZY7 **PAINT:** Two-Tone  
**RADIO EQUIPMENT:** (Incls Enhanced Performance Speakers)
- UL0 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Stereo Cassette Tape, Theft Lock and Speed Compensated Volume
- UN0 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Compact Disc Player, Theft Lock and Speed Compensated Volume
- UP0 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Compact Disc Player Stereo Cassette Tape, Theft Lock and Speed Compensated Volume
- ZM5 **SHIELD PACKAGE**
- NP5 **STEERING WHEEL:** Leather Wrapped  
**SUSPENSION:** (Refer to GVWR, Power Teams and Tire Chart)
- ZM6 On/Off Road  
**TIRES: (MUST SPECIFY IF DESIRED)**  
(B/W: Blackwall, WOL: White Outline Lettered)  
(Includes Front, Rear and Compact Spare) All Seasons Steel Belted Radial Ply  
(Refer to GVWR, Power Teams and Tire Chart for Availability)
- QBF P235/75R-15 B/W  
**TIRE, FULL SIZE SPARE: (ON STEEL WHEEL) (MUST SPECIFY IF DESIRED)**
- ZBF P235/75R-15 B/W
- ZEB P235/75R-15 WOL  
**TRANSMISSION: (MUST SPECIFY IF DESIRED)**  
(Refer to GVWR, Power Teams and Tire Chart for Availability)
- M30 4-Speed Automatic, Electronic
- A28 **WINDOW:** Sliding Rear
- N90 **WHEELS:** Aluminum

CT10603 ZR2 (1SC)

S-10 PICKUP

**WIDE STANCE PERFORMANCE:** (Includes Unique Revised Frame for Wide Tread. Front Tread (6.12") is 3.9" wider Than Standard. Rear Tread (59.1") is 3.9" Wider Than Standard. Unique Strengthened Front Differential Gears and Drive Axles. Unique Rear Axle with 8.5" Gear Ring, Larger Bearings and Longer, Larger Diam Rear Axle Shafts. Unique Rear Suspension with Revised Multi-Leated Springs and Added Rear Axle Track Bar. Unique (28mm vs 25 mm Diameter) Front Stabilizer Bar 46mm Bilstein Gas Pressurized Shock Absorbers. Shield Package, Gray and Chrome Grille, Unique Front Fenders and Pickup Box Outer Panels with Extra Wide Wheel Flares. Modified Jack and Spare Tire Stowage Winch. Body is 3" Higher. (Incls Full Size Spare Tire) (Day Time Running Lamps Not Available Start of Production)

No Deletions Allowed. Additional Options/Upgrades (Where Indicated)  
May be Ordered from the Additional Option Listing.

Preferred Equipment Group	CT10603	
		1SC
Decor, LS	YC3	x
Suspension: Wide Stance	ZR2	x
Engine: VORTEC 4300 SFI V6 (Includes Engine and Transmission Oil Coolers)	L35	x
Transmission: 5-Speed Manual w/Overdrive (a)	M50	x
Axle: 3.73 Rear Axle Ratio	GT4	x
Locking Differential	G80	x
GVW Rating: 4650 Lbs	C5X	x
Tires: 31X10.5R15 B/W	QJJ	x
Fleetside Box	E83	x
Radio: AM/FM Stereo w/Seek-Scan Cassette Tape	UL0	x
Seat: Deluxe Reclining High Back Bucket	AV5	x
Tachometer	U16	x
Air Conditioning	C80	x
Comfort Convenience Group: Tiltwheel and Cruise Control	ZQ3	x
Power Convenience Group: Power Door Locks, Windows, Exterior	ZQ6	
Heated Electric Remote Mirrors and Remote Keyless Entry		x
Floor Mats	B32	x
Tinted Glass	AJ1	x
Sliding Rear Window	A28	x
Steering Wheel: Leather Wrapped	NP5	x
Aluminum Wheels (c)	PA3	x
Paint: Solid	ZY1	x

(a) May Substitute M30 Transmission (Refer to GVWR, Power Teams and Tire Chart for Availability)

(b) May Substitute Radio: UN0 or UP0

(c) May Substitute N90 Aluminum Wheels

(ADDITIONAL OPTIONS CONTINUED ON NEXT PAGE)



## S-10 PICKUP

### OPTIONS

### ADDITIONAL OPTIONS:

#### ACKNOWLEDGEMENTS:

R8S Multiple Order Numbers  
R8T Preliminary Invoice

V10 **COLD CLIMATE PACKAGE**

#### EMISSIONS: (MUST SPECIFY) Refer To Emission Requirement Tab Section

FE9 Federal Emission Requirements  
NG1 CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Requirement  
YF5 California Emission Requirement  
NB8 CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Override (Requires FE9 Emissions)  
NC7 Federal Emission Override (Requires YF5 or NG1 Emissions)

#### RADIO EQUIPMENT: (Includes Enhanced Performance Speakers)

UN0 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Compact Disc Player, Theft Lock and Speed Compensated Volume  
UP0 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Compact Disc Player Stereo Cassette Tape, Theft Lock and Speed Compensated Volume

NP5 **STEERING WHEEL:** Leather Wrapped

#### TRANSMISSION: (MUST SPECIFY IF DESIRED)

(Refer to GVWR, Power Teams and Tire Chart for Availability)

M30 4-Speed Automatic, Electronic

N90 **WHEELS:** Cast Aluminum

CT10803 BASE

No Deletions Allowed. Additional Options/Upgrades (Where Indicated)  
May be Ordered from the Additional Option Listing.

Preferred Equipment Group		CT10803
		1SA
Base Trim		x
Engine: VORTEC 4300 SFI V6 (Includes Engine and		
Transmission Oil Coolers)	LF6	x
Transmission: 5-Speed Manual w/Overdrive (a)	M50	x
Axle: 3.42 Rear Axle Ratio (b)	GU6	x
Suspension: Increased Capacity	Z85	x
GVW Rating: 5150 Lbs	C6F	x
Tires: P235/75R-15 WOL (c)	QEB	x
Fleetside Box	E63	x
Radio: AM/FM Stereo (d)	UM7	x
Seat: Cloth Bench	A52	x
Air Conditioning	C60	x
Bumper: Rear Step	VF6	x
Paint: Solid	ZY1	x

(a) May Substitute M30 Transmission (Refer to GVWR, Power Teams and Tire Chart for Availability)

(b) May Substitute GT4 Axle: 3.73 Rear Axle Ratio (Refer to GVWR, Power Teams and Tire Chart for Availability)

(c) May Substitute QBF Tire (Refer to GVWR, Power Teams and Tire Chart for Availability)

(d) May Substitute UM6 Radio: AM/FM Stereo w/Seek-Scan Cassette Tape and Clock

**OPTIONS**

**ADDITIONAL OPTIONS:**

**ACKNOWLEDGEMENTS:**

R8S Multiple Order Numbers

R8T Preliminary Invoice

**AXLE: Rear Axle Ratio**

GT4 3.73 Ratio (Refer to GVWR, Power Teams and Tire Chart for Availability)

G80 **LOCKING DIFFERENTIAL**

V10 **COLD CLIMATE PACKAGE**

ZQ3 **COMFORT CONVENIENCE GROUP:** Tiltwheel and Cruise Control

**EMISSIONS: (MUST SPECIFY) Refer To Emission Requirement Tab Section**

FE9 Federal Emission Requirements

NG1 CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Requirement

YF5 California Emission Requirement

NB8 CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Override (Requires FE9 Emissions)

NC7 Federal Emission Override (Requires YF5 or NG1 Emissions)

AJ1 **GLASS:** Deep Tinted

**RADIO EQUIPMENT:**

UM6 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Stereo Cassette Tape and Digital Clock

(ADDITIONAL OPTIONS CONTINUED ON NEXT PAGE)

## S-10 PICKUP

### OPTIONS

### ADDITIONAL OPTIONS

ZM5	<b>SHIELD PACKAGE</b> <b>TIRES: (MUST SPECIFY IF DESIRED)</b> (B/W: Blackwall, W/L: White Lettered, WOL: White Outline Lettered) (Includes Front, Rear and Compact Spare) All Seasons Steel Belted Radial Ply (Refer to GVWR, Power Teams and Tire Chart for Availability)
QBF	P235/75R-15 B/W <b>TIRE, FULL SIZE SPARE: (On Steel Wheel) (MUST SPECIFY IF DESIRED)</b>
ZBF	P235/75R-15 B/W
ZEB	P235/75R-15 WOL <b>TRANSMISSION: (MUST SPECIFY IF DESIRED)</b> (Refer to GVWR, Power Teams and Tire Chart for Availability)
M30	4-Speed Automatic, Electronic
A28	<b>WINDOW: Sliding Rear</b>

## CT10803 LS

No Deletions Allowed. Additional Options/Upgrades (Where Indicated)  
May be Ordered from the Additional Option Listing.

		CT10803
<b>Preferred Equipment Group</b>		<b>1SB</b>
Decor, LS	YC3	x
Engine: VORTEC 4300 SFI V6 (Includes Engine and Transmission Oil Coolers) (a)	LF6	x
Transmission: 5-Speed Manual w/Overdrive (b)	M50	x
Axle: 3.42 Rear Axle Ratio (c)	GU6	x
Suspension: Increased Capacity	Z85	x
GVW Rating: 5150 Lbs	C6F	x
Tires: P235/75R-15 WOL (d)	QEB	x
Fleetside Box	E63	x
Radio: AM/FM Cassette Tape	UM6	x
Seat: Deluxe Reclining High Back Bucket	AV5	x
Floor Mats	B32	x
Air Conditioning	C60	x
Comfort Convenience Group: Tiltwheel and Cruise Control	ZQ3	x
Paint: Solid	ZY1	x

(a) May Substitute L35 Engine (Refer to GVWR, Power Teams and Tire Chart for Availability)

(b) May Substitute M30 Transmission (Refer to GVWR, Power Teams and Tire Chart for Availability)

(c) May Substitute GT4 Axle: 3.73 Rear Axle Ratio (Refer to GVWR, Power Teams and Tire Chart for Availability)

(d) May Substitute QBF Tire (Refer to GVWR, Power Teams and Tire Chart for Availability)

**OPTIONS****ADDITIONAL OPTIONS:****ACKNOWLEDGEMENTS:**

R8S Multiple Order Numbers

R8T Preliminary Invoice

**AXLE: Rear Axle Ratio**

GT4 3.73 Ratio (Refer to GVWR, Power Teams and Tire Chart for Availability)

G80 **LOCKING DIFFERENTIAL**

V10 **COLD CLIMATE PACKAGE**

ZQ6 **POWER CONVENIENCE GROUP: Power Door Locks, Windows, Exterior Heated Electric Remote Mirrors and Remote Keyless Entry**

**EMISSIONS: (MUST SPECIFY) Refer Emission Requirement Tab Section**

FE9 Federal Emission Requirements

NG1 CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Requirement

YF5 California Emission Requirement

NB8 CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Override (Requires FE9 Emissions)

NC7 Federal Emission Override (Requires YF5 or NG1 Emissions)

**FOG LAMPS**

AJ1 **GLASS: Deep Tinted**

(ADDITIONAL OPTIONS CONTINUED ON NEXT PAGE)

## S-10 PICKUP

### OPTIONS

### ADDITIONAL OPTIONS

	<b>ENGINE:</b> (Refer to GVWR, Power Teams and Tire Chart for Availability)
L35	VORTEC 4300 SFI V6 (Includes Engine and Transmission Oil Coolers)
ZY7	<b>PAINT:</b> Custom Two-Tone
	<b>RADIO EQUIPMENT:</b> (Includes Enhanced Performance Speakers)
UL0	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Stereo Cassette Tape, Theft Lock and Speed Compensated Volume
UN0	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Compact Disc Player, Theft Lock and Speed Compensated Volume
UP0	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Compact Disc Player Stereo Cassette Tape, Theft Lock and Speed Compensated Volume
AM6	<b>SEAT:</b> Deluxe Reclining Split Bench
NP5	<b>STEERING WHEEL:</b> Leather Wrapped
ZM5	<b>SHIELD PACKAGE</b>
U16	<b>TACHOMETER</b>
	<b>TIRES: (MUST SPECIFY IF DESIRED)</b>
	(B/W: Blackwall, WOL: White Outline Lettered)
	(Includes Front, Rear and Compact Spare) All Seasons Steel Belted Radial Ply
	(Refer to GVWR, Power Teams and Tire Chart for Availability)
QBF	P235/75R-15 B/W
	<b>TIRE, FULL SIZE SPARE: (ON STEEL WHEEL) (MUST SPECIFY IF DESIRED)</b>
ZBF	P235/75R-15 B/W
ZEB	P235/75R-15 WOL
	<b>TRANSMISSION: (MUST SPECIFY IF DESIRED)</b>
	(Refer to GVWR, Power Teams and Tire Chart for Availability)
M30	4-Speed Automatic, Electronic
A28	<b>WINDOW:</b> Sliding Rear
N90	<b>WHEELS:</b> Cast Aluminum
PA3	<b>WHEELS:</b> Bright w/Medium Gray Accent

## CT10653 LS (1SB)

No Deletions Allowed. Additional Options/Upgrades (Where Indicated)  
May be Ordered from the Additional Option Listing.

		CT10653
Preferred Equipment Group		1SB
Decor, LS	YC3	x
Engine: VORTEC 4300 SFI V6 (Includes Engine and Transmission Oil Coolers)	LF6	x
Transmission: 5-Speed Manual w/Overdrive (a)	M50	x
Axle: 3.42 Rear Axle Ratio (b)	GU6	x
Suspension: Increased Capacity	Z85	x
GVW Rating: 5150 Lbs	C6F	x
Tires: P235/75R-15 WOL (c)	QEB	x
Tachometer	U16	x
Wheels: Aluminum, Bright w/Medium Gray Accent (d)	PA3	x
Fleetside Box	E63	x
Radio: AM/FM Cassette Tape (e)	UM6	x
Seat: Deluxe Reclining High Back Bucket (f)	AV5	x
Air Conditioning	C60	x
Third Door	E24	x
Comfort Convenience Group: Tiltwheel and Cruise Control	ZQ3	x
Tinted Glass	AJ1	x
Floor Mats	B32	x
Paint: Solid	ZY1	x

(a) May Substitute M30 Transmission (Refer to GVWR, Power Teams and Tire Chart for Availability)

(b) May Substitute GU4 or GT4 Axle (Refer to GVWR, Power Teams and Tire Chart for Availability)

(c) May Substitute QBF Tire (Refer to GVWR, Power Teams and Tire Chart for Availability)

(d) May Substitute N90 Aluminum Wheel

(e) May Substitute Radio: UL0, UN0 or UP0

(f) May Substitute AM6 Seat

## OPTIONS

## ADDITIONAL OPTIONS:

## ACKNOWLEDGEMENTS:

R8S Multiple Order Numbers

R8T Preliminary Invoice

## AXLE: Rear Axle Ratio

GU4 3.08 Ratio (Refer to GVWR, Power Teams and Tire Chart for Availability)

GT4 3.73 Ratio (Refer to GVWR, Power Teams and Tire Chart for Availability)

## G80 LOCKING DIFFERENTIAL

E62 BODY: Sportside

## V10 COLD CLIMATE PACKAGE

ZQ6 POWER CONVENIENCE GROUP: Power Door Locks, Windows, Exterior Heated Electric Remote Mirrors and Remote Keyless Entry

(ADDITIONAL OPTIONS CONTINUED ON NEXT PAGE)

## S-10 PICKUP

### OPTIONS

### ADDITIONAL OPTIONS

YC5	<b>EXTERIOR APPEARANCE PACKAGE:</b> Includes Full Chrome Grille, Front and Rear Chrome Bumpers w/ Rub Strips, Body Side Moldings w/Bright Inserts, Bright Wheel House Moldings. Includes N90 Aluminum Wheel. (N/A E62 Sportside)
ANL	<b>FOG LAMPS</b> <b>EMISSIONS:</b> (MUST SPECIFY) Refer To Emission Requirement Tab Section
FE9	Federal Emission Requirements
NG1	CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Requirement
YF5	California Emission Requirement
NB8	CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Override (Requires FE9 Emissions)
NC7	Federal Emission Override (Requires YF5 or NG1 Emissions)
ZY7	<b>PAINT:</b> Custom Two-Tone <b>RADIO EQUIPMENT:</b> (Includes Enhanced Performance Speakers)
UL0	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Stereo Cassette Tape, Theft Lock and Speed Compensated Volume
UN0	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Compact Disc Player, Theft Lock and Speed Compensated Volume
UP0	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Compact Disc Player Stereo Cassette Tape, Theft Lock and Speed Compensated Volume
AM6	<b>SEAT:</b> Deluxe Reclining Split Bench
NP5	<b>STEERING WHEEL:</b> Leather Wrapped
ZM5	<b>SHIELD PACKAGE</b> <b>SUSPENSION:</b> (Refer to GVWR, Power Teams and Tire Chart for Availability)
ZM6	On/Off Road <b>TIRES:</b> (MUST SPECIFY IF DESIRED) (B/W: Blackwall, W/L: White Lettered, WOL: White Outline Lettered) (Includes Front, Rear and Compact Spare) All Seasons Steel Belted Radial Ply (Refer to GVWR, Power Teams and Tire Chart for Availability)
QBF	P235/75R-15 B/W <b>TIRE, FULL SIZE SPARE:</b> (ON STEEL WHEEL) (MUST SPECIFY IF DESIRED)
ZBF	P235/75R-15 B/W
ZEB	P235/75R-15 WOL <b>TRANSMISSION:</b> (MUST SPECIFY IF DESIRED) (Refer to GVWR, Power Teams and Tire Chart for Availability)
M30	4-Speed Automatic, Electronic
A28	<b>WINDOW:</b> Sliding Rear
N90	<b>WHEELS:</b> Cast Aluminum

## CT10653 ZR2 (1SC)

**WIDE STANCE PERFORMANCE** (Incls Unique Revised Frame for Wide Tread. Front Tread (6.12") is 3.9" wider Than Standard. Rear Tread (59.1") is 3.9" Wider Than Standard. Unique Strengthened Front Differential Gears and Drive Axles. Unique Rear Axle with 8.5" Gear Ring, Larger Bearings and Longer, Larger Diam Rear Axle Shafts. Unique Rear Suspension with Revised Multi-Leafed Springs and Added Rear Axle Track Bar. Unique (28mm vs 25 mm Diameter) Front Stabilizer Bar 46mm Bilstein Gas Pressurized Shock Absorbers. Shield Package, Gray and Chrome Grille. Unique Front Fenders and Pickup Box Outer Panels with Wide Wheel Flares. Modified Jack and Spare Tire Stowage Winch. Body is 3" Higher. (Incls Full Size Spare Tire) (Day Time Running Lamps Not Available Start of Production)

No Deletions Allowed. Additional Options/Upgrades (Where Indicated)  
May be Ordered from the Additional Option Listing.

Preferred Equipment Group		CT10653
		1SC
Decor, LS	YC3	x
Suspension: Wide Stance	ZR2	x
Engine: VORTEC 4300 SFI V8 (Includes Engine and Transmission Oil Coolers)	L35	x
Transmission: 5-Speed Manual w/Overdrive (a)	M50	x
Axle: 3.73 Rear Axle Ratio	GT4	x
Locking Differential	G80	x
GVW Rating: 4900 Lbs	C5A	x
Tires: 31X10.5R15 B/W	QJJ	x
Tachometer	U16	x
Wheels: Aluminum, Bright w/Medium Gray Accent (b)	PA3	x
Fleetside Box	E63	x
Radio: AM/FM Stereo w/Seek-Scan Cassette Tape (c)	UL0	x
Seat: Deluxe Reclining High Back Bucket	AV5	x
Air Conditioning	C60	x
Third Door	E24	x
Comfort Convenience Group: Tiltwheel and Cruise Control	ZQ3	x
Power Convenience Group: Power Door Locks, Windows, Exterior	ZQ6	x
Heated Electric Remote Mirrors and Remote Keyless Entry		
Steering Wheel: Leather Wrapped	NP5	x
Tinted Glass	AJ1	x
Sliding Rear Window	A28	x
Floor Mats	B32	x
Paint: Solid	ZY1	x

(a) May Substitute M30 Transmission (Refer to GVWR, Power Teams and Tire Chart for Availability)

(b) May Substitute N90 Aluminum Wheel

(c) May Substitute Radio: UN0 or UP0

(ADDITIONAL OPTIONS CONTINUED ON NEXT PAGE)



## S-10 PICKUP

### OPTIONS

### ADDITIONAL OPTIONS:

	<b>ACKNOWLEDGEMENTS:</b>
R8S	Multiple Order Numbers
R8T	Preliminary Invoice
V10	<b>COLD CLIMATE PACKAGE</b>
	<b>EMISSIONS: (MUST SPECIFY)</b> Refer To Emission Requirement Tab Section
FE9	Federal Emission Requirements
NG1	CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Requirement
YF5	California Emission Requirement
NB8	CT,DC,DE,MA,MD,NH,NJ,NY,PA,RI,VA Emission Override (Requires FE9 Emissions)
NC7	Federal Emission Override (Requires YF5 or NG1 Emissions)
	<b>RADIO EQUIPMENT:</b> (Includes Enhanced Performance Speakers)
UN0	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Compact Disc Player, Theft Lock and Speed Compensated Volume
UP0	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Auto Tone Control, Digital Clock, Compact Disc Player Stereo Cassette Tape, Theft Lock and Speed Compensated Volume
	<b>TRANSMISSION: (MUST SPECIFY IF DESIRED)</b> (Refer to GVWR, Power Teams and Tire Chart for Availability)
M30	4-Speed Automatic, Electronic
N90	<b>WHEELS:</b> Cast Aluminum

**S-10 PICKUP  
INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART  
WITH ZY1 PAINT**

PLEASE NOTE: Below are the Interior Trim Color and Exterior Paint Combinations Recommended by Chevrolet. The only available Color and Trim Combinations are those shown in the Chart Below.

**BASE DÉCOR  
(N/A EXTENDED CAB OR YC3/YC5)**

TRIM LEVEL SEAT TYPE		*Seat Option	INTERIOR COLORS		
			Beige	Graphite	Med Gray
Custom Vinyl Bench Seat		A52			92W
Custom Cloth Bench Seat		A52	64D	12D	92D
EXTERIOR COLORS	Color Code 1	Paint Scheme	RECOMMENDED INTERIOR TRIM COLORS		
BLACK, ONYX	41U	ZY1	x	x	x
GREEN, MEADOW (Met)	68U	ZY1	x	x	x
PEWTER, LT (Met)	11U	ZY1	x	x	x
RED, VICTORY	74U	ZY1	x	x	x
WHITE, SUMMIT	50U	ZY1	x	x	x

\* Must Specify Seat Option

**ZY1 PAINT W/O V4A XTREME**

TRIM LEVEL SEAT TYPE		*Seat Option	INTERIOR COLORS		
			Beige	Graphite	Med Gray
Deluxe Cloth Reclining Split Bench		AM8	64H	12H	92H
Deluxe Cloth Reclining High Back Bucket		AV5	64H	12H	92H
EXTERIOR COLORS	Color Code 1	Paint Scheme	RECOMMENDED INTERIOR TRIM COLORS		
BEIGE, MED MYSTIQUE (Met)	65U	ZY1	x	x	x
BLACK, ONYX	41U	ZY1	x	x	x
BLUE, INDIGO (MET)	39U	ZY1	x	x	x
COPPER, DK (Met)	69U	ZY1	x	x	x
GREEN, MEADOW (Met)	68U	ZY1	x	x	x
GOLD, SUNSET (Met)	60U	ZY1	x	x	
PEWTER, LT (Met)	11U	ZY1	x	x	x
RED, VICTORY	74U	ZY1	x	x	x
RED, DK CHERRY (Met)	94U	ZY1	x	x	x
WHITE, SUMMIT	50U	ZY1	x	x	x

\* Must Specify Seat Option

**ZY1 PAINT WITH V4A XTREME**

EXTERIOR COLORS	Color Code 1	Paint Scheme	RECOMMENDED INTERIOR TRIM COLORS		
BLACK, ONYX	41U	ZY1	x	x	x
RED, APPLE	72U	ZY1	x	x	x
WHITE, SUMMIT	50U	ZY1	x	x	x

S-10 PICKUP

ZY7 PAINT (REQS YC3/YC5)

TRIM LEVEL SEAT TYPE		*Seat Option	INTERIOR COLORS		
			Beige	Graphite	Med Gray
Deluxe Cloth Reclining Split Bench		AM6	64H	12H	92H
Deluxe Cloth Reclining High Back Bucket		AV5	64H	12H	92H
EXTERIOR COLORS	Color Code 1	Color Code2	Paint Scheme	RECOMMENDED INTERIOR TRIM COLORS	
BLACK ONYX/GOLD, SUNSET(Met)	41U	60L	ZY7	x	x
BLACK, ONYX/PEWTER, LT(Met)	41U	11L	ZY7		x
BLUE, INDIGO (Met)/GOLD, SUNSET(Met)	39U	60L	ZY7	x	
BLUE, INDIGO (Met)/PEWTER, LT (Met)	39U	11L	ZY7		x
COPPER, DK (Met)/GOLD, SUNSET (Met)	69U	60L	ZY7	x	
COPPER, DK (Met)/PEWTER, LT (Met)	69U	11L	ZY7		x
GREEN, MEADOW (Met)/GOLD, SUNSET(Met)	68U	60L	ZY7	x	
GREEN, MEADOW (Met)/PEWTER, LT (Met)	68U	11L	ZY7		x
PEWTER, LT (Met)/BLACK, ONYX	11U	41L	ZY7		x
RED, VICTORY /PEWTER, LT (Met)	74U	11L	ZY7		x
RED, DK CHERRY (Met)/GOLD, SUNSET(Met)	94U	60L	ZY7	x	
RED, DK CHERRY (Met)/PEWTER, LT (Met)	94U	11L	ZY7		x
WHITE, SUMMIT/PEWTER, LT(Met)	50U	11U	ZY7		x

\*Must Specify Seat Option


# S-10 PICKUP INTRODUCTION

## S-10 PICKUP

The 1999 Chevrolet S-10 Pickup is available in both Regular and Extended-Cab versions and in two-wheel or four-wheel-drive configurations. The S-10 Pickup is available in two trim levels: the "Base" trim and the uplevel "LS" trim. NOTE: 1998 S-10s built after August 3, 1998 will have some of the new 1999 model year changes listed below.

Changes on the S-10 Pickup for 1999 include:

- New Xtreme Appearance Package (V4A) for 2WD Regular and Extended wheelbase models (1999 models only) package includes
  - Unique 16" Aluminum Wheels
  - Body-Colored Fascia with Integral Fog Lamps
  - Wheel Flares and Ground Effects
  - Body-Colored Front and Rear Bumpers
  - Body-Colored Grille
  - Tachometer
  - Leather-Wrapped Steering Wheel
- New Manual Outside Rearview Mirrors (DJ1)
- New Power Heated Outside Rearview Mirrors (DJ2)
- New Key Heads with Chevrolet Logo
- New Smaller Horn Pad with Bowtie
- New Flash to Pass Feature
- New Interior Content Protection (requires Keyless Entry System)
- Three New Exterior Colors
- New RPO Z14 Signifies 1998 Model Built with 1999 Content





-  
-  
-  
-



## MODEL SELECTION SUMMARY

Use the chart below to choose the model that fits your customer's needs. Please note that the Base Payloads shown reflect the maximum allowable weight of cargo that can be carried in a standard model, including occupants. (They are calculated by subtracting curb weight from the GVWR.) To calculate payloads for models with optional equipment, please refer to the WEIGHTS section in the back of this book or consult your 1999 GM PROSPEC. Also, the Maximum Trailer Weights shown on the last page of this section are based on vehicles that are properly equipped. See your Chevrolet Truck Order Guide for specific details.

SERIES	MODEL NUMBER/ BODY CODE/ OPTION CODE	PASSENGER CAPACITY (STD./OPT.)	STANDARD ENGINE/ TRANS.	OPTIONAL ENGINE/ TRANS.	GVWR (LB)	GAWR (LB) FRONT/ REAR	BASE PAYLOAD (LB)
<b>TWO-WHEEL-DRIVE MODELS</b>							
<b>S-10 4x2 REGULAR-CAB PICKUPS</b>							
S-10 SHORT-BOX	CS 10603/E63 Z83/QCE/QCA or ZQ8/QCB or V4A	3/2	2200 L4/M5	2200 L4/A4 4300 V6/M5/A4	4200	2500/2300	N/A
S-10 SHORT-BOX W/OPT. CHASSIS PACKAGE	CS 10603/E63 Z85/QCE/QCA	3/2	2200 L4/M5	2200 L4/A4 4300 V6/M5/A4	4600	2500/2700	*
S-10 LONG-BOX	CS 10803/E63 Z85/QCE/QCA	3/2	2200 L4/M5	2200 L4/A4	4600	2500/2700	N/A
S-10 LONG-BOX	CS 10803/E63 Z85/QCE/QCA	3/2	4300 V6/M5	4300 V6/A4	4900	2500/2700	*
<b>S-10 4x2 EXTENDED-CAB PICKUPS</b>							
S-10 EXTENDED-CAB SHORT-BOX	CS 10653/E63 ZQ8/QCB or V4A	5/4	2200 L4/M5	— 4300 V6/M5/A4	4400	2500/2300	N/A
S-10 EXTENDED-CAB SHORT-BOX	CS 10653/E63 Z85/QCE/QCA	5/4	2200 L4/M5	2200 L4/A4 4300 V6/M5/A4	4600	2500/2700	*
<b>FOUR-WHEEL-DRIVE MODELS</b>							
<b>S-10 4x4 REGULAR-CAB PICKUPS</b>							
S-10 SHORT-BOX	CT 10603/E63 Z83/QCE/QCA or ZR2/QJJ	3/2	4300 V6/M5	4300 V6/A4	4650	2700/2300	N/A
S-10 SHORT-BOX W/OPT. CHASSIS PACKAGE	CT 10603/E63 ZM6/QEB or Z85/QEB/QBF	3/2	4300 V6/M5	4300 V6/A4	5150	2700/2700	*
S-10 LONG-BOX	CT 10803/E63 Z85/QEB/QBF	3/2	4300 V6/M5	4300 V6/A4	5150	2700/2700	N/A
<b>S-10 4x4 EXTENDED-CAB PICKUPS</b>							
S-10 EXTENDED-CAB SHORT-BOX	CT 10653/E63 Z83/QCA/QCE	5/4	4300 V6/M5	4300 V6/A4	4650	2800/2300	N/A
S-10 EXTENDED-CAB SHORT-BOX W/OPT. CHASSIS PACKAGE	CT 10653/E63/ ZR2/QJJ	5/4	4300 V6/M5	4300 V6/A4	4900	2800/2700	*
S-10 EXTENDED-CAB SHORT-BOX W/OPT. CHASSIS PACKAGE	CT 10653/E63/ Z85/QBF/QEB	5/4	4300 V6/M5	4300 V6/A4	5150	2800/2700	*
S-10 EXTENDED-CAB SHORT-BOX W/OPT. CHASSIS PACKAGE	CT 10653/E63/ ZM6/QEB	5/4	4300 V6/M5	4300 V6/A4	5150	2800/2700	*

\* Please refer to the Weights section at the back of the Tech Guide to determine optional payloads.  
N/A—Not available at time of publication.



-  
-  
-  
-



# S-10 PICKUP

## POWERTRAINS

Chevrolet offers a variety of engines, transmissions and axle ratios for the S-10 Pickup. The following charts detail basic engine, transmission, and axle specifications. See your 1999 Chevrolet Truck Order Guide for specific details.

ENGINES						
	VORTEC 2200 L4		VORTEC 4300 V6		VORTEC 4300 V6	
Engine Order Code	LN2		LF6		L35	
Availability	4x2 only		4x2	4x4	4x2	4x4
SAE Net Horsepower @ rpm	120 @ 5000		175 @ 4400	180 @ 4400	180 @ 4400	190 @ 4400
SAE Net Torque lb-ft @ rpm	140 @ 3600		240 @ 2800	240 @ 2800	245 @ 2800	250 @ 2800
Fuel System	SFI		SFI		SFI	
Clutch Size in. (mm)	9.13 (232 mm)		11.02 (280 mm)		11.02 (280 mm)	
Standard Battery Cold Cranking Amps @ 0° F	525		525		525	
Standard Alternator Max. Cap. (Amps)	100		100		100	

TRANSMISSIONS			
	MANUAL		AUTOMATIC
	MANUAL 5-SPEED W/OVERDRIVE	MANUAL 5-SPEED W/OVERDRIVE	ELECTRONIC AUTOMATIC 4-SPEED OVERDRIVE W/TORQUE CONVERTER CLUTCH (4L60-E)
Transmission Order Code	MW2	M50	M30
Engine Application (Order Code)	VORTEC 2200 L4 (LN2)	VORTEC 4300 V6 (LF6/L35)	VORTEC 2200 L4/VORTEC 4300 V6 (LN2/LF6/L35)
Synchronized Speeds	1/2/3/4/5	1/2/3/4/5	—
Gear Ratios			
First	3.94	3.49	3.06
Second	2.37	2.16	1.63
Third	1.49	1.40	1.00
Fourth	1.00	1.00	0.70
Fifth	0.83	0.78	—
Reverse	3.65	3.55	2.29
Shaft Center Distance (mm)	76	85	—

AXLES							
	REAR AXLE				FRONT AXLE (4X4 ONLY)		
Make	GM				GM		
Capacity (lb)	2900				2700		
Pinion and Ring Gear Type	Hypoid				Hypoid		
Engine Availability	VORTEC 4300 V6	VORTEC 4300 V6	VORTEC 2200 L4/VORTEC 4300 V6	VORTEC 2200 L4	VORTEC 4300 V6		
Axle Ratio Code	GU4	GU6	GT4	GT5	GU4	GU6	GT4
Ratio	3.08	3.42	3.73	4.10	3.08	3.42	3.73
Pinion Teeth	13	12	11	10	13	12	11
Ring Gear Teeth	40	41	41	41	40	41	41
Ring Gear Diameter (in.)	7.62 <sup>1</sup>	7.62 <sup>1</sup>	7.62 <sup>2</sup>	7.62	7.25	7.25	7.25

<sup>1</sup>L35 w/M50 transmission uses 8.5-inch ring gear diameter.

<sup>2</sup>ZR2 Wide Stance uses 8.5-inch ring gear diameter.

Note: Axle ratio availability depends on model, powertrain, and emissions selected. See your 1999 Chevrolet Truck Order Guide for details.





## TRIM LEVELS

Chevrolet offers S-10 Pickup Regular-Cab in two trim levels: "Base" and "LS." The "LS" trim level is standard on Extended-Cab models. The following chart details major standard features. See your 1999 Chevrolet Truck Order Guide for specific details.

CHASSIS EQUIPMENT			
KEY: ■ = STANDARD, — = NOT INCLUDED		BASE REG.-CAB ONLY	LS (YC3)
BRAKES	2-wheel drive: Power-assisted front disc, rear drum. 4-wheel drive: Power-assisted 4-wheel disc.	■	■
EXHAUST	Aluminized stainless steel exhaust system.	■	■
FRAME	All-welded ladder-type channel design and boxed front-end section.	■	■
FUEL TANK	19-gallon (approx.) capacity.	■	■
REAR AXLE	Hypoid, semi-floating.	■	■
SHOCK ABSORBERS	Front: 32mm; Rear: 32mm w/Z83 and Z85 Chassis Package. 46mm Bilstein front and rear w/ZM6 and ZR2 Chassis Package. Front: 46mm DeCarbon; Rear: 36mm DeCarbon with ZQ8 Chassis Package.	■	■
STABILIZER BAR	Front: 25mm with Z83 and ZM6 Chassis Package. Front: 28mm with Z85 (4WD) and ZR2 Chassis Package. Front: 29mm with Z85 (2WD). Front: 33mm with ZQ8 Chassis Package. Rear: 23mm with ZQ8 Chassis Package.	■	■
STEERING	Integral power. (Variable ratio, 15/13:1 on ZQ8.)	■	■
SUSPENSION, FRONT	4x2: Independent with computer-selected coil springs. 4x4: Independent with computer-selected torsion bars.	■	■
SUSPENSION, REAR	Two-stage semi-elliptic multileaf springs.	■	■
RECOVERY HOOKS	Two front-mounted (on 4x4 only).	■	■
EXTERIOR EQUIPMENT			
AIR DAM	Matches bumper color (Dark gray Base and ZR2).	■	■
BUMPERS, FRONT AND REAR STEP	Dark gray (Base and ZR2). Body color. (Chrome with rub strips on YC5)	■	—
GLASS	Tinted Solar-Ray®.	■	■
GRILLE	Dark gray with horizontal chrome center bar. (Chrome on YC5)	■	■
HEADLAMPS	Halogen composite. (flash to pass)	■	■
HORN	Dual note.	■	■
INSULATION	Underhood.	■	■
LAMP	Center high-mounted stoplamp.	■	■
LICENSE PLATE	Mounting location integral in front bumper.	■	■
MIRRORS	Black RH and LH below-eyeline-type. Head size 5.5" x 7.5".	■	■
MOLDING	Black windshield surround.	■	■
PICKUP BOX	Two-tier loading with cargo tie-down loops in each corner.	■	■
SPARE TIRE & WHEEL	Compact spare tire and wheel mounted under bed. (Full-size with ZM6 and ZR2)	■	■
SPARE TIRE CARRIER	Winch-type carrier mounted under frame at rear.	■	■
TIRES	P205/75R15 BW all-season steel-belted radials. (P235/55R16 with ZQ8.)	■	■
WHEELS	15.0" x 7.0" steel, painted argent with black center cap (2-wheel-drive model). 15.0" x 7.0" steel, painted argent with black center cap and trim ring (2-wheel-drive model). 15.0" x 7.0" steel, painted argent with black center cap and trim ring (4-wheel-drive model). (16.0" x 8.0" aluminum wheels with ZQ8.)	■	■
WINDSHIELD WIPERS	Intermittent.	■	■
INTERIOR EQUIPMENT			
ARMRESTS	RH and LH padded integral with door panels.	■	■
CAB BACK PANELS	Carpeted. Includes Scotchgard™ Fabric Protector.	■	■
CIGARETTE LIGHTER	Located on instrument panel. Includes ashtray light. Located on instrument panel. Includes ashtray light and two auxiliary power outlets.	■	—
COAT HOOKS	RH and LH on Regular-Cab models. Foldaway on Extended-Cab models.	■	■
CUPHOLDERS	Two mounted to seat cushion (on floor for manual transmission).	■	■
DOVE LAMP	Door-operated; with front floor courtesy lamp.	■	■
DOOR PANELS	One-piece molded plastic with padded integral armrests. LH and RH molded map pockets. Molded plastic with soft cloth upper insert, padded integral armrests. LH and RH molded map pockets.	■	—



# S-10 PICKUP

## INTERIOR EQUIPMENT (CONT.)

KEY: ■ = STANDARD, — = NOT INCLUDED		BASE REG.-CAB ONLY	LS (YC3)
FLOOR COVERING	Embossed dark gray full-floor vinyl mat. Color-keyed full-floor carpeting with Scotchgard™ Fabric Protector.	■ —	— ■
GAUGES	include voltmeter, oil pressure and engine temperature gages, fuel gauge w/low fuel indicator, trip odometer and speedometer, warning lights for seat belts, parking brake, direction/hazard signals and high beam.	■	■
GLOVE BOX	Non-locking; with door-activated light.	■	■
GRAB HANDLE	Passenger side.	■	■
HEATER	Outside air with windshield and side window defoggers.	■	■
HEADLINER	Full coverage, foam-backed; with color-keyed cloth cover.	■	■
INSULATION	Provided on dash panel, doors, cab back, floor and hood, instrument panel and cowl-to-fender seals.	■	■
MIRROR	10-inch rearview. 10-inch rearview with dual reading lamps and illuminated entry feature.	■ —	— ■
RADIO	ETR AM/FM stereo with digital clock, two 4" x 6" diameter front dash speakers and two 6" diameter door speakers. (Two 6" diameter door speakers and two 4" x 10" diameter speakers located in the rear quarter panel trim on Extended-Cab) Note: Rear stereo sound system speakers are deleted with optional third door.	■	■
SEATS	<b>2WD:</b> Custom vinyl bench with folding back, integral headrests and dual cupholders. 60/40 custom cloth split bench with manual driver and passenger recliner, integral headrests, armrests with integral storage and cupholders. (Extended-Cab models include passenger-side easy entry feature and custom vinyl folding rear jump seats) Note: Driver-side rear jump seat is deleted with optional third door. <b>4WD:</b> Custom vinyl bench with folding back, integral headrests, and dual cupholders. High-back bucket seats with manual driver and passenger recliners, integral headrests, and manual two-way lumbar support and floor console. (Extended-Cab models include passenger-side easy entry feature and custom vinyl folding rear jump seats) Note: Driver-side rear jump seat is deleted with optional third door.	■ — ■ —	— ■ — ■
SECURITY	PassLock® theft deterrent system.	■	■
STEERING WHEEL	Black, deluxe four-spoke.	■	■
SUNSHADES	RH and LH padded, color-keyed cloth; with LH map strap and RH vanity mirror.	■	■
TOOLS	Mechanical jack and wheel wrench located in storage compartment on floor behind front seat. Cover includes drink holders on Extended-Cabs.	■	■
WARNING CHIME	Headlamps on and turn signal reminder.	■	■
WINDOWS	Extended-Cab: Swingout rear quarter windows.	—	■

## SAFETY EQUIPMENT

BRAKES	4-wheel anti-lock brakes. NOTE: Includes brake/transmission shift interlock with automatic transmission.	■	■
AIR BAGS <sup>1</sup> (NEXT GENERATION)	Driver and passenger; with passenger-side deactivation switch.	■	■
LAMPS	Daytime running lamps w/automatic exterior lamp control.	■	■
DOOR BEAMS	Side-door guard beams.	■	■
SEAT BELTS	Outboard seating lap and shoulder belts and center seating lap belt.	■	■
STEERING COLUMN	Energy-absorbing steering column.	■	■
STOPLAMP	Center high-mounted stoplamp (CHMSL).	■	■

<sup>1</sup> Always wear your safety belts.

2  
4  
6  
8

## PREFERRED EQUIPMENT GROUPS

Preferred Equipment Groups (PEGs) are convenient option packages that can save your customers money. They would pay appreciably more by buying all the options in a Preferred Equipment Group as individual options. (Savings based on a comparison of Manufacturer's Suggested Retail Price of option packages versus MSRP of individual options purchased separately.) See your 1999 Chevrolet Truck Order Guide and Vehicle Price Schedule for specific information and prices.

## OPTIONS

These options can be ordered individually in addition to the Preferred Equipment Groups, if not already included. See your 1999 Chevrolet Truck Order Guide for specific availability and restrictions. The option code is listed in **bold type**.

Air Conditioning .....	<b>C60</b>	VORTEC 4300 SFI V6 .....	<b>LF6</b>	Console (includes auto-reverse, Dolby noise reduction and CR02 equalization; requires UNO radio, AV5 bucket seats and M30 auto transmission) .....	<b>UPO</b>	
Axle, Rear		VORTEC 4300 SFI V6 .....	<b>L35</b>	Seat Options		
3.08 Ratio .....	<b>GU4</b>	Exterior Appearance Package (includes front and rear chrome bumpers with dark gray rub strips, dark gray bodyside moldings with bright insert and bright wheel opening moldings, and cast aluminum wheels) .....		<b>YC5</b>	Bench Seat (PEG 1SA only) .....	<b>A52</b>
3.42 Ratio .....	<b>GU6</b>	Floor Mats, Front .....	<b>B32</b>	60/40 Reclining Split Bench .....	<b>AM6</b>	
3.73 Ratio .....	<b>GT4</b>	Fog Lamps (N/A on ZR2) .....	<b>ANL</b>	Reclining High-Back Bucket Seats (includes floor-mounted console) .....	<b>AV5</b>	
4.10 Ratio (4x2 only) .....	<b>GT5</b>	GVWR Ratings		Shield Package (4x4 only): Includes transfer case and front differential skid plates, fuel tank and steering linkage shields .....	<b>ZM5</b>	
Locking Differential .....	<b>G80</b>	4200-lb .....	<b>C5T</b>	Steering Wheel, Leather-Wrapped .....	<b>NP5</b>	
Battery, Heavy-Duty (690 CCA) .....	<b>UA1</b>	4400-lb .....	<b>C3A</b>	Tachometer (included with L35 engine) .....	<b>U16</b>	
Body, Stepside (Sportside Pickup box) .....	<b>E62</b>	4600-lb .....	<b>C5D</b>	Transmissions		
Third Door (S/T10653 only) .....	<b>E24</b>	4650-lb .....	<b>C5X</b>	5-Speed Manual w/Overdrive (reqs. LN2) .....	<b>MW2</b>	
Bumper Delete .....	<b>VF7</b>	4900-lb .....	<b>C5A</b>	5-Speed Manual w/Overdrive (reqs. LF6/L35) .....	<b>M50</b>	
Chassis Packages		5150-lb .....	<b>C6F</b>	Electronic Automatic 4-speed Overdrive (includes brake/transmission shift interlock) .....	<b>M30</b>	
Solid Ride		Paint, Exterior		Wheels		
(N/A CT10803/CS10803 or CS10653) .....	<b>Z83</b>	Solid .....	<b>ZY1</b>	Torqued 5-Spoke Aluminum, Silver (4x2 only) .....	<b>N60</b>	
Increased Capacity .....	<b>Z85</b>	Custom Two-Tone .....	<b>ZY7</b>	5-Spoke Cast Aluminum (4x4 only) .....	<b>N90</b>	
Sport (CS10603 and CS10653 only) .....	<b>ZQ8</b>	Radio Equipment		Flat 5-Spoke Aluminum, Painted Medium Gray .....	<b>PA3</b>	
Off-Road, (CT10603, CT10653 only) .....		Radio Delete		Window, Deep-Tinted .....	<b>AJ1</b>	
Includes Full-Size Spare .....	<b>ZM6</b>	(available with PEG 1SA only) .....	<b>UL5</b>	Window, Sliding Rear .....	<b>A28</b>	
ZR2 4x4 Bonus Package (see your 1998 Chevrolet Truck Order Guide for details; reqs. PEG 1SR) .....	<b>ZR2</b>	ETR AM/FM Stereo Radio w/Seek-Scan, Stereo Cassette, Digital Clock, and Four Speakers .....	<b>UM6</b>	Extreme Appearance Package (includes complete ground effects package with wheel flares, body colored grille and front and rear bumpers, unique fascia with integrated foglamps, unique 16" x 8" aluminum wheels, extreme exterior emblems on front doors and tailgate, P235/55R16 tires, air conditioning, ZQ8 sport suspension, leather wrapped steering wheel and tachometer) .....	<b>V4A</b>	
Cold Climate Package (includes heavy-duty battery, engine block heater) .....	<b>V10</b>	ETR AM/FM Stereo Radio with Seek-Scan, Automatic Tone Control, Stereo Cassette, Digital Clock, TheftLock™ and Speed-Compensated Volume (includes an enhanced performance speaker system) .....	<b>ULO</b>			
Convenience Groups		ETR AM/FM Stereo Radio with Seek-Scan, Automatic Tone Control, Compact Disc Player, Digital Clock, TheftLock™ and Speed-Compensated Volume (includes an enhanced speaker system) .....	<b>UNO</b>			
Tilt-Wheel™ and Electronic Speed Control .....	<b>ZQ3</b>	Remote Cassette Located in Center Floor				
Power Door Locks (includes remote keyless entry system with interior content protection), Power Windows and Electric Remote Heated Mirrors .....	<b>ZQ6</b>					
Emissions Systems						
California .....	<b>YF5</b>					
Federal .....	<b>FE9</b>					
Massachusetts/New York/Connecticut/New Jersey/Rhode Island .....	<b>NG1</b>					
Federal Emissions Override .....	<b>NC7</b>					
Cal./Mass./N.Y./CT./N.J./R.I. Emissions Override .....	<b>NB8</b>					
Engines						
VORTEC 2200 SFI L4 .....	<b>LN2</b>					

### TIRES

KEY: ALS = ALL-SEASON SBR = STEEL-BELTED RADIAL PLY BW = BLACKWALL BL = BLACK LETTERED  
 OOR = ON-OFF ROAD WOL = WHITE OUTLINE LETTERED

TIRE DESCRIPTION	TIRES W/COMPACT SPARE	TIRES W/FULL-SIZE SPARE <sup>1</sup>
P205/75R15	ALS/SBR/BL	QCE -ZCE
P205/75R15	ALS/SBR/WOL	QCA -ZCA
P235/55R16	ALS/SBR/BW	QCB
P235/70R15	ALS/SBR/BW	QBF -ZBF
P235/75R15	OOR/SBR/WOL	QEB -ZEB
31X10.5R5LTC	OOR/SBR/BW	N/A
		STD.

<sup>1</sup> Full-size spare tire optional.  
 N/A—Not Available.

---

١  
٢  
٣  
٤

# S-10 PICKUP

## DIMENSIONS

MODEL		S-10 (REGULAR-CAB)	S-10 (REGULAR-CAB)	S-10 (EXTENDED-CAB)	S-10 (REGULAR-CAB)	S-10 (REGULAR-CAB)	S-10 (EXTENDED-CAB)
MODEL NUMBER		CS10603/E63	CS10803/E63	CS10653/E63	CT10603/E63	CT10803/E63	CT10653/E63
<b>EXTERIOR DIMENSIONS</b>							
<b>BODY</b>							
Wheelbase (in.)	L101	108.3	117.9	122.9	108.3	117.9	122.9
Overall Length (in.)	L103	190.1	206.1	204.7	190.1	206.1	204.7
Overall Height (in.)	H431	62.0	62.9	62.7	63.4	64.4	63.4
Maximum Width <sup>1</sup> (in.)	W103	67.9	67.9	67.9	67.9	67.9	67.9
Bumper to Axle (in.)							
Front	L104	34.6	34.6	34.6	34.6	34.6	34.6
Rear	L105	47.2	53.5	47.2	47.2	53.5	47.2
Cab-to-Axle (in.)	L404	37.4	47.1	37.4	37.4	47.1	37.4
Cab to End of Frame (in.)	L505	72.8	88.8	72.8	72.8	88.8	72.8
Bumper to Back of Cab (in.)	L403	105.5	105.5	120.1	105.5	105.5	120.1
Ground to Top of Rear Load Floor (in.)	H502	25.9	28.1	27.7	27.4	29.7	27.2
Ground Clearance (in.)							
Front	H148	9.1	8.7	9.1	8.6	10.6	8.5
Rear	H153	7.2	6.7	7.2	7.5	7.9	7.5
Turning Diameter Curb-to-Curb (ft.)		36.9	39.8	41.3	37.3	40.1	41.6
Track Width (in.) Front/Rear		54.5/54.6	54.5/54.6	54.5/54.6	57.2/55.1	57.2/55.1	57.2/55.1
<b>CARGO BOX</b>							
Length at Floor (in.)	L505	72.8	88.8	72.8	72.8	88.8	72.8
Inside Width at Top Rear (in.)	W204	54.9	54.9	54.6	54.9	54.9	54.6
Inside Width at Floor (in.)	W203	54.9	54.9	54.9	54.9	54.9	54.9
Inside Width Between Wheelhousings (in.)	W201	40.3	40.3	40.3	40.3	40.3	40.3
Inside Height at Rear Axle (in.)		17.1	17.1	17.1	17.1	17.1	17.1
Tailgate Width (in.)		54.9	54.9	54.9	54.9	54.9	54.9
Cargo Volume (cu ft)		39.4	48.1	39.4	39.4	48.1	39.4
<b>SIGN PANEL AREA (in.)</b>		15 x 46.25	15 x 46.25	16 x 66.5	15 x 46.25	15 x 46.25	16 x 66.5
<b>INTERIOR DIMENSIONS</b>							
<b>CAB</b>							
Headroom (in.)	H61	39.5	39.5	39.6	39.5	39.5	39.6
Legroom (in.)	L34	42.4 <sup>2</sup>	42.4 <sup>2</sup>	42.4 <sup>2</sup>	42.4 <sup>2</sup>	42.4 <sup>2</sup>	42.4 <sup>2</sup>
Shoulder Room (in.)	W3	56.9	56.9	56.9	56.9	56.9	56.9
Hip Room (in.)	W5	53.6	53.6	51.6	53.6	53.6	51.6
Cargo Volume (cu ft) (in-cab storage area)		—	—	17.3	—	—	17.3

<sup>1</sup> Maximum width dimension shown without mirrors.

<sup>2</sup> 43.2 inches with seat in rearmost position.



