

---


---

C

②

1999 CHEVROLET

BLAZER





# Tahoe



Tahoe



## Focus

**Tahoe 4-Door 4x4 with LS Trim and Preferred Equipment Group (PEG) 1SB** (image above)

### Ordering recommendations:

Recommended Tahoe content, based on anticipated national sales volume, is listed below to assist your dealership in ordering.

### LS special features include:

- Power Door Locks
- Power Windows
- Power Driver Seat
- Front Air Conditioning
- 4-Spoke, Leather-Wrapped Steering Wheel
- ETR AM/FM Stereo with Seek-Scan, Automatic Tone Control, Speed-Compensated Volume, Digital Clock, Cassette Player and TheftLock
- Cast-Aluminum Wheels
- Rear Wiper/Washer and Defogger (w/liftglass/tailgate only)
- Rear Window Defogger (w/panel doors only)
- Luggage Carrier
- Power Outside Mirrors
- Solar-Ray Deep-Tinted Glass
- Tilt-Wheel™ Steering Column and Electronic Speed Control
- Remote Keyless Entry.

**Popular colors:** Summit White, Onyx Black, Light Pewter Metallic and Meadow Green Metallic.

## Tahoe Owners ... a Closer Look


*Providing comfort amenities without sacrificing capability, Tahoe is a full-size sport utility vehicle that appeals to highly educated, affluent professionals. This group of self-reliant individualists tends to have a passion for the outdoors and craves the ruggedness and capability that Tahoe provides.*

## About Dealer Order Guide inserts

*This information is preliminary and is subject to change. Use these inserts to assist in ordering your initial shipments. Most of your volume should come from the Focus vehicle, which is the model chosen for its saleability. It is equipped with the product features that customers want most. (Model, PEG and optional equipment vary by region.) Refer to the Retail Sales Analysis (RSA) to verify or select your dealership's Focus vehicle content. There is also the Feature vehicle, which is the "image" model Chevrolet will profile most in its advertising. This vehicle is meant to capture attention and create consumer awareness.*

## Feature

**Tahoe 4-Door 4x4 with LT Trim, PEG 1SC and ZM9 Comfort and Security Package** (image below)



The addition of the ZM9\* Comfort and Security Package adds a host of interior and exterior amenities Tahoe buyers will appreciate.


### ZM9 includes:

- Air Conditioning: Front and Rear
- Heated Driver and Front-Passenger Bucket Seats
- 6-Way Driver and Front-Passenger Seats
- Vinyl/Carpeted Reversible Rear Cargo Mat
- Driver and Front-Passenger Heated and Self-Dimming Outside Rearview Mirrors
- HomeLink 3-Channel Transmitter
- 46mm Bilstein Gas Shock Absorbers.

\*Requires PEG 1SC and Reclining High-Back Bucket Seats. PEG 1SC may be ordered without ZM9.

Tahoe


**Trim Colors**



Base vinyl available in Neutral, Blue, Gray and Red (2-Door models only).








LS Custom Cloth available in Neutral, Blue, Gray and Red.




LT Custom Leather seating surfaces available in Neutral, Blue, Gray and Red.


**Seat Styles**



**Wheels**




15" steel, painted silver with black center cap — 2-Door Base models only (2WD wheel shown).



(RPO P06) Optional 16" Rally Wheel trim with bright trim ring and bright center cap — 2-Door Base models only.



(RPO N90) Optional 15" 2WD cast-aluminum wheel — standard on LS and LT.




(RPO PF4) Optional 16" 4x4 cast-aluminum wheel — standard on LS and LT.

**Most Popular Exterior Colors with Corresponding Interior Color Availability**

**Interior Material Colors**

	Neutral	Blue	Gray	Red
<b>Exterior Colors</b>				
Summit White	✓	✓	✓	✓
Onyx Black	✓		✓	✓
Light Pewter Metallic	✓	✓	✓	✓
Meadow Green Metallic	✓		✓	

**Most Popular Exterior Colors by Percentage**



Clockwise, at left, are the four colors anticipated to be the most popular Tahoe choices for 1999, based on national sales volume. They are listed for reference only. To identify the top-selling colors in your area by model, use the Retail Sales Analysis (RSA).

Summit White (#50)	21%
Onyx Black (#41)	15%
Light Pewter Metallic (#11)	13%
Meadow Green Metallic (#68)	12%
Other colors	39%

NOTE: New Tahoe exterior colors are Medium Charcoal Gray Metallic (#14), Sunset Gold Metallic (#60) and Meadow Green Metallic (#68). Emerald Green Metallic (#43) and Medium Beige Mystique Metallic (#65) have been cancelled.

- A. Vinyl reclining low-back bucket seats — Base trim level (2-Door only).
- B. Custom Cloth reclining 60/40 split-bench seat — LS.
- C. Custom Cloth reclining high-back bucket seats — LS.
- D. Custom Leather seating surfaces on reclining 60/40 split-bench seat — LT.
- E. Custom Leather seating surfaces on reclining high-back bucket seats — LT.

# Tahoe

*P.D.S.E.I. is a term used to help organize and explain key features and benefits in five major categories a customer needs and wants. Overall improvements, changes and deletions are highlighted. Please review the supplied information, keeping in mind that this material is provided to you before production start-up — and may change.*



**P.D.S.E.I.** (New-for-'99 features appear in green.)

## PERFORMANCE



- **AUTOMATIC TRANSMISSION ENHANCEMENTS (M30)** — Vamac pump cover seals make possible better sealing. New clutch plate material is used which is designed for improved durability and performance.
- **ENHANCED STARTER MOTOR** — designed to provide longer starter motor life cycle and improved resistance to corrosion.
- **STANDARD VORTEC 5700 SFI ENGINE** — provides impressive power and torque; smooth, quiet performance; and extended maintenance intervals.
- **AVAILABLE AUTOTRAC PUSH-BUTTON 4x4** — automatically switches between 2WD and 4x4, based on road conditions.
- **SPEED-SENSITIVE POWER STEERING (EVO)** — improves steering ease at lower vehicle speeds and reverts to normal steering effort at higher speeds.

## DURABILITY



- **PLATINUM-TIP SPARK PLUGS** — can last up to 100,000 miles.\*
- **EXTENDED-LIFE ENGINE COOLANT** — has a first scheduled replacement interval of 5 years or 150,000 miles, whichever comes first.\*
- **NO NEED TO CHECK ENGINE TIMING EVER** — helps hold down maintenance costs.
- **TWO-SIDE GALVANIZED STEEL** — on all exterior body panels (except roof), provides maximum corrosion protection.
- **STEEL LADDER-TYPE FRAME** — exceptional strength and rigidity; includes boxed front sections that help support the engine and front suspension.
- **BUMPER TO BUMPER WARRANTY** — a 3-year/36,000-mile, no deductible, limited warranty, 24-Hour Roadside Assistance via a toll-free hot line and Courtesy Transportation,<sup>†</sup> if vehicle ever needs warranty work.

## SAFETY



- **AVAILABLE OnStar (dealer-installed)** — uses Global Positioning System satellite technology to give drivers security and convenience.
- **NEXT GENERATION DRIVER AND RIGHT FRONT-PASSENGER AIR BAGS\*\*** — designed to be used with safety belts to help protect against injury in certain moderate to severe frontal collisions.
- **4-WHEEL ANTI-LOCK BRAKE SYSTEM (ABS)** — standard on all models, helps reduce wheel lockup while braking hard on most slippery surfaces.
- **CHILD SECURITY REAR-DOOR LOCKS (4-Door models)** — prevent rear-seat passengers from inadvertently opening rear doors from the inside.
- **Passlock® THEFT-DETERRENT SYSTEM** — disables the vehicle from further starting attempts for ten minutes if an invalid key is used.

## EXTERIOR



- **THREE NEW COLORS** — Medium Charcoal Gray Metallic, Sunset Gold Metallic and Meadow Green Metallic.
- **BASECOAT/CLEARCOAT PAINT** — not only provides a durable, lustrous finish, but also reduces the severity of water-spotting and etching from acid rain.
- **TRIPLE DOOR SEALS** — help ensure a quiet ride.
- **FLUSH-MOUNTED GLASS** — helps reduce wind noise, while contributing to a sleek appearance.
- **DUAL REAR PANEL DOORS** — make loading and unloading easy. Liftglass/tailgate available as a no-cost option.

## INTERIOR



- **STANDARD SEATING FOR UP TO SIX** — (LS or LT with AE7 split-bench seat trim level) and up to 118.2 cu. ft. of cargo room (4-Door models with rear seatback folded flat) make Tahoe an ideal, spacious, luxurious full-size sport utility.
- **AVAILABLE COMFORT AND SECURITY PACKAGE (ZM9)** (available with LT trim) — adds an impressive level of luxury in the form of driver (and front-passenger on 4-Door models) power seat adjusters, heated front bucket seats, self-dimming heated exterior rearview mirrors, HomeLink 3-channel transmitter and more.
- **CUSTOM LEATHER SEATING SURFACES (LT only)** — beautifully crafted Custom Leather seating surfaces with double-stitched French seams make every trip a pleasure.

\*Maintenance needs vary with different uses and driving conditions. See owner's manual for details. <sup>†</sup>At participating dealerships. \*\*Always use safety belts and proper child restraints, even with Next Generation air bags. See owner's manual for more safety information.

Tahoe

**Competitive Models**

- Ford Expedition
- Toyota Land Cruiser
- Dodge Durango
- Range Rover

**New for 1999**

- Transmission enhancements include a revised check ball pocket designed to reduce load characteristics and minimize wear. Vamac pump seals replace the current polyacrylic material for improved overall sealing. New clutch plate material is formulated to improve durability and performance.

**Deletions**

- Two exterior colors have been deleted for 1999: Emerald Green Metallic and Medium Beige Mystique Metallic and have been replaced by three new colors: Medium Charcoal Gray Metallic, Sunset Gold Metallic and Meadow Green Metallic.

**Forecasted Percent of Mix**

<b>SERIES</b>	
<b>K1500</b>	<b>85%</b>
<b>C1500</b>	<b>15%</b>
<b>Total</b>	<b>100%</b>
<b>MODELS</b>	
<b>4-Door 4x4</b>	<b>72%</b>
<b>4-Door 2WD</b>	<b>13%</b>
<b>2-Door 4x4</b>	<b>14%</b>
<b>2-Door 2WD</b>	<b>1%</b>
<b>Total</b>	<b>100%</b>
<b>TRIM LEVELS</b>	
<b>Base (2-Door only)</b>	<b>1%</b>
<b>LS</b>	<b>34%</b>
<b>LT</b>	<b>65%</b>
<b>Total</b>	<b>100%</b>
<b>ENGINES</b>	
<b>Vortec 5700 V8 SFI</b>	<b>100%</b>
<b>Total</b>	<b>100%</b>
<b>TRANSMISSIONS</b>	
<b>4-Speed Electronically Controlled Automatic with Overdrive</b>	<b>100%</b>
<b>Total</b>	<b>100%</b>

## 1999 TAHOE HIGHLIGHTS

### NEW FOR 1999

- Next Generation air bags

### EXTERIOR

- Carryover

### INTERIOR

- Carryover

### COLORS (NEW)

- Medium Charcoal Gray Metallic (14U)
- Sunset Gold Metallic (60U)
- Meadow Green Metallic (68U)





## STANDARD EQUIPMENT SUMMARY

		BASE	LS	LT
<b>CHASSIS</b>				
BATTERY:	HEAVY-DUTY 600 CCA	S	S	S
BRAKES:	4-WHEEL ANTI-LOCK POWER FRONT DISC/ REAR DRUM	S	S	S
ENGINE:	VORTEC 5700 V8 SFI	S	S	S
GENEPATOR:	100 AMP	S	S	S
STEERING:	SPEED SENSITIVE. POWER (EVO)	S	S	S
SUSPENSION FRT:	2WD-INDEPENDENT COIL	S	S	S
	4WD-INDEPENDENT TORSION BAR	S	S	S
SUSPENSION RR:	MULTI-LEAF SPRINGS	S	S	S
TRANSMISSION:	4-SPEED AUTOMATIC W/OVERDRIVE	S	S	S
<b>INTERIOR</b>				
AIR BAGS:	NEXT GENERATION DRIVER AND FRONT PASSENGER	S	S	S
AIR CONDITIONING:	FRONT:	-	S	S
ASSIST HANDLES:	RH FRONT SEAT-LH & RH REAR SEAT	S	S	S
CONVENIENCE GROUP:	POWER WINDOWS, LOCKS	-	S	S
	POWER LOCKS ONLY	S	-	-
	TILT WHEEL AND CRUISE CONTROL	-	S	S
CUPHOLDERS:	DUAL IN DASH	S	S	S
FLOOR COVERING:	FULL BLACK RUBBER	S	-	-
	COLOR-KEYED CARPET W/RUBBER MATS	-	S	S
GAUGES:	TRIP ODOMETER, OIL PRESSURE, VOLTMETER,			
	TACHOMETER & TEMPERATURE	S	S	S
GLASS:	TINTED	S	-	-
	SOLAR RAY, DEEP TINTED	-	S	S
LIGHTING:	DOME W/LH & RH DOOR SWITCH W/DELAYED ENTRY			
	FEATURE, READING, ASHTRAY, GLOVE-BOX AND UNDERHOOD	S	S	S
MIRROR:	10" ELECTROCHROMIC ISRV W/8 POINT COMPASS			
	W/OUTSIDE TEMPERATURE	-	S	S
POWER POINTS:	DUAL COVERED	S	S	S
RADIO:	AM/FM STEREO W/SEEK & SCAN	S	-	-
	AM/FM STEREO W/SEEK-SCAN, CLOCK AND			
	CASSETTE TAPE W/AUTO TONE CONTROL	-	S	-
	AM/FM STEREO W/SEEK-SCAN, CLOCK AND CASSETTE TAPE AND COMPACT DISC PLAYER W/AUTO TONE CONTROL	-	-	S
REAR WINDOW EQUIPMENT:	DEFOGGER W/W9 BODY	-	S	S
	WIPER/WASHER SYSTEM W/DEFOGGER W/E55 BODY	-	S	S
SCOTCHGARD:	ALL CLOTH AND CARPET SURFACES	S	S	S
SEATS:	VINYL LOW BACK BUCKET SEATS	S	-	-
	CLOTH 60/40 SPLIT BENCH W/POWER DRIVER	-	S	-
	LEATHER 60/40 SPLIT BENCH W/POWER DRIVER	-	-	S
SECURITY:	Passlock®, THEFT DETERRENT SYSTEM	S	S	S
SPARE TIRE COVER:	COLOR-KEYED, CLOTH COVER	-	S	S
STEERING WHEEL:	LEATHER WRAPPED	-	S	S
SUNSHADES:	CLOTH COVERED W/LH STORAGE STRAP	S	-	-
	CLOTH COVERED LH STORAGE STRAP & LH/RH LIGHTED			
	MIRROR W/EXTENDERS	-	S	S
WARNING TONE:	KEY-IN-IGNITION BUZZER	S	S	S

# TAHOE 2-DOOR

## EQUIPMENT SUMMARY

		BASE	LS	LT
<b>EXTERIOR</b>				
AIR DAM:	DARK ARGENT	S	S	S
BUMPER REAR:	CHROME W/STEP PAD	S	S	S
CARRIER:	ROOF MOUNTED LUGGAGE CARRIER	-	S	S
GRILLE:	MOLDED, PAINTED ARGENT	S	-	-
	CHROME DELUXE	-	S	S
HEADLAMPS:	SINGLE RECTANGULAR HALOGEN	S	-	-
	DUAL COMPOSITE - HALOGEN	-	S	S
LAMPS:	DAYTIME RUNNING	S	S	S
MIRRORS:	BREAK-A-WAY OSRV, BLACK	S	-	-
	ELECTRIC, REMOTE CONTROL, BLACK	-	S	S
MOLDINGS:	BODY SIDE WITH BRIGHT TRIM AND BRIGHT WHEEL OPENING TRIM	S	S	S
NAMEPLATES:	TAHOE BADGE IN BODY SIDE MOLDING	S	S	S
SPARE TIRE:	FULL SIZE TIRE & WHEEL	S	S	S
TOW HOOKS	TWO FRONT ON 4X4 MODELS	S	S	S
WHEELS:	SILVER PAINTED W/BLACK CENTER CAP	S	-	-
	ALUMINUM	-	S	S
WIPERS:	INTERMITTENT WINDSHIELD W/PULSE WASHERS	S	S	S
WIRE HARNESS:	8 LEAD TRAILERING	S	S	S

**MODEL AND BODY**

*Price	DESCRIPTION	MODEL NO	BODY	WHEEL BASE
24,540.00	TAHOE 2-WHEEL DRIVE	CC10516	ZW9	111.5
27,140.00	TAHOE 4-WHEEL DRIVE	CK10516	ZW9	111.5

\*Includes Destination & Handling

**\*GVWR SELECTOR (Must Specify GVW Option)**

GVW Option Required	Minimum Equipment Required for GVW Rating			Minimum Equip. Required for GVW Rating
	GVW Rating lb. lbs.	GAWR* Front lbs.	GAWR* Rear lbs.	
C5M	6100	3200	3686	Req. C10516
C5P	6250	3925	3750	N/A L56 Eng or C10516
C7I	6450	3925	3750	Req. L56 and K10516

\*GWR's shown are the minimum for each axle with equipment listed. Other GAWR's are available, and they are determined as the minimum of either axle, springs or tires.

**POWER TEAMS (Must Specify Engine, Transmission and Rear Axle)**

(Consult GVWR Selector For Minimum Equipment Required)

Engine	TRANSMISSION		AXLES			GVWR lb.
	Lt/Duty	H Duty	3.08	3.42	3.73	
<b>C10516</b>						
L31 Vortec 5700 V8 SFI	M30		GU4	GU6	--	6100
<b>K10516</b>						
L31 Vortec 5700 V8 SFI	M30		--	GU6	GT4	6250
L56 V8 Turbo Diesel 6.5 Liter	--	MT1	--	(a)GU6	(a)GT4	6450

(a) N/A YF5 California Emissions

**CAPACITIES**

<b>C10516</b>	
<b>SPRINGS</b>	lb.
FRONT (Base)	3200
REAR (Base)	3750
<b>AXLES</b>	
FRONT (Base)	3600
REAR (Base)	3750

<b>K10516</b>	
<b>SPRINGS</b>	lb.
FRONT (Base)	3925
REAR (Base)	3750
<b>AXLES</b>	
FRONT (Base)	3925
REAR (Base)	3750

# TAHOE 2-DOOR

## MUST SPECIFY PEG

No Deletions Allowed. Additional Options/Upgrades (where Indicated)  
 May Be Ordered from the Additional Option Listing

		1SA	1SB	1SC
N.C.	<b>BASE DECOR</b>	X	-	-
4,369.00	<b>LS DECOR (Requires Cloth Trim)</b>	-	X	-
	ATC Stereo Cassette (a)	-	X	-
	Keyless Remote	-	X	X
	Power Driver Seat	-	X	X
5,719.00	<b>LT DECOR (Requires Leather Trim)</b>			
	ATC Stereo Cassette & Disc	UP0	-	X
	Leather 60/40 Split Bench Seat (b)	AE7	-	X

(a) May Upgrade

(b) Must Specify Trim Color. May Upgrade to A95 Leather Bucket Seats

## MARKETING PACKAGES

### COMFORT & SECURITY PACKAGE: ORDERING OPTION ZM9

1010.00

Requires: PEG 1SC and A95 Leather Seating

N/A with BYP Sport Package or Z71 Chassis

Includes: Heated Driver and Passenger Front Seats  
 Carpeted Front and Rear Floor Mats  
 Carpeted/Vinyl Reversible Rear Cargo Mat  
 RH/LH Heated Electrochromic OSRV Mirrors  
 HomeLink Programmable 3-Channel Transmitter  
 46 mm Bilstein Shocks

### SPORT PACKAGE: ORDERING OPTION BYP

\$302.00

Requires: PEG 1SB or 1SC, L31 Eng., QGA or QGC Tires and 4-Wheel Drive.

Includes: **Dark Argent Colored:** (Uplevel Grille, Wheel Flares, Front Bumper w/Rub Strip,  
 Rear Bumper w/Rub Strip and Step Pad)  
**Black Colored:** (Front License Bracket, Front Air Dam, Mirrors and Sport Decals)

## ADDITIONAL OPTIONS

Option		
<b>ACKNOWLEDGMENTS:</b>		
N.C.	R8S	Multiple Order Numbers
V.P.S.	R8T	Preliminary Invoice (Refer Vehicle Price Schedule for Prices)
25.00	K47	<b>AIR CLEANER:</b> High Capacity (N/A Diesel)
<b>AIR CONDITIONING: (MUST SPECIFY)</b>		
N.C.	YG6	Air Conditioning Not Desired
	C60	Air Conditioning: (Included w/ LS or LT Decor)
N.C.		w/1SB or 1SC
845.00		w/1SA
<b>AXLES, REAR: (MUST SPECIFY)</b>		
N.C.	GU4	3.08 Ratio
N.C.	GU6	3.42 Ratio
135.00	GT4	3.73 Ratio
252.00	G80	Locking Differential (C10516 Req. GU6 Axle)
<b>BODY CODE: (MUST SPECIFY)</b>		
N.C.	ZW9	Base, Panel Door
N.C.	E55	Tailgate (Lift Glass w/Drop Gate and Power Release)
400.00	Z71	<b>CHASSIS EQUIPMENT: Off-Road Package</b> (Includes Skid Plate Pkg.) (Requires QGC w/BYP Sport Pkg.) (w/o BYP Sport Pkg., Requires QGC, QGD, QBN or QBX Tires) (N/A ZM9 Package or Base Decor)
33.00	V10	<b>COLD CLIMATE PACKAGE:</b> (Incl. Eng. Block Heater) (Requires L31 Eng.)
	ZQ3	<b>CONVENIENCE GROUP:</b> Tilt Wheel and Speed Control (Included w/ LS or LT Decor)
N.C.		w/1SB or 1SC
383.00		w/1SA
<b>COOLING SYSTEM:</b> (Engine Oil Cooler Comparable to KC4 is Standard w/GT4 Axle and/or Diesel Eng)		
	KC4	Engine Oil (Req. L31 Eng.) (N/A GT4 Axle)
N.C.		w/Z82
135.00		w/o Z82
	KNP	Transmission, Heavy-Duty, Auxillary (Req. L31 Eng.) (N/A GU4 Axle) (included w/MT1 Trans.)
N.C.		w/MT1 or Z82 & M30
96.00		w/o MT1 or Z82 & M30
<b>EMISSIONS: (MUST SPECIFY) Refer Emission Requirement Tab Section</b>		
N.C.	FE9	Federal Emission Requirements
170.00	YF5	California Emission Requirements
N.C.	NG1	CT, DC, DE, MA, MD, NH, NJ, NY, PA, RI and Va Emissions Requirements
N.C.	NB8	CA, CT, DC, DE, MA, MD, NH, NJ, NY, PA, RI and Va Emission Override (Requires FE9 Federal Emissions)
N.C.	NC7	Federal Emissions Override (Reqs YF5 or NG1)
<b>ENGINES: (MUST SPECIFY) (Refer Power Teams Chart)</b>		
N.C.	L31	Vortec 5700 V8 SFI
2860.00	L56	6.5 Liter V8 Turbo Diesel (Includes Heavy-Duty Auxiliary Battery)
	AJ1	<b>GLASS:</b> Deep Tinted, Solar Ray (Included w/ LS or LT Decor)
N.C.		w/1SB or 1SC
215.00		w/1SA
<b>GVWR: (MUST SPECIFY) (Refer GVWR Selector Chart for Availability)</b>		
N.C.	C5M	6100 lb.
N.C.	C5P	6250 lb.
N.C.	C71	6450 lb.
N.C.	VK3	<b>LICENSE PLATE BRACKET:</b> Front

# TAHOE 2-DOOR

## ADDITIONAL OPTIONS

OPTION	
155.00	B39 <b>MATS, FLOOR:</b> Front & Rear Carpeted (Included w/ZM9 Package) (Includes Carpeted/Vinyl Reversible Rear Cargo Mat) (N/A PEG 1SA)
	DF2 <b>MIRROR:</b> Camper Type Stainless Steel. 7.5" W x 10.5" H. Exterior (N/A BYP Sport Pkg.)
(-45.00)	w/1SB or 1SC
53.00	w/1SA
	B71 <b>MOLDINGS:</b> Wheel Flares (Refer Color/Trim Charts for Availability) (Included w/BYP Sport Pkg.) (N/A C10516)
N.C.	w/BYP
180.00	w/o BYP
	<b>PAINT, EXTERIOR: (MUST SPECIFY)</b> (Refer Color/Trim Charts for Availability)
N.C.	ZY1 Solid (N/A BYP Sport Pkg.)
	ZY2 Conventional Two-Tone
N.C.	w/BYP
200.00	w/o BYP
	<b>RADIO EQUIPMENT:</b>
147.00	UM6 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock and Cassette Tape (Requires Base Decor)
100.00	UN0 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control, Compact Disc Player, Theft Lock and Speed Compensated Volume (Includes Enhanced Performance Speaker System) (Requires LS Decor)
	UP0 Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control, Stereo Cassette Tape w/Search and Repeat, Compact Disc Player, Theft Lock and Speed Compensated Volume (Includes Enhanced Performance Speaker System) (Included w/LT Decor) (N/A Base Decor)
N.C.	w/LT
200.00	w/LS
(-287.00)	UL5 Radio Delete (Requires Base Decor)
	<b>REAR WINDOW EQUIPMENT:</b>
	C49 Defogger, Rear Window, Electric (Req. ZW9 Body and C60 Air) (Included w/ LS or LT Decor)
N.C.	w/1SB or 1SC
154.00	w/1SA
	ZP6 Wiper/Washer System w/Defogger (Included w/ LS or LT Decor) (Includes Wiper Washer System and a Rear Window Defogger) (Requires E55 Body and Air Conditioning)
N.C.	w/1SB or 1SC
279.00	w/1SA
	<b>SEAT TYPE: (MUST SPECIFY)</b> (Refer Color/Trim Chart for Availability)
N.C.	A50 Reclining Back Bucket Seat (Requires Base Decor)
N.C.	AE7 Reclining 60/40 Split Bench Seat (Includes Storage Armrest and Power Lumbar w/Custom Cloth or Custom Leather Trim) (Included w/LS Decor)
237.00	A95 Reclining High Back Bucket Seats (Includes Center and Roof Console and Power Lumbar) (N/A Base Decor)
	NZZ <b>SKID PLATE PACKAGE:</b> (N/A C10516) (Includes Fuel Tank Shield and Front Differential and Transfer Case Shields)
N.C.	w/Z71
235.00	w/o Z71
302.00	BYP <b>SPORT PACKAGE:</b> (Refer Page 4 for Restrictions & Content) (Requires K10516 & ZY2 Paint Application)
63.00	F60 <b>SPRINGS:</b> Front, Heavy-Duty (Req. L31 Eng.) (N/A Base Decor)
325.00	BVE <b>STEP RUNNING BOARD:</b> Side, Black (Supports 600 lb.)(Dealer installed)

ADDITIONAL OPTIONS

OPTION		
<b>TIRES: Tubeless (BW-Blackwall; WOL-White Outline Letters; WL-White Letters)(Includes Front, Rear &amp; Spare)</b>		
<b>C10516 Only</b>		
N.C.	QFL	P235/75R-15 All Seasons Steel Belted Radial Ply B/W
140.00	QFN	P235/75R-15 All Seasons Steel Belted Radial Ply W/L
<b>K10516 Only</b>		
55.00	QBN	LT245/75R16-C On-Off Road Steel Belted Radial Ply B/W
180.25	QBX	LT245/75R16-C On-Off Road Steel Belted Radial Ply WOL
N.C.	QGA	P245/75R 16 All Terrain Steel Belted Radial Ply
190.00	QGC	P265/75R 16 All Terrain Steel Belted Radial Ply B/W (Req. PF4 Wheels)
315.00	QGD	P265/75R 16 All Terrain Steel Belted Radial Ply WOL (Req. PF4 Wheels)
38.00	V76	<b>TOW HOOKS: Two Front (Std K1500)</b>
	Z82	<b>TRAILERING SPECIAL EQUIPMENT: Heavy-Duty (Incl. Trailer Hitch Platform )</b> (Includes KC4 Eng. Oil Cooler & KNP Transmission Oil Cooler where Available-See Cooling)
214.00		w/Diesel Eng
445.00		w/L31 and GU6
349.00		w/L31 and GU4
310.00		w/L31 and GT4
400.00	NP8	<b>TRANSFER CASE: Autotrac® Active (Requires ZQ3 Convenience Pkg. or LS or LT Decor) (4-Wheel Drive Only)</b>
<b>TRANSMISSIONS: (Refer Power Teams Chart for Availability)</b>		
N.C.	M30	4-Speed Electronically Controlled Automatic w/Overdrive
N.C.	MT1	4-Speed Electronically Controlled Automatic w/Overdrive, Heavy Duty
60.00	P06	<b>WHEEL TRIM: Rally (Requires Base Decor) (N/A PF4 Wheels)</b>
<b>WHEELS:</b>		
	N90	Aluminum (Spare is Steel (2-Wheel Drive Only) (Included w/LS or LT Decor)
N.C.		w/1SB or 1SC
310.00		w/1SA
	PF4	Aluminum (Spare is Steel) (4-Wheel Drive Only) (Included w/LS or LT Decor)
N.C.		w/1SB or 1SC
310.00		w/1SA



# TAHOE 2-DOOR

## ZY1 PAINT (N/A BY SPORT PACKAGE) INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART

PLEASE NOTE: Below are the interior trim color and exterior paint combinations recommended by Chevrolet. They are the only available interior and exterior combinations allowed.

TRIM LEVEL (Must Specify Seat Option and Interior Color)	SEAT OPT	INTERIOR					
		Neutral	Blue	Gray	Red		
<b>(BASE DECOR)</b>							
Vinyl Reclining Back Bucket Seats	A50	52V	26V	13V	79V		
<b>LS DECOR</b>							
Custom Cloth Reclining Split Bench Seat	AE7	52D	26D	13D	79D		
Custom Cloth Reclining High Back Bucket Seats (Includes Roof & Floor Console)	A95	52D	26D	13D	79D		
<b>LT DECOR</b>							
+ Custom Leather Reclining Split Bench Seat	AE7	522	262	132	792		
+ Custom Leather Reclining High Back Bucket Seats (Includes Roof & Floor Console)	A95	522	262	132	792		
+ Leather on Seating Surface Only							
EXTERIOR COLORS	Color Code 1	Paint Scheme	Interior & Exterior Combinations shown are the only Combinations Available				Wheel Flare Color Molding
BLACK, ONYX	41U	ZY1	X		X	X	BLACK, ONYX
BLUE, INDIGO (Met)	39U	ZY1	X	X	X		DK ARGENT
COPPER, DK (Met)	69U	ZY1	X		X		COPPER, DK
GOLD, SUNSET (Met)	60U	ZY1	X				GOLD, SUNSET
GRAY, CHARCOAL MED (Met)	14U	ZY1		X	X	X	GRAY
GREEN, MEADOW (Met)	68U	ZY1	X		X		DK ARGENT
PEWTER, LT (Met)	11U	ZY1	X	X	X	X	PEWTER, LT
RED, CARMINE DK. (Met)	51U	ZY1	X		X	X	DK ARGENT
RED, VICTORY	74U	ZY1	X		X	X	DK ARGENT
WHITE, SUMMIT	50U	ZY1	X	X	X	X	DK ARGENT

ZY2 PAINT (N/A w/BYP SPORT PKG. or w/BASE DECOR)  
 INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART

PLEASE NOTE: Below are the interior trim color and exterior paint combinations recommended by Chevrolet. They are the only available interior and exterior combinations allowed.

TRIM LEVEL (Must Specify Seat Option and Interior Color)	SEAT OPT	Interior Colors			
		Neutral	Blue	Gray	Red
<b>LS DECOR</b>					
Custom Cloth Reclining Split Bench Seat	AE7	52D	26D	13D	79D
Custom Cloth Reclining High Back Bucket Seats (Includes Roof & Floor Console)	A95	52D	26D	13D	79D
<b>LT DECOR</b>					
+ Custom Leather Reclining Split Bench Seat	AE7	522	262	132	792
+ Custom Leather Reclining High Back Bucket Seats (Includes Roof & Floor Console)	A95	522	262	132	792

(+) Leather on Seating Surface Only

EXTERIOR COLORS	Color Code 1	Color Code 2	Paint Scheme	Interior & Exterior Combinations shown are the only Combinations Available				Wheel Flare Color Molding
BLACK, ONYX\Gold, Sunset (Met)	41U	60L	ZY2	X				GOLD, SUNSET
BLACK, ONYX\Pewter, Lt (met)	41U	11L	ZY2			X	X	PEWTER, LT
BLACK, ONYX\Gray, Charcoal Med (Met)	41U	14L	ZY2			X	X	GRAY, CHARCOAL MED
(a) BLACK, ONYX\Red, Victory (Met)	41U	74L	ZY2			X	X	N/A
BLUE, INDIGO (Met)\Gray, Charcoal Med (Met)	39U	14L	ZY2		X	X		GRAY, CHARCOAL MED
BLUE, INDIGO (Met)\Gold, Sunset (Met)	39U	60L	ZY2	X	X			GOLD, SUNSET
BLUE, INDIGO (Met)\Pewter, Lt (Met)	39U	11L	ZY2		X	X		PEWTER, LT
COPPER (Met)\Gray, Charcoal Med (Met)	69U	14L	ZY2			X		GRAY, CHARCOAL MED
COPPER (Met)\Gold, Sunset (Met)	69U	60L	ZY2	X				GOLD, SUNSET
COPPER (Met)\Pewter, Lt (Met)	69U	11L	ZY2			X		PEWTER, LT
GOLD, SUNSET(Met)\Black, Onyx	60U	41L	ZY2	X				BLACK, ONYX
GOLD, SUNSET(Met)\Gray, Charcoal Med (Met)	60U	14L	ZY2	X		X		GRAY, CHARCOAL MED
GRAY, CHARCOAL MED (Met)\Black, Onyx	14U	41L	ZY2			X	X	BLACK, ONYX
GRAY, CHARCOAL MED (Met)\Gold, Sunset (Met)	14U	60L	ZY2	X		X		GOLD, SUNSET
GRAY, CHARCOAL MED (Met)\Pewter, Lt (Met)	14U	11L	ZY2			X	X	PEWTER, LT
(a) GRAY, CHARCOAL MED (Met)\Red, Carmine Dark (Met)	14U	51L	ZY2			X	X	N/A
GREEN, MEADOW (Met)\Gray, Charcoal Med (Met)	68U	14L	ZY2			X		GRAY, CHARCOAL MED
GREEN, MEADOW (Met)\Gold, Sunset (Met)	68U	60L	ZY2	X				GOLD, SUNSET
GREEN, MEADOW (Met)\Pewter, Lt (Met)	68U	11L	ZY2			X		PEWTER, LT
PEWTER, LT (Met)\Black, Onyx	11U	41L	ZY2			X	X	BLACK, ONYX
(a) PEWTER, LT (Met)\Blue, Indigo (Met)	11U	39L	ZY2		X	X		w
PEWTER, LT (Met)\Gray, Charcoal Med (Met)	11U	14L	ZY2		X	X	X	GRAY, CHARCOAL MED
PEWTER, LT (Met)\Copper, Dk (Met)	11U	69L	ZY2			X		COPPER, DK
(a) PEWTER, LT (Met)\Red, Dk Carmine (Met)	11U	51L	ZY2			X	X	N/A
RED, CARMINE DK, (Met)\Gray, Charcoal Med (Met)	51U	14L	ZY2			X	X	GRAY, CHARCOAL MED
RED, CARMINE DK, (Met)\Gold, Sunset (Met)	51U	60L	ZY2	X			X	GOLD, SUNSET
RED, CARMINE DK, (Met)\Pewter, Lt (Met)	51U	11L	ZY2			X	X	PEWTER, LT
RED, VICTORY\Black, Onyx	74U	41L	ZY2			X	X	BLACK, ONYX
RED, VICTORY\Gray, Charcoal Med (Met)	74U	14L	ZY2			X	X	GRAY, CHARCOAL MED
RED, VICTORY\Pewter, Lt (Met)	74U	11L	ZY2			X	X	PEWTER, LT
(a) WHITE, SUMMIT\Blue, Indigo (Met)	50U	39L	ZY2		X			N/A
WHITE, SUMMIT\Gray, Charcoal Med (Met)	50U	14L	ZY2		X	X	X	GRAY, CHARCOAL MED
WHITE, SUMMIT\Gold, Sunset (Met)	50U	60L	ZY2	X				GOLD, SUNSET
WHITE, SUMMIT\Pewter, Lt (Met)	50U	11L	ZY2		X	X	X	PEWTER, LT

(a) N/A B71 or K10516

**BYP SPORT TAHOE 2-DOOR  
INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART  
ZY2 TWO-TONE PAINT WITH BYP SPORT EQUIPMENT PACKAGE**

PLEASE NOTE: Below are the interior trim color and exterior paint combinations recommended by Chevrolet. They are the only available interior and exterior combinations allowed.

TRIM LEVEL (Must Specify Seat Option and Interior Color)	SEAT OPT	INTERIOR COLORS			
		Neutral	Blue	Gray	Red
<b>LS DECOR</b>					
Custom Cloth Reclining Split Bench Seat	AE7	52D	26D	13D	79D
Custom Cloth Reclining High Back Bucket Seats (Includes Roof & Floor Console)	A95	52D	26D	13D	79D
<b>LT DECOR</b>					
+ Custom Leather Reclining Split Bench Seat	AE7	522	262	132	792
+ Custom Leather Reclining High Back Bucket Seats (Includes Roof & Floor Console)	A95	522	262	132	792
+ Leather on Seating Surface Only					

EXTERIOR COLORS	Color Code 1	Color Code 2	Paint Scheme	Interior & Exterior Combinations shown are the only Combinations Available				Wheel Flare Color Molding
BLACK, ONYX\Gray, Gunmetal (Met)	41U	91L	ZY2	X		X	X	Dk Argent
BLUE, INDIGO (Met)\Gray, Gunmetal (Met)	39U	91L	ZY2	X	X	X		Dk Argent
COPPER, DK (Met)\Gray, Gunmetal (Met)	69U	91L	ZY2	X		X		Dk Argent
GOLD, SUNSET (Met)\Gray, Gunmetal (Met)	60U	91L	ZY2	X				Dk Argent
GRAY, CHARCOAL MED (Met)\Gray, Gunmetal (Met)	14U	91L	ZY2		X	X	X	Dk Argent
GREEN, MEADOW (Met)\Gray, Gunmetal (Met)	68U	91L	ZY2	X		X		Dk Argent
PEWTER, LT (Met)\Gray, Gunmetal (Met)	11U	91L	ZY2		X	X	X	Dk Argent
RED, CARMINE DK (Met)\Gray, Gunmetal (Met)	51U	91L	ZY2	X		X	X	Dk Argent
RED, VICTORY (Met)\Gray, Gunmetal (Met)	74U	91L	ZY2	X		X	X	Dk Argent
WHITE, SUMMIT (Met)\Gray, Gunmetal (Met)	50U	91L	ZY2	X	X	X	X	Dk Argent

## STANDARD EQUIPMENT SUMMARY

		LS	LT
<b>CHASSIS</b>			
BATTERY:	HEAVY-DUTY 600 CCA	S	S
BRAKES:	4-WHEEL ANTI-LOCK POWER FRONT DISC/ REAR DRUM	S	S
ENGINE:	VORTEC 5700 V8 SFI	S	S
GENERATOR:	100 AMP	S	S
STEERING:	SPEED SENSITIVE, POWER (EVO)	S	S
SUSPENSION FRT:	2WD-INDEPENDENT COIL	S	S
	4WD-INDEPENDENT TORSION BAR	S	S
SUSPENSION RR:	MULTI-LEAF SPRINGS	S	S
TRANSMISSION:	4-SPEED AUTOMATIC W/OVERDRIVE	S	S
<b>INTERIOR</b>			
AIR BAGS:	NEXT GENERATION DRIVER AND FRONT PASSENGER	S	S
AIR CONDITIONING:	FRONT:	S	S
ASSIST HANDLES:	RH FRONT SEAT-LH & RH REAR SEAT	S	S
CARGO NET:	REMOVABLE REAR COMPARTMENT SECURITY NET	S	S
CONVENIENCE GROUP:	POWER WINDOWS, LOCKS	S	S
	TILT WHEEL AND CRUISE CONTROL	S	S
CUPHOLDERS:	DUAL IN DASH	S	S
FLOOR COVERING:	COLOR-KEYED CARPET W/RUBBER MATS	-	S
GAUGES:	TRIP ODOMETER, OIL PRESSURE, VOLTMETER, TACHOMETER & TEMPERATURE	S	S
GLASS:	SOLAR RAY, DEEP TINTED	S	S
LIGHTING:	DOME W/LH & RH DOOR SWITCH W/DELAYED ENTRY FEATURE, READING, ASHTRAY, GLOVE-BOX AND UNDERHOOD	S	S
MIRROR:	10" ELECTROCHROMIC ISRV W/8 POINT COMPASS W/OUTSIDE TEMPERATURE	S	S
POWER POINTS:	DUAL COVERED	S	S
RADIO:	AM/FM STEREO W/SEEK-SCAN, CLOCK AND CASSETTE TAPE W/AUTO TONE CONTROL	S	-
	AM/FM STEREO W/SEEK-SCAN, CLOCK AND CASSETTE TAPE AND COMPACT DISC PLAYER W/AUTO TONE CONTROL	-	S
REAR WINDOW EQUIPMENT:	DEFOGGER W/ZW9 BODY	S	S
	WIPER/WASHER SYSTEM W/DEFOGGER W/E55 BODY	S	S
SCOTCHGARD:	ALL CLOTH AND CARPET SURFACES	S	S
SEATS:	CLOTH 60/40 SPLIT BENCH W/POWER DRIVER	S	-
	LEATHER 60/40 SPLIT BENCH W/POWER DRIVER	-	S
SECURITY:	Passlock®, THEFT DETERRENT SYSTEM	S	S
SPARE TIRE COVER:	COLOR-KEYED, CLOTH COVER	S	S
STEERING WHEEL:	LEATHER WRAPPED	S	S
SUNSHADES:	CLOTH COVERED LH STORAGE STRAP & LH/RH LIGHTED MIRROR W/EXTENDERS	S	S
WARNING TONE:	KEY-IN-IGNITION BUZZER	S	S

# TAHOE 4-DOOR

## EQUIPMENT SUMMARY

		LS	LT
<b>EXTERIOR</b>			
AIR DAM:	DARK ARGENT	S	S
BUMPER FRONT:	CHROME W/BLACK RUB STRIP	S	S
BUMPER REAR:	CHROME W/STEP PAD	S	S
CARRIER:	ROOF MOUNTED LUGGAGE CARRIER	S	S
GRILLE:	CHROME DELUXE	S	S
HEADLAMPS:	DUAL COMPOSITE - HALOGEN	S	S
LAMPS:	DAYTIME RUNNING	S	S
MIRRORS:	ELECTRIC, REMOTE CONTROL, BLACK	S	S
MOLDINGS:	BODY SIDE WITH BRIGHT TRIM AND BRIGHT WHEEL OPENING TRIM	S	S
NAMEPLATES:	TAHOE BADGE IN BODY SIDE MOLDING	S	S
TOW HOOKS:	TWO FRONT ON 4X4 MODELS	S	S
SPARE TIRE:	FULL SIZE TIRE & WHEEL	S	S
WHEELS:	ALUMINUM	S	S
WIPERS:	INTERMITTENT WINDSHIELD W/PULSE WASHERS	S	S
WIRE HARNESS:	8 LEAD TRAILERING	S	S

**MODEL AND BODY**

*Price	DESCRIPTION	MODEL NO	BODY	WHEEL BASE
30,340.00	TAHOE 2-WHEEL DRIVE	CC10706	ZW9/E55	117.5
32,940.00	TAHOE 4-WHEEL DRIVE	CK10706	ZW9/E55	117.5

\*Includes Destination & Handling

**\*GVWR SELECTOR (Must Specify GVW Option)**

Minimum Equipment Required for GVW Rating

GVWR Option	GVW Rating lb.	GAWR*		Restriction
		Front lb.	Rear lb.	
C5Q	6300	3200	3686	C10706 Only
C5U	6800	3600	3750	K10706 Only

\*GWR's shown are the minimum for each axle with equipment listed. Other GAWR's are available, and they are determined as the minimum of either axle, springs or tires.

**POWER TEAMS (Must Specify Engine, Transmission and Rear Axle)**

(Consult GVWR Selector For Minimum Equipment Required)

Engine	TRANSMISSION	AXLES		GVWR
	AUTO			lb.
	4-Speed Automatic	3.42	3.73	
<b>C/K10706</b>				
L31 Vortec 5700 V8 SFI	M30	GU6	GT4	6300/6800

**CAPACITIES**

<b>C10706</b>	
<b>SPRINGS</b>	lb.
FRONT (Base)	3200
REAR (Base)	3750
<b>AXLES</b>	
FRONT (Base)	3600
REAR (Base)	3750

<b>K10706</b>	
<b>SPRINGS</b>	lb.
FRONT (Base)	3925
REAR (Base)	3750
<b>AXLES</b>	
FRONT (Base)	3925
REAR (Base)	3750

# TAHOE 4-DOOR

## MUST SPECIFY PEG

No Deletions Allowed. Additional Options/Upgrades (where Indicated)  
 May Be Ordered from the Additional Ordering Option Listing

		1SB	1SC
N.C.	LS DECOR (Requires Cloth Trim)	X	-
	ATC Stereo Cassette (a)	X	
	Keyless Remote	X	X
	Power Driver Seat	X	X
1,350.00	LT DECOR (Requires Leather Trim)	-	X
	ATC Stereo Cassette & Disc	UP0	X
	Leather 60/40 Split Bench Seat (b)	AE7	X

(a) May Upgrade

(b) Must Specify Trim Color. May Upgrade to A95 Leather Bucket Seats

## COMFORT & SECURITY PACKAGE: ORDERING OPTION ZM9

1800.00

Requires: PEG 1SC and A95 Leather Seating

- Includes:
- Heated Driver and Passenger Front Seats
  - Power Passenger Front Seat
  - Carpeted Front and Rear Floor Mats
  - Carpeted/Vinyl Reversible Rear Cargo Mat
  - RH/LH Heated Electrochromic OSRV Mirrors
  - HomeLink Programmable 3-Channel Transmitter
  - Rear Air Conditioning
  - 46 mm Bilstein Shocks

## ADDITIONAL OPTIONS

OPTION		
<b>ACKNOWLEDGMENTS:</b>		
N.C.	R8S	Multiple Order Numbers
V.P.S.	R8T	Preliminary Invoice (Refer Vehicle Price Schedule for Prices)
25.00	K47	<b>AIR CLEANER:</b> High Capacity
550.00	C69	<b>AIR CONDITIONING:</b> Front and Rear w/Dual Controls (Incl w/ZM9 Pkg.)
<b>AXLES, REAR</b>		
N.C.	GU6	3.42 Ratio
135.00	GT4	3.73 Ratio
252.00	G80	Locking Differential
<b>BODY CODE: (MUST SPECIFY)</b>		
N.C.	ZW9	Base, Panel Door
N.C.	E55	Tailgate (Lift Glass w/Drop Gate and Power Release)
33.00	V10	<b>COLD CLIMATE PACKAGE:</b> (Includes Eng. Block Heater)
<b>COOLING SYSTEM:</b> (Engine Oil Cooler Comparable to KC4 is Standard w/GT4 Axle)		
	KC4	Engine Oil (Incl. w/Z82 Trailing) (N/A GT4 Axle)
N.C.		w/Z82
135.00		w/o Z82
	KNP	Transmission, Heavy-Duty, Auxiliary
N.C.		w/Z82
96.00		w/o Z82
<b>EMISSIONS: (MUST SPECIFY)</b> Refer Emission Requirement Tab Section		
N.C.	FE9	Federal Emission Requirements
170.00	YF5	California Emission Requirements
N.C.	NG1	CT, DC, DE, MA, MD, NH, NJ, NY, PA, RI and Va Emissions Requirements
N.C.	NB8	CA, CT, DC, DE, MA, MD, NH, NJ, NY, PA, RI and Va Emission Override (Requires FE9 Federal Emissions)
N.C.	NC7	Federal Emissions Override (Reqs YF5 or NG1)
<b>ENGINES: (Refer Power Teams Chart)</b>		
N.C.	L31	Vortec 5700 V8 SFI
<b>GVWR: (MUST SPECIFY)</b> (Refer GVWR Selector Chart for Availability)		
N.C.	C5Q	6300 lb.
N.C.	C5U	6800 lb.
N.C.	VK3	<b>LICENSE PLATE BRACKET:</b> Front
155.00	B39	<b>MATS, FLOOR:</b> Front & Rear Carpeted (Included w/ZM9 Package) (Includes Carpeted/Vinyl Reversible Rear Cargo Mat)
<b>PAINT, EXTERIOR:</b> (Refer Color/Trim Charts for Availability)		
N.C.	ZY1	Solid
200.00	ZY2	Conventional Two-Tone
<b>RADIO EQUIPMENT:</b>		
100.00	UN0	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control, Compact Disc Player, Theft Lock and Speed Compensated Volume (Includes Enhanced Performance Speaker System) (N/A LT Decor)
	UP0	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control, Stereo Cassette Tape w/Search and Repeat, Compact Disc Player, Theft Lock and Speed Compensated Volume (Includes Enhanced Performance Speaker System) (Included w/PEG 1SC)
N.C.		w/LT
200.00		w/LS



# TAHOE 4-DOOR

## ADDITIONAL OPTIONS

Option	
	<b>SEAT TYPE: (MUST SPECIFY)</b> (Refer Color/Trim Chart for Availability)
N.C.	AE7 Reclining 60/40 Split Bench Seat (Includes Storage Armrest and Power Lumbar w/Custom Cloth or Leather Trim) (Included w/LS Decor)
237.00	A95 Reclining High Back Bucket Seats (Includes Center and Roof Console and Power Lumbar)
105.00	NZZ <b>SKID PLATE PACKAGE:</b> (Includes Fuel Tank Shield) (Includes Front Differential and Transfer Case shields (N/A C10706)
325.00	BVE <b>STEP RUNNING BOARD:</b> Side, Black (Supports 600 lb.) (Dealer Installed) (N/A NZZ Skid Plate Pkg.) <b>TIRES: (MUST SPECIFY)</b> Tubeless (BW-Blackwall; WOL-White Outline Letters; WL-White Letters) (Includes Front, Rear & Spare) <b>C10706 Only</b>
N.C.	QFL P235/75R-15 All Seasons Steel Belted Radial Ply B/W
140.00	QFN P235/75R-15 All Seasons Steel Belted Radial Ply W/L <b>K10706 Only</b>
N.C.	QGA P245/75R 16 All Terrain Steel Belted Radial Ply B/W
140.00	QGB P245/75R 16 All Terrain Steel Belted Radial Ply WOL
38.00	V76 <b>TOW HOOKS:</b> Two Front (Std K2500)
	Z82 <b>TRAILERING SPECIAL EQUIPMENT:</b> Heavy-Duty (Incl. Trailer Hitch Platform & Wiring Harness) (Includes KC4 Eng. Oil Cooler & KNP Transmission Oil Cooler where Available)
310.00	w/GT4
445.00	w/GU6
400.00	NP8 <b>TRANSFER CASE:</b> Autotrac®, Active (4-Wheel Drive Only)
N.C.	M30 <b>TRANSMISSION:</b> (Refer Power Teams Chart) 4-Speed Electronically Controlled Automatic w/Overdrive

**ZY1 PAINT  
INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART**

PLEASE NOTE: Below are the interior trim color and exterior paint combinations recommended by Chevrolet. They are the only available interior and exterior combinations allowed.

TRIM LEVEL (Must Specify Seat Option and Interior Color)	SEAT OPT	INTERIOR COLORS				
		Neutral	Blue	Gray	Red	
<b>LS DECOR</b>						
Custom Cloth Reclining Split Bench Seat	AE7	52D	26D	13D	79D	
Custom Cloth Reclining High Back Bucket Seats (Includes Roof & Floor Console)	A95	52D	26D	13D	79D	
<b>LT DECOR</b>						
+ Custom Leather Reclining Split Bench Seat	AE7	522	262	132	792	
+ Custom Leather Reclining High Back Bucket Seats (Includes Roof & Floor Console)	A95	522	262	132	792	
+ Leather on Seating Surface Only						
EXTERIOR COLORS	Color Code 1	Paint Scheme	Interior & Exterior Combinations shown are the only Combinations Available			
BLACK, ONYX	41U	ZY1	X		X	X
BLUE, INDIGO (Met)	39U	ZY1	X	X	X	
COPPER, DK (Met)	69U	ZY1	X		X	
GOLD, SUNSET (Met)	60U	ZY1	X			
GRAY, CHARCOAL MED (Met)	14U	ZY1		X	X	X
GREEN, MEADOW (Met)	68U	ZY1	X		X	
PEWTER, LT (Met)	11U	ZY1	X	X	X	X
RED, CARMINE DK, (Met)	51U	ZY1	X		X	X
RED, VICTORY	74U	ZY1	X		X	X
WHITE, SUMMIT	50U	ZY1	X	X	X	X

# TAHOE 4-DOOR

## ZY2 PAINT

### INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART

PLEASE NOTE: Below are the interior trim color and exterior paint combinations recommended by Chevrolet. They are the only available interior and exterior combinations allowed.

TRIM LEVEL (Must Specify Seat Option and Interior Color)	SEAT		INTERIOR COLORS				
	OPT		Neutral	Blue	Gray	Red	
<b>LS DECOR</b>							
Custom Cloth Reclining Split Bench Seat	AE7		52D	26D	13D	79D	
Custom Cloth Reclining High Back Bucket Seats (Includes Roof & Floor Console)	A95		52D	26D	13D	79D	
<b>LT DECOR</b>							
+ Custom Leather Reclining Split Bench Seat	AE7		522	262	132	792	
+ Custom Leather Reclining High Back Bucket Seats (Includes Roof & Floor Console)	A95		522	262	132	792	
+Leather on Seating Surface Only							
EXTERIOR COLORS	Color Code 1	Color Code 2	Paint Scheme	Interior & Exterior Combinations shown are the only Combinations Available			
BLACK, ONYX\Gold, Sunset (Met)	41U	60L	ZY2	X			
BLACK, ONYX\Pewter, Lt (met)	41U	11L	ZY2			X	X
BLACK, ONYX\Gray, Charcoal Med (Met)	41U	14L	ZY2			X	X
BLACK, ONYX\Red, Victory (Met)	41U	74L	ZY2			X	X
BLUE, INDIGO (Met)\Gray, Charcoal Med (Met)	39U	14L	ZY2		X	X	
BLUE, INDIGO (Met)\Gold, Sunset (Met)	39U	60L	ZY2	X	X		
BLUE, INDIGO (Met)\Pewter, Lt (Met)	39U	11L	ZY2		X	X	
COPPER (Met)\Gray, Charcoal Med (Met)	69U	14L	ZY2			X	
COPPER (Met)\Gold, Sunset (Met)	69U	60L	ZY2	X			
COPPER (Met)\Pewter, Lt (Met)	69U	11L	ZY2			X	
GOLD, SUNSET(Met)\Black, Onyx	60U	41L	ZY2	X			
GOLD, SUNSET(Met)\Gray, Charcoal Med (Met)	60U	14L	ZY2	X		X	
GRAY, CHARCOAL MED (Met)\Black, Onyx	14U	41L	ZY2			X	X
GRAY, CHARCOAL MED (Met)\Gold, Sunset (Met)	14U	60L	ZY2	X		X	
GRAY, CHARCOAL MED (Met)\Pewter, Lt (Met)	14U	11L	ZY2			X	X
GRAY, CHARCOAL MED (Met)\Red, Carmine Dark (M	14U	51L	ZY2			X	X
GREEN, MEADOW (Met)\Gray, Charcoal Med (Met)	68U	14L	ZY2			X	
GREEN, MEADOW (Met)\Gold, Sunset (Met)	68U	60L	ZY2	X			
GREEN, MEADOW (Met)\Pewter, Lt (Met)	68U	11L	ZY2			X	
PEWTER, LT (Met)\Black, Onyx	11U	41L	ZY2			X	X
PEWTER, LT (Met)\Blue, Indigo (Met)	11U	39L	ZY2		X	X	
PEWTER, LT (Met)\Gray, Charcoal Med (Met)	11U	14L	ZY2		X	X	X
PEWTER, LT (Met)\Copper, Dk (Met)	11U	69L	ZY2			X	
PEWTER, LT (Met)\Red, Dk Carmine (Met)	11U	51L	ZY2			X	X
RED, CARMINE DK, (Met)\Gray, Charcoal Med (Met)	51U	14L	ZY2			X	X
RED, CARMINE DK, (Met)\Gold, Sunset (Met)	51U	60L	ZY2	X			X
RED, CARMINE DK, (Met)\Pewter, Lt (Met)	51U	11L	ZY2			X	X
RED, VICTORY\Black, Onyx	74U	41L	ZY2			X	X
RED, VICTORY\Gray, Charcoal Med (Met)	74U	14L	ZY2			X	X
RED, VICTORY\Pewter, Lt (Met)	74U	11L	ZY2			X	X
WHITE, SUMMIT\Blue, Indigo (Met)	50U	39L	ZY2		X		
WHITE, SUMMIT\Gray, Charcoal Med (Met)	50U	14L	ZY2		X	X	X
WHITE, SUMMIT\Gold, Sunset (Met)	50U	60L	ZY2	X			
WHITE, SUMMIT\Pewter, Lt (Met)	50U	11L	ZY2		X	X	X


# TAHOE INTRODUCTION

## TAHOE

The 1999 Tahoe is available in three trim levels: "Standard" and a choice of two uplevel trims, "LS" and "LT".

Changes on the Tahoe for 1999 include:

- New Tahoe Z71 on K10706 Models (interim availability)  
Required Content: 1SC (LT), Bucket Seats (A95) and Autotrac<sup>®</sup> (NP8)  
Z71 Features include:
  - Skid Plates
  - Locking Differential
  - Color-keyed Bumpers, Grille and Wheel Flares.
  - Black Front Brush Guard
  - Black Tubular Assist Step
  - Fog Lamps Integrated into Front Bumpers
  - Black Tailamp Protectors
  - Unique 16 inch Aluminum Wheels w/LT265 Tires
  - Two Tone Leather Seats
  - Z71 Decals
  - Bilstein Shocks
  - Carpeted Floor Mats
  - ISRV Mirror w/Compass/Temp
  - Available in 4 Exterior Colors and 2 Interior Colors
  - Available w/ZM9 Comfort and Security Package
- 4L60-E Automatic Transmission Enhancements (M30)
- New Tahoe Limited on C10706 Models (interim availability)  
Required Content: 1SC (LT), Bucket Seats (A95), Bilstein Shocks and Locking Differential (G80)  
Limited Features include:
  - Deletion of Roof Rack, Wheel Opening Moldings, Bumper Rub Strips and Bodyside Moldings for Unique Appearance
  - Onyx Black Exterior w/Gray Interior
  - Carpeted Floor Mats
  - ISRV Mirror w/Compass/Temp
  - Pin Stripe
  - Black Painted Bumpers and Grille
  - "Limited" Decal on Front Door
  - Unique 16 inch Aluminum Wheels w/P255 Tires
  - Engine and Transmission Coolers
  - Available w/ZM9 Comfort and Security Package
- New Radiator Enhancements for Longer Life
- Three New Exterior Colors





Vertical text on the right side of the page, possibly a page number or a reference code, appearing as a series of small, spaced-out characters.



# TAHOE

## MODEL SELECTION SUMMARY

Use the chart below to choose the model that fits your customer's needs. Please note that the Base Payloads shown reflect the maximum allowable weight of cargo that can be carried in a standard model, including occupants. (They are calculated by subtracting curb weight from GVWR.) To calculate payloads for models with optional equipment, please refer to the WEIGHTS section in the back of this book or consult your 1999 GM PROSPEC. Also, the Maximum Trailer Weights shown on the last page of this section are based on vehicles that are properly equipped. See your Chevrolet Truck Order Guide for specific details.

SERIES	MODEL NUMBER/ BODY CODE/ OPTION CODE	PASSENGER CAPACITY (STD./OPT.)	STANDARD ENGINE/ TRANS.	OPTIONAL ENGINE/ TRANS.	GVWR (LB)	GAWR (LB) FRONT/ REAR	BASE PAYLOAD (LB)
<b>TWO-WHEEL-DRIVE MODELS</b>							
2-DOOR TAHOE	CC10516/ZW9/E55	5/6	5700 V8/A4	—	6100	3200/3686	1575
4-DOOR TAHOE	CC10706/ZW9/E55	6/5	5700 V8/A4	—	6300	3200/3686	1494
<b>FOUR-WHEEL-DRIVE MODELS</b>							
2-DOOR TAHOE	CK10516/ZW9/E55	5/6	5700 V8/A4	—	6250	3925/3750	1374
4-DOOR TAHOE	CK10706/ZW9/E55	6/5	5700 V8/A4	—	6800	3600/3750	1549

\* Please refer to the Weights section at the back of the Tech Guide to determine optional payloads.

## POWERTRAINS

Chevrolet offers a variety of engines, transmissions and axle ratios for the Tahoe. The following charts detail basic engine, transmission and axle specifications. See your 1999 Chevrolet Truck Order Guide for specific details.

<b>ENGINES</b>	
	<b>VORTEC 5700 V8</b>
Engine Order Code	L31
SAE Net Horsepower @ rpm	255 @ 4600
SAE Net Torque lb-ft @ rpm	330 @ 2800
Fuel System	SFI
Standard Battery Cold Cranking Amps @ 0° F	600
Standard Alternator Max. Cap. (Amps)	100

<b>TRANSMISSIONS</b>	
	<b>ELECTRONIC AUTOMATIC 4-SPEED WITH OVERDRIVE AND TORQUE CONVERTER CLUTCH (4L60-E)</b>
Transmission Order Code	M30
Engine Application (Order Code)	VORTEC 5700 V8 (L31)
Gear Ratios	
First	3.06
Second	1.63
Third	1.00
Fourth	0.70
Fifth	—
Reverse	2.29



1  
2

3  
4

5

6  
7

8

9  
10

11

12



AXLES						
	REAR AXLE			FRONT AXLE (4X4 ONLY)		
Make	American Axle					
Capacity (lb)	3750			3925		
Pinion and Ring Gear Type	Hypoid			Hypoid		
Axle Ratio Code	GU4	GU6	GT4 <sup>1</sup>	GU6	GT4	
Ratio	3.08	3.42	3.73	3.42	3.73	
Pinion Teeth	13	12	11	12	11	
Ring Gear Teeth	40	41	41	41	41	
Ring Gear Diameter (in.)	8.6	8.6	8.6	8.25	8.25	

<sup>1</sup>GT4 N/A with CC10516.

Note: Axle ratio availability depends on model, powertrain and emissions selected.

## TRIM LEVELS

Chevrolet offers the 2-door Tahoe in three trim levels: "Standard" and a choice of two uplevel trims, "LS" and "LT". The 4-door Tahoe models are available in LS/LT only. The following chart details major standard features. See your 1999 Chevrolet Truck Order Guide for details.

CHASSIS EQUIPMENT			
KEY: ■ = STANDARD, — = NOT INCLUDED		STANDARD	LS/LT (YE9)
<b>BRAKES</b>	Power-assisted front disc, rear drum.	■	■
<b>EXHAUST</b>	Single (aluminized stainless steel).	■	■
<b>FRAME</b>	All-welded ladder type, channel design and boxed front-end section. Section modulus: 4.29 cu in.	■	■
<b>FUEL TANK</b>	30.0-gallon (approx.) capacity.	■	■
<b>REAR AXLE</b>	Hypoid semi-floating.	■	■
<b>SHOCK ABSORBERS</b>	32mm - 2-door models, front and rear; 36mm - 4-door models front and rear.	■	■
<b>STABILIZER BAR, FRONT</b>	1.18 inches on K10516 and K10706; 1.25 inches on C10706 and C10516.	■	■
<b>STABILIZER BAR, REAR</b>	.87 inch (K10706 only).	—	■
<b>STEERING</b>	Integral power, speed-sensitive (EVO).	■	■
<b>SUSPENSION, FRONT</b>	2WD: Independent with coil springs; 4WD: Independent with torsion bars.	■	■
<b>SUSPENSION, REAR</b>	Semi-elliptic two-stage multileaf springs.	■	■
<b>RECOVERY HOOKS</b>	Two front-mounted on 4x4 only.	■	■

EXTERIOR EQUIPMENT			
<b>AIR DAM</b>	Dark argent.	■	■
<b>BUMPER, FRONT</b>	Bright appearance with black rub strip and bright trim.	■	■
<b>BUMPER, REAR</b>	Bright appearance with black rub strip and step pad.	■	■
<b>DOORS, REAR</b>	Panel type.	■	■
<b>GLASS</b>	Tinted Solar-Ray®. Deep-tint glass included.	■	■
<b>GRILLE</b>	Molded plastic painted argent with argent air-intake areas. Deluxe front appearance package with bright grille and trim and bright air-intake areas.	—	—
<b>HEADLAMPS</b>	Single rectangular halogen. Composite halogen.	■	—
<b>HORN</b>	Single electric-note. Dual low- and high-electric note.	■	—
<b>INSULATION</b>	Hood and cab-to-fender.	—	■
<b>LAMPS</b>	Center high-mounted stoplamp. Underhood (fixed).	■	■
<b>LUGGAGE CARRIER</b>	Black, roof-mounted.	—	■
<b>MIRRORS</b>	RH and LH below-eyeline type, painted black with adjustable heads. Head size 8.5" x 5.0". RH and LH electric below-eyeline, outside rearview, black. Headsize 8.5" x 5.0".	■	—
<b>MOLDINGS</b>	Black bodyside with bright trim and bright wheel opening.	■	■
<b>TIRES</b>	Five steel-belted radial blackwall. Size and type vary by model. C10516: P235/75R15 K10516: P245/75R16 C10706: P235/75R15 K10706: P245/75R16	■	■
<b>WHEELS</b>	C10516: Five silver-painted 15.0" x 7.0" steel wheels with black hub ornament. C10516: Four cast-aluminum 15.0" x 7.0" wheels with steel spare wheel. K10516: Five silver-painted 16.0" x 6.5" steel wheels with black hub ornament. K10516: Four cast-aluminum 16.0" x 7.0" wheels with steel spare wheel. C10706: Four 15.0" x 7.0" cast aluminum with steel spare wheel. K10706: Four 16.0" x 7.0" cast aluminum with steel spare wheel.	■	■
<b>WIRING</b>	Eight-wire harness for trailering purposes (includes CHMSL).	■	■





1  
2

3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100

101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200



# TAHOE

## INTERIOR EQUIPMENT

KEY: ■ = STANDARD, — = NOT INCLUDED		STANDARD	LS/LT (YES)
<b>AIR CONDITIONING</b>	Front.	—	■
<b>ARMRESTS</b>	RH and LH padded; integral with door panels.	■	■
<b>ASSIST HANDLES</b>	2-door model: RH front, one "A" pillar-mounted, one roof-mounted; two in second seat area. LH/RH roof mounted. 4-door model: RH front seat — one roof-mounted, one "A" pillar-mounted; RH/LH rear seats — two roof mounted, two "B" pillar-mounted.	■	■
<b>CARGO SECURITY SHADE</b>	Color-keyed, removable security shade on 4-door models. Extends from rear seat to endgate.	—	■
<b>CIGARETTE LIGHTER</b>	Located on instrument panel (includes ashtray light and two covered auxiliary power outlets).	■	■
<b>CUPHOLDERS</b>	Two located in the dash and two located in tray on top of dash. Two located in the rear-seat center armrest (4-door models only).	■	■
<b>DOOR PANELS</b>	Color-keyed molded plastic. Soft vinyl color-keyed door panel with cloth inserts, armrests and map pockets with carpet trim. Also includes door reflectors with lights. NOTE: Scotchgard™ Fabric Protector on all cloth seats and door trim panels.	■	—
<b>DOOR LOCKS</b>	Power; includes rear door lock switch. (LT includes remote keyless entry.)	■	■
<b>DRIVER'S CONVENIENCE GROUP</b>	Electronic speed control. Tilt-Wheel™.	—	■
<b>FLOOR COVERING</b>	Black embossed vinyl mat (2-door models only). Color-keyed carpet with Scotchgard™ Fabric Protector and removable color-keyed floor mats.	■	—
<b>GAUGES</b>	Include speedometer, odometer, trip odometer, fuel level, voltmeter, engine temperature, oil pressure, additional telltale lights and tachometer.	■	■
<b>GLOVE BOX</b>	Latched door with light.	■	■
<b>HEADLINER</b>	Color-keyed cloth with matching retainer moldings.	■	■
<b>HEADLAMP WARNING TONE</b>	Headlamps on.	■	■
<b>HEATER</b>	Front heater with windshield and front side defoggers. Rear defogger.	■	■
<b>HEATER DUCT</b>	Rear seat area. Located on floor under front seats.	■	■
<b>INSULATION</b>	Provided on dash panel, cowl top and sides, headliner and doors. Additional insulation on headliner and side panels.	■	■
<b>LIGHTING</b>	Includes dome, reading, ashtray, glove box and cargo lamps. Front and rear dome lamps with switches in RH and LH door jambs and front and rear map lamps. Dome lamp includes delayed illuminated entry feature. All door-activated dome lamps (including rear lift-glass or panel door jamb switch) and front and rear reading lamps on 4-door models.	■	■
<b>MIRRORS</b>	10-inch rearview. 10-inch electrochromic rearview with 8-point compass temperature sensor.	■	—
<b>SECURITY</b>	PassLock™ theft deterrent system.	■	■
<b>RADIOS</b>	ETR AM/FM stereo radio with seek-scan and digital clock. Includes two 6" diameter front door speakers and two 4" x 10" rear speakers mounted in the rear headliner (4 speakers in all). ETR AM/FM stereo radio with seek-scan and automatic tone control, digital clock, cassette deck, TheftLock™ and speed-compensated volume. Includes two front 6" diam. door speakers, two 6" tweeters located in power switch pad forward of armrest, and two rear 4" x 10" speakers mounted in the rear headliner (6 speakers in all on C/K10516). Includes two additional speakers in rear side doors on C/K10706 (8 speakers in all).	■	—
<b>REAR QUARTER TRIM PANELS</b>	Black fabric. Color-keyed, carpeted, with cupholder, storage space and ashtrays on 2-door models. 4-door models include storage bin located at left rear quarter panel. NOTE: Scotchgard™ Fabric Protector on all cloth seats and trim panels.	■	—
<b>RELEASE, ELECTRIC LIFTGLASS</b>	Located on instrument panel (w/E55 body).	■	■
<b>SEATS<sup>1</sup></b>	2-Door: Two vinyl reclining buckets with head restraints and easy-entry feature with memory and 3-passenger folding rear bench seat. 3-passenger custom cloth 60/40 reclining front split bench seat with center armrest, adjustable outboard headrests, power lumbar support, seatback storage nets and easy-entry feature with memory. Front center armrest provides lift-up storage space that features a coin holder, a map strap on the inside lid and a writing board. 3-passenger folding rear bench with head restraints and child comfort guides. LT trim features power driver's seat and leather seating surfaces.	■	—
<b>SEATS</b>	4-Door: 3-passenger custom cloth 60/40 reclining split bench front seat with center armrest, adjustable outboard headrests, power lumbar support and seatback storage nets. Front center armrest provides lift-up storage space that features a coinholder, a map strap on the inside lid and a writing board. Matching 3-passenger split bench rear seat with center armrest with two cupholders and tissue box holder. Seatbacks have flipper panels. Seats on 4-door models also include height adjustable shoulder belts with child comfort guides. LT trim features leather seating surfaces. NOTE: Scotchgard™ Fabric Protector on all cloth seats and trim panels.	—	■
<b>SPARE TIRE CARRIER</b>	Located on inside LH rear panel on 2-door models only. Includes color-keyed cloth wheel cover on 2-door models only.	■	■

<sup>1</sup>Seat belts are height adjustable on front seats only on 2-door models.



1  
2

3

4

5

6

7

8

9

10

11

12

13

14

15



INTERIOR EQUIPMENT (CONT.)			
KEY: ■ = STANDARD, — = NOT INCLUDED		STANDARD	LS/LT (YE9)
<b>SPARE TIRE/WHEEL</b>	Full size, mounted inside on 2-door model and under body at rear on 4-door models. (YE9 includes steel spare.)	■	■
<b>STEERING WHEEL</b>	Simulated leather. Leather.	■ —	■ —
<b>SUNSHADES</b>	Color-keyed cloth RH and LH, padded with storage strap on LH unit and visor mirror on RH unit. Color-keyed RH and LH padded with cloth covering, extenders, and illuminated visor mirrors. Storage strap on LH unit.	■ —	— ■
<b>TOOLS</b>	Mechanical jack and wheel wrench (gloves included with YE9).	■	■
<b>WINDOWS</b>	Power. Driver has express-down feature.	■	■
<b>WINDSHIELD WIPERS</b>	Intermittent. Rear wiper/washer (with YE9 and E55).	■ —	■ ■

SAFETY EQUIPMENT			
<b>AIR BAGS (SRS)<sup>1</sup></b>	Driver and passenger (Next Generation).	■	■
<b>BRAKES</b>	4-wheel anti-lock brakes (includes brake/transmission shift interlock).	■	■
<b>DOOR BEAMS</b>	Guard beams in side doors.	■	■
<b>LAMPS</b>	Daytime running lamps.	■	■
<b>SEAT BELTS<sup>2</sup></b>	Adjustable height for front and second outboard seats with second row child comfort guides.	■	■
<b>STEERING COLUMN</b>	Energy-absorbing steering column.	■	■
<b>STOPLAMP</b>	Center high-mounted stoplamp (CHMSL).	■	■

<sup>1</sup> Always wear your safety belts. <sup>2</sup> Seat belts on 2-door models are height adjustable front seats only.

## PREFERRED EQUIPMENT GROUPS

Preferred Equipment Groups (PEGs) are convenient option packages that can save your customers money. They would pay appreciably more by buying all the options in a Preferred Equipment Group as individual options. (Savings based on a comparison of Manufacturer's Suggested Retail Price of option packages vs. MSRP of individual options purchased separately.) See your 1999 Chevrolet Truck Order Guide and Vehicle Price Schedule for specific information and prices.

## OPTIONS

These options can be ordered individually in addition to the Preferred Equipment Groups if not already included. See your 1999 Chevrolet Truck Order Guide for specific availability and restrictions. The Option Code is listed in **bold type**.

Air Cleaner, High-Capacity ..... <b>K47</b>	Cooling: Heavy-Duty Transmission (included w/MT1) ..... <b>KNP</b>	ETR AM/FM Stereo Radio w/Seek-Scan, Stereo Cassette, Digital Clock ..... <b>UM6</b>
Air Conditioning ..... <b>C60</b>	Defogger, Rear Window (reqs. ZW9 and C60 A/C) ..... <b>C49</b>	ETR AM/FM Stereo Radio with Seek-Scan, Automatic Tone Control, Compact Disc Player, Digital Clock, TheftLock™ and Speed-Compensated Volume (includes an enhanced performance speaker system) (reqs. YE9) ..... <b>UN0</b>
Air Conditioning, Front and Rear (4-door only) ..... <b>C69</b>	Emissions	ETR AM/FM Stereo Radio with Seek-Scan and Automatic Tone Control, Compact Disc Player, Cassette Deck, Digital Clock, TheftLock™ and Speed-Compensated Volume (includes an enhanced performance speaker system) (reqs. YE9) ..... <b>UP0</b>
Axes, Rear	Federal ..... <b>FE9</b>	Rear Window Equipment
3.08 ..... <b>GU4</b>	California ..... <b>YF5</b>	Wiper/Washer System with Defogger (requires E55 body) ..... <b>ZP6</b>
3.42 ..... <b>GU6</b>	CT, DC, DE, MA, MD, NH, NY, PA, RI, and VA ..... <b>NG1</b>	Recovery Hooks (2WD models only) ..... <b>V76</b>
3.73 ..... <b>GT4</b>	Federal Emissions Override ..... <b>NC7</b>	Seats
Rear Locking Differential ..... <b>G80</b>	CA, CT, DC, DE, MA, MD, NH, NY, PA, RI, and VA Emissions Override ..... <b>NB8</b>	Seat Adjuster, Power (driver's side only) .. <b>AG9</b>
Body, Tailgate	Engine	60/40 Reclining Split Bench Seat ..... <b>AE7</b>
(drop-gate tailgate with liftglass and electric tailgate release) ..... <b>E55</b>	VORTEC 5700 SFI V8 ..... <b>L31</b>	Reclining High-Back Bucket Seats (includes center and roof console) ..... <b>A85</b>
Chassis Off-Road Equipment Package, (includes front and rear 46mm high-pressure gas shocks and NZZ shield package) (reqs. YE9) ..... <b>Z71</b>	Glass, Solar-Ray® Deep-Tinted ..... <b>AJ1</b>	Skid Plate Package (includes shield plates for front differential, transfer case; A fuel tank skid plate is included on K10516 only) ..... <b>NZZ</b>
Cold Climate Package (includes engine block heater) ..... <b>V10</b>	GVWR Ratings	Sport Appearance Package (includes conventional two-tone paint and wheel flare moldings; N/A on 4-door models or C10516) ..... <b>BYP</b>
Comfort and Security Package, (includes: Driver (and passenger w/4-door models) power 6-way seat, keyless entry, carpeted floor mats for all seating positions and cargo area, rear air conditioning w/4-door models, inside electrochromic rearview mirror, LH and RH outside heated mirrors, Bilstein shock absorbers 46mm, front seat heaters, Autotrac™ active transfer case (4WD only), skid plates (4WD only), and HomeLink® 3-channel transmitter (see your 1998 Chevrolet Truck Order Guide for specific availability and restrictions) ..... <b>ZM9</b>	6100-lb ..... <b>C5M</b>	
Convenience Package, Driver's (includes Tilt-Wheel™ and electronic speed control) ..... <b>ZQ3</b>	6250-lb ..... <b>C5P</b>	
Cooling: Engine Oil ..... <b>KC4</b>	6300-lb ..... <b>C5Q</b>	
	6450-lb ..... <b>C71</b>	
	6800-lb ..... <b>CSU</b>	
	Keyless Entry, Remote (reqs. YE9) ..... <b>AU0</b>	
	License Plate Bracket	
	Front ..... <b>VK3</b>	
	Mirrors, Camper-Type (LH and RH stainless steel; N/A on 4-door models) ..... <b>DF2</b>	
	Moldings, Wheel Opening Flare (front and rear; N/A on 4-door models) ..... <b>B71</b>	
	Paint, Exterior	
	Solid ..... <b>ZY1</b>	
	Conventional Two-Tone (reqs. YE9) ..... <b>ZY2</b>	
	Radio Equipment	
	Radio Delete ..... <b>ULS</b>	



# TAHOE

## OPTIONS (CONT.)

Springs (torsion bars req. K10516),  
Front Heavy-Duty (N/A on 4-door  
models) ..... **F60**

Step Running Boards, Black, Side  
(dealer installed) ..... **BVE**

Trailer Package, Heavy-Duty  
(includes hitch platform) ..... **Z82**

Transfer Case  
Autotrac™ Active Transfer  
Case, Electronic Shift Control ..... **NP8**

Transmissions  
Electronically Controlled 4-speed Automatic  
w/Overdrive ..... **M30**

Wheels, Rally Trim ..... **P06**  
Wheels, Cast Aluminum (4WD) ..... **PF4**  
Wheels, Cast Aluminum (2WD) ..... **N90**

TIRES		
KEY: ALS = ALL-SEASON SBR = STEEL-BELTED RADIAL PLY BW = BLACKWALL WOL = WHITE OUTLINE LETTERED OOR = ON-OFF ROAD ALT = ALL TERRAIN		
TIRE DESCRIPTION		ORDER CODE
P235/75R15	ALS/SBR/WOL	QFN
P235/75R15	ALS/SBR/BW	QFL
LT245/75R16C	OOR/SBR/WOL	QBX
LT245/75R16C	OOR/SBR/BW	QBN
P245/75R16	ALT/SBR/BW	QGA
P245/75R16	ALT/SBR/WOL	QGB
P265/75R16	ALT/SBR/BW	QGC
P265/75R16	ALT/SBR/WOL	QGD

## DIMENSIONS

MODEL	TAHOE				
	MODEL NUMBER	CC10516	CC10706	CK10516	CK10706
<b>EXTERIOR DIMENSIONS</b>					
<b>BODY</b>					
Wheelbase (in.)	L101	111.5	117.5	111.5	117.5
Overall Length (in.)	L103	188.0	199.6	188.0	199.6
Overall Height (in.)	H431	70.8	70.3	72.5	72.4
Maximum Width (in.)	W103	77.1	76.8	77.1	76.8
Bumper to Axle (in.)					
Front	L104	35.4	35.8	35.4	35.8
Rear	L105	41.1	46.2	41.1	46.2
Ground to Top of Rear Load Floor (in.)	H502	28.8	28.0	30.2	29.8
Ground Clearance (in.)					
Front/Rear	H148/H153	9.2/7.2	10.5/7.2	9.9/8.0	9.6/8.6
Turning Diameter Curb-to-Curb (ft)		38.1	39.8	39.0	40.7
Track Width (in.)					
Front/Rear	W101/102	63.6/63.6	63.6/64.6	64.1/63.5	62.6/63.6
<b>SIGN PANEL AREA (in.)</b>		17 x 48.75	17 x 76.50	17 x 48.75	17 x 76.50

<b>INTERIOR DIMENSIONS</b>					
Headroom (in.)					
Front/Rear	H61/H63	39.9/37.8	39.9/38.9	39.9/37.8	39.9/38.9
Legroom (in.)					
Front/Rear	L34/L51	41.9/36.4	41.7/36.4	41.9/36.4	41.7/36.4
Shoulder Room (in.)					
Front/Rear	W3/W4	65.4/66.0	64.7/64.8	65.4/66.0	64.7/64.8
Hip Room (in.)					
Front/Rear	W5/W6	60.0/60.7	59.9/59.7	60.0/60.7	59.9/59.7
Cargo Volume (cu ft)					
Behind Rear Seat <sup>1</sup>		51.6	66.9	51.6	66.9
Behind Front Seat		99.4	118.2	99.4	118.2
Load Floor Length (in.)					
Behind Rear Seat	L203	38.8	52.2	38.8	52.2
Behind Front Seat	L202	74.6	77.8	74.6	77.8
Interior Width Between Wheelhousings (in.)	W201	49.7	49.4	49.7	49.4
Cargo Area Width Front	W200	62.8	63.2	62.8	63.2
Cargo Area Height (in.)	H201	39.7	40.8	39.7	40.8

<sup>1</sup>Measured floor to roof.



Vertical text on the right side of the page, possibly a page number or a reference, appearing as a series of small, faint characters.



## TRAILERING

Weight-carrying hitch limit: 5000-lb trailers with 500-lb tongue weight. Weight-distributing hitch and sway control required over 5000-lb trailer weight.

ENGINE/ TRANSMISSION		VORTEC 5700 V8 (L31)/ 4-SPEED AUTOMATIC (M30)	
MAXIMUM TRAILERING			
MODEL	AXLE RATIO	MAX. TONGUE LOAD/ MAX. TRAILER WEIGHT (lbs)	
C10516 2-DOOR TAHOE	3.08	*/5000	
	3.42	*/6000	
C10706 4-DOOR TAHOE	3.42	*/6000	
	3.73	*/7000	
K10516 2-DOOR TAHOE	3.42	*/5500	
	3.73	*/6500	
K10706 4-DOOR TAHOE	3.42	*/5500	
	3.73	*/6500	

\*Trailer tongue weight should be 10 to 15% of total loaded trailer weight (up to 1000 lb).

**Note:**

Maximum trailer weight is calculated assuming the driver and one passenger are in the tow vehicle and it has all required trailering equipment.

The weight of additional optional equipment, passengers and cargo in the tow vehicle must be subtracted from the maximum trailer weight.

Transmission oil cooler is standard. Additional air-to-oil cooler (KNP) is available on all models.

Above 2000-lb trailer rating, engine oil cooler (KC4) is required on models with gas engine and 3.42 axle ratio. Engine oil cooler is standard on all other models.

6-wire trailer harness is standard on all models.

Z82 heavy-duty trailering equipment package includes weight-distributing hitch platform and engine oil cooler (where required).






Vertical line of text on the right side of the page.

Vertical line of text on the right side of the page.





1999 PRODUCT INFORMATION GUIDE



---

<b>NEW FOR 1999</b>	<b>1</b>
<b>TAHOE AND THE MARKETPLACE</b>	<b>1</b>
<b>AFFINITY RELATIONSHIPS</b>	<b>13</b>
<b>BRAKES</b>	<b>11</b>
<b>CHEVROLET INTERNATIONAL</b>	<b>12</b>
<b>CHEVROLET SPORT UTILITY FAMILY</b>	<b>3</b>
<b>DESIGN AND MANUFACTURING</b>	<b>8</b>
<b>ENGINES</b>	<b>8</b>
<b>EXTERIOR/STRUCTURAL FEATURES</b>	<b>7</b>
<b>FEATURE AVAILABILITY</b>	<b>15</b>
<b>FOUR WHEEL DRIVE SYSTEM</b>	<b>10</b>
<b>GENUINE CUSTOMER CARE</b>	<b>13</b>
<b>HISTORY</b>	<b>12</b>
<b>INTERIOR FEATURES</b>	<b>4</b>
<b>MODELS AND TRIM LEVELS</b>	<b>2</b>
<b>SAFETY AND SECURITY</b>	<b>3</b>
<b>SPECIFICATIONS</b>	<b>16</b>
<b>STEERING</b>	<b>11</b>
<b>SUSPENSION</b>	<b>10</b>
<b>TRANSMISSIONS</b>	<b>9</b>
<b>WHEELS AND TIRES</b>	<b>11</b>
<b>PHOTO ORDERING</b>	<b>22</b>

---

**1999 PRODUCT INFORMATION GUIDE**





For Release: August 1, 1998

## 1999 TAHOE APPEALS TO THE HEART OF THE SPORT UTILITY MARKET

**DETROIT** — At a time when even luxury car makers are getting into the sport utility market, the 1999 Tahoe stands out as a tried-and-true symbol of on- and off-road sport utility function and performance, with a ladder-type truck frame, a choice of four-wheel-drive systems and more standard engine power than any other SUV in its class. Adding to the appeal of this sport utility is the new-for-1999 Tahoe Z71.

"While some folks look at sport utilities as status symbols, we've found that Tahoe buyers are just a little different," said Steve Ramsey, Chevy Tahoe brand manager. "For them, their first Tahoe isn't as much a status symbol as it is a merit badge."

Part of the reason for Tahoe's strong reputation among sport utility buyers is the 255 horsepower Vortec 5700 V8 engine (standard on all Tahoes). Tahoe also features an electronically controlled four-speed automatic transmission, 4-wheel antilock brakes, a shift-on-the-fly four-wheel-drive system (4x4s) and front recovery hooks (4x4s).

Four-wheel-drive models feature the optional Autotrac system, which senses slippage at the rear wheels and automatically transfers power to the front axle.

In addition, Tahoe is one of the only full-size sport utilities to offer a Two-Door model (under 10,000 lbs. GVWR) — especially attractive to outdoor enthusiasts who need a rugged vehicle and tend to carry more cargo than passengers.

For 1999, Tahoe features minor engine and transmission changes designed to improve the truck's durability. But the big news should turn heads among the outdoors enthusiasts Tahoe is designed to attract — for 1999, Tahoe is available in a Z71 model designed specifically for off-road use.

- MORE -

## **NEW TAHOE Z71 MODEL**

Tahoe Z71 is a specially equipped version of the current Tahoe. It will be available for the '99 model year as a Four-Door, four-wheel-drive model.

"This bold new Z71 is a great example of chasing the customer, not the competition," added Ramsey. "It's an enhancement our buyers told us they were looking for in a Tahoe-size vehicle."

According to Ramsey, Tahoe Z71 has the rugged touches that full-size sport utility buyers are looking for, such as:

- Color-keyed grilles and bumpers that provide a distinctive look
- A graphite brush guard and front foglamps for harsh conditions
- Graphite assist bars that allow for easier step-in to the vehicle and add to the rugged appearance
- Unique 16-inch chrome wheels and color-keyed wheel flares
- Satin-finish black taillamp protectors
- The Z71 Off-Road Chassis Package, which includes 46mm Bilstein gas-charged shocks, skid plates, engine and transmission coolers, and large LT265/75R16 all-terrain tires
- Two-Tone leather bucket seats for durability and comfort
- New "Tahoe" carpeted floor mats
- Graphite leather door trim pad insert
- Embroidered Z71 head restraints
- Z71 badging.

In addition to offering specialty models like the Z71, Chevy is reaching out to Tahoe buyers through such affinity partners as Quail Unlimited and Ducks Unlimited.

"These groups are populated by men, women and children who love the outdoors, and who use sport utilities to carry themselves and their gear to outdoor activities," Ramsey noted.

Chevy is also involved in outdoor events, such as the Chevy Tahoe Wildlife Challenge Sporting Clays Tournament series, of which Chevy Tahoe is the official sponsor.

"Tahoe buyers are doers," said Ramsey. "They're outdoors people. And wherever families are gathered in outdoor recreation, we want to be there with the trucks they need."

## **HERITAGE PLAYS A KEY ROLE**



Chevrolet's research indicates that more than 40 percent of all Tahoe buyers replace their vehicles with another Tahoe.

According to Ramsey, Chevrolet's truck heritage is a major reason for Tahoe's popularity.


"Tahoe is an authentic SUV, with a history that goes back more than three decades," said Ramsey. "Full-size sport utility buyers tell us that if they are going to go off-road, they'd rather be driving a Tahoe more than anything else. Off-roaders and outdoor enthusiasts look to Chevy."

###

# 1999 CHEVROLET TAHOE



4-Door Tahoe LT 2WD



2-Door Tahoe 4x4 with Sport Package

## TAHOE AND THE SPORT UTILITY

Chevy Tahoe has benefited from explosive growth in the sport utility market. While almost all sport utilities have benefited, Tahoe is perfectly placed because of size. This authentic SUV answers customer demands for a big, powerful, roomy vehicle with impressive towing capability — but still able to fit the average garage. The prodigious towing capability of Tahoe is due, in part, to the fact that it's the most powerful SUV anywhere (based on standard horsepower; excluding other GM vehicles).

Tahoe is also available with a Police Package, equipped with locking differential, heavy-duty suspension and "V" speed-rated tires.

With more than 117,000 units sold in the 1997 model year, Tahoe captured five percent of the entire luxury sport utility segment's total sales.

## NEW FOR 1999

### EXTERIOR

- Three new exterior colors: Medium Charcoal Gray Metallic, Sunset Gold Metallic and Meadow Green Metallic (page 8).

### ENGINE

- Enhanced radiator material for longer life (page 8).
- New starter motor on Vortec 5700 V8 SFI engines (page 8).

### TRANSMISSION

- 4L60-E automatic transmission enhancements (page 9).

### COMPETITORS

Tahoe primary competitors are:


- Ford Expedition
- Ford Explorer Eddie Bauer
- Jeep Grand Cherokee Limited
- Toyota Land Cruiser.

### AWARDS

- *Consumers Digest* — "A Best Buy" Recommendation, Sport Utility Vehicles
- *Automobile Magazine* — Automobile Magazine's All Stars, Best Large Sport Utility Vehicle.

### DEMOGRAPHIC TARGETS

- Median Age: 45 years
- Income: \$80,000
- Married: 82%
- College Graduate: 46%
- Male Buyers: 74%



## MODELS AND TRIM LEVELS

### MODELS

- 2-wheel drive 2-Door
- 4-wheel drive 2-Door
- 2-wheel drive 4-Door
- 4-wheel drive 4-Door.

### TRIM LEVELS

2-Door models offer three trim levels:

- 2-Door base-level
- 2-Door LS
- 2-Door LT.

LTZ package is also available on the 2-Door 4-wheel-drive models with LS or LT trim. This package includes:

- Sport Two-Tone paint
- Dark argent-color front and rear bumpers, upper grille and wheel-opening flares
- Black front air dam and mirrors.

4-Door package is available on the 4-Door 2WD Tahoe. It includes:

- 3.08 axle ratio
- Locking differential
- Heavy-duty brakes
- Heavy-duty suspension
- "V" speed rated tires
- Full-size spare
- 15" x 7" black steel wheels
- Engine oil cooler
- Daytime Running Lamps off switch
- 140-amp alternator
- Auxiliary battery power terminal
- 770 CCA battery
- Air conditioning wide open throttle cut-off
- Air conditioning head pressure relief
- Certified 130-mph speedometer with gages
- Radio suppression ground straps
- Transmission oil cooler
- Power steering fluid cooler.

4-Door models offer two trim levels:

- 4-Door LS
- 4-Door LT.

2-Door Tahoe base-level includes the following:\*

- Next Generation driver and right front-passenger air bags†
- ETR (Electronically Tuned Receiver) AM/FM stereo with digital clock
- Intermittent variable windshield wipers
- Power door locks
- Passlock® vehicle theft-deterrent system
- Illuminated entry system
- Oil pressure/voltmeter/tachometer gauges
- Vinyl, reclining low-back front bucket seats
- 3-passenger folding rear bench seat
- Full black rubber floor covering
- Full cloth headliner
- Lights for cargo compartment, engine compartment, glove box and map reading
- Dual black foldaway mirrors
- Rear panel doors
- Body-side moldings
- 30-gallon (approximately) fuel tank
- Chrome front and rear bumpers
- Front tow hooks (4x4)
- Vortec 5700 V8 SFI engine
- 4-speed automatic transmission
- 4-wheel antilock brakes
- Rear stabilizer bar
- Painted silver wheels with black center cap.

2- and 4-Door Tahoe LS trim level adds the following, in addition to or replacing base-level Tahoe features:\*

- Air conditioning
- ETR AM/FM stereo with cassette player
- Solar-Ray deep-tinted glass
- Custom Cloth 60/40 split-bench front seat
- Power lumbar seat-adjusters
- Full-width 3-passenger folding rear 60/40 split-bench seat (4-Door)
- Tilt-Wheel™ steering column and electronic speed control
- Leather-wrapped steering wheel
- Color-keyed carpeting with rubber floor mats

# 1999 CHEVROLET TAHOE




- Power windows with driver's Express-Down
- Power outside mirrors
- Rear-window defogger (included with standard rear panel doors)
- Rear-window defogger with wiper/washer (included with optional liftglass/dropgate)
- Cast-aluminum wheels
- 6-way power driver seat
- Remote Keyless Entry.

... adds the following, in addition to or replacing LS features:<sup>\*</sup>

- Custom Leather seating surfaces
- ETR AM/FM stereo with CD and cassette players.

<sup>\*</sup>Some features may differ according to model.

<sup>†</sup>Always use safety belts and proper child restraints, even with Next Generation air bags. See the owner's manual for more safety information.



Chevrolet approaches the sport utility market the way a customer would. Instead of viewing the vehicles by their traditional EPA classifications, there's a "family strategy" that segments the full lineup by individual customer needs. And, Chevrolet offers the widest sport utility lineup in the industry. Here is how the Chevrolet sport utility family aligns with this strategy:

**TRAILER 2-DOOR** — An entry-level sport utility with the rugged go-anywhere ability of more expensive vehicles — appeals to adventurous "pioneers."

**TRUCKER 4-DOOR** — An entry-level sport utility for buyers who need additional cargo space — appeals to buyers who need the practicality of a sport utility, at an affordable price.

**WATER 2-DOOR** — A roomy vehicle that offers a sporty styling flair that appeals to younger buyers.

**BLAZER 4-DOOR** — A roomy, five- or six-passenger vehicle with responsive Vortec V6 power for buyers who want the convenience and added utility of four doors.

— One of the few full-size 2-Door sport utilities available.

— A full-size sport utility which does not sacrifice garageability for huge cargo capacity.

— The largest vehicle in the Chevrolet Sport Utility family has available room for up to nine passengers and heavy-duty towing capacity.

## SAFETY AND SECURITY

With a long history of setting automotive safety milestones, GM is a world leader in safety research, development and testing. 1999 Monte Carlo exemplifies that dedication, with a comprehensive system emphasizing crash avoidance and occupant protection features.


### CRASH AVOIDANCE FEATURES

- **DOWN-DRIVE HEADLAMPS (DRL)** turn on automatically when the ignition is on and the parking brake is disengaged, to help increase Tahoe's visibility to other drivers. The DRL system runs the headlamps at a reduced intensity compared to regular headlamp operation.
- **ANTI-LOCK BRAKING SYSTEM (ABS)** helps maintain steering control and reduces wheel lockup during hard braking on most slippery surfaces.
- **ABS** can be operated by pressing anywhere on the steering wheel hub pad covering the air bag.
- **PARK 3 TRANSMISSION SHIFTER INTERLOCK** prevents the vehicle from being shifted out of Park without depressing the brake pedal.

### STANDARD OCCUPANT-PROTECTION FEATURES

- **NEXT GENERATION DRIVER AND RIGHT FRONT-PASSENGER AIR BAGS**, inflate with reduced speed and deployment force, helping to reduce the risk of deployment injury. However, even with Next Generation air bags, never place a rear-facing infant restraint in the front seat of any vehicle with an active air bag.





- **MANUAL LAP SHOULDER SAFETY BELTS** include height-adjusters at outboard positions, which allow the safety belt to be positioned correctly for occupants of different sizes. Height-adjusters also encourage safety belt use by making them more comfortable to wear (rear-seat height-adjuster available only on 4-Door model).
- **SAFETY BELT WARNING LAMP** remains activated for 75 seconds, or until the driver safety belt is fastened, to encourage safety belt use. Unfastening the safety belt with the ignition on reactivates the warning system.
- **REINFORCED SAFETY CAGE** is designed to help protect the passenger compartment.
- **SIDE DOOR BEAMS** are designed to help protect passengers in shallow-angle side impacts.
- **CRUSH ZONES**, designed into the front and rear of the vehicle's structure, help absorb energy by deforming in a controlled manner during a crash.
- **ENERGY-ABSORBING STEERING COLUMN** is designed to help reduce the risk of injuries to the driver.
- **OUTBOARD HEAD RESTRAINTS** on all outboard seating positions are designed to help reduce the risk of head and neck injuries in the event of a collision.
- **CHILD SECURITY REAR-DOOR LOCKS** (4-Door models) help prevent rear doors from inadvertently being opened from the inside. It's activated by pressing a button near the rear door latch.

## SECURITY FEATURES

- **PASSLOCK VEHICLE THEFT-DETERRENT SYSTEM** is standard on all Tahoe models for extra protection. Passlock® will not allow the vehicle to run unless the proper key is used. If an improper key is used, the vehicle will not start for up to 10 minutes, even if the proper key is subsequently inserted.
- **REMOTE KEYLESS ENTRY** uses a key fob to activate locking features and to illuminate entry for quick access into a locked vehicle (standard on LS and LT).

## INTERIOR FEATURES

Used by some owners as a work vehicle, the Tahoe 2-Door, with standard trim, includes features such as rubber floor covering and vinyl front bucket seats that clean up easily. Tahoe 4-Door, with standard uplevel LS trim and available LT trim, offers luxury features such as a leather-wrapped steering wheel and a 60/40 rear split-bench seat with center armrest, dual cup holders and tissue holder.


### Door Features:

- **ONSTAR ADVANCED COMMUNICATIONS SYSTEM** is available on Tahoe LT models through the optional Comfort and Security Package (all Tahoe models are pre-wired for OnStar at the factory and the system can be added as a dealer-installed option without purchasing the full package). OnStar integrates on-board advanced vehicle electronics with Global Positioning System (GPS) satellite technology and a cellular phone to link the driver and the vehicle to the OnStar Center. This allows the driver to access a variety of services, such as travel directions, roadside assistance and emergency services. Because the system incorporates GPS technology, the driver does not need to know the vehicle's location for the services to reach him or her. The system also increases vehicle and occupant security by alerting the OnStar Center to air bag deployment by tracking a stolen vehicle and by allowing remote door unlocking via satellite.
- **REAR-SEAT HEAT DUCTS** for rear-passenger comfort.
- **ILLUMINATED ENTRY FEATURE**, standard on all models, keeps the dome light on for 20 seconds after doors are closed (40 seconds for vehicles equipped with optional Remote Keyless Entry system). The delay is canceled when the ignition switch is turned to the "on" position.

# 1999 CHEVROLET TAHOE



- **POWER PORTS**, adjacent to the ashtray, provide convenient power for cellular phones and other electronic accessories. The power ports are covered by spring-loaded doors. The assembly also includes a cigarette lighter, which may be used as a third power source.
- **REARVIEW MIRROR** (standard on LS and LT models), reduces nighttime glare while maintaining maximum rearward vision by dimming when headlamps from behind shine on it. This mirror also includes an 8-point electronic compass and an outside temperature display.
- **INSTRUMENT CLUSTER** features easy-to-operate controls, backlit switches and a family of advanced audio systems. The standard instrument cluster gauge package includes:
  - Coolant temperature
  - Fuel level
  - Oil pressure
  - Voltmeter
  - Tachometer
  - Speedometer
  - Odometer
  - Trip odometer
  - Telltale lights (warning and informational lights).
- **CUP HOLDERS** has two standard slide-out cup holders.
- **HEATER/VENTILATION/AC CONTROLS** for the heater/ventilation/AC system are easy to operate.
- **TRANSMISSION RANGE INDICATOR (PRNDL)** displays transmission gear selected, and is standard on all models.
- **WHEELS** (included with optional high-back bucket seats) has a pivoting writing surface on top of the lid, plus a map pocket, removable coin holder, single front cup holders, two cup holders for rear-seat passengers and rear storage drawer.
- **REMOTE KEYLESS ENTRY**, inside the overhead console, is capable of controlling up to three remote control devices such as garage door openers, estate gates and security lighting. HomeLink is only included in the Comfort and Security Package that is optional on LT models.
- **POWER DOOR LOCKS** make entry and exit easy.
- **IGNITION** operates ignition and doors.
- **DOOR GRIPS** are easily grasped, even while wearing gloves.
- **MAP POCKETS AND SPEAKERS**, convenient map pockets and speakers are contained within the door trim panels (standard on all models).
- **STAIN RESISTANT TREATMENT** is applied to all cloth seats, door panels and carpeting to resist stains and make cleanups quick and easy.
- **REFRIGERANT** uses CFC-free refrigerant (standard on LS/LT models, optional on base-level Tahoe).
- **REAR SEAT COOLING** provides rear-seat passengers with added comfort during hot weather (optional on 4-Door models with LS or LT trim only).
- **WIPER SPEED ADJUSTMENT** (standard on all models) allow the driver to match wiper speed to weather conditions.
- **SEAT POSITION** adjusts to a comfortable position for a wide range of drivers (standard on LS, LT models, optional on base-level).
- **KEY FOB**, included on Tahoe models with LS and LT trim, uses a key fob to activate locking features and illuminated entry.
- **REAR SEAT HEADRESTS** (includes a pair of gloves standard on LS/LT models).
- **DOOR AND REAR WINDOW LATCHES** help hold packages securely.
- **CARGO AREA SECURITY SHADE** keeps your valuables safe and out of sight.




**SOUND SYSTEMS**

- ELECTRONICALLY TUNED RECEIVER (ETR) AM FM STEREO with digital clock and preset-scan — standard on 2-Door models with base-level trim.
- ETR AM FM STEREO WITH AUTO-REVERSE CASSETTE PLAYER, optional on base-level models, features digital clock and preset-scan.
- ETR AM FM STEREO WITH AUTO-REVERSE CASSETTE PLAYER — standard with LS trim, features an automatic tone control which sets equalizer levels with one touch for rock, country, pop, jazz, classical and news programs. This system also includes an enhanced-performance speaker system and the anti-theft protection of TheftLock security features. With TheftLock, once the radio's code is set by the owner, the radio will not operate if it is removed from the vehicle.
- ETR AM FM STEREO WITH COMPACT DISC PLAYER — optional on Tahoe models with LS trim. This system features an enhanced-performance speaker system, TheftLock, automatic tone control, CD random select and speed-compensated volume, which automatically adjusts volume to compensate for road noise as the vehicle's speed increases.
- ETR AM FM STEREO WITH COMPACT DISC PLAYER. CASSETTE PLAYER — standard with LT trim and optional on LS models. This system also features an enhanced-performance speaker system, automatic tone control, speed-compensated volume, CD random select, TheftLock and bi-directional seek.

**SEATS**


Both 2-Door and 4-Door Tahoe body styles offer seating for five or six passengers.

- EASY-ENTRY SEAT-ADJUSTERS improve access to the rear seats on 2-Door models; the passenger-side seatback recliner on 2-Door models also has a "memory" feature to return the seat to its original position.



Vinyl standard Tahoe 2-door only



- Vinyl low-back front bucket seats provide an easy-entry feature to the rear compartment (2-Door models with base-level trim).



Cloth standard Tahoe LS and Leather standard Tahoe LT


- 60/40 split-bench front seat with power lumbar support. Included with LS trim (Custom Cloth) and with LT trim (with Custom Leather seating surfaces) for 2- and 4-Door models. Includes storage nets on the front seatbacks to hold magazines, maps and other small items.

# 1999 CHEVROLET TAHOE



## Optional Tahoe LS:

- Optional Custom Cloth reclining high-back bucket seats with power lumbar support, center console and roof console for 2- and 4-Door models. Includes storage nets on the front seatbacks to hold magazines, maps and other small items.



## Optional Tahoe LT:

- Optional reclining high-back bucket seats with Custom Leather seating surfaces, power lumbar support and 6-way power driver seat, center console and roof console for 2- and 4-Door models. Includes storage nets on the front seatbacks to hold magazines, maps and other small items. Heated driver and passenger front seats are included with the optional Comfort and Security Package. The package also includes a power passenger front seat on 4-Door models.

## Rear Seats (not shown):

- Standard 3-passenger folding rear seat (2-Door models only) increases cargo room.
- Standard 3-passenger 60/40 split-folding bench seat with center armrest, integral dual cup holders and tissue holder (4-Door models only). The split-folding seatback allows many cargo- and people-carrying combinations.

## Interior Colors:

- Neutral
- Gray
- Blue
- Red.

## EXTERIOR/ STRUCTURAL FEATURES

### EXTERIOR FEATURES

- **EXTENSIVE CORROSION PROTECTION** on Tahoe begins with the use of two-side galvanized steel for all exterior body panels (except the roof). The galvanized-zinc coating prevents surface rust due to minor chips and scratches and helps prevent holes which start from the inside. That's double protection. The frame receives added protection with a total submersion in wax. The inner and outer vehicle panels are coated by submersion in an electro-coat zinc primer before the application of primer surfacer and topcoat.
- **CHOICE OF REAR DOORS** — standard panel doors or no-cost option tailgate with liftglass for ease of cargo-loading.
- **SOLAR-RAY TINTED GLASS** reduces interior heat buildup and helps protect interior fabrics and materials from damaging UV rays.
- **FRONT AIR DAM** improves appearance and aids fuel economy through better aerodynamics.
- **8-LEAD TRAILER WIRING HARNESS** makes hookups easy.
- **UNDERBODY-MOUNTED SPARE TIRE** on Tahoe 4-Door is readily accessible, yet stows neatly out of the way without taking up any of the maximum 118.2 cu.-ft. of interior cargo space. The spare tire on Tahoe 2-Door is located in the cargo area, with a color-keyed cloth cover.



**STRUCTURAL FEATURES**

- **FRAME** of all Tahoe models has an all-welded, ladder-type, channel design with a boxed front-end section. The box-section design adds strength where it is needed most — to help support the engine, front suspension and transmission. The frame's deep C-channel rails are cross-braced for maximum strength and rigidity. After assembly, the entire frame is immersed in hot wax for corrosion protection.
- **TWO FRONT RECOVERY HOOKS** are standard on 4x4 Tahoe (available on 2WD models).

**EXTERIOR PAINT/COLORS**

- **BASECOAT CLEARCOAT PAINT** used on Tahoe models resists fading and provides a high-gloss shine for long-lasting exterior beauty. Clearcoat finish is used with all colors — solids and metallics.

**NEW** Paint Colors For '99:

- Medium Charcoal Gray Metallic
- Sunset Gold Metallic
- Meadow Green Metallic.

Other Colors:

- Onyx Black
- Summit White
- Victory Red
- Dark Carmine Red Metallic
- Indigo Blue Metallic
- Light Pewter Metallic
- Dark Copper Metallic
- Conventional Two-Tone (requires LS or LT trim).

**DESIGN AND MANUFACTURING**


Tahoe is manufactured at three General Motors assembly plants:

- Janesville, Wisconsin (4-Door)
- Silao, Mexico (2-Door)
- Arlington, Texas (4-Door).

**ENGINES**

**NEW** **COOLING SYSTEM IMPROVEMENTS** to all engines feature new materials used in the construction of the radiators and oil cooler lines for added corrosion resistance, resulting in longer component life. Specifically, the aluminum in the radiators is now treated with zinc and the oil coolers are now constructed of stainless steel.

**NEW** **STARTER MOTOR** is used for increased durability and electrical connections that are more corrosion resistant than the previous design.



**VORTEC 5700 V8 SFI ENGINE (L31)**

The Vortec 5700 V8 engine (L31), standard on all Tahoe models, provides impressive horsepower and torque, and requires minimal service.

Power ratings for the 5700 V8 SFI engine are:

- 255 HORSEPOWER at 4600 rpm
- 330 LB.-FT. OF TORQUE at 2800 rpm.

# 1999 CHEVROLET TAHOE




## NEW ENGINE TECHNICAL FEATURES

- **ENGINE COOLING FAN**, which was designed to reduce fan noise.
- **TWO-PIECE INTAKE MANIFOLD**, helps the Vortec 5700 V8 SFI engine breathe more easily by reducing restrictions to incoming air, contributing to the production of plenty of power. The distinctive black-and-silver manifold assembly consists of an aluminum lower half and a composite upper half. The composite upper manifold reduces mass, absorbs noise, acts as a thermal insulator and tunes the induction system for optimal airflow.
- **PLATINUM-TIP SPARK PLUGS** help Vortec engines travel up to 100,000 miles\* before their first scheduled tune-up.
- **EXTENDED-LIFE COOLANT** is good for as long as 5 years or 150,000 miles, whichever comes first.\*
- **SEQUENTIAL FUEL INJECTION (SFI)**, provides a high level of performance. This GM-patented system provides the benefits of precise fuel delivery to each cylinder. The centerpiece of the SFI system is a single-disk injector that is connected to eight individual valves with flexible lines. The central injector controls the flow of pressurized fuel to the valve nozzle in each intake runner. The SFI system delivers significant benefits to Tahoe customers:
  - Fuel delivery is precisely controlled for optimal cylinder-to-cylinder distribution, producing a smoother idle, lower emissions and increased horsepower and torque, compared to engines using a throttle-body system.
  - The reduced thermal mass of the valves (compared to conventional solenoid injectors) provides quick hot-starts.
  - The nozzle design and optimum location produce an effective spray pattern that contributes to smooth idle and outstanding fuel-efficiency.
  - The SFI's modular design simplifies service; its central injector can be replaced as a single unit.
  - A mass airflow meter continually measures the engine's air requirements under varying operating conditions, such as changes in load, altitude and temperature. By providing accurate air intake information to the Powertrain Control Module, the mass airflow meter contributes to the small-block's efficiency and performance.

\*Maintenance needs vary with different uses and driving conditions; see owner's manual for more information.

## TRANSMISSIONS



### 4L60-E ELECTRONICALLY CONTROLLED AUTOMATIC TRANSMISSION

The 4L60-E 4-speed automatic transmission with overdrive is standard on all models. The 4L60-E's "intelligent" electronic controls allow the transmission to match the engine's performance and help the powertrain deliver excellent fuel-efficiency. Other features of this transmission include:

- **NEW SEALS AND INTERNAL COMPONENTS** which are designed to reduce friction, aiding long-term durability.
- **TWO-PIECE CASE**, which adds increased powertrain stiffness, resulting in reduced vibration and noise.
- **DEEP TRANSMISSION OIL PAN**, which provides efficient cooling for longer transmission life.
- **WIDE RANGE OF GEAR RATIOS**, which enhances both performance and fuel economy. The 3.06:1 first-gear ratio provides high torque multiplication for initial acceleration. The overdrive 0.70:1 fourth gear reduces engine rpm at cruising speed, thereby increasing fuel economy and reducing wear.
- **PRECISE AND FLEXIBLE ELECTRONIC CONTROLS** — The Powertrain Control Module (PCM) measures key vehicle input, including throttle position, vehicle speed, gear range, temperature and engine load. Shift points and shift smoothness are controlled by four solenoids that are connected to the PCM.
- **ELECTRONICALLY CONTROLLED CONVERTER CLUTCH** that allows gradual engagement of the torque converter clutch for smooth driveability while aiding fuel economy.



- **ELECTRONIC LINE PRESSURE SCHEDULING (ELPS) FEATURE**, which adjusts pressure to the clutches based on the torque output of the engine for a smooth, consistent shift feel.
- **SECOND-GEAR START FEATURE**, which provides an extra measure of control in slippery driving conditions. By moving the gear selector to the Drive 2 position, the driver can reduce torque to the drive wheels, increasing control during initial acceleration on slippery surfaces.
- **LONG-LIFE AUTOMATIC TRANSMISSION FLUID** has a fluid change interval of 100,000 miles.\*
- **APAKE TRANSMISSION SHIFT INTERLOCK**, which is included with automatic transmissions. The interlock requires the driver to apply the brake pedal to shift out of Park.

\*Maintenance needs vary with different uses and driving conditions. See owner's manual for more information.

## FOUR-WHEEL DRIVE SYSTEM

### INSTA-TRAC 4-WHEEL DRIVE

The patented Insta-Trac system is standard on four-wheel-drive Tahoe models. The Insta-Trac system makes it easy to shift into and out of four-wheel drive without leaving the cab.

- **FRONT-TO-BACK SHIFTING FROM 2WD TO 4WD HIGH AND BACK** at any speed is possible with the Insta-Trac system. The system also includes a 4WD Low gear for more demanding 4WD maneuvers, such as climbing steep grades or driving through deep snow or mud. Switching into and out of four-wheel drive is accomplished by shifting the transfer case lever, located on the transmission tunnel (the vehicle can not be shifted directly into 4WD Low "on the fly").

### AUTOTRAC ACTIVE TRANSFER CASE

- **OPTIONAL AUTOTRAC SYSTEM**, by selecting the Auto 4WD button, is capable of engaging four-wheel drive for maximum traction. This system is not all-wheel drive, but more accurately termed a standby four-wheel-drive system. Autotrac provides 100 percent rear-wheel drive until road conditions warrant a change. When extra traction is needed, an *electronic control module activates an electronic motor to transfer the torque between the front and rear wheels* — all within a time frame that can be measured in fractions of a second. Once the speeds of the front and rear prop shafts are equalized (traction is regained), the transfer case returns to its standby mode until another speed differential occurs. If multiple, large slip events are detected for a sustained time, the system locks into the 4HI (four-wheel-drive high) mode to protect the system's electric actuator motor. After a time, the system returns to the automatic 4WD standby mode. Autotrac also features a transfer case neutral position for easy towing behind a recreational vehicle.

## SUSPENSION

### FRONT

- **INDEPENDENT SHORT-LONG ARM (SLA) SUSPENSION** is utilized on the front of every Tahoe. SLA suspension helps the front wheels step over bumps for a stable ride and enhanced control, as well as keeping the tires fully in contact with the road for minimal tire wear and good traction.
- **2-DOOR AND 4-DOOR 2WD MODELS HAVE COMPUTER-SELECTED COIL SPRINGS AND SHOCK ABSORBERS** to dampen bounce and rebound. The result: a more comfortable, uniform ride.
- **2-DOOR AND 4-DOOR 4x4 MODELS HAVE COMPUTER-SELECTED TORSION BARS** designed to optimize ride and handling.
- **4-DOOR 4x4 MODELS HAVE A TORSION BAR CROSS MEMBER** that is suspended on link bushings to help isolate front-end vibration and reduce impact harshness.

# 1999 CHEVROLET TAHOE



## REAR

- **REAR SUSPENSION** The longer set of leaves provides a smooth ride when the vehicle is unloaded. As additional passengers and cargo are loaded, the longer leaves flatten out and the shorter, stiffer leaves create additional support without sacrificing a comfortable ride. The shock absorbers and jounce bumpers are positioned to help isolate road bumps, contributing to a smooth, controlled ride. A rear stabilizer bar helps control body lean during cornering.


## STEERING

- **POWER STEERING** is standard on all Tahoe models, is an electronically controlled power steering system that improves steering ease at lower vehicle speeds (e.g., parking). At higher vehicle speeds, steering effort reverts to normal levels. This system is also designed to provide a lower power steering fluid operating temperature, which may help extend fluid life.


## WHEELS AND TIRES

- **ANTI-LOCK BRAKING SYSTEM (ABS)** is standard on all models. ABS helps maintain steering control and reduces wheel lockup during hard braking on most slippery surfaces.
- **VENTILATED FRONT BRAKE ROTORS** are standard on Tahoe. The large (11.5-inch diameter) ventilated front rotors improve brake cooling. Audible pad-wear sensors alert the driver when brake pad maintenance is needed.

## 2-DOOR TAHOE



- Standard 15" x 7" (2WD shown) and 16" x 6.5" (4x4) steel wheels, silver-colored with black hub ornaments.



- Optional rally wheel (4x4 shown).

## 2- AND 4-DOOR TAHOE LS AND LT




- 2WD 15" cast-aluminum wheel. Included on 2WD LS and LT trim levels (optional on Tahoe 2-Door 2WD).



- 4x4 16" cast-aluminum wheel. Included on 4x4 models with LS trim and LT trim (optional on Tahoe 2-Door 4x4).





# 1999 CHEVROLET TAHOE



## 2-WHEEL DRIVE

### Standard Equipment

- Standard P235/75R-15 all-season blackwall
- Optional P235/75R-16 all-season white-outline lettered.

## 4-WHEEL DRIVE

### Standard Equipment

- Standard P245/75R-16 all-terrain blackwall
- Optional P265/75R-16 all-terrain blackwall (also available with white-outline lettering)
- Optional LT245/75R-16C on-/off-road blackwall (also available with white-outline lettering).

### Optional Equipment

- Standard P245/75R-16 all-terrain blackwall (white-outline lettering optional).

- 1991 — 4L60-E electronic transmission introduced.
- 1994 — 6.5 liter Turbo-Diesel V8 engine optional in 2-Door models.
- 1995 — Introduction of Tahoe nameplate; new 4-Door model appears mid-year; standard driver air bag.
- 1996 — Introduction of improved Vortec 5700 V8 standard engine; Daytime Running Lamps; rear-seat heat ducts.
- 1997 — Right front-passenger air bag and speed-sensitive EVO steering added; heated seats and heated mirrors included in the Tahoe Comfort and Security Package.
- 1998 — Passlock® theft-deterrent system and Next Generation air bags added as standard, OnStar and Autotrac 4WD added as options and durability enhancements made to the 4L60-E and 4L80-E automatic transmissions.

## HISTORY

(BY MODEL YEAR)


The Tahoe predecessor, the full-size Chevy Blazer, was introduced in 1969.

- 1977 — Major body redesign, full-time 4x4 system and front disc brakes introduced.
- 1978 — New enclosed Blazer models introduced; optional removable hardtop discontinued.
- 1982 — New 6.2 liter diesel V8 engine introduced; 4-speed automatic transmission with overdrive available.
- 1990 — Rear-wheel ABS and additional use of two-side galvanized steel.
- 1992 — New-generation model adopts styling, chassis and powertrain of contemporary C/K Pickup; longer wheelbase, higher GVWR and greater towing capacity; 4-wheel ABS standard.

## CHEVROLET INTERNATIONAL

Tahoe is sold in other countries besides the U.S. In many cases, changes are made in the vehicle's specifications to meet the unique demands of those markets and/or comply with local regulations. Additionally, these products sometimes fill a very different role in non-U.S. markets. If you need to know what the differences are, in specifications or marketing strategies, in any given country, please look in the Chevrolet International section of this publication to identify the right GM person to contact for that kind of information. Chevrolet Communications (U.S.) does not have those details.

## 1999 CHEVROLET TAHOE



### AFFINITY RELATIONSHIPS

Because Chevrolet offers the most comprehensive lineup of cars and trucks of any automotive manufacturer, it goes without saying that there is a product for virtually everyone, whatever their needs. From the bass fisherman who needs a reliable truck to tow his fishing boat, to the soccer mom who needs a dependable van to get the team to the fields, Chevrolet can offer a vehicle to fit anyone's lifestyle.

With this in mind, Chevrolet has developed what has come to be known as "Affinity Marketing." By developing relationships with over eighty lifestyle organizations, sporting groups and spokespeople that represent the Chevrolet image of its cars and trucks and the people who drive them, Chevrolet is able to market its products and services by forming relationships and offerings marketing support to groups like the United States Figure Skating Association, Ducks Unlimited and individuals who reflect the Chevrolet vision of excellence, like 1998 Olympic Gold Medalist Tara Lipinski and country music star George Strait.

- Bass Anglers Sportsman Society (B.A.S.S.)
- Bass Pro Shops
- Big Cedar Lodge
- Cabela's Sportsman's Quest
- Deer Valley Resort
- Ducks Unlimited
- East Coast Fisherman
- FLW Tour
- Mad River Canoe
- World Pulling (National Tractor Pullers Association)
- Operation Bass
- TNN Outdoors

- Outdoor Connection
- Quail Unlimited
- U.S. Ski Team
- Vail Associates
- Greg Norman
- Monte Nagler
- Becoming An Outdoors Woman
- Black Summit (General Norman Schwarzkopf)
- Shark Shootout
- Chevy Tahoe Wildlife Challenge (Sporting Clays Event Series)
- Ranger Boats
- Telluride Ski and Golf Company
- Opryland USA.

For more information, call 1-800-CHEVY-MI.

### GENUINE CUSTOMER CARE

Chevrolet owners are covered by Genuine Customer Care, a comprehensive owner protection plan that includes the following:

#### **NEW VEHICLE LIMITED WARRANTY**

This warranty is for GM vehicles in the United States. Owners should see their Chevrolet dealer for complete terms and conditions of this New Vehicle Limited Warranty. Items covered for 3 years or 36,000 miles\* for manufacturer defects include:

- The complete vehicle
- Tires
- Towing to the nearest Chevrolet dealership
- Sheet-metal coverage:
  - Corrosion coverage
  - Rust-through coverage†
- Repairs made to correct any vehicle defect
- No charge for most warranty repairs.



## 1999 CHEVROLET TAHOE



### COURTESY TRANSPORTATION

Customers who purchase or lease a 1999 Chevrolet car or truck are eligible for Courtesy Transportation (at no charge) when their vehicles are left at a participating dealership for repairs covered under the 3-year/36,000-mile\* New Vehicle Limited Warranty. Courtesy Transportation, at participating dealerships only, may include shuttle service, expense reimbursement or, if the repairs require leaving the vehicle overnight, a vehicle rental. Actual services may vary at the election of the participating dealer. Owners should see their dealer for details.

\*Whichever comes first.

†6 years or 100,000 miles, whichever comes first.

### ROADSIDE ASSISTANCE\*

Roadside Assistance service is provided through a toll-free 800 number, 24 hours a day, 365 days a year. Roadside Assistance advisors can assist with minor mechanical problems over the phone or coordinate a variety of services through professional service providers.

Basic Care provides:

- Toll-free access — 1-800-CHEV-USA
- Free towing to closest dealer for warranty repairs
- Basic over-the-phone technical advice
- Dealer services at reasonable costs (i.e., wrecker services, locksmith/key service, glass repair, etc.).

Courtesy Care applies for 6 years/66,000 miles†

and provides:

- Basic Care services
- Free locksmith/key service (when keys are lost on the road or locked inside)
- Free flat tire change service
- Free fuel delivery
- Free non-warranty towing
- Free jump start.

\*Roadside Assistance membership is free. Some services may incur costs. Courtesy Care is available to retail, retail lease and corporate lease customers operating 1994 and newer Chevrolet vehicles for a period of 3 years/36,000 miles, whichever comes first. All Courtesy Care services and associated costs must be prearranged by Chevrolet Roadside Assistance or dealer service management and must be driver-initiated. Basic Care and Courtesy Care are not part of or included in the coverage provided by the New Vehicle Limited Warranty. Chevrolet reserves the right to modify or discontinue Basic Care and Courtesy Care at any time. Owners should see their dealer for complete details of the Chevrolet Roadside Assistance Program. †Whichever comes first.

Important — a word about this document: We have tried to make this document as comprehensive and factual as possible. We reserve the right, however, to make changes at any time, without notice, in colors, materials, equipment, specifications, models and availability. Some information may have been updated since the time of printing in June, 1998.

A note about Next Generation air bags: Always use safety belts and proper child restraints, even with Next Generation air bags. See the owner's manual for more safety information.

Some artwork contained within this text is for representation purposes only.

# 1999 TAHOE FEATURE AVAILABILITY




	Tahoe (2-Door)	Tahoe LS (2-Door/4-Door)	Tahoe LT (2-Door/4-Door)
<b>INTERIOR</b>			
Next Generation Driver and Right Front-Passenger Air Bags	S	S	S
Air Conditioning - with CFC-Free Refrigerant	O	S	S
Air Conditioning - rear	NA	O	O
Power Windows with driver's Express Down	NA	S	S
Power Door Locks	S		
Convenience Group - Tilt Wheel™ and Speed Control	O	S	S
Comfort/Security Package	NA	NA	O
Cup Holders - Dual, In-Dash (Slide Out)	S	S	S
Defogger - Rear Window	O	S	S
Door Trim - Molded Plastic with Armrest	S	NA	NA
- Color-Keyed Cloth and Carpet Trimmed	S	S	S
Floor Covering - Full Black Rubber	S	NA	NA
- Color-Keyed Carpet with Rubber Mats	NA	S	S
- Carpeted Floor Mats	NA	O	O
Gauges - Trip Odometer, Oil Pressure, Voltmeter, Tachometer	S	S	S
Lights, Interior - Dome with Delayed Entry	S	S	S
Map Pockets - Driver and Front-Passenger Door	S	S	S
Mirror - Electrochromic ISRV with Compass	NA	S	S
Scotchgard™ Protection	O	S	S
Seats - Front Vinyl Low-Back Buckets	S	NA	NA
- 60/40 Custom Cloth, Split-Bench	NA	S	NA
- 60/40 Custom Cloth, High-Back Buckets	NA	O	NA
- 60/40 Custom Leather Seating Surfaces, Split-Bench	NA	NA	S
- Custom Leather Seating Surfaces, High-Back Buckets	NA	NA	O
- Power Driver Adjustment	NA	S	S
- Rear 3-Passenger, Full-Width Folding (2-Door)	S	S	S
- Rear 3-Passenger, 60/40 Split-Folding (4-Door)	S	S	S
Stereo - AM/FM w/Digital Clock	S	NA	NA
- AM/FM w/Cassette Player	O	NA	NA
- AM/FM w/Cassette and Automatic Tone Control	NA	S	NA
- AM/FM w/CD Player	NA	O	NA
- AM/FM w/Cassette and CD Players	NA	O	S
Steering Wheel - Simulated Leather	S	NA	NA
- Leather Wrapped	NA	S	S
Sunshades - Cloth with LH Storage Strap and RH Mirror	S	NA	NA
- Cloth with LH Storage Strap and RH Mirror with Ext.	NA	S	S
Wipers - Intermittent Variable	S	S	S
- Rear Window/Wiper/Washer	O	S (with tailgate)	S (with tailgate)
<b>EXTERIOR</b>			
Air Dam - Dark Argent	S	S	S
Door Beams - Steel, Side Impact	S	S	S
Sport Package - Uplevel Grille, Wheel Flares, Black Accents	NA	O <sup>2</sup>	O <sup>2</sup>
Daytime Running Lamps	S	S	S
Luggage Carrier - Roof-Mounted	NA	S	S
Mirrors - Dual Black Fold-Away	S	NA	NA
- Dual Black Twin Remote Electric, Fold-Away	NA	S	S
Wire Harness - 8-Lead Trailering	S	S	S
Wheels - 15" x 7" to 16" x 6.5" Painted Silver with Black Cap	S	NA	NA
- Cast-Aluminum	O	S	S
<b>FUNCTIONAL</b>			
Brakes - 4-Wheel Antilock (ABS)	S	S	S
Chassis Package - Off-Road (4x4)	NA	O (2-Door)	O (2-Door)
Engine - Vortec 5700 V8 SFI	S	S	S
Insta-Trac 4x4 System (4x4 models only)	S	S	S
Autotrac 4x4 System (4x4 models only)	O	O	O
Panel Doors	S	S	S
Liftglass with tailgate (no additional cost)	O	O	O
Remote Keyless Entry	NA	S	S
Trailering Equipment	O	O	O
Transmission - 4-Speed Electronically Controlled Automatic	S	S	S

S—Standard. O—Optional (some options may be available only as part of a Preferred Equipment Group). NA—Not available. 1 Black with optional 2-Door 4x4 Sport Trim Package. 2 2-Door 4x4 models only.



# 1999 TAHOE SPECIFICATIONS (2-DOOR)



## MODEL AVAILABILITY

	C1500 (2WD) or K1500 (4x4)
Type	2-Door
Passengers	5-6
Class	Full-size utility
Assembly plant	Silao, Mexico
Primary structure	Welded-steel frame
Body material	Two-side galvanized steel (except roof)

## DIMENSIONS & CAPACITIES

Exterior Dimensions	U. S. STANDARD	METRIC
Wheelbase	111.5 in.	2832.1mm
Overall length	188.0 in.	4775.2mm
Overall height (2WD-4x4)	70.8/72.5 in.	1798.3/1841.5mm
Maximum width	77.1 in.	1958.3mm
Ground to top of rear load floor (2WD-4x4)	28.8/30.2 in.	731.5/767.1mm
Ground clearance (front/rear)	9.2/7.2 (2WD) 9.9/8.0 (4x4) in.	233.7/182.9 (2WD) 251.5/203.2 (4 x 4)mm
Interior Dimensions		
Headroom (front/rear)	39.9/37.8 in.	1013.5/960.1mm
Legroom (front/rear)	41.9/36.4 in.	1064.3/924.6mm
Shoulder room (front/rear)	65.4/66.0 in.	1661.2/1676.4mm
Hip room (front/rear)	60.0/60.7 in.	1524.0/1541.8mm
Cargo volume (max.)	99.4 cu. ft.	2822.2 liters
Capacities		
Curb weight (2WD/4x4)	4525/4876 lbs.	2053/2212 kg
Maximum GVWR (2WD/4x4)	6100/6450 lbs.	2767/2926 kg
Base payload (std.) (2WD/4x4) (based on curb weight)	1575/1374 lbs.	715/624 kg
Maximum trailer capacity	6000 (2WD)/7000 (4x4) lbs.	2722 (2WD)/3176 (4x4) kg
Fuel tank capacity	30 gallons	113.5 liters

# 1999 TAHOE SPECIFICATIONS (2-DOOR)



## STEERING

Type	Variable-ratio integral-power	
Steering ratio on center	16.5:1 (2WD)	16.4:1 (4x4)
Steering ratio at stop	15.6:1 (2WD)	16.3:1 (4x4)
Turning diameter: curb-to-curb (ft./m)	38.1/11.6 (2WD)	39.0/11.9 (4x4)

## BRAKES

Type	Vacuum power, front disc/rear drum, 4-wheel ABS	
	STANDARD	METRIC
Front disc size	11.57 x 1.25 in.	293.9 x 31.7mm
Rear drum size	10.0 x 2.25 in.	254 x 57.2mm
Booster diameter	9.5, Tandem in.	241.3 tandem mm
Parking brake	Cable to rear wheels	

## ENGINE

	Vortec 5700 V8 SFI std. L31 (gasoline)	
Block material	Cast iron	
Cylinder head material	Cast iron	
Bore & stroke (in./mm)	4.00 x 3.48/ 101.60 x 88.39	
Displacement (cu. in./cc)	350/5735	
Compression ratio	9.4:1	
Induction system	SFI	
Valves/cylinder	2	
Lifters	Hydraulic roller	
Cam drive	Chain	
Horsepower/Kw @ rpm (SAE net)	255 @ 4600/190 Kw @ 4600	
Torque/N-m @ rpm (SAE net)	330 @ 2800/447 N-m @2800	
Recommended fuel (min.)	87 octane	

\*Available only on 2-Door 4x4 model.

## TRANSMISSIONS

	Electronically controlled, 4-Speed automatic w/overdrive (4L60-E)
Transmission type	
Gear Ratios:	
1st	3.06
2nd	1.63
3rd	1.00
4th	0.70
Reverse	2.29



# 1999 TAHOE SPECIFICATIONS (2-DOOR)



## SUSPENSION

Frame	All-welded, ladder-type channel design with box front-end section
Front	Coil spring (2WD) Independent with torsion bars (4x4)
Rear	Semi-elliptic, 2-stage multi-leaf spring
Shocks (front/rear) (mm)	32/32
Rear axle (std.)	Hypoid, semi-floating

## MILEAGE\*

Gasoline Vortec 5700 V8  
with 4-speed automatic

Powertrain	2WD		4x4	
	MPG	liters/100 km	MPG	liters/100 km
Mileage:				
City	14	16.8	12	15.7
Highway	18	13.1	16	14.7
Combined	16	14.7	14	16.8
Est. cruising range:	mi.	km	mi.	km
City	420	676	360	579
Highway	540	869	480	772
Combined	480	772	420	676


\*Based on 1999 information.

## WHEELS & TIRES

Standard type	Steel	Steel
Size (in.)	15 x 7 (2WD)	16 x 6.5 (4x4)
Tire type	All-season steel-belted Radials (2WD)	All-terrain (4x4)
Tire size	P235/75R-15 (2WD)	P245/75R-16 (4x4)

All specifications are preliminary and subject to change. General Motors Corporation, June 1998.

# 1999 TAHOE SPECIFICATIONS (4-DOOR)




## MODEL AVAILABILITY

Type	2WD or 4x4
Passengers	4-Door
Class	5-6
Assembly plant	Full-size utility
Primary structure	Janesville, Wis.; Arlington, Texas
Body material	Welded-steel frame
	Two-side galvanized steel (except roof)

## DIMENSIONS & CAPACITIES

Exterior Dimensions	U. S. STANDARD	METRIC
Wheelbase	117.5 in.	2984.5mm
Overall length	199.6 in.	5069.8mm
Overall height (2WD/4x4)	70.3/72.4 in.	1785.6/1839.0mm
Maximum width	76.8 in.	1950.7mm
Ground to Top of rear Load floor (2WD/4x4)	28.0/29.8 in.	711.2/756.9mm
Ground clearance (front/rear)	10.5/7.2 (2WD)9.6/8.6 (4x4) in.	266.7/182.9 (2WD) 243.8/218.4 (4 x 4)mm
Interior Dimensions		
Headroom (front/rear)	43.3/38.9 in.	1099.8/988.1mm
Legroom (front/rear)	41.7/36.4 in.	1059.2/924.6mm
Shoulder room (front/Rear)	64.7/64.8 in.	1643.4/1645.9mm
Hip room (front/rear)	59.9/59.7 in.	1521.5/1516.4mm
Cargo volume (max.)	118.2 cu. ft.	3356 liters
Capacities		
Curb weight (2WD/4x4)	4419/533 lbs.	2005/2419 kg
Maximum GVWR (2WD/4x4)	6300/6800 lbs.	2858/3085 kg
Base payload (std.) (based on curb weight)	1389/1469 lbs.	631/667 kg
Maximum trailer capacity	7000 (2WD)/6500 (4x4) lbs.	3176 (2WD)/2949 (4x4) kg
Fuel tank capacity	30 gallons	113.5 liters





# 1999 TAHOE SPECIFICATIONS (4-DOOR)



## STEERING

Type	Variable-ratio integral-power with EVO	
Steering ratio on center	16:5 (2WD)	16:4 (4x4)
Steering ratio at stop	15:6 (2WD)	16:3 (4x4)
Turning diameter:		
Curb-to-curb (ft./m)	39.8/12.1 (2WD)	40.7/12.4 (4x4)

## BRAKES

Type	Vacuum power, front disc/rear drum, 4-wheel ABS	
	U. S. STANDARD	METRIC
Front disc size	11.57 x 1.25 in.	293.9 x 31.75mm
Rear drum size	10.0 x 2.25 in.	254 x 57.15mm
Booster diameter	9.5, tandem in.	241.3 tandem mm
Parking brake	Cable to rear wheels	

## ENGINE

Type	Standard L31 Vortec 5700 V8 SFI
Block material	Cast iron
Cylinder head material	Cast iron
Bore & stroke (in./mm)	4.00 x 3.48/ 101.60 x 88.39
Displacement (cu. in./cc)	350/5735
Compression ratio	9.4:1
Induction system	SFI
Valves/cylinder	2
Lifters	Hydraulic roller
Cam drive	Chain
Horsepower/Kw @ rpm (SAE net)	255 @ 4600/190 Kw @ 4600
Torque/N-m @ rpm (SAE net)	330 @ 2800/447 N-m @ 2800
Recommended fuel (min.)	87 octane

## TRANSMISSION

Engine	Standard L31 Vortec 5700 V8 SFI
Transmission type	Electronically controlled, 4-speed Automatic w/overdrive (4L60-E)
Gear ratios:	
1st	3.06
2nd	1.63
3rd	1.00
4th	0.70
Reverse	2.29

# 1999 TAHOE SPECIFICATIONS (4-DOOR)



## SUSPENSION

Frame	All-welded, ladder-type channel design with box front section
Front	Independent with coil spring (2WD) Independent with torsion bars (4x4)
Rear	Semi-elliptic, 2-stage multi-leaf spring
Shocks (front/rear) (mm)	36/36
Rear Axle (standard)	Hypoid, semi-floating

## MILEAGE\*

Powertrain	4-Speed Automatic with Vortec 5700 V8 SFI			
	2WD		4x4	
Mileage:	MPG	liters/100 km	MPG	liters/100 km
City	14	16.8	12	19.6
Highway	18	13.1	16	14.7
Combined	16	14.7	14	16.8
Est. cruising range:	mi.	km	mi.	km
City	420	676	360	579
Highway	540	869	480	772
Combined	480	772	420	676

\*Based on 1999 information.

## TRAILERING INFORMATION

	2WD/Vortec 5700 V8	4x4/Vortec 5700 V8
Trailer classification	Medium	Medium
Gross trailer weight (lbs./kg, up to)	7000/3176	6500/2949
Max tongue load (lbs./kg)	850/386	800/363

## WHEELS & TIRES

	Aluminum	Aluminum
Standard type	Aluminum	Aluminum
Size (in.)	15 x 7 (2WD)	16 x 7 (4x4)
Tire type	All-season steel-belted radials (2WD)	All-terrain (4x4)
Tire size	P235/75R-15 (2WD)	P245/75R-16 (4x4)

All specifications are preliminary and subject to change. General Motors Corporation. June 1998.



# 1999 TAHOE POLICE SPECIFICATIONS



## GENERAL

Model	4 Door
Drive	2 Wheel Rear

## EXTERIOR

Wheelbase	117.5
Overall Length	199.6
Overall Width	76.8
Overall Height	70.3
Tread Front	63.6
Tread Rear	64.6
Turning Diameter curb to curb (ft.)	39.8

## FRONT COMPARTMENT

Head Room	43.3
Shoulder Room	64.7
Hip Room	59.9
Leg Room (Maximum)	41.7

## REAR COMPARTMENT

Head Room	38.9
Shoulder Room	64.8
Hip Room	59.7
Leg Room (Minimum)	36.4

## CARGO CAPACITY

Behind 2nd seat (cu. ft.)	66.9
---------------------------	------

## EPA FUEL ECONOMY RATINGS

City/Highway	14/18
--------------	-------

Projected EPA label values, actual mileage will vary with options, driving conditions, driving habits and vehicle's condition.

## ALTERNATOR

Type	CS-144
Amps	140
Amps @ idle	68/117

### Features:

- Sealed High Capacity Bearings
- Transient Voltage Spike Protection
- Vehicle Low Voltage Idle Boost Compatible
- Load Response Control
- Reduced RFI

## ENGINE

Type	Vortec V8
Displacement Liters (cu. in.)	5.7 (350)
Horsepower/RPM	255 @ 4600
Torque/RPM	330 @ 2800
Induction System	SFI
Compression Ratio	9.4:1
Exhaust	Single
Minimum Recommended Fuel Octane	87
Fuel Tank Capacity (gal.)	30

## TRANSMISSION

Automatic electronic with overdrive	4-speed
-------------------------------------	---------

## AXLE

Ratio with limited slip	3.08
-------------------------	------

## BRAKES

ABS Vacuum Power	Disc/Drum
Front size/swept area (sq. in.)	11.57 x 1.25" / 203.0
Rear size swept area (sq. in.)	11..5" x 2.72" / 192.7
Total front and rear swept area (sq. in.)	395.7

## TIRES

Type	SBR, All Season "V" Rated
Size	P235/70R15

## WHEELS

Type (with bolt-on center cap)	Steel
Size	15 x 7

## CHASSIS

Frame	Full Perimeter Steel
Front Suspension	Coil Spring & Stabilizer Bar and Tuned Shocks
Rear Suspension	Semi-Elliptic, 2 Stage Multi-Leaf Springs Stabilizer Bar and Tuned Shocks

Steering Type	Speed Sensitive, Variable Ratio, Integral Power
Steering Ratio (center/stop)	16.5:1/15.6:1

## VEHICLE WEIGHT

GVW (lbs.)	6300
Curb (lbs.)	4800
Payload (lbs.)	1500

Payload and curb weight will vary with option content.

## BATTERY


Type	Maintenance Free
BCI Group Size	78
Volts	12
Amp Hour Rating	69
Cold Cranking Amps @ 0°F (-18° C)	770
Reserve Capacity @ 80°F (27° C)	115

### Features:


- Maintenance-Free Design
- Built-In Hydrometer
- Reinforced Polypropolyene Case
- Built-In Flame Arrester
- Side Mounted Terminals

\*Dimensions are in inches unless otherwise specified


# 1999 CHEVROLET TAHOE PHOTO ORDERING




99-01TAH 2-Door Tahoe Sport 4x4




99-02TAH 2-Door Tahoe LS 4x4 shown with  
Conventional Two-Tone Paint



99-03TAH 4-Door Tahoe LS 4x4




99-04TAH 4-Door Tahoe LS 4x4




99-05TAH 4-Door Tahoe LT 4x4



99-06TAH 4-Door Tahoe LT 4x4



99-07TAH 4-Door Tahoe Z71 4x4



99-08TAH Ducks Unlimited Tahoe Z71



7

8

9

10

11

12

13

14

15




## 1999 CHEVROLET TAHOE PHOTO ORDERING

---



99-09TAH Tahoe Police Package



99-12ENG Vortec 5700 V8 Engine (L31)



1  
2  
3

4

5

6

